HTI
0
0
ō
σ
ത
ω
Ö
S

Summary	Total Test + Proof Failures Total Rejected Overall Reject Rate	: 590								
	Shot: <b>Präof</b> Rejected Percent	t: <u>1</u>	837 1 0.1	743 0 0.0	30 0 0.0	0	0	2 0 0.0	486 0 0.0	8486 3 0.0
	Shot: <b>Tëst R</b> ëjected Percent	190 48.0	816 72 8.8	761 24 3.2	73 3 4.1	0	0	0 0.0	404 136 33.7	8481 55 0.6
· ·	Shot. <b>Target</b> Rejected Percent	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	11 <b>8</b> 7 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
AB	Action binds	20	4						4	8
ASFB	Action spring follower binds									

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
	~									
АВ	Action binds	20	4						4	8
ASFB	Action spring follower binds									
BABS	Bulge at body shoulder					<b>**</b>		âltere.		
BAC	Burr at chamber				`					
вв	Bolt binds/catches				Thereses are a second and a second and a second are a second and a second are a sec					<b>.</b>
BCOE	Bolt catches on ejector							,		
вс	Blows cases					******				
BLOP	Bar lock or disconnector out of position								,	3
BSCO	Barrel support came out									
CBS-F	Shells catch on bbl support-feeding							2000		
CBS-L	Shells catch on bbl support-loading									
cc	Carrier catches on shells,mag,receiver	1								
CD	Case dented									
СН	Closes hard									
CHAB	Carrier hits action bar									
CLM	Can't laod magazine									1
co	Cut-off									
CR	Cuts rim									
cs	Cases swell									

Н
Н
Ħ
0
0
0
Ō
മ
4
0
0

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
CTOG	Chamber torn or gouged									
CTP	Creepy trigger pull									
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back		6	21	2				9	
DCS	Double click in safety switch	See.								
DCT	Double click in trigger									
DCU	Doesn't close∋up		3							
DE	Doesn't eject	1	12	1					9	1
DEL	Doesn't eject live round									
DFU	Doesn't feed up	1.	3		silita				5	
DLO	Doesn't lock open (after last shell)	2	6	4000						
DLU	Doesn't lock-up								1	8
DS	Dead safe	*								
DSM	Drops shell-magazine	8	770000000000000000000000000000000000000						1	
DTL	Doesn't trip latch	10	1		** ************				11	
DX	Doesn't extract			***						
DXL	Doesn't extract live round				1,000					
EDS	Extractor drops shell					100			34	
ESB	Ejector sticks back									
ESS	Extractor stems shell								1	
FA	Fires automatically									
FB	Follower binds									2
FC	Fails to connect									100
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									1
FFM	Fails to feed from magazine	22	5						21	1
FFP	Flat firing pin									
FOS	Fires on safe									
FSR	Fires when safe is released									

Н
H
Ö
8
ŏ
δ
40
1

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
GCSØ	Gas cyl shot off									
GRSO	Guide ring shot off									8
HPA	High pressure amma									
HUE	Hard under extractor	18	12						3	9
ILOP	Int. latch out of position	55.	1						1	
ILRM	int latch ret. Missing	2	7							
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position			State.						
JL	Jumps latch	19	4						5	
JO	Jars off				silita					
LB	Light blow									
MCSO	Magazine cap shot off						800m.			
MCW	Magazine capacity wrong	1 **	1			a. 38				
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position				** ***********************************					
MLH	Magazine loads hard			~~						
ОН	Opens hard				1,000					
PH	Pulls hard					1742				
PSI	Proof stamp illegible									
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	1		1	1				7798	- (M)
RIC	Rings in chamber									1991
SBC	Stems bottom chambers	61							3	
SBCL	Shell binds carrier latch									
SBE	Stems bbl extension									
SCB	Stock cracked or broken									1
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber								1	1

CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
300000		Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
SL	shaves lead									
SLC	Stems left side of chamber	10							21	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber	1							10	
SRIC	Specific rings in chamber	55.								
SSC	shell stems carrier								3	
STC	Stems top chamber	3	. 10						3	9
SWE	Safety switch works too easily			in.						
SWH	Safety switch works too faird									
sww	Safety ewitxh won't work				::::::::::::::::::::::::::::::::::::::					1
TD	Tips down	9								
TU	Tips up									
TWP	Trigger won't pull	**								
TWR	Trigger won't retract		7.000000000							
UNCN-T	Uncoded				* ************************************					
хн	Extracts hard			***						<u>.</u>
XHB	Extractor hits bbl				77995					
						- 55				
н	High									
LO	Low									
LEFT	Left									
RIGHT	Right								1998	
DG	Doesn't Group									144
FSST	Front sight tipped									
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised									
FSTL	Front sight loose									
RSTL	Rear sight loose									
MGPT-G	Missing parts at target									

Н
H
H
0
0
0
თ
თ
4
0
(L)

CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
<u> </u>	MALI SIGNISIA MADEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
UNCN-G	Uncoded nonconformity at target									
Al⊬P	Assembly incompleye at proof									
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof	ios.								
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof	1		line.						
DLOS-P	OS-P Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof				500000					
FCB-P	Fore-end cracked at proof					×				
FESO-P	Fore-end shot off at proof						80			
FF-P	Fails to fire at proof	Ä.	1			. 38				
GCSO-P	Gas cylinder shot off at proof									
GRSO-P	Guide ring shot off at proof				· ·					
MCSO-P	Magazine cap shot off at proof			***						) 
MSI-P	Magnaflux stamp illegible on bbl				77455					
MSM-P	Magnaflux stamp missing on bbl					796				
PP-P	Pierced primer at proof									
SCB-P Stock cracked or broken at proof										3
UNCM-P	Uncoded proof malfunctions									

	2517		1703		878		15975	2391	12706
o	1	O O	1	0	1	0	8	2	5
	0.0		0.1		0.1		0.050	0.084	0.039
**	2517		1701		980	3	16135	2453	12699
0 💥	5	o	21	0	0	0	506	425	81
	0.2	<i>"</i>	12		0.0	0.0	3.14	17.33	0.64
	100000000000				694		694	0	0
0	0	0	0	0	76	0	76	0	0
					11.0		10.95	#DIV/0!	#DIV/0!
870	870 20Ga	870 light	870 SM	SP10	870	D/U	total	Auto	Pump
16Ga		weight			Police		887 - 3 87 - 3	Total	Total
	1		1				20 3		
	1						38	28	10
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	**** b
							0	0	0
							3	0	3
							0	0	0
							0	0	0
							0	0	0
							1	1	0
							0	0	0
							0	0	0
							0	0	0
							1	0	1
							0	0	0
							0	0	0
							0	0	0

Month:

Pump

Total

5 **0.039** 

Auto

Total

total

870 16Ga

870 20Ga

	ž.		2 0000000 000000000					0	0	0
á				:				0	0	0
					333300.			38	38	0
						ilitaa.		0	0	0
	٠						do.	0	0	0
		***************************************						3	3	0
			******					24	23	1
				1				0	<u> </u>	0
						*		9	<b>9</b> /	0
								9	9	0
								9 🚿	1	8
								0	.0	Q
		1					150	10	g	1
								12	12	. 0
				2				2	0	2
								0	0	ō
				9				43	34	9
								0	0	0
								1	1	0
								0	0	0
								2	0	2
								0	0	0
								0	0	0
								0	0	0
								1	0	1
								49	48	1
								0	0	0
								0	0	0

870

Police

O/U

total

0

0

0

0

Auto

Total

0

Pump


. Total

0

870 light weight

870 SM

SP10



870 16Ga

870 20Ga

	.#			1				o,	0	9
		No.						0	0	0
		1		<b>****</b> 1	- 3333.c.			44	33	11
						3355.		3	2	1
	7000						۵.	9	9	0
		1,000,000,000,000						0	0	0
			*****					<b></b> 0	0	0
ſ				3				28	<b>2</b> 5	3
Ī				~		Ž.		0	0 0	<sub>55</sub> 0
Ī								0	0	0
ſ								0	0.	0
ſ							*****	2	2	O.
Ī								0	0	0
								0	0	. 0
		1						1	0	<b>31</b>
								0	0	o
								0	0	0
								0	0	0
								0	0	0
								0	0	0
								4	3	1
								0	0	0
								64	64	0
									0	0
								0	0	0
				1				2	0	2
								0	0	0
								0	0	0

870

Police

O/U

total


0

2

870 light weight

870 SM

SP10



Auto


Total

0


Pump

. Total

0




870 16Ga	870 20Ga	870 light weight	870 SM	SP10	870 Police	O/U	total	Auto Total	Pump Total
		State .					0	0	0
							31	31	0
							0	0	0
				88800			11	11	0
					3355.		0	0	0
300						6	3	3	0
	***************************************						25	16	9
		*****					O	0	0
							0	<u> </u>	0
			.,				1	<b>0</b> 0	<sub>88.6</sub> 1
							9	9	0
							0	0	0
							0	.0	Q.
						* **	0	0	0
							0	0	. 0
	1		2				3	0	3
							0	0	0
									0
					48		48	0	0
					11		11	0	0
							0	0	0
					12		12	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
					1		1	0	0
					1		1	0	0
					3		3	0	0



													.588686	33333							
												Š					000011				
		l					I	l	<u> </u>				<u> </u>					35			
Pump Total	0		0	0	0	0	0	0	0	0	Q	0	Ţ	O	0	Ō	0	0	0	4	0
Auto Total	0		0	0	0	0	0	-	0	0	0	0	-	О	0	0	0	0	0	0	0
total	0		0	0	0	0	0	1	Đ	0	0	0	2	0	0	0	0	0	0	5	0
O/O						-3															
870 Police					800															1	
SP10																					
870 SM										;										1	
870 light weight	,																				
870 20Ga													-								
870 87																					
		•							-	-		-	-	-							

## Gallery Top Faults for Pump Shotguns - Current month through:


**⊞8/13/06** 





## hrough: | Property |


## Gallery Top Faults for Autoloading Shotguns - Current month through:


**3**8/13/06











DTL	Doesn't trip latch
DXL	Doesn't extract live round
ESB	Ejector sticks back
ESS	Extractor stems shell
FA	Fires automatically
FC	Fails to connect
FCB	Fore-end cracked or broken
FD	Follows-down
FFP	Flat firing pin
FOS	Fires on safe
FSR	Fires when safe is released
GCSO	Gas cyl shot off
HPA	High pressure ammo
ILRM	Int. latch ret. Missing
ILSB	Int. latch stud broken
ILSP	Int. latch spring out of position
JO	Jars off
LB	Light blow
MCSO	Magazine cap shot off
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
OH	Opens hard
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RIC	Rings in chamber
SBC	Stems bottom chambers
SBCL	Shell binds carrier latch
SBE	Stems bbl extension.
SCX	Shell catches
SHI	Short indent
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSC	shell stems carrier
SWE	Safety switch works too easily
SWH	Safety switch works too hard
TD	Tips down
TU	Tips up
	Trigger won't pull
TWP TWR	Trigger won't retract
UNCN-T XHB	Uncoded Entractor bits BM
VLD	Extractor hits bbl
LII .8	
	High Four
LO LEFT	Low
	Left


RIGHT	Right
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
Al-P	Assembly incompleye at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
GRSO-P	Guide ring shot off at proof
MCSO-P	Magazine cap shot off at proof
MSI-P	Magnaflux stamp illegible on bbl
MSM-P	Magnaflux stamp missing on bbl
PP-P	Pierced primer at proof
UNCM-P	Uncoded proof malfunctions



SBC	Stems bottom chambers
FFM	Fails to feed from magazine
DBB	Doesn't blow back
EDS	Extractor drops shell
HUE	Hard under extractor
SLC	Stems left side of chamber
AB	Action binds
JL	Jumps latch
DE	Doesn't eject
STC	Stems top chamber
DTL	Doesn't trip latch
SRC	Stems right side of chamber
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DSM	Drops shell-magazine
ILRM	Int. latch ret. Missing
TD	Tips down
DCU	Doesn't close-up
RDW	(Action) release doesn't work
SSC	shell stems carrier
ILOP	Int. latch out of position
MCW	
CC	Magazine capacity wrong  Carrier catches on shells,mag,receiver
DLU	Doesn't lock-up
	Extractor stems shell
ESS SIC	Stems in chamber
BS-P FF-P	Barrel split at proof
	Fails to fire at proof
ASFB	Action spring follower binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BB	Bolt binds/catches
BCOE	Bolt catches on ejector
BC	Blows cases
BLOP	Bar lock or disconnector out of position
BSCO	Barrel support came out
CBS-F	Shells catch on bbl support-feeding
CBS-L	Shells catch on bbf support-loading
CD	Case dented
СН	Closes hard
CHAB	Carrier hits action bar
CLM	Can't laod magazine
co	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber torn or gouged
CTP	Creepy trigger pull Cams wrong side of action bar
CWSB	Cams wrong side of action bar
DCS	Double click in safety switch
DCT	Double click in trigger
DEL 🖇	Doesn't eject live round
- 3	XXXX. XXXX

	-	_
DS	Dead safe	
DX	Doesn't extract	_
DXL	Doesn't extract live round	
ESB	Ejector sticks back	
FA	Fires automatically	1
FB	Follower binds	1
FC	Fails to connect	1
FCB	Fore-end cracked or broken	1
FD	Follows-down	1
FF	Fails to fire	1
FFP	Flat firing pin	1
FOS	Fires on safe	13
FSR	Fires when safe is released	Ŕ
GCSO	Gas cyl shot off	┨
GRSO	Guide ring shot off	┨
HPA	High pressure ammo	ł
ILSB	Int. latch stud broken	ł
ILSP	1999	
	Int. latch spring out of position	┨
JO	Jars off	ł.
LB	Light blow	
MCSO	Magazine cap shot off	l
MFA	Misfires (ammo)	1
MFOP	Magazine follower out of position	1
MLH	Magazine loads hard	
ОН	Opens hard	ľ
PH	Pulls hard	
PSI	Proof stamp illegible	į.
PSM	Proof stamp missing	I
RBOC	Rings and bulges on case	
RIC	Rings in chamber	I
SBCL	Shell binds carrier latch	1
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	1
SHI	Short indent	1
SL	shaves lead	1
SMOC	Stretch marks on case	1
SRIC	Specific rings in chamber	1
SWE	Safety switch works too easily	1
SWH	Safety switch works too hard	1
SWW	Safety ewitxh won't work	1
TU	Tips up	1
TWP	Trigger won't pull.	1
TWR	Trigger won't retract	┨
UNCN-T	Uncoded	┨
	Extracts hard	1
XH	***************************************	ł
XHB	Extractor hits bbt	1
HI	H. M. G. H. G.	1
	Low	1
	Left	1
RIGHT	Right	1

	I
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BP-P	Blown primer at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
GRSO-P	Guide ring shot off at proof
MCSO-P	Magazine cap shot off at proof
MSI-P	Magnaflux stamp illegible on bbl
MSM-P	Magnaflux stamp missing on bbt
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof malfunctions



HI	High
RIGHT	Right
LO	Low
MGPT-G	Missing parts at target
FSTL	Front sight loose
RSTL	Rear sight loose
SCB-P	Stock cracked or broken at proof
AB	Action binds
ASFB	Action spring follower binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BB	Bolt binds/catches
BCOE	Bolt catches on ejector
BC	Blows cases
BLOP	Bar lock or disconnector out of position
BSCO	Barrel support came out
CBS-F	Shells catch on bbl support-feeding
CBS-L	Shells catch on bbl support-leading
CC CC	
CD	Carrier catches on shells,mag,receiver
	Case dented
CH	Closes hard
CHAB	Carrier hits action bar
CLM	Can't laod magazine
CO	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber torn or gouged
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DLU	Doesn't lock-ผล
DS	Dead safe
DSM	Drops shell-magazine
DTL	Doesn't trip latch
DX	Doesn't extract
DXL	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC .	Fails to connect
FCB	Fore-end cracked or broken
FD 🛞	Follows-down
1000	<u>**</u>

	<u></u>
FF	Fails to fire
FFM	Fails to feed from magazine
FFP	Flat firing pin
FOS	Fires on safe
FSR	Fires when safe is released
GCSO	Gas cyl shot off
GRSO	Guide ring shot off
HPA	High pressure ammo
HUE	Hard under extractor
ILOP	Int. latch out of position
ILRM	Int. latch ret. Missing
ILSB	Int. latch stud broken
ILSP	Int. latch spring out of position
JL	Jumps latch
JO	Jars off
LB	Light blow
MCSO	Magazine cap shot off
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
MLH	Magazine loads hard
ОН	Opens hard
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
SBC	Stems bottom chambers
SBCL	Shell binds carrier latch
SBE	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SIC	Stems in chamber
SL	shaves lead
SLC	SELECTION SELECTION
SMOC	Stems left side of chamber
	Stretch marks on case
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSC	shell stems carrier
STC	Stems top chamber
SWE	Safety switch works too easily
SWH	Safety switch works too hard
SWW	Safety ewitch won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
	Trigger won't retract
	Uncoded
XH ®	Extracts hard
<u>                                     </u>	ELECTION TOTAL



No. in	Ie	
XHB	Extractor hits bbl	
LEFT	Left	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
UNCN-G	Uncoded nonconformity at target	
AI-P	Assembly incompleye at proof	
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	<u> </u>
GCSO-P	Gas cylinder shot off at proof	
GRSO-P	Guide ring shot off at proof	- 600
MCSO-P	Magazine cap shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
UNCM-P	Uncoded proof malfunctions	
		7999



	200000000000000000000000000000000000000	***********												
Summa	any	Total		roof Failures	1491	•								
Summa				tal Rejected:	37	7								
0.0000000000000000000000000000000000000			Overall	Reject Rate:	2.48	}								
				Shot: Rejected:	<b>2</b> 2	5	70	30				3	987	
		Proof	<i>****</i>	Rejected	0	0	0	0	0	0	0	0	0	0
	***************************************			Shot: Rejected: Percent Shot:	0.0	0.0	0.0	0.0				0.0	0.0	
				Shot	40	4	123	41			1	7	984	
		Test	× :	······································	21 52.5		6 4.9	1	0	0	0	0	7	0
				Rejected Percent: Shot:	52.5	-000000000	20000000 199	2000000000			0.0	0.0	0.7	
				Shot:		1.8888	SSSSS.	133333	die.					
		Target		Rejected:	0	0	O	0	0	0	0	0	0	0
		•		Percent:	3	0	0	0	0	3333333				

CODE	MALFUNCTION INDEX	1187 Super Mag	11 <u>87</u> 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
									7 A.		
AB	Action binds				***************************************				* *********	**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									á	
вв	Bolt binds/catches							1144			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
СНАВ	Carrier hits action bar	2800 .									
CLM	Can't land magazine		w.							1	
со	Cut-off		<b>***</b>								
CR	Cuts rim										
cs	Cases swell	***************************************									
стос	Chamber torn or gouged	·				- Since					
CTP	Creepy trigger pull	.3									
CWSB	Cams wrong side of action bar										
DBB	Doesn't blow back			4			~				
DCS	Double click in safety switch								*		
DCT	Double click in trigger					Ec.				×	
DCU	Doesn't close-up								70000		
DE	Doesn't eject		1	1							
DEL	Doesn't eject live round						***************************************				
DFU	Doesn't feed up							******		Ä	
DLO	Doesn't lock open (after last shell)			1							
DLU	Doesn't lock-up								7790	2	
DS	Dead safe										
DSM	Drops shell-magazine	2									.000000
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
FA	Fires automatically	Maria.									
FB	Fallower binds		b.s							1	
FC	Fails to connect		<b>***</b>								
FCB	Fore-end cracked or broken			.235.5							
FD	Follows-down										
FF	Fails to fire										
FFM	Fails to feed from magazine	5									
FFP	Flat firing pin										
FOS	Fires on safe						~				
FSR	Fires when safe is released								*		
GCSO	Gas cyl shot off					Tage				22	
GRSO	Guide ring shot off								*******		
HPA	High pressure ammo										
HUE	Hard under extractor						*******			: 	
ILOP	Int. latch out of position										
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken								45.		
ILSP	Int. latch spring out of position									****	
JL	Jumps latch	5									
JO	Jars off										
LB	Light blow										
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
MLH	Magazine loads hard	2000.									
ОН	Opens hard		ka.								
PH	Pulls hard		**************************************								
PSI	Proof stamp illegible			.288							
PSM	Proof stamp missing										
RBOC	Rings and bulges on case					utities.					
RDW	(Action) release doesn't work										
RIC	Rings in chamber										
SBC	Stems bottom chambers	9	***								
SBCL	Shell binds carrier latch		ì						\$\$;		
SBE	Stems bbl extension					770				300	
SCB	Stock cracked or broken								*****	1	
scx	Shell catches					***************************************					
SHI	Short indent						*********				
SIC	Stems in chamber							******		1 🔏	
SL	shaves lead										
SLC	Stems left side of chamber								Series.		
SMOC	Stretch marks on case									****	
SRC	Stems right side of chamber										,000000
SRIC	Specific rings in chamber										
ssc	shell stems carrier										
STC	Stems top chamber									1	
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										


CODE	MALFUNCTIÓN INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
TD	Tips down	Mari									
TU	Tips up		ina.								
TWP	Trigger won't pull		· · · · · · · · · · · · · · · · · · ·								
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard	,				utition.					
XHB	Extractor hits bbl	ž									
		*									
ні	High										
LO	Low		,						<b>**</b>		
LEFT	Left					77 <u>0</u> -					
RIGHT	Right								****		
DG	Doesn't Group					******					
FSST	Front sight tipped						100000			Ĭ .	
RSTT	Rear sight tipped									Å	
RSBR	Rear sight base raised										
FSTR	Front sight raised								1715		
FSTL	Front sight loose										
RSTL	Rear sight loose										.000000
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof										


CODE	
 BLP-P	
BP-P	•
BS-P	
DLOS-P	
ESB-P	
FCB-P	
FESO-P	
FF-P	
GCSO-P	
GRSO-P	
MCSO-P	
MSI-P	
MSM-P	
PP-P	
l	


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof		·								
DLOS-P	Doesn't lock over shells at proof			.222							
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof	,				.60					
FESO-P	Fore-end shot off at proof	;									
FF-P	Fails to fire at proof	8									
GCSO-P	Gas cylinder shot off at proof					<b>********</b>	l				
GRSO-P	Guide ring shot off at proof								<b>*</b>		
MCSO-P	Magazine cap shot off at proof					000.				555	
MSI-P	Magnaflux stamp illegible on bbl								***		
MSM-P	Magnaflux stamp missing on bbl										
PP-P	Pierced primer at proof						2000				
SCB-P	Stock cracked or broken at proof										
UNCM-P	Uncoded proof malfunctions										





Subject to Protective Order - Williams v. Remington












14
4
4
4
0
0
14
2 0
3
0
1 2


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								× ××	×		
AB	Action binds								* *************************************	**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į.	
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,,	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-do <del>w</del> n	36								
FF 📉	Fails to fire									
FFM	Fails to feed from magazine		<u> </u>							
FFP	Flat firing pin			300.						
FOS	Fires on safe	**********			885.					
FSR	Fires when safe is released	•				-60				
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		10000					999.		
ILOP	Int. latch out of position								State.	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>###</i>
ILSP	Int. latch spring out of position					ĺ	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200							1	
RIC 📉	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension				886.					
SCB	Stock cracked or broken	178				,				
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					SS				
SL	shaves lead		77999					999.		
SLC	Stems left side of chamber					2,000			55-5-	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					,	*****		8	
SSC	shell stems carrier									
STC	Stems top chamber								1	
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									


								 		-	
XHB.	Extractor hits bbl									]	
										_	
HI	High										
LO	Low										
LEFT	Left										
RIGHT	Right			888							
DG	Doesn't Group				≫						
FSST	Front sight tipped	***									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										
FSTL	Front sight loose		2005	1				Sec.			
RSTL	Rear sight loose					2,0000					
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								<i>*******</i>		
							******			_ 2000	
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							*******			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof									]	:
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									300	
ESB-P	Ejector sticks back at proof									]	
FCB-P	Fore-end cracked at proof									]	
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures


	Total Rejected Overall Reject Rate										
	Shot <b>Proof</b> Rejecte Percer	d: 0	0	0	0	0	0	0	0	0	0
	Sho <b>Test</b> Rejecte Perger	d 0	ā	0	0	0	0	0	0	0	0
	Shar <b>Target</b> Rejecte Percen	d: 0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds					**************************************				33.co	
ASFB	Action binds  Action spring follower binds				7793000		200000000		1 100000		2000
BABS	Bulge at body shoulder					1700000					
BAC	Burr at chamber						700				
ВВ	Bolt binds/catches							1777		i i	
BCOE	Bolt catches on ejector					1					
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


0

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	550								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			333.						
CTP	Creepy trigger pull	************			885.					
CWSB	Cams wrong side of action bar	- 176								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger						¥			
DCU	Doesn't close-up		1999					Sto.		
DE	Doesn't eject								****	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					ĺ			<u> </u>	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							***************************************		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- 550								
FF	Fails to fire									
FFM	Fails to feed from magazine		<b>***</b>							
FFP	Flat firing pin	Š		3500.						
FOS	Fires on safe				88.					
FSR	Fires when safe is released	7.90								
GCSO	Gas cyl shot off	į.								
GRSO	Guide ring shot off									
HPA	High pressure ammo		**			***				
HUE	Hard under extractor		2009				× **	550.		
ILOP	Int. latch out of position								***	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>*****</i>
ILSP	Int. latch spring out of position					******			ÿ 	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC 🤲	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension				85c.					
SCB	Stock cracked or broken									
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber							<u> </u>		
SL	shaves lead		77999						99.	
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									















Subject to Protective Order - Williams v. Remington


СН


Closes hard

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	56c.								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			885.					
CWSB	Cams wrong side of action bar	7%								
DBB	Doesn't blow back									
DCS	Double click in safety switch	å								
DCT	Double click in trigger									
DCU	Doesn't close-up		10000					550.		
DE	Doesn't eject								State.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>*****</i>
DLO	Doesn't lock open (after last shell)					Í	******		<i>y</i>	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									*****
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC:	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-do <del>w</del> n										
FF 📉	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			300.							
FOS	Fires on safe	***********			88s.						
FSR	Fires when safe is released	***									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off										
HPA	High pressure ammo										
HUE	Hard under extractor		119900					*	500.		
ILOP	Int. latch out of position										
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										<i>###</i>
ILSP	Int. latch spring out of position					Í	******			ř.	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										
1 01	1 1001 Staffip filegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch		***	350.							
SBE	Stems bbl extension	***************************************			88s.						
SCB	Stock cracked or broken	7.90				,					
scx	Shell catches	į.									
SHI	Short indent	Ä									
sic	Stems in chamber		******								
SL	shaves lead		10000					*	550.		
SLC	Stems left side of chamber								Ž		
SMOC	Stretch marks on case				***************************************						
SRC	Stems right side of chamber										<i>###</i>
SRIC	Specific rings in chamber					,	*****				
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								3344		
SWH	Safety switch works too hard									*****	
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	.6000000000												
Sum	mary	Total	Test + Proof Failures	1414									
	Y		Total Rejected:	15									
			Total Rejected: Overall Reject Rate:	1.06									
			Shot: Rejected: Percent			207					26	601	
		Proof	Rejected:	0	0	0	0	0	0	0	0	0	0
	******		Percent:	0	<b>***</b>	0.0					0.0	0.0	
			Shot	×	.888888	252						600	
		Test	Sh <b>o</b> t Rejected	0	Ø	5	. 0	0	0	0	0	6	0
			Shot: Rejected Percent Shat: Rejected Percent:		0	5 2.0						1.0	
			Shot: Rejected:			A	Personal Control	260.					
		Target		0	o	0	0	0	0	0	0	0	0
		•	Percent:	á	0	0	0		333333				


			300000 30000	888	2000000 00	99999 TYPESSE	3000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						.,000.			<i>X</i> 2000		
AB	Action binds									2	
ASFB	Action spring follower binds				***	1					
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							135001			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	***									
CR	Cuts.rim										
cs	Cases swell										
стос	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į		5							
DCS	Double click in safety switch										
DCT	Double click in trigger		**			*** **********************************	***				
DCU	Doesn't close-up		20000					*	90.		
DE	Doesn't eject									ess.	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)										
DLU	Doesn't lock-up										1,
DS	Dead safe										
DSM	Drops shell-magazine										
DTL	Doesn't trip latch										
DX	Doesn't extract										 ļ ¨
DXL	Doesn't extract live round										
EDS	Extractor drops shell										1
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

	,										
FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- XX									
FF 💥	Fails to:fire										
FFM	Fails to feed from magazine		<b>***</b>							1	
FFP	Flat firing pin			800.							
FOS	Fires on safe	***************************************			886.						
FSR	Fires when safe is released	18									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off									2	
HPA	High pressure ammo						**	**			
HUE	Hard under extractor		******					**	880.		
ILOP	Int. latch out of position					,,,,,			* *******		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					,				) No.	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										


PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension				85c.					
SCB	Stock cracked or broken									
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber									
SL	shaves lead		10000				*	550.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									//////
SRIC	Specific rings in chamber					*****			š	
ssc	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							*******		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work								1	
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									
TWR UNCN-T	Trigger won't retract Uncoded									


									_
XHB.	Extractor hits bits								
									•
HI	High	200							
LO	Low								
LEFT	Left		· · · · · · · · · · · · · · · · · · ·						
RIGHT	Right								
DG	Doesn't Group			≫					
FSST	Front sight tipped	7.54							
RSTT	Rear sight tipped	,							
RSBR	Rear sight base raised								
FSTR	Front sight raised		**						
FSTL	Front sight loose		2005			<b>*</b>	550.		
RSTL	Rear sight loose						Ž ////////////////////////////////////	***	
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target								
					******			*	<b>,</b> .5%
AI-P	Assembly incompleye at proof								
BC-P	Blows cases at proof								4
BEB-P	Barrel extension broken at proof						2000		
BLP-P	Blanked primer at proof								
BP-P	Blown primer at proof								 
BS-P	Barrel split at proof								-
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	A0000000000000000000000000000000000000													
Summ	ary	Total	Test + Proof Fa		1408									
			Total Rej	ected:	52									
				Rate:	3.69									
				Shot:	Sec.		209						913	
	***************************************	Proof		yected:	0	0	0	0	0	0	0	0	0	0
	***************************************		Re F	Percent		**** **** ****.	0.0						0.0	
				Shot	. 26		224					31	913	
		Test	₩Re	ejected	18 69:2	0	12	0	0	0	0	11	7	0
			P P			0	12 5.4					<i>35.5</i>	0.8	
				Shot:		30000000	<b>.</b> ₩		200					
		Target	Re	ejected:	0 ;	o	O	0	0	0	0	0	0	0
		J	F	Percent:		0	0	0						

		.00		505	200000000 300	30000000 000000	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								<b>***</b>	8 888		
АВ	Action binds									2	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									ĺ	
вв	Bolt binds/catches							19999			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									2	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	260									
CR	Cuts.rim										
cs	Cases swell										
стос	Chamber torn or gouged			800.							
CTP	Creepy trigger pull	***************************************			88c.						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į		12					1		
DCS	Double click in safety switch										
DCT	Double click in trigger										
DCU	Doesn't close-up		7990					*	900.		
DE	Doesn't eject	1								***	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>/////////////////////////////////////</i>
DLO	Doesn't lock open (after last shell)					,	******			ř	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch	1									
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell								1		
FA	Fires automatically										
FB	Follower binds										

	······································										
FC:	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- No									
FF 📉	Fails to fire										
FFM	Fails to feed from magazine								2		
FFP	Flat firing pin			300.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	174									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off									1	
HPA	High pressure ammo		*	·			**	**			
HUE	Hard under extractor	1	******					**	2	1	
ILOP	Int. latch out of position					,,,,,			× 2000		
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					,				No.	
JL	Jumps latch	1									
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard	-									
PSI	Proof stamp illegible										
· ·	.F3										

PSM

RBOC

RDW

RIC

SBC

Proof stamp missing

Rings in chamber

Rings and bulges on case


Stems bottom chambers

(Action) release doesn't work

12

XHB	Extractor hits bibl																								
			•	•	•	•	•			•	•														
HI	High																								
LO	Low											ı													
LEFT	Leff																								
RIGHT	Right			800								l													
DG	Doesn't Group											l													
FSST	Front sight tipped	* *4										l													
RSTT	Rear sight tipped											ı													
RSBR	Rear sight base raised	á										l													
FSTR	Front sight raised		**									l													
FSTL	Front sight loose		2009					<b>8</b> 8	550.			l													
RSTL	Rear sight loose					2,000						ı													
MGPT-G	Missing parts at target											ı													
UNCN-G	Uncoded nonconformity at target											l													
							•	,					.455.	.686	.884	.486	.656	Alla	.886		.685	Mari	Alla	Altern.	<i></i>
AI-P	Assembly incompleye at proof											l													
BC-P	Blows cases at proof											l													
BEB-P	Barrel extension broken at proof								2000			l													
BLP-P	Blanked primer at proof											l													
BP-P	Blown primer at proof											l						***************************************	***************************************	***************************************					
BS-P	Barrel split at proof											l													
DLOS-P	Doesn't lock over shells at proof											l		176	***	***	***	· · · · · · · · · · · · · · · · · · ·	~ **	~ #			***		
ESB-P	Ejector sticks back at proof											l													
FCB-P	Fore-end cracked at proof											l													
FESO-P	Fore-end shot off at proof											l													
FF-P	Fails to fire at proof											ı													







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


	700000000000000000000000000000000000000	************												
Sumi	nary			Proof Failures	1244	ļ								
			Ŧ¢	stal Rejected:	27	7								
			Overal	Reiect Rate:	2.17	7								
'				Shot: Rejected:	13	60	143					17	598	
		Proof		Rejected:	0	O	0	0	0	0	0	0	3	0
				Percent:	0.0	0.0	0.0					0.0	0.5	
				Shot	38	65	47	32					598	
		Test		Rejected	10 26.3		00	2	0	0	0	0	3	0
				Shot: Rejected: Percent: Shot: Rejected: Percent:	26.3	1.5	0.0	6.3					0.5	
				ંડન્સનવર્શ-		1.8888	18888	7000000	ation .					
		Target		Rejected:	0	0	· 0	0	0	0	0	0	0	0
		J		Percent:	d	0	0	0	0					


		-50		200	200000000 200	2000000	concess:				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
									8 aan.		
АВ	Action binds	2								1	
ASFB	Action spring follower binds				***						
BABS	Bulge at body shoulder										
BAC	Burr at chamber									i s	
вв	Bolt binds/catches							1,446%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR	Cuts.rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			886.					
CWSB	Cams wrong side of action bar	- 1%				,				
DBB	Doesn't blow back	ني .			2					
DCS	Double click in safety switch									
DCT	Double click in trigger					SS				
DCU	Doesn't close-up		10000					99.		
DE	Doesn't eject					2,000		<u> </u>	55-5-	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****		ş	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							***************************************		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- SSC								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			800.						
SBE	Stems bbl extension				Ster.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber		**							
SL	shaves lead		2,000					ito.		
SLC	Stems left side of chamber	2				,,,,,,			500.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					·	*****			
SSC	shell stems carrier									
STC	Stems top chamber	2							2	
SWE	Safety switch works too easily							*****		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

											-	
XHB.	Extractor hits bibl											
											_	
HI	High	No.										
LO	Low											
LEFT	Left											
RIGHT	Right			556								
DG	Doesn't Group											
FSST	Front sight tipped	* **										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised	Á										
FSTR	Front sight raised						*					
FSTL	Front sight loose		*****					isto.				
RSTL	Rear sight loose							<i>*</i>				
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>******</i>		
					:	******					_ 2000	
AI-P	Assembly incompleye at proof								Á		]	
BC-P	Blows cases at proof											,
BEB-P	Barrel extension broken at proof											
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof										]	
DLOS-P	Doesn't lock over shells at proof											
ESB-P	Ejector sticks back at proof											***************************************
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											








Subject to Protective Order - Williams v. Remington











	.60000000												
S	ummary		Test + Proof Failures		)								
			Total Rejected:	70	)								
			Overall Reject Rate:	5.19	)								
		Proof	Shot: Rejected: Percent: Shot: Rejected:	38	144							681	
		Proof	Rejected:	0	0	0	0	0	0	0	0	0	0
	*********		Percent:	0.0	0.0							0.0	
			Shot:	78	94	20					25	681	
		Test	Rejected	42 53:8	a .		. 0	0	0	0	15	4	0
			Shot: Rejected: Percent: Shat: Rejected: Percent:	53.8	6.4	1 5.0					60.0	0.6	
			Shot:			ASSESSE		ation.					
		Target	Rejected:	0	0	O		· · · · · · · · · · · · ·	0	0	0	0	0
			Percent:	<i>i</i>	0	0	0	0					


			4000001 400000	555.	and the second second	2000000 000000	· · · · · · · · · · · · · · · · · · ·				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds	4								**************************************	
ASFB	Action spring follower binds				***						
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							11999			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
CO CLM	Cut-off	- SS-								
CR	Cuts rim									
cs	Cases swell		<b>***</b>							
стос	Chamber torn ör:gøuged	×		5555						
CTP	Creepy trigger pull				88 <sub>0</sub> .					
CWSB	Cams wrong side of action bar	1%								
DBB	Doesn't blow back							2		
DCS	Double click in safety switch			<b>*</b>						
DCT	Double click in trigger									
DCU	Doesn't close-up		1				*	80.		
DE	Doesn't eject								1	
DEL	Doesn't eject live round				***************************************					
DFU	Doesn't feed up	1	1							<i>.</i>
DLO	Doesn't lock open (after last shell)					******				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine	1								
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell							1		
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

	***************************************									
FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down	200								
FF 🦎	Fails to:fire									
FFM	Fails to feed from magazine	7	1					6		
FFP	Flat firing pin			300.						
FOS	Fires on safe				Ster.					
FSR	Fires when safe is released	1%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off								1	
HPA	High pressure ammo			·						
HUE	Hard under extractor	4	******					880.		
ILOP	Int. latch out of position		1			2,0000				
ILRM	Int. latch ret. Missing	1	2							
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position					2			bo.	
JL	Jumps latch	6							Á	
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									
MFOP MLH OH	Magazine follower out of position  Magazine loads hard  Opens hard									

	200000000000000000000000000000000000000									
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	l		1						
RIC	Rings in chamber									
SBC	Stems bottom chambers	14	<b>***</b>					1		
SBCL	Shell binds carrier latch			800.						
SBE	Stems bbl extension				886.					
SCB	Stock cracked or broken	***				,				
scx	Shell catches	<u> </u>								
SHI	Short indent									
SIC	Stems in chamber		*			SS				
SL	shaves lead		2008					999.		
SLC	Stems left side of chamber	3				*******		3	500.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber							2		
SRIC	Specific rings in chamber					Í	*****		,	
ssc	shell stems carrier									
STC	Stems top chamber	1							2	
SWE	Safety switch works too easily							2000		
swH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									ļ
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									

XHB. Éxtractor hits bbl  HI High LO LOW LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTT Rear sight tipped RSTR Front sight tipped RSTR Front sight tipped RSTR Front sight tipped RSTR Front sight toose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Wissing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BC-P Blows cases at proof BC-P Blown primer at proof BC-P Blown primer at proof BC-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Bown primer											_	
HI High LO Löw LEFT Left RIGHT Right DG Desnt Group FSST Front sight tipped RSST Rear sight tipped RSSR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTR Front sight toose RSTL Rear sight loose RSTL Rear sight loose RSTL Outcoded nonconformity at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BE-P Barrel sylint at proof BE-P Barrel sylint at proof BE-P Blows cases at proof BE-P Blows cases at proof BE-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel sylint at proof BS-P Barrel sylint at proof BS-P Barrel sylint at proof BS-P Bosent lock over shells at proof BS-P Ejector sticks back at proof FCB-P Fore-end cracked at proof	XHB	Extractor hits bibl										
LO LOW LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSTR Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BC-P Blartel staries to the following a proof BC-P Blartel starten to the following a proof BC-P Blartel starten to the following a proof BC-P Blartel starten to proof BC-P Blartel starten to proof BC-P Blows primer at proof BC-P Blows cases at proof											'	
LEFT Left RIGHT Right DG Doesn't Group FSST Front sight lipped RSTT Rear sight lipped RSTR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTR Front sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target EB-P Barrel extension broken at proof BC-P Blows cases at proof BB-P Blanked primer at proof BB-P Blown primer at proof BB-P Blown primer at proof BC-P Doesn't look over shells at proof BC-P Doesn't look over shells at proof BC-P FCB-P Fore-end cracked at proof	HI	4P! "9"	200									
RIGHT Right DG Doesn't Group FSST Front sight lipped RSTT Rear sight lipped RSBR Rear sight base raised FSTR Front sight raised FSTR Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Nooded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BC-P Blows cases at proof BLP-P Blanked primer at proof BLP-P Blown primer at proof BS-P Bown primer at proof BS-P Bown primer at proof BS-P Doesn't look over shells at proof BC-P Doesn't look over shells at proof BC-P Doesn't look over shells at proof BC-P Doesn't look over shells at proof BS-P Fore-end cracked at proof	LO	Low										
DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target UNCN-B Blows cases at proof BC-P Blows cases at proof BC-P Blows cases at proof BB-P Barrel extension broken at proof BB-P Blown primer at proof BB-P Blown primer at proof BS-P Bown prim	LEFT	Left										
FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof DLOS-P Doesn't lock over shells at proof ESB-P Ejector sticks back at proof FCB-P Fore-end cracked at proof	RIGHT	Right			333							
RSTT Rear sight tipped RSBR Rear sight base raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BP-P Blanked primer at proof BP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Doesn't lock over shells at proof ESB-P Ejector sticks back at proof FCB-P Fore-end cracked at proof	DG					88 <sub>0</sub> .						
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised FSTL Front sight loose RSTL Rear sight loose RSTL Rear sight loose MGPT-G Missing parts at target UNCN-G Uncoded nonconformity at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Barrel split at proof BC-P Doesn't lock over shells at proof ESB-P Ejector sticks back at proof	FSST		***									
FSTR Front sight raised  FSTL Front sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	RSTT	Rear sight tipped										
FSTL Front sight loose  RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  BS-P Barrel split at proof  BS-P Begictor sticks back at proof  ESB-P Ejector sticks back at proof  ESB-P Fore-end cracked at proof	RSBR	Rear sight base raised	a di	19999 999999								
RSTL Rear sight loose  MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  BS-P Barrel split at proof  BS-P Berrel split at proof  BS-P Boosen't lock over shells at proof  ESB-P Ejector sticks back at proof  ESB-P Fore-end cracked at proof	FSTR	Front sight raised		~								
MGPT-G Missing parts at target  UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	FSTL	Front sight loose		2009				1:::	550.			
UNCN-G Uncoded nonconformity at target  AI-P Assembly incompleye at proof BC-P Blows cases at proof BEB-P Barrel extension broken at proof BLP-P Blanked primer at proof BP-P Blown primer at proof BS-P Barrel split at proof BS-P Barrel split at proof BS-P Ejector sticks back at proof ESB-P Fore-end cracked at proof	RSTL	Rear sight loose						<b>1</b> 33 88888				
AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	MGPT-G	Missing parts at target										
AI-P Assembly incompleye at proof  BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	UNCN-G	Uncoded nonconformity at target										
BC-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof							******	330000000000000000000000000000000000000				
BE-P Blows cases at proof  BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	AI-P	Assembly incompleye at proof										
BEB-P Barrel extension broken at proof  BLP-P Blanked primer at proof  BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	BC-P	Blows cases at proof										á
BP-P Blown primer at proof  BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	BEB-P	Barrel extension broken at proof							2,24688			
BS-P Barrel split at proof  DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	BLP-P	Blanked primer at proof								******		
DLOS-P Doesn't lock over shells at proof  ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	BP-P	Blown primer at proof										
ESB-P Ejector sticks back at proof  FCB-P Fore-end cracked at proof	BS-P	Barrel split at proof										
FCB-P Fore-end cracked at proof	DLOS-P	Doesn't lock over shells at proof										
	ESB-P	Ejector sticks back at proof										
FESO-P Fore-end shot off at proof	FCB-P	Fore-end cracked at proof										
	FESO-P	Fore-end shot off at proof									]	
FF-P Fails to fire at proof	FF-P	Fails to fire at proof									j	







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	.40000000000000000000000000000000000000	~~~											
Summ	ary	Total	Test + Proof Failure		3								
			Total Rejected	i: 20	)								
S. S			Overall Reject Rate	e: 1.66	1								
			Sho	. 74							142	624	
	***************************************	Proof	Rejecte	d: 0	O	0	0	0	0	0	0	0	0
			Sho Rejecte Percer Sha Rejecte	t 0.0	·						0.0	0.0	
			Shø.	60 00. 30 00. 30 00.	30						52	624	
		Test	Rejecte	1 0	0	0	0	0	0	0	9	1	0
			Sho Rejecte Percer Sha Rejecte Percer	9 9	-000000000	0					17.3	0.2	
			<i>∞</i> 900			<b>∤</b> ‱%"	Talkara 1	200					
		Target	Rejecte	d: 0	0	O	0	0	0	0	0	0	0
			Percer	i.		0	Ó	0			_		
				440=	**************************************	'A'	50000000000	70000 E0000	9 (000) (000)				


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					<i></i>		<i>*************************************</i>	× ××	7 Associ		
АВ	Action binds				******				************	**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			<b>*</b>							
DCT	Double click in trigger										
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up								4		<i>###</i>
DLO	Doesn't lock open (after last shell)					Í	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell								5		
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>******</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									******
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC	Rings in chamber										
SBC	Stems bottom chambers		<b>***</b>								
SBCL	Shell binds carfler latch			300.							
SBE	Stems bbl extension	***************************************			886.						
SCB	Stock cracked or broken	18									
scx	Shell catches	·									
SHI	Short indent										
SIC	Stems in chamber						**	330			
SL	shaves lead		******					**	Sto.		
SLC	Stems left side of chamber					2,0000			×		
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					)				, No.	
SSC	shell stems carrier									À	
STC	Stems top chamber									1	
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
ХН	Extracts hard										
TD TU TWP TWR	Tips down Tips up Trigger won't pull Trigger won't retract										

										_
XHB.	Extractor hits bibl									
										_
HI	High	- Sec.								
LO	Low									
LEFT	Left									
RIGHT	Right									
DG	Doesn't Group									
FSST	Front sight tipped	174								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised		*			***				
FSTL	Front sight loose		2005				800.			
RSTL	Rear sight loose				2,000		Ž	***		
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target								<i>*****</i>	
						*****		*		_
AI-P	Assembly incompleye at proof									
ВС-Р	Blows cases at proof									
BEB-P	Barrel extension broken at proof						2001			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									1,00000
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									]
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									]
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									]

















Subject to Protective Order - Williams v. Remington

Summary	Total	Test + Proof Failures	232								
		Total Rejected:	14								
		Overall Reject Rate:	6.03								
******	Proof	Shot: Rejected Percent. Shat: Rejected Percent.	<i>/////////////////////////////////////</i>							86	
***	Proof	Rejected:	0	0 0	0	0	0	0	0	0	0
		Percent	0	5000.						0.0	
		Sh <b>ợ</b> t:	Š							86	
	Test	Rejected	0	0 0	0	0	0	0	0	6	0
		Percent:	1	0 0						7.0	
		∂\$#QC		**** <b> </b> ******		200					
	Target	Rejected:	0	0 0	0	0	0	0	0	0	0
	J	Percent:		0 0	0	0					


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								× ××	×		
AB	Action binds								* *************************************	**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į.	
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,,	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	178				,					
DBB	Doesn't blow back	į									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000			<u> </u>	55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- <del>100 r.</del>								
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			333.						
FOS	Fires on safe				885.					
FSR	Fires when safe is released									
GCSO	Gas cyl shot off	į.								
GRSO	Guide ring shot off			<u> </u>						
HPA	High pressure ammo					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
HUE	Hard under extractor		77999				<u> </u>	99.	6	
ILOP	Int. latch out of position									
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>******</i>
ILSP	Int. latch spring out of position					ĺ				
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									


PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers		<b>**</b>								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches	į.									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		*****					*	99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i>******</i>
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										








Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures


Total Rejecte Overall Reject Rat										
	*******************		0	0	0	0	0	0	0	0
1100007 0000000000007 00	20000		1							
Percei	nt:		O	0	0	0		<i>0</i>	<i>0</i>	0
100000				``````` <b>`</b>	<b>n</b>					0
					, v		U	U	U	U
MALFUNCTION INDEX	1187 <sup>™</sup> Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					· · · · · · · · · · · · · · · · · · ·				tere.	
Action binds				***************************************	00000000000000000000000000000000000000			***************************************		
Action spring follower binds										
Bulge at body shoulder						****				
Burr at chamber									į.	
Bolt binds/catches							***	333333		
Bolt catches on ejector								*****	.69999999	
Blows cases										
Bar lock or disconnector out of position										
Barrel support came out										
Shells catch on bbl support-feeding										
Shells catch on bbl support-loading										
Carrier catches on shells,mag,receiver										
Case dented										
Closes hard										
	Proof Rejecte Rejecte She Rejecte Perce Test  Test  Target  Rejecte Perce  MALFUNCTION INDEX  Action binds  Action spring follower binds  Bulge at body shoulder  Burr at chamber  Bolt binds/catches  Bolt catches on ejector  Blows cases  Bar lock or disconnector out of position  Barrel support came out  Shells catch on bbl support-feeding  Shells catches on shells,mag,receiver  Case dented	Proof Percent Shat Test Rejected: Percent: Shar: Target Rejected: Percent:  MALFUNCTION INDEX  Mag  Action binds Action spring follower binds Bulge at body shoulder Burr at chamber Bolt binds/catches Bolt catches on ejector Blows cases Bar lock or disconnector out of position Barrel support came out Shells catch on bbl support-feeding Shells catches on shells,mag,receiver Case dented	Proof  Rejected: Percent:  Shot: Test  Rejected: Percent: Shot: Target  Rejected: Percent:  Shot: Target  Rejected: Percent:  MALFUNCTION INDEX  1187 Super Mag  Action binds  Action spring follower binds  Bulge at body shoulder Burr at chamber  Bolt binds/catches Bolt catches on ejector  Blows cases  Bar lock or disconnector out of position  Barrel support came out Shells catch on bbl support-feeding Shells catches on shells,mag,receiver Case dented	Proof Rejected: Percent: Shat: Test Rejected: Percent: Shat: Target Rejected: Percent: Shat: Target Rejected: Percent: Shat: Target Rejected: Percent:  MALFUNCTION INDEX  MALFUNCTION INDEX  1187 Super Mag  Action binds Action spring follower binds Bulge at body shoulder Burr at chamber Bolt binds/catches Bolt catches on ejector Blows cases Bar lock or disconnector out of position Barrel support came out Shells catch on bbl support-loading Carrier catches on shells,mag,receiver Case dented	Proof   Rejected   Percent   Shot:	Proof   Rejected   Percent   Shot:	Proof   Rejected   D	Proof   Rejected   Percent   Shat   Rejected   Percent   Shat   Rejected   Percent   Rejected   Percent   Shat   Rejected   Percent   Shat   Rejected   Percent   Rejected   Rejecte	Proof   Rejected:   0   0   0   0   0   0   0   0   0	Proof   Rejected   D


0

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///		
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>******</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200								
RIC	Rings in chamber									
SBC	Stems bottom chambers		<b>**</b>							
SBCL	Shell binds carfler latch			30.						
SBE	Stems bbl extension				×					
SCB	Stock cracked or broken	,				2500				
SCX	Shell catches									
SHI	Short indent									
SIC	Stems in chamber		**							
SL	shaves lead		****					900.		
SLC	Stems left side of chamber					200			***	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					·			2	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							20080		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

											•	
XHB.	Extractor hits bis											
											_	
HI	High	200										
LO	LOW											
LEFT	Left											
RIGHT	Right			556								
DG	Doesn't Group											
FSST	Front sight tipped	190										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised						*					
FSTL	Front sight loose		*****					isto.				
RSTL	Rear sight loose				2,0000			Ž				
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>******</i>		
					:	******					666	
AI-P	Assembly incompleye at proof								Á			
BC-P	Blows cases at proof											á
BEB-P	Barrel extension broken at proof											
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof										]	
DLOS-P	Doesn't lock over shells at proof											
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof										]	






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	700000000000000000000000000000000000000	~~~9999999												
Summ	ary	Total	Test + Pr	oof Failures	1247	•								
			Tot	al Rejected:	99	ı								
Summ			Overall I	Reject Rate:	7.94									
				Shot:   Rejected:	William.							110	580	
	***************************************	Proof		Rejected:	1	0	0	0	0	0	0	0	0	0
				Percent		2000000 200000 - 2000						0.0	0.0	
			<b>#</b>	Shot	102							137	579	
		Test		Rejected	48	Q	0	0	0	0	0	45	1	0
				Percent:	48 47:1	0	0					32.8	0.2	
				Shot:			<b>.</b>	Personal Per	.e					
		Target		Rejected:	0	0	O	0	0	0	0	0	0	0
		3		Percent:	d	0	0	Ó	U	888000				


			9999991 49999	XXX	200000000000000000000000000000000000000		00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000			<b>***</b>			
AB	Action binds	5							1		
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							19999			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


	+	
3		
201005		
-6		
1		
9999999		
	1 🦼	
.8333337		
- TOPE		
	*****	
8		
	1 Y	1 1 1 Y

	00000000000000000000000000000000000000			· · · · · · · · · · · · · · · · · · ·			T				
FC	Fails to connect										
FCB	Fore-end cracked or broken:										
FD	Follows-down	200									
FF	Fails to fire										
FFM	Fails to feed from magazine	4	<b>***</b>						10		
FFP	Flat firing pin	×		3555							
FOS	Fires on safe				88 <sub>00</sub> .						
FSR	Fires when safe is released	190									
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off										
HPA	High pressure ammo		**								
HUE	Hard under extractor	2	77908					<b>*</b>	Sec.		
ILOP	Int. latch out of position					2,000					
ILRM	Int. latch ret. Missing				***************************************						
ILSB	Int. latch stud broken										<i>.</i>
ILSP	Int. latch spring out of position					:				ř.	
JL	Jumps latch								2	į į	
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong	1									
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers	14									
SBCL	Shell binds carrier latch			800.							
SBE	Stems bbl extension				Stor.						
SCB	Stock cracked or broken	178				,					
scx	Shell catches	į									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		10000					*	550.		
SLC	Stems left side of chamber	5				2,0000			5	***	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber								5 🏈		
SRIC	Specific rings in chamber					,	*****			ř.	
ssc	shell stems carrier								.3		
STC	Stems top chamber										
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down	9									
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										


XHB	Extractor hits btal											
											_	
HI	High	520										
LO	Low											
LEFT	Left											
RIGHT	Right			300								
DG	Doesn't Group				80c.							
FSST	Front sight tipped	778				,						
RSTT	Rear sight tipped	,										
RSBR	Rear sight base raised	a di		<b>*</b>								
FSTR	Front sight raised											
FSTL	Front sight loose		10000					*	550.			
RSTL	Rear sight loose					77000			<u> </u>			
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
							*****					
AI-P	Assembly incompleye at proof											
вс-Р	Blows cases at proof											4
BEB-P	Barrel extension broken at proof								*******			
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof	1										
DLOS-P	Doesn't lock over shells at proof											
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											







Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


		100000000												
Summa	iry	Total		roof Failures	1446	6								
			To	tal Rejected:	54	Į.								
			Overall	Reject Rate:	3.73	3								
	Pi			Shot:	112	195						64	671	
	Pi	oof		Rejected: Percent	0	55 O	0	0	0	0	0	0	0	0
				Shot: Rejected: Percent: Shat: Rejected:	0.0	110000000 30000						0.0	0.0	
			<b>*</b>	Shot	51	38	1					66	671	
	Te	est 🤲	¥ .	Rejected	21 41:2	3	0	0	0	0	0	24	3	0
			•	Rejected: Percent:	41.2	3 7.9	0					36.4	0.4	
				Shat: Rejected:		1.8888	<b>.</b> ₩₩₩	13333	300.					
	Ta	arget		Rejected:	0	0	‱ 0	0	0	0	0	0	0	0
				Percent:			0	Ó	0					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					- XXXXX		/////		V 2886.		
AB	Action binds	3			*******					**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									1	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
СС	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar										
	Can't laod magazine										
co	Cut-off	26.									
CR	Cuts.rim										
cs	Cases swell										
стос	Chamber torn ör gouged			300.							
CTP	Creepy trigger pull				885.						
CWSB	Cams wrong side of action bar										
DBB	Doesn't blow back	į.							2		
DCS	Double click in safety switch										
DCT	Double click in trigger										
DCU	Doesn't close-up		20000					*	550.		
DE	Doesn't eject								2	***	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)	1				,	******			<i>*</i>	
DLU	Doesn't lock-up										
DS	Dead safe										<b>*</b>
DSM	Drops shell-magazine	1							2000		
DTL	Doesn't trip latch	1	1						1		
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell								4		
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds									1	


FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SS-									
FF 💮	Fails to fire										
FFM	Fails to feed from magazine	2	1						2		
FFP	Flat firing pin			300.							
FOS	Fires on safe				Ster.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off									1	
HPA	High pressure ammo						***				
HUE	Hard under extractor	4	20000					*	550.		
ILOP	Int. latch out of position								Ÿ //	55-5-	
ILRM	Int. latch ret. Missing	1	1								
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch	1							2		
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										








Subject to Protective Order - Williams v. Remington











	200000000000000000000000000000000000000	***************************************											
Summa	ary	Total	Test + Proof Failure	s 1381									
			Total Rejected	l: 54	ļ.								
Summa			Overall Reject Rate	: 3.91									
			\$hot	: Illian.	105	2				2	40	576	
		Proof	Rejected	1: 0	0	0	0	0	0	0	0	0	
	***************************************		Percen		0.0	0.0				0.0	0.0	0.0	
			Shot	39	214	2				2	30	576	
		Test	Rejected	1 18 (: 46.2	15	0.0	O	0	0	0	12	0	
			Shot Rejected Percen Shat Rejected Percen Shot	t: 46.2	-99999999	0.0	199999999999			0.0	40.0	0.0	
					.3333337	#888888F	1000000	.e					
		Target	Rejected	t: O	·····0	· 0	0	0	0	0	0	0	0
		J	Percen	t: ,	0	0	Ø	0					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								× ×	7 American		
AB	Action binds	3			***************************************				2	**************************************	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									ĺ	
вв	Bolt binds/catches							1700			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented	·									
СН	Closes hard										

CHAB

CLM


Carrier hits action bar


Can't laod magazine

	······································										
FC:	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	200									
FF	Fails to fire										
FFM	Fails to feed from magazine	3	<b>***</b>								
FFP	Flat firing pin			300.							
FOS	Fires on safe				Ster.						
FSR	Fires when safe is released	1%									
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off										
HPA	High pressure ammo						**	330			
HUE	Hard under extractor	3	1					**	<sub>880</sub> . 1		
ILOP	Int. latch out of position					,,,,,					
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					,					
JL	Jumps latch	2	1							À	
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong		1								
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										
PH	Pulls hard										


PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers	4									
SBCL	Shell binds carfler latch		***************************************	550.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches	į									
SHI	Short indent										
SIC	Stems in chamber								1		
SL	shaves lead		2000					*	90.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i>*****</i>
SRIC	Specific rings in chamber					Í	******			š.	
SSC	shell stems carrier										
STC	Stems top chamber		6								
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										

XHB	Extractor hits bits												
												_	
HI	High	200											
LO	Low												
LEFT	Left												
RIGHT	Right			888									
DG	Doesn't Group				2000.								
FSST	Front sight tipped	191											
RSTT	Rear sight tipped												
RSBR	Rear sight base raised												
FSTR	Front sight raised												
FSTL	Front sight loose		7399	1				<b>*</b>	500.				
RSTL	Rear sight loose												
MGPT-G	Missing parts at target												
UNCN-G	Uncoded nonconformity at target										<i>*******</i>		
						·	******					000	
AI-P	Assembly incompleye at proof									Á			e S
вс-Р	Blows cases at proof												
BEB-P	Barrel extension broken at proof												
BLP-P	Blanked primer at proof												
BP-P	Blown primer at proof												
BS-P	Barrel split at proof												
DLOS-P	Doesn't lock over shells at proof											300	
ESB-P	Ejector sticks back at proof												
FCB-P	Fore-end cracked at proof												
FESO-P	Fore-end shot off at proof												
FF-P	Fails to fire at proof												






Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


		**************************************												
Sumr	nary	Total	Test + Pro	of Failures	111	8								
	- 3		Tota	l Rejected:	7	1								
			Overall R	eject Rate:	6.3	5								
				Shot:	<u>26</u>	146	14					73	513	
		Proof		Rejected:	0 0.0	O	0	0	0	0	0	0	0	0
				Percent	0.0	0.0	0.0					0.0	0.0	
				Shøt	22	195						56	513	
		Test	*	Rejected	12 54.5	38	0	O	0	0	0	20	1	0
				Percent:	54.5	38 19.5	0					<i>35.7</i>	0.2	
				ാവന			18888	l i i i i i i i i i i i i i i i i i i i	250.					
		Target		Rejected:	0	0	O	0	0	0	0	0	0	0
				Percent:		0	0	0	0					

			900000° 40000	222	200000000000000000000000000000000000000	222222 1144222					
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								<b>**</b>			
АВ	Action binds	3							1	**************************************	
ASFB	Action spring follower binds				***	***********					
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- SSE									
FF	Fails to fire										
FFM	Fails to feed from magazine	1	2						1		
FFP	Flat firing pin			300.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off									1	
HPA	High pressure ammo						***				
HUE	Hard under extractor	4	11					*	550.		
ILOP	Int. latch out of position								<i>i</i> 1		
ILRM	Int. latch ret. Missing		4								
ILSB	Int. latch stud broken										<i>!!!!</i>
ILSP	Int. latch spring out of position					Í				8	
JL	Jumps latch								.1		
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

									-	
XHB.	Extractor hits bibl									
									_	
HI	High	No.								
LO	Low									
LEFT	Left									
RIGHT	Right			3566						
DG	Doesn't Group									
FSST	Front sight tipped	1.81								
RSTT	Rear sight tipped	,								
RSBR	Rear sight base raised	á								
FSTR	Front sight raised		**							
FSTL	Front sight loose		779700			<b>*</b>	860.			
RSTL	Rear sight loose									
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target							<i>*****</i>		
					 				000	
AI-P	Assembly incompleye at proof								] /////	
ВС-Р	Blows cases at proof									<i>III</i>
BEB-P	Barrel extension broken at proof						***************************************			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof								-	
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof								]	

















Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000													
Summ	ary	Total	Test ±	Proof Failures	1099	ı								
			<i>3</i>	otal Rejected: Il Reject Rate:	14									
			Overa	ll Reject Rate:	1.27	•								
				Shot:   Rejected:	8	127						11	593	
		Proof		Rejected	0	1	0	0	0	0	0	0	0	0
	***************************************			Percent	o n	0.8	_					0.0	0.0	
				Shot		173	i						593	
		Test	.e6.	Shøl: Rejected:	0	8	0	. 0	0	0	0	0	3	0
				Percent:	0	<b>8</b> 4.7	0						0.5	
				Shat:   Rejected:		1.8888	<b>.</b> ₩₩₩		die.					
		Target		Rejected:	0	0	O	· · · Ø	0	0	0	0	0	0
		·		Percent:	á	0	0	0	0					


		.00	999999° - 49999	XXX	200000000000000000000000000000000000000	2000000 11990000					
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds		4							1	
ASFB	Action spring follower binds				**						
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							135001			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


FCB

Fails to connect

Fore-end cracked or broken


	·······									
PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- XX								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension				885.					
SCB	Stock cracked or broken	178								
SCX	Shell catches									
SHI	Short indent			<b>*</b>						
SIC	Stems in chamber									
SL	shaves lead		119900					550.		
SLC	Stems left side of chamber							<u> </u>		
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>******</i>
SRIC	Specific rings in chamber					Í	******		8	
ssc	shell stems carrier									
STC	Stems top chamber		4							
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									







Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


	.40000000000000000000000000000000000000													
S	ummary		Test + Prod		392									
::::::::::::::::::::::::::::::::::::::			Total	Rejected:	11									
<b>*</b>	<i>"</i>	2000000	Overanite	eject Rate:	2.81									
				Shot: Rejected:	<i>.</i>								302	
		Proof		Rejected:	0	0	0	0	0	0	0	0	0	0
	***************************************	\$\$\$\$\$.		Percent:		<b>***</b> *********************************							0.0	
				Shøt	Š								302	
		Test	***	Rejected	0	0	0	0	0	0	0	0	10	0
				Percent:		-0.000,000,000,000	0						3.3	
				Shor			A000000	Personal Control of the Control of t	die.					
		Target		Rejected:	0	0	0	Ø	0	0	0	0	0	0
		•		Percent:	d									

		-27	3000000° -00000	222	20002000 200	222222 1144222					
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								<b>**</b>			
АВ	Action binds									1	
ASFB	Action spring follower binds					***********					
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

Carrier hits action bar										
Can't laod mägazine										
Cut-off	- XX									
Güts rim										
Cases swell										
Chamber tom or gouged			350.							
Creepy trigger pull				885.						
Cams wrong side of action bar										
Doesn't blow back										
Double click in safety switch										
Double click in trigger					**************************************	***				
Doesn't close-up		10000					*	550.		
Doesn't eject									····	
Doesn't eject live round										
Doesn't feed up										
Doesn't lock open (after last shell)					ĺ	******		200000	ř	
Doesn't lock-up								4000000000	5	
Dead safe								200000000		<b>*</b>
Drops shell-magazine								2000	9999999	
Doesn't trip latch									******	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject Coesn't feed up Coesn't feed up Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't inck-up Coesn't inck-up Coesn't extract	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject Coesn't feed up Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't inck-up Coesn't inck-up Coesn't extract Coesn't ex	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't extract Coesn't extract Coesn't extract Coesn't extract Coesn't extract Coesn't extract live round Coesn't extract live round Coesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Eires automatically	Cart laod magazine Cut-off Cutstrim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't eject Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't trip latch Coesn't extract live round Caxtractor stems shell Coesn't extractor stems shell	Carl't laod magazine Cut-off Cuts rim Cases swell Chamber torn of gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Coesn't eject live round Coesn't eject live round Coesn't feed up Coesn't lock-up Coesn't trip latch Coesn't trip latch Coesn't extract Coesn't extract Coesn't extract live round	Can't laod magsizine Cut-off Cuts-rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't trip latch Coesn't extract live round Catractor drops shell Cases automatically	Can't laod magazine Cut-off Cut-off Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't trip latch Coesn't extract Coesn't extrac	Carl laod mägszine Cut-off Cut-off Cuts nim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject Coesn't eject Coesn't eject Coesn't feed up Coesn't feed up Coesn't feed up Coesn't lock-up Coesn't sextract Coesn't extract Coesn't ext	Can't laod magazine Cut-off Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Cocesn't blow back Couble click in safety switch Cocesn't close-up Cocesn't eject Cocesn't eject live round Cocesn't lock-up Cocesn't extract Cocesn	Can't laod magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Chamber tom or go

Proof stamp missing										
Rings and bulges on case										
(Action) release doesn't work										
Rings in chamber										
Stems bottom chambers		<b>***</b>								
Shell binds carrier latch			5555							
Stems bbl extension				Sec						
Stock cracked or broken	131									
Shell catches										
Short indent										
Stems in chamber						***				
shaves lead		779703						86a.		
Stems left side of chamber								* *******		
Stretch marks on case										
Stems right side of chamber										<i>.</i>
Specific rings in chamber					,	******			<i>Y</i>	
shell stems carrier										
Stems top chamber								.0000000	32,22,22	
Safety switch works too easily								200000000		
Safety switch works too hard									******	
Safety ewitxh won't work										
Tips down										
Tips up										
Trigger won't pull										
Trigger won't retract										
Uncoded										
Extracts hard										
	Rings and bulges on case  (Action) release doesn't work  Rings in chamber  Stems bottom chambers  Shell binds carrier fatch  Stems bbl extension  Stock cracked or broken  Shell catches  Short indent  Stems in chamber  shaves lead  Stems left side of chamber  Stretch marks on case  Stems right side of chamber  Specific rings in chamber  shell stems carrier  Stems top chamber  Safety switch works too easily  Safety switch works too hard  Safety ewitxh won't work  Tips down  Tips up  Trigger won't retract  Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and buiges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't retract Uncoded	Rings and buiges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier atch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work fitigs in chamber Stems bottom chambers Shell binds carrier tatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work fitings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work fitings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stems in chamber Stems in chamber Stems to case Stems right side of shamber Stems to case Stems right side of shamber Stems to case Stems right side of shamber Specific rings in chamber Safety switch works too easily Safety switch works too hard Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Siems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell sems carrier Slems top chamber Safety switch works too easily Safety switch works too hard Safety switch work work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom clambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shall slems carrier Stems top chamber Safety switch works too laard Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded







Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


Summa			Test + Proof Failures	210									
			Total Rejected:	2									
			Overall Reject Rate:	0.95									
			Shot:		5							47	
	7900000000000	Proof	Shot: Rejected:	0	. 0	0	0	0	0	0	0	0	0
			Shot: Rejected: Percent:		0.0							0.0	
			Shat:	Sec	5							47	
		Test	Rejected	0	0	0	. 0	0	0	0	0	1	0
			Percent:		00							2.1	
			Shot:			0	1988	350.					
		Target	Rejected:	0	O	O	0	0	0	0	0	0	0
			Percent:										
CODE		MΔI FII	NCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					- XXXXX		/////	× ×	7 i		
AB	Action binds				***************************************					1	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									į	
вв	Bolt binds/catches							1999			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,,	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000			<u> </u>	55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

	······									
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- <del>36</del> 5								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			300.						
SBE	Stems bbl extension				88s.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber		· ·				***	*		
SL	shaves lead		77973					**	Sto.	
SLC	Stems left side of chamber								*	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					,				
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
ХН	Extracts hard									
XH	Extracts hard									







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

СС

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard


Carrier catches on shells,mag,receiver


Summary	<i>T</i> .	Proof Failures otal Rejected: Il Reject Rate:	<i>o</i> <i>o</i>									
	Proof	Shot: Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Rejected Percent:	0	O	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ø.	0	0	0	0	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1108 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds						**************************************					
ASFB	Action spring follower bind	is				***************************************						
BABS	Bulge at body shoulder						3					
BAC	Burr at chamber										á	
BB	Bolt binds/catches								13000			
BCOE	Bolt catches on ejector									*****		
вс	Blows cases											
BLOP	Bar lock or disconnector of	ut of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl suppor	rt-feeding										

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell		<b>**</b>								
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 <sub>00</sub> .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			<b>*</b>							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	500.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				Steel						
SCB	Stock cracked or broken										
scx	Shell catches	į									
SHI	Short indent										
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8					
SL	shaves lead		1000					*	ito.		
SLC	Stems left side of chamber									55-5-	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber						*****			ř	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								3344		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										***************************************
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

										-	
XHB.	Extractor hits bibl										
										_	
HI	High										
LO	Low										
LEFT	Left										
RIGHT	Right			3836							
DG	Doesn't Group										
FSST	Front sight tipped	7.54									
RSTT	Rear sight tipped	,									
RSBR	Rear sight base raised	á									
FSTR	Front sight raised										
FSTL	Front sight loose		77443				850.				
RSTL	Rear sight loose				3,000					]	
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								<i>*****</i>		
					·	******				_ 2005	
AI-P	Assembly incompleye at proof							á			
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2445				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									399	
ESB-P	Ejector sticks back at proof									]	
FCB-P	Fore-end cracked at proof									]	
FESO-P	Fore-end shot off at proof									]	
FF-P	Fails to fire at proof									]	







Subject to Protective Order - Williams v. Remington











CBS-L

CC

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard

Carrier catches on shells,mag,receiver


777888												
Summary		Proof Failures Fotal Rejected: all Reject Rate:	<i>o</i> <i>o</i>									
	Proof	Shot: Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shot Rejected Percent:	0	Ø	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ó	0	0	0	0	0	0
CODE	MALFUNCTIO	N INDEX	1187 Super Mag	118 <b>7</b> 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
							**************************************				550	
AB	Action binds					1777	10000000000000000000000000000000000000	.0000000		*********		
ASFB	Action spring follower bir	nds					***************************************			333		
BABS	Bulge at body shoulder										¥	
BAC	Burr at chamber										į	
BB	Bolt binds/catches								·			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector	out of position									,,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl supp	ort-feeding										


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000			Ÿ //	55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect	_									
FCB	Fore-end cracked or broken										
FD	Follows-down	- <del>1844 .</del>									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			333.							
FOS	Fires on safe				885.						
FSR	Fires when safe is released										
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off	Ä									
HPA	High pressure ammo										
HUE	Hard under extractor		10000					*	550.		
ILOP	Int. latch out of position								Ž ////	tods.	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					Í	*****			<i>y</i>	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch	Š		350.						
SBE	Stems bbl extension				Ster.					
SCB	Stock cracked or broken	7.90				,				
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber						***			
SL	shaves lead		2009					Sto.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>*****</i>
SRIC	Specific rings in chamber					ĺ	******		ÿ 	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							3355		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

										-	
XHB.	Extractor hits bibl										
										_	
HI	High										
LO	Low										
LEFT	Left										
RIGHT	Right			3836							
DG	Doesn't Group										
FSST	Front sight tipped	7.54									
RSTT	Rear sight tipped	,									
RSBR	Rear sight base raised	á									
FSTR	Front sight raised										
FSTL	Front sight loose		77443				850.				
RSTL	Rear sight loose				3,000					]	
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								<i>*****</i>		
					·	******				_ 2005	
AI-P	Assembly incompleye at proof							á			
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2445				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									399	
ESB-P	Ejector sticks back at proof									]	
FCB-P	Fore-end cracked at proof									]	
FESO-P	Fore-end shot off at proof									]	
FF-P	Fails to fire at proof									]	






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summar	y Total Test + Proof Fail Total Rejec Overall Reject R	:ted:	0									
	<b>Pro</b> of Reje	shot: [ icted: cent:	0	0	0	0	0	0	0	0	0	0
	Test Reje	Shot: [ coted: cent:	0	O	0	0	0	0	0	0	0	0
	Target Reje	that: cted: cent:	0	0	0	Ó	0	0	0	0	0	0
CODE	MALFUNCTION INDEX		1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
							****			<u> </u>	loo.	
AB	Action binds					***************************************				***************************************		
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder							*****				
BAC	Burr at chamber										į.	
ВВ	Bolt binds/catches											
BCOE	Bolt catches on ejector									*****		
вс	Blows cases											
BLOP	Bar lock or disconnector out of position	on									,,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-feeding											
CBS-L	Shells catch on bbl support-loading											
cc	Carrier catches on shells,mag,receive	er										
CD	Case dented											
					1	1	1	1	1	i		1


СН

Closes hard

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts rim								
cs	Cases swell								
CTOG	Chamber torn or gouged			300.					
CTP	Creepy trigger pull				885.				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		***99					ito.	
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)					,	*****		
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

XHB	Extractor hits bits												
			•		•	•	•			•		•	
HI	High												
LO	LOW											]	
LEFT	Left											]	
RIGHT	Right			80c.									
DG	Doesn't Group												
FSST	Front sight tipped	**											
RSTT	Rear sight tipped											]	
RSBR	Rear sight base raised											]	
FSTR	Front sight raised												
FSTL	Front sight loose		119900					i iii	80.				
RSTL	Rear sight loose											]	
MGPT-G	Missing parts at target				***************************************								
UNCN-G	Uncoded nonconformity at target										<i>*****</i>		
							*****					- 288	
AI-P	Assembly incompleye at proof												<u> </u>
BC-P	Blows cases at proof												#
BEB-P	Barrel extension broken at proof								2000				
BLP-P	Blanked primer at proof									****			
BP-P	Blown primer at proof												
BS-P	Barrel split at proof												
DLOS-P	Doesn't lock over shells at proof											778	
ESB-P	Ejector sticks back at proof											]	***************************************
FCB-P	Fore-end cracked at proof												
FESO-P	Fore-end shot off at proof											]	
FF-P	Fails to fire at proof												

GCSO-P	Gas cylinder shot off at proof						
GRSO-P	GRSO-P Guide ring short off at proof						
MCSO-P	MCSO-P Magazine cap shot off at proof	33					
MSI-P	Magnaffux stamp illegible on bbl						
MSM-P	Magnaffux stamp missing on bbl						
PP-P	Pierced primer at proof		(889)				
SCB-P	Stock cracked or broken at proof						
UNCM-P	UNCM-P Uncoded proof malfunctions	2		فوين			





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CC

CD

СН

Carrier catches on shells,mag,receiver


Case dented


Closes hard

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>2000</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	350									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			333.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken	- 1%				,					
scx	Shell catches	ني .									
SHI	Short indent										
SIC	Stems in chamber					SS					
SL	shaves lead		1000					* **	So.		
SLC	Stems left side of chamber					2,000				******	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i></i>
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								*******		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

XHB	Extractor hits bibl											
						•		l			J	
HI	High	1										
LO	Low											
LEFT	Left		300									
RIGHT	Right			3300.								
DG	Doesn't Group				St							
FSST	Front sight tipped	***										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose		7700					<b>*</b>	500.			
RSTL	Rear sight loose											
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
							*****			<u> </u>		
AI-P	Assembly incompleye at proof											
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof								2000			
BLP-P	Blanked primer at proof									*****		j
BP-P	Blown primer at proof											
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										74	
ESB-P	Ejector sticks back at proof											7747
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total Rejec Overall Reject R	ted: 0 Pate:									
	<b>Proof</b> Reje	ithot: 0 cted: 0 cent:	. 0	0	0	0	0	0	0	0	0
	Test Reje	Shot: cted: 0 cent:	O	Ö	0	0	0	0	0	0	0
	Target Reje	ingt: cted: 0 cent:	0	0	Ó	о.	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						**************************************				isso.	
AB	Action binds				100000000000000000000000000000000000000	10000000000000000000000000000000000000	.000000		7770000		<u> </u>
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
BB	Bolt binds/catches										
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position	on									***************************************
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receive	er									
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 <sub>00</sub> .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			<b>*</b>							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	500.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										<b>7</b>
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


ILE00066690

FCB Fo	ails to connect										
FCB Fc	-0000000 L00000000										
0000001 0000004	ore-end cracked or broken										
FD Fo	ollows-down	500									
FF F	ails to fire										
FFM F	ails to feed from magazine		<b>***</b>								
FFP FI	lat firing pin			886							
FOS Fi	ires on safe				88 <sub>00</sub> .						
FSR Fi	ires when safe is released	174									
GCSO G	Gas cyl shot off	.:									
GRSO G	Guide ring shot off										
HPA Hi	ligh pressure ammo		**								
HUE H	lard under extractor		19100					*	550.		
ILOP Int	nt. latch out of position								Ž ////	tods.	
ILRM Int	nt. latch ret. Missing										
ILSB In	nt. latch stud broken										
ILSP In	nt. latch spring out of position					,	*****				
JL Ju	umps latch										
JO Ja	ars off										
LB Li	ight blow								2000		
MCSO M	lagazine cap shot off										
MCW M	lagazine capacity wrong										
MFA M	flisfires (ammo)										
MFOP M	lagazine follower out of position										
MLH M	Magazine loads hard										
он о	pens hard										
PH Pt	Pulls hard										
PSI Pr	Proof stamp illegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work										
RIC	Rings in chamber										
SBC	Stems bottom chambers		<b>***</b>								
SBCL	Shell binds carrier latch			3000.							
SBE	Stems bbl extension				Xx.						
SCB	Stock cracked or broken	131									
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber		**					*			
SL	shaves lead		7700					<u> </u>	800.		
SLC	Stems left side of chamber					2,0000					
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i></i>
SRIC	Specific rings in chamber					,	*****				
ssc	shell stems carrier									<u>i</u>	
STC	Stems top chamber										
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

XHB	Extractor hits bibli												
			•	•	•	•	•	•	•	•		•	
HI	High	ec.											
LO	Low												
LEFT	Left												
RIGHT	Right												
DG	Doesn't Group				88								
FSST	Front sight tipped												
RSTT	Rear sight tipped	,										_	
RSBR	Rear sight base raised											_	
FSTR	Front sight raised		·										
FSTL	Front sight loose		.,,		<u> </u>				850. 800.				
RSTL	Rear sight loose									·			
MGPT-G	Missing parts at target				1777								
UNCN-G	Uncoded nonconformity at target												
			1		1		***** -				<i></i>	T 35500	
AI-P	Assembly incompleye at proof									Á		-	
BC-P	Blows cases at proof											4	
BEB-P	Barrel extension broken at proof								2000				
BLP-P	Blanked primer at proof												
BP-P	Blown primer at proof											1	á
BS-P	Barrel split at proof											]	
DLOS-P	Doesn't lock over shells at proof											-	-888
ESB-P	Ejector sticks back at proof											-	
FCB-P	Fore-end cracked at proof											-	
FESO-P	Fore-end shot off at proof											1	
FF-P	Fails to fire at proof											]	






Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


Summai	Tota	of Failures I Rejected: leject Rate:	0									
	Proof	Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat: Rejected: Percent:	0	0	Ö	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ó	0	0	0	0	0	0
CODE	MALFUNCTION INI	DEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds						00000000000000000000000000000000000000					
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder										7	
BAC	Burr at chamber										į.	
вв	Bolt binds/catches								1,54504			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector out of	of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-fe	eeding										
CBS-L	Shells catch on bbl support-lo	ading										
cc	Carrier catches on shells,mag	g,receiver										
CD	Case dented											
СН	Closes hard											

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 <sub>00</sub> .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			<b>*</b>							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	500.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										<b>7</b>
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										


PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	350									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			333.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken	- 1%				,					
scx	Shell catches	ني .									
SHI	Short indent										
SIC	Stems in chamber					SS					
SL	shaves lead		1000					* **	So.		
SLC	Stems left side of chamber					2,000				vorte.	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								*******		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										


XHB	Extractor hits bibl									]		
										•		
HI	High	500										
LO	Low											
LEFT	Left											
RIGHT	Right	<b>*******</b>		3006								
DG	Doesn't Group				880.							
FSST	Front sight tipped	134										
RSTT	Rear sight tipped	,					,					
RSBR	Rear sight base raised			<b>*</b>								
FSTR	Front sight raised											
FSTL	Front sight loose		*****					Sto.				
RSTL	Rear sight loose					*****			990			
MGPT-G	Missing parts at target				7777							
UNCN-G	Uncoded nonconformity at target									]		
			1		1		*****			1 35500		
AI-P	Assembly incompleye at proof								Á	]		
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof							2000				
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											ź
BS-P	Barrel split at proof										,	
DLOS-P	Doesn't lock over shells at proof										å	
ESB-P	Ejector sticks back at proof									]		
FCB-P	Fore-end cracked at proof									1		
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof									]		






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

CC

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard

Carrier catches on shells,mag,receiver


Summary	Total Test + Proof Total I Overall Rej	Rejected:	0 0									
	Proof	Shot: Rejected: Percent:	0	. 0	0	0	0	0	0	0	0	0
	Test	Rejected: Percent:	0	Ö	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ó	0	0 0	0	0	0	0
CODE	MALFUNCTION INDE	ΣX	1187 <sup>™</sup> Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds						***				<b>****</b> ********************************	
ASFB	Action spring follower binds											2000.
BABS	Bulge at body shoulder						:					
BAC	Burr at chamber										á	
ВВ	Bolt binds/catches								1999			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector out of	position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-feed	ding										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	564 r.								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			885.					
CWSB	Cams wrong side of action bar	7%								
DBB	Doesn't blow back									
DCS	Double click in safety switch	å								
DCT	Double click in trigger									
DCU	Doesn't close-up		10000					550.		
DE	Doesn't eject								State.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>*****</i>
DLO	Doesn't lock open (after last shell)					Í	******		š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									******
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	260								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			500.						
SBE	Stems bbl extension				Ste.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		10000					550.		
SLC	Stems left side of chamber							Ÿ //	State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									<i>/////////////////////////////////////</i>
SRIC	Specific rings in chamber					ĺ	*****		,	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							***************************************		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									*****
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									

XHB.	Extractor hits bibl											
											_	
HI	High											
LO	Low											
LEFT	Left											
RIGHT	Right			355								
DG	Doesn't Group				≫							
FSST	Front sight tipped	7.54										
RSTT	Rear sight tipped	,										
RSBR	Rear sight base raised	á										
FSTR	Front sight raised			·								
FSTL	Front sight loose		77443					850.				
RSTL	Rear sight loose					3,000						
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>*****</i>		
							******				_ 200	
AI-P	Assembly incompleye at proof								á			
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof							2444				
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof										***************************************	
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof											
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											The state of the s
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Total Test + Proof Failures

Total Rejected:

0


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000				55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect	_									
FCB	Fore-end cracked or broken										
FD	Follows-down	- <del>1844 .</del>									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			333.							
FOS	Fires on safe				885.						
FSR	Fires when safe is released										
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off	Ä									
HPA	High pressure ammo										
HUE	Hard under extractor		10000					*	550.		
ILOP	Int. latch out of position								Ž ////	tods.	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					Í	*****			<i>y</i>	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200								
RIC	Rings in chamber									
SBC	Stems bottom chambers		<b>***</b>							
SBCL	Shell binds carrier latch			350.						
SBE	Stems bbl extension				Sec					
SCB	Stock cracked or broken	190								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber		**				*			
SL	shaves lead		7990				<u> </u>	550.		
SLC	Stems left side of chamber					2,0000		× 2000		
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					,			<i>*</i>	
ssc	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

XHB	Extractor hits bibl									]					
HI	High	200													
LO	Low														
LEFT	Left														
RIGHT	Right			388.											
DG	Doesn't Group														
FSST	Front sight tipped					-20.									
RSTT	Rear sight tipped	ا ا					2.			1					
RSBR	Rear sight base raised														
FSTR	Front sight raised		**************************************							1					
FSTL	Front sight loose		****					tito.							
RSTL	Rear sight loose					1000									
MGPT-G	Missing parts at target				***************************************										
UNCN-G	Uncoded nonconformity at target														
			1				***** T	 	1 42	7	ai.	.688	1880	188000	dilina.
AI-P	Assembly incompleye at proof									ļ					
BC-P	Blows cases at proof														
BEB-P	Barrel extension broken at proof							2000		 ŀ			<i>*</i>		
BLP-P	Blanked primer at proof									ľ					
BP-P	Blown primer at proof									 1	***************************************				
BS-P	Barrel split at proof									ł	*				
DLOS-P	Doesn't lock over shells at proof									ł			*	**	*
ESB-P	Ejector sticks back at proof									ł					
FCB-P	Fore-end cracked at proof									ļ					
FESO-P	Fore-end shot off at proof									ł					
FF-P	Fails to fire at proof														






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	((((((((((((((((((((((((((((((((((((((										
Summary											
	Total Rejected										
	Overall Reject Rate	);									
	Shot										
	<b>Proof</b> Rejected Percen		0	0	0	0	0	0	0	0	0
	Shot						Ι				
	Test Rejected		0	0	0	0	0	0	0	0	0
	Pergen	·	T	1000000	0000000 100000000		1	1	1	T	Г
	Shot <b>Target</b> Rejected		······O	0	<i>0</i>	o	0	0	0	0	0
	Percen										
		1187	1187	1187	1100	1100	1100	1100	1100	870	870
CODE	MALFUNCTION INDEX	Super Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
		IVIAG		244000000000							
АВ	Action binds										
ASFB	Action spring follower binds				***						<i>-</i>
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							1,400%			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										


СН


Closes hard

CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000				55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	200									
FF	Fails to fire										
FFM	Fails to feed from magazine		<b>**</b>								
FFP	Flat firing pin		~	300.							
FOS	Fires on safe				88s.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off	į									
GRSO	Guide ring shot off										
HPA	High pressure ammo										
HUE	Hard under extractor		20000					× **	550.		
ILOP	Int. latch out of position					******				55-5-	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position						*****			,	
JL	Jumps latch									À	
JO	Jars off										
LB	Light blow								2004		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	- 550									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			300							
SBE	Stems bbl extension				33 <sub>55</sub> .						
SCB	Stock cracked or broken					700					
scx	Shell catches										
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		*****					<u> </u>	što.		
SLC	Stems left side of chamber					*****				****	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					ĺ	*****				
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summa	The state of the s	Proof Failures fotal Rejected: ill Reject Rate:	0									
	Proof	Shot: Rejected: Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat: Rejected Percent:	0	0	Ö	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Ø	0	0	0	0	0	0
CODE	MALFUNCTION	N INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1108 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
							30				550	
AB	Action binds						10000000000000000000000000000000000000	.0000000 i		*******		
ASFB	Action spring follower bin	ids					10000000					
BABS	Bulge at body shoulder											
BAC	Burr at chamber								*****			
BB	Bolt binds/catches									2000000		
BCOE	Bolt catches on ejector											
BC	Blows cases											
BLOP	Bar lock or disconnector of	out of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl suppo	ort-feeding										
CBS-L	Shells catch on bbl suppo	ort-loading										
cc	Carrier catches on shells,	,mag,receiver										
CD	Case dented											
СН	Closes hard											

**************************************										
Fails to connect										
Fore-end cracked or broken										
Follows-down	200									
Fails to fire										
Fails to feed from magazine		<b>***</b>								
Flat firing pin			800.							
Fires on safe				Ster.						
Fires when safe is released	178									
Gas cyl shot off	į									
Guide ring shot off										
High pressure ammo		**				***				
Hard under extractor		2009					*	550.		
Int. latch out of position										
Int. latch ret. Missing				***************************************						
Int. latch stud broken										<i>*****</i>
Int. latch spring out of position					Í	*****		6000000	<i>Y</i>	
Jumps latch										
Jars off										
Light blow								marke.		
Magazine cap shot off									*****	
Magazine capacity wrong										
Misfires (ammo)										
Magazine follower out of position										
Magazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	Fore-end cracked or broken  Follows-down  Fails to fire  Fails to free Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Misfires (ammo)  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken  Follows-down  Fails to fire  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Misfires (ammo)  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken  Follows-down  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine follower out of position  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken  Follows-down  Fails to free  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Misfires (ammo)  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken Follows-down Fails to fire Fails to freed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken:  Follows-down:  Fails to free  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Misfires (ammo)  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken:  Follows-down:  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch ret. Missing  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Misfires (ammo)  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken: Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or bioken Follows-down Falls to free Fall

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	26.									
RIC	Rings in chamber										
SBC	Stems bottom chambers		<b>***</b>								
SBCL	Shell binds carfler latch			800.							
SBE	Stems bbl extension	***************************************			886.						
SCB	Stock cracked or broken	18									
scx	Shell catches	·									
SHI	Short indent										
SIC	Stems in chamber			·			**	330			
SL	shaves lead		******					**	880.		
SLC	Stems left side of chamber					,,,,,,					
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,				, No.	
SSC	shell stems carrier									À	
STC	Stems top chamber										
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										
TU TWP TWR UNCN-T	Tips up Trigger won't pull Trigger won't retract Uncoded										

											_	
XHB.	Extractor hits bits											
											_	
HI	High	520										
LO	LOW											
LEFT	Left		· · · · · · · · · · · · · · · · · · ·									
RIGHT	Right			888								
DG	Doesn't Group				885.							
FSST	Front sight tipped	7.54										
RSTT	Rear sight tipped	,										
RSBR	Rear sight base raised											
FSTR	Front sight raised											
FSTL	Front sight loose		2005					<u> </u>	500.			
RSTL	Rear sight loose					2,0000						
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target									<i>******</i>		
							*******					
AI-P	Assembly incompleye at proof											
BC-P	Blows cases at proof											á
BEB-P	Barrel extension broken at proof								******			
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof										***************************************	
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										779	
ESB-P	Ejector sticks back at proof											***************************************
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											







Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summary	/ Total Test + Proof Failur Total Rejecte Overall Reject Ra	ed: 0									
	Shi <b>Proof</b> Reject Perce	ed: 0	0	0	0	0	0	0	0	0	0
	Sh <b>Test</b> Rejed Perde	ed 0	0	0	0	0	0	0	0	0	0
	<b>Target</b> Reject Perce	ed: 0	0	0	Ó	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						1.				ikas.	
AB	Action binds					10000000000000000000000000000000000000			***************************************		A.
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber									1	
BB	Bolt binds/catches							-,			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	56c.								
CR	Cuts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			300.						
CTP	Creepy trigger pull	***************************************			885.					
CWSB	Cams wrong side of action bar	7%								
DBB	Doesn't blow back									
DCS	Double click in safety switch	å								
DCT	Double click in trigger									
DCU	Doesn't close-up		10000					550.		
DE	Doesn't eject								State.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									<i>*****</i>
DLO	Doesn't lock open (after last shell)					Í	******		š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									*****
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect										
FCB	Fore-end cracked or broken										
FD	Follows-down	- 550									
FF	Fails to fire										
FFM	Fails to feed from magazine										
FFP	Flat firing pin			300.							
FOS	Fires on safe				886.						
FSR	Fires when safe is released	178									
GCSO	Gas cyl shot off										
GRSO	Guide ring shot off										
HPA	High pressure ammo										
HUE	Hard under extractor		10000					*	500.		
ILOP	Int. latch out of position								Ž ///	State.	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position					,	*****			ÿ	
JL	Jumps latch										
JO	Jars off										
LB	Light blow								2000		
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										
MLH	Magazine loads hard										
он	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible										

PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	350									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			333.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken	- 1%				,					
scx	Shell catches	ني .									
SHI	Short indent										
SIC	Stems in chamber					SS					
SL	shaves lead		1996					* **	So.		
SLC	Stems left side of chamber					2,000				******	
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

	5555555° ** ** ** ** ** ** ** ** ** ** ** ** **											
XHB.	Extractor hits bits											
											_	
HI I	High	- SSE										
LO	Low											
LEFT	Left		<b></b>									
RIGHT F	Right	×		3336								
DG [	Doesn't Group				Sa.							
FSST F	Front sight tipped	r.										
RSTT F	Rear sight tipped	į										
RSBR F	Rear sight base raised											
FSTR F	Front sight raised											
FSTL F	Front sight loose		77996					*	Sto.			
RSTL F	Rear sight loose											
MGPT-G	Missing parts at target								***************************************			
UNCN-G (	Uncoded nonconformity at target									<i>[]</i>		
						:	*****					
AI-P	Assembly incompleye at proof											
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof								2000			
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof										***************************************	
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										779	
ESB-P E	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											n nga
FESO-P F	Fore-end shot off at proof											
FF-P F	Fails to fire at proof											






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-L

CC

CD

СН

Shells catch on bbl support-loading

Case dented

Closes hard


Carrier catches on shells,mag,receiver


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	550									
CR	Cuts.rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				886.						
CWSB	Cams wrong side of action bar	- 74				,					
DBB	Doesn't blow back	ن									
DCS	Double click in safety switch										
DCT	Double click in trigger					SS					
DCU	Doesn't close-up		10000					<u> </u>	99.		
DE	Doesn't eject					2,000				55-5-	
DEL	Doesn't eject live round										
DFU	Doesn't feed up										<i>******</i>
DLO	Doesn't lock open (after last shell)					,	*****			8	
DLU	Doesn't lock-up										
DS	Dead safe										
DSM	Drops shell-magazine								***************************************		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>2000</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	26.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			333.						
SBE	Stems bbl extension	***************************************			88s.					
SCB	Stock cracked or broken	178								
scx	Shell catches	į								
SHI	Short indent									
SIC	Stems in chamber					80 80 80 80 80 80 80 80 80 80 80 80 80 8				
SL	shaves lead		77999					999.		
SLC	Stems left side of chamber								State.	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber					ĺ	*****			
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily									
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
XH	Extracts hard									

											•	
XHB.	Extractor hits:bbbl											
											_	
HI	High											
LO	Low											
LEFT	Leff		<b>***</b>									
RIGHT	Right	Š		350.								
DG	Doesn't Group											
FSST	Front sight tipped	131										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised	a di										
FSTR	Front sight raised		*									
FSTL	Front sight loose		2000		r			<b>*</b>	550.			
RSTL	Rear sight loose					2,0000						
MGPT-G	Missing parts at target											
UNCN-G	Uncoded nonconformity at target											
							******			<u> </u>	1 .885	
AI-P	Assembly incompleye at proof									, i		
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof								******			
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										778	
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

<u>ت</u>	*****											
Summary			0									
		l Rejected: eject Rate:	0									
		Shot:										
**	Proof	Rejected: Percent	0	0	0	0	0	0	0	0	0	0
		Shot										
	Test	Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
		Shot:				1000000	.6		<u> </u>		<u></u>	<u> </u>
	Target	Rejected: Percent:	0	о о	0	0	0	<i>0</i>	0	0	0	0
CODE	MALFUNCTION IND	DEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
									<b>**</b>	7 - 28.00.		
АВ	Action binds										**************************************	
ASFB	Action spring follower binds											
BABS	Bulge at body shoulder						:					
BAC	Burr at chamber										į	
вв	Bolt binds/catches								1,400%			
BCOE	Bolt catches on ejector									*****		
вс	Blows cases											
BLOP	Bar lock or disconnector out of	of position									- "	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support-fe	eding										
CBS-L	Shells catch on bbl support-lo	ading										

СС

CD CH

Carrier catches on shells,mag,receiver


Case dented Closes hard


CHAB	Carrier hits action bar										
CLM	Can't laod magazine										
co	Cut-off	200									
CR	Guts rim										
cs	Cases swell										
CTOG	Chamber torn or gouged			800.							
CTP	Creepy trigger pull				88 <sub>00</sub> .						
CWSB	Cams wrong side of action bar	178									
DBB	Doesn't blow back	į									
DCS	Double click in safety switch			<b>*</b>							
DCT	Double click in trigger						***				
DCU	Doesn't close-up		7990					*	550.		
DE	Doesn't eject								Ž ////////////////////////////////////		
DEL	Doesn't eject live round										
DFU	Doesn't feed up										//////
DLO	Doesn't lock open (after last shell)					Í	******			8	
DLU	Doesn't lock-up										
DS	Dead safe										<b>7</b>
DSM	Drops shell-magazine								2000		
DTL	Doesn't trip latch										
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell										
ESB	Ejector sticks back										
ESS	Extractor stems shell										
FA	Fires automatically										
FB	Follower binds										

FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			350.						
FOS	Fires on safe	***************************************			886.					
FSR	Fires when safe is released	7%								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo						***			
HUE	Hard under extractor		10000					550.		
ILOP	Int. latch out of position							Ž ///	····	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>******</i>
ILSP	Int. latch spring out of position					Í	******		ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									*****
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers		<b>**</b>								
SBCL	Shell binds carrier latch			300.							
SBE	Stems bbl extension				885.						
SCB	Stock cracked or broken										
scx	Shell catches	į.									
SHI	Short indent										
SIC	Stems in chamber										
SL	shaves lead		*****					*	99.		
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										<i>******</i>
SRIC	Specific rings in chamber					,	*****			8	
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily								***************************************		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
XH	Extracts hard										

											 _
XHB.	Extractor hits bis										
											•
HI	High	500									
LO	Low										
LEFT	Left		· · · · · · · · · · · · · · · · · · ·								
RIGHT	Right			888							
DG	Doesn't Group										
FSST	Front sight tipped	***									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	a di									
FSTR	Front sight raised										
FSTL	Front sight loose		2005					<b>*</b>	550.		
RSTL	Rear sight loose					*****			Ž ////		
MGPT-G	Missing parts at target				***************************************						
UNCN-G	Uncoded nonconformity at target										
							*****				335
AI-P	Assembly incompleye at proof									Á	
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof								2000		
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										 ***************************************
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington