Summary	Total Test + Proof Failure							
400	Total Rejected							
	Overall Reject Rate			•		•		
	Shot		249	151	11			66
	Proof Rejected Percen	t: 0 0.0	0 0.0	0 0.0	0 0.0	0	0	1 1.5
	Shot	7/7 <u>99997777</u>	218	193	56			42
	Test Rejectso		33	13	0	0	0	1
	Parcen	alentaria entra	15.1	6.7	0.0			2.4
	Shot		18	9	5			3
	Target Rejected		00	0 0.0	0 0.0	0	0	0 0.0
	· · · · ·		700 SPS	700 BOL &				
CODE	MALFUNCTION INDEX	700 SPS	SS	ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds						254	1
BABS	Bulge at body shoulder							
BAC	Burr at chamber		4	2				
BBMA	BBL-to-bolt misalignment							
B	Bolt binds/catches	3	8	6				
COBS	Boit catches on boit stop							
BCOF	Bolt catches on follower					1		
BC	Blows cases							
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							Accession 174
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
3PO	Bolt pulls out							
SSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down	1						
BWCFM	Bolt won't close over full magazine			7				
CD	Case dented			-				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Сн	Closes hard				***			
CLM	Can't load magazine							
co 🔌	Cut-off							
CR	Cuts rim							
CS	Cases swell							
стод	Chamber torn or gougest					*		
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar				in.			
DBB	Doesn't blow back							
DCS	Double click in safety switch							
рст	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							·*.
DEL	Doesn't eject live round							l illen
DFB	Doesn't feed back				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)				***			
DLU	Doesn't lock-up			*****	*****			
DS	Dead safe			4	*****			
DX	Doesn't extract	1			****			
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back				****			
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							

(dina



	///////.							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect			*				
FCB	Fore-end cracked or broken							
FD	Follows-down			****				
FF	Fails to fire			****				
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim				áta.			
FPO	Floor plate opens							
FPOH	Floor plate opens hard							
FSR	Fires when safe is released					ilia interest.		
FT	Follower tips							
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift		5					li illine
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge					×		
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							

ģ.



					I			
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Mirh	Magazine removes hard							
он	Opens hard			***	****			
OR	Over-nides			****				
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			1				
RDW	(Action) release doesn't work							
RIC	Rings in chamber		14	2				
RIS	Ring in sholder							
RS	Rim srem	- 22						
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline					;		
SIC	Stems in chamber			**		1		
SL	shaves lead			****				
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
STC	Sterns top chamber							
SWE	Safety switch works too easily			1				
SWH	Salety switch works too hard							
SWW	Safety ewitxh won't work				****			
TD	Tips down							
τU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded							
ХН	Extracts hard		1					
				r 🦾 🦇		ille Maria		
HI	High							
LO	Low							
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped					*		
RSBR	Rear sight base raised			****			1	
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							




CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at preof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof					ilia - 11 martina -		
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							1


-								I		
							totals	700 totais	New Gen totals	I
Ē	<u> </u>	72	34	19 mar.	Ĭ		982	876	106	1
-	Ø	00	0 00	0.	0	0	1 0.1	1 0.1	0 0.0	,
Γ			72				730	1311	72]
	2	0	1 1.4	0	0	0	54 7.4	53 4.0	1 1.4	_
	_	-	6				55	96	6	
-	0	0	0 0.0	0	0	0	0.0	0 0.0	0 0.0	-
	XR-100	7400	7500	7600	7615	Rimfire	totals	totais	totals	
ŀ									225-	
Ļ							1	\$		
L					*					
L							8	6		
							reestin.			
ſ							17	17		
ŀ										
F										-
ŀ										
ŀ									1	
F									1	1


íter,


Subject to Protective Order Williams v. Remington


ILE00071656














Subject to Protective Order Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order Williams v. Remington



Subject to Protective Order - Williams v. Remington

AB	Action binds	_
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches]
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	-
BPO	Bolt pulls out	Дарь
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	•
BWCFM	Bolt won't close over full magazine	
		100000
CH	Case dented	ilin.
	Closes hard	
	Can't load magazine	
<u>co</u>	Cut-off	
CR	Cuts rim	
CS	Cases swell	
СТОС	Chamber torn or gouged	
СТР	Creepy trigger pull	
CWSB	Cams wrong side of action bar	8
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	1
DE	Doesn't eject	
DEL	Doesn't eject live round	1
DFB	Doesn't feed back	1
DFU	Doesn't feed up	1
DLO	Doesn't feed up Doesn't lock open (after last shell)	1
	Doesn't lock-up	1
DS	Dead safe	-
	Doesn't extract	
	Doesn't extract live round	-
EDS	Extractor drops shell	
ESB		-
ESCR	Ejector sticks back	
ESS	Empty shell catches receiver	-
	Extractor stems shell	-
FA	Fires automatically	ł
FB	Follower binds	ł
	Fails to connect	ł
FCB	Fore-end cracked or broken	l
FD	Follows-down	1
FF 🔬	Fails to fire]
FFP	Flat firing pin]
FOS	Fires on safe	
FPHB	Firing pittitits bbl	1





FPHI	Firing pin hits inside rim
FPO	
FPOH	Floor plate opens
FSR	Floor plate opens hard
	Fires when safe is released
FT	Follower tips
GCSO	Gas cyl shot off
HBL	Heavy bolt lift
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
HUR	Hard under rail
JCS	Jumps cartridge
JM	Jumps magazine
JO	Jars off
LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine loose
MLH	Magazine loose Magazine loose
MRH	Magazine removes hard
	Opens hard
OR	Over-rides
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
RIS	Ring in sholder
RS	Rim srem
SBC	Stems bottom chambers
SBE	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SI	Stems incline
SIC	
	Stems in shamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SOR	Stem över-ride
SP	Stems port
SR	Shoulder rough
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSOC	Surface scratches on case
STC	Stems top chamber
SWE 🤞	Safety switch works too easily
SWH	Safety switch works too hard
sww 🐰	Safety ewitch won't work



TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	8 P
RIGHT	Right	2. 2.
DG	Doesn't Group	Ś
FSST	Front sight tipped	
RSTT	Rear sight tipped	7 R. R. R.
RSBR	Rear sight base raised	
FSTR	Front sight raised	<u>S S S S</u>
FSTL	Front sight loose	******
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
		 \$
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	80 1
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	1
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp liegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	-
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	-1
UNCM-P	Uncoded proof malfunctions	









AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire





FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	À
JO	Jars off	
LB	Light blow	•
MAH		
	Magazine assembles hard	88
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	- 2
ML	Magazine loose	
MLH	Magazine loads hard	Ì
MRH	Magazine removes hard	
он	Opens hard)
OR	Over-rides	:
РН	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	Å.
RIC	Rings in chamber	\$\$-
RIS	Ring in sholder	8
RS	Rim srem	S.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
<u>SHI</u>	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
SRIC	A CONTRACT OF A CONTRACT.	
SSOC	Surface scratches on case	
SSOC	Surface scratches on case Stems top chamber	
SSOC STC SWE	Surface scratches on case	





TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	1
LEFT	Left	1
RIGHT	Right	5
DG	Doesn't Group	<u>i</u>
FSST	Front sight tipped	60
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	1.
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	833
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	20
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ľ.
BC-P	Blows cases at proof	<u> </u>
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof] ~
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire




FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	À
JO	Jars off	
LB	Light blow	•
MAH		
	Magazine assembles hard	88
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	- 2
ML	Magazine loose	
MLH	Magazine loads hard	Ì
MRH	Magazine removes hard	
он	Opens hard)
OR	Over-rides	:
РН	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	Å.
RIC	Rings in chamber	\$\$-
RIS	Ring in sholder	8
RS	Rim srem	S.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
<u>SHI</u>	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
SRIC	A CONTRACT OF A	
SSOC	Surface scratches on case	
SSOC	Surface scratches on case Stems top chamber	
SSOC STC SWE	Surface scratches on case	





TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	l
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire



FPHI	Firing pin hits inside rim
FPO	Floor plate opens
FPOH	Floor plate opens hard
FSR	Fires when safe is released
FT	Follower tips
GCSO	Gas cyl shot off
HBL	Heavy bolt lift
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
HUR	Hard under rail
JCS	Jumps cartridge
JM	
	Jumps magazine Jars off


LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine loose
MLH	Magazine loads hard
MRH	Magazine removes hard
OH	Opens hard
OR	Over-rides
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
RIS	Ring in sholder
RS	Rim srem
SBC	Stems bottom chambers
SBE	
	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SI	Stems incline
SIC	Stems in chamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SOR	Stem over-ride
SP	Stems port
SR	Shoulder rough
SRC	Stems right side of chamber
	Specific rings in chamber
SRIG	
SRIC	Surface scratchesionicaee
SSOC	Surface scratches on case
SSOC	Stems lop chamber
SSOC STC SWE	






TD	Tips down	
ΤU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	l
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	1999) 1999)
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	1. S. S.
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	

AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ľ
BC-P	Blows cases at proof	۵÷
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	}
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shat off at proof	
MSI-P	Magnaflux stamp illegible on bbl]
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	





Summary	Total Test + Pr		731						
		al Rejected:	55						
	Overall	Reject Rate:	7.52						
		Shot:		249	151	11			66
	Proof	Rejected Percent	0 0.0	0 	0 0.0	0 0.0	0	0	1 1.5
		Shot.	1	218	193	56			42
	Test	Rejectød:	4	33	13	0	0	0	1
		Percent:	27	15 1	6.7	0.0			2.4
		Shot: [14 14 0	18	9	5	0	0	3
	Target	Reječted: Percent:	0.0	0 0.0	0 0.0	0	U	U	0.0
CODE	MALFUNCTION IN		700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds								1
BABS	Bulge at body shoulder								
BAC	Burr at chamber			4	2				
BBMA	BBL-to-bolt misalignment					1990 (C			
BB	Bolt binds/catches		3	8	6				
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							*	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out	of position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine	e							
BWCD	Bolt won't cam down								




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't load magazine						
со	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged		1				
СТР	Creepy trigger pull				888. 		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					XX	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					- and the	Þ
DLU	Doesn't lock-up					â	
DS	Dead safe			1			
DX	Doesn't extract	1					
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						



Subject to Protective Order	
	FA
<u>a</u>	FB
1 *** S	FC 🛞
æms v. Remington	FCB
ren	FD
ning	FF
ytor	FFP
L	FOS
	FPHB

						_
FA 🖉	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				500.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift		5			
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					ø
HUR	Hard under rail					Ø
JCS	Jumps cartridge				ä	
JM	Jumps magazin e					l
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Orde		
Order - V		
	ML	ħ
ā s	MLH	N
liams v. Remington	MRH	١
? T	он	
ien	OH OR	Ĉ
ning	РН	F
gto	PSI	F
D	PSM	F
	RBOC	
	RDW	(
	RIC	F


ML	Magazine lõose					1
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Overandes	323.				
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	 14	2			
RIS	Ring in sholder				900.	
RS	Rim srem					
SBC	Stems bottom chambers		*********			
SBE	Stems bbl extension		· · · · ·			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				â	
SL	shaves lead					I ~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order	
	SRIC
lan .	SSOC
S S	STC
TI	SWE
ien	SWH
iams v. Remington	sww
gto	TD
<u>د</u>	TU
	TWP


Subject to


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily		1			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
тр	Tips down					
ти	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard	 1			8ee.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	鰴
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					





AI-P	Assembly incompleye at proof							
	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Berrel extension broken at proof							
BLP-P	Blanked primer at proof		itte.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	~~~						
FESO-P	Fore-end shot off at proof					See.		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof			***************				
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						1	














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N III	FA
<u>ø</u>	FB
ams v. Remington	FC
<u>ج</u> ۳	FCB
len	FD
ing	FF
, tor	FFP
ت.	FOS
	FPHR

				•		 -
FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down		- 200.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin e					_~≈
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order		
	ML	
ă L	MLH	
ייי אר אר	MRH	
TI	он	997. 1
ien	OR	
ŋiŋ	PH	
ams v. Remingtor	PSI	
د.	PSM	
	1	


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			ann. Millionn		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					Ś
SI	Stems incline					ø
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
ams v. Remington	SWE
len	SWH
nin	sww
gto	TD
J	TU

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull		8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			XX.,	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				4
FSST	Front sight tipped				1
RSTT	Rear sight tipped			ä	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1

Subject to Protective Order - Williams v. Remington


ILE00071702

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up		****			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)				200 4	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA	FA.	Subject to Protective Order		
	a FB		FA	
TS FC		.< TI	FCB	
FC FC FCB	FCB	ìen	FD	
FC FC FCB FD FD	· FCB D C FD FD	inc	FF	
ns v. Reming	 FCB FCB FD FF 	ytor	FFP	
ns v. Remingtor	v. Remingtor	<u>ب</u>	FOS	
Reming	<. Remington FCB FD FF FF FS FOS		FPHB	

FA.	Fires automatically						1
FB	Follower binds				 		1
FC 💮	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		Att.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					889.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge						
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
X	ML
ā	MILH
n su	MRH
æms v. Remington	он
hen	OR
ning	PH
gto	PSI
	PSM
	DBAC


ML	Magazine loose]
MLH	Magazine loads hard						
MRH	Magazine removes hard						1
он	Opens hard		****				
OR	Over-indes						
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	··· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder					800.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			110			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					â	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




Protective Order	
N.	SRIC
a a	SSOC
ns ····	STC
	SWE
lams v. Remington	SWH
ŋiŋ	sww
gtor	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	4
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose		*				
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
-⊐ ‱	FC
ams v. Remington	FCB
fen	FD
ŋir	FF
ytor	FFP
ت_	FOS
	FPHB

					_
1/////	Fires automatically				
FB	Follower binds				
FC	Fails to connect				
FCB	Fore-end cracked or broken	****			
FD	Follows-down				
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl		800. 8000 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 10		
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			880.	
FSR	Fires when safe is released				
FT	Follower tips	*			
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail				ø
JCS	Jumps cartridge			ź	
JM	Jumps magazin e				
OL	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order		
×.	ML	Magazine loos
a la	MLH	Magazine load
Succession	MRH	Magazine tem
.< TI	он	Opens hard
iến	OR	Over-indes
nin	PH	Pulls hard
lams v. Remingtor	PSI	Proof stamp ill
	PSM	Proof stamp m
	PPAC	Dises and bulg


								_
Magazine lõõse								
Magazine loads hard								
Magazine removes hard								
Opens hand								
Over-rides		- 200.						
Pulls hard]
Proof stamp missing								
Rings and bulges on case								
(Action) release doesn't work								
Rings in chamber	**							
Ring in sholder								
Rim srem								
Stems bottom chambers								
Stems bbl extension			110					
Stock cracked or broken					10000000000			
Shell catches								
Short indent						1000000		
Stems incline						- and the second se		ø
Stems in chamber						ź		
shaves lead								1 ~
Stems left side of chamber								
Stretch marks on case								
Stem over-ride								
Stems port								
Shoulder rough								
Stems right side of chamber								
	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Ring in sholder Rim srem Stems bottom chambers Stems bottom chamber Stems incline Stems incline Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Short indent Stems incline Stems incline Stems left side of chamber Stretch marks on case Stems port Stems port Stems port	Magazine loads hard Imagazine removes hard Opens hard Imagazine removes hard Opens hard Imagazine removes hard Over-indes Imagazine removes hard Over-indes Imagazine removes hard Pulls hard Imagazine removes hard Proof stamp illegible Imagazine removes hard Proof stamp missing Imagazine removes hard Rings and bulges on case Imagazine removes hard (Action) release doesn't work Imagazine removes Rings in chamber Imagazine removes Ring in sholder Imagazine removes Rim srem Imagazine removes Stems bottom chambers Imagazine removes Stems bottom chambers Imagazine removes Stems bot extension Imagazine removes Stems bot extension Imagazine removes Stems incline Imagazine removes Stems in chamber Imagazine removes shaves lead Imagazine removes Stems left side of chamber Imagazine removes Stems port Imagazine removes Stems port Imagazine removes Stems port Imagazine rem	Magazine loads hard Imagazine removes hard Opens hard Imagazine removes hard Over-indes Imagazine removes hard Pulls hard Imagazine removes hard Over-indes Imagazine removes hard Pulls hard Imagazine removes hard Proof stamp illegible Imagazine removes hard Proof stamp missing Imagazine removes hard Rings and bulges on case Imagazine removes hard (Action) release doesn't work Imagazine removes hard Rings in chamber Imagazine removes hard Rings in chamber Imagazine removes hard Ring in sholder Imagazine removes hard Rim srem Imagazine removes hard Stems boltom chambers Imagazine removes hard Stems boltom chambers Imagazine removes hard Stems incline Imagazine removes hard Stems in chamber Imagazine removes hard Stems left side of chamber Imagazine removes hard Stems port Imagazine removes hard Stems port Imagazine removes hard	Magazine logids; hard Imagazine removes hard Magazine removes hard Imagazine removes hard Over-indes Imagazine removes hard Pulls hard Imagazine removes hard Proof stamp missing Imagazine removes hard Proof stamp missing Imagazine removes hard Rings and bulges on case Imagazine removes hard (Action) release doesn't work Imagazine removes hard Rings in chamber Imagazine removes hard Ring in sholder Imagazine removes hard Stems boltom chambers Imagazine removes hard Stems bolt extension Imagazine removes hard Stems bolt extension Imagazine removes hard Stems bolt extension Imagazine removes hard Stems incline Imagazine removes hard Stems incline Imagazine removes hard Stems left side of chamber Imagazine removes hard Stems port Imagazine removes hard Stems port Imagazine removes hard Stems port Imagazine removes hard	Magazine loads hard Imagazine removes hard Imagazine removes hard Opens hard Imagazine removes hard Imagazine removes hard Over-indes Imagazine removes hard Imagazine removes hard Over-indes Imagazine removes hard Imagazine removes hard Over-indes Imagazine hard Imagazine hard Pulls hard Imagazine hard Imagazine hard Proof stamp illegible Imagazine hard Imagazine hard Proof stamp missing Imagazine hard Imagazine hard Rings and bulges on case Imagazine hard Imagazine hard (Action) release doesn't work Imagazine hard Imagazine hard Rings in chamber Imagazine hard Imagazine hard Ring sem Imagazine hard Imagazine hard Stems bottom chambers Imagazine hard Imagazine hard Stems bottom chambers Imagazine hard Imagazine hard Stems bottom chambers Imagazine hard Imagazine hard Stems incline Imagazine hard Imagazine hard Stems incline Imagazine hard Imagazine hard Stems inchamber Imagazine hard	Magazine toacks hard Imagazine termoves fland Imagazine termoves fland Opens hand Imagazine termoves fland Imagazine termoves fland Overrides Imagazine termoves fland Imagazine termoves fland Pulls hard Imagazine termoves fland Imagazine termoves fland Proof stamp missing Imagazine termoves fland Imagazine termoves fland Proof stamp missing Imagazine termoves fland Imagazine termoves fland Proof stamp missing Imagazine termoves fland Imagazine termoves fland Proof stamp missing Imagazine termoves fland Imagazine termoves fland Rings and bulges on case Imagazine termoves fland Imagazine termoves fland Ring in sholder Imagazine termoves fland Imagazine termoves fland Ring in sholder Imagazine termoves fland Imagazine termoves fland Stems boltom chambers Imagazine termoves fland Imagazine termoves fland Stems inclane Imagazine termoves fland	Magazine loads hard Image in the stand in the stan



Protective Order-	
	SRIC
lian	SSOC
- 10 - 10 - 10	STC 🕺
<u>ج</u> ٦	SWE
len	SWH
nin	sww
ams v. Remington	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				1
STC	Stems top chamber	 ****]
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	340.			1
sww	Safety ewitxh won't work]
TD	Tips down				
τυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			1990.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				19
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised				 l.
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose	****			
MGPT-G	Missing parts at target	 			
UNCN-G	Uncoded nonconformity at target				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




			 			_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				8a.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up					
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ष्ट्र	FB
liams v. Remington	FC
<u>ר</u> ידו	FCB
ferr	FD
ing	FF
ytor	FFP
ر	FOS
	EDUD

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				58		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	. wy					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released		*****				
FT	Follower tips		******				
GCSO	Gas cyl shot off		*****	· · ·			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						ø
JCS	Jumps cartridge					â	
JM	Jumps magazin e						l
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
Succession	MRH
.< TI	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ر	PSM


ML	Magazine loose					1
MLH	Magazine loads hard					
Contraction Contraction	Magazine removes hard					
он	Opens hard					1
OR	Overandes					1
PH	Pulls hard					1
PSI	Proof stamp illegible					1
PSM	Proof stamp missing					1
RBOC	Rings and bulges on case					1
RDW	(Action) release doesn't work					1
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches]_
SHI	Short indent]@
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead]%
SLC	Stems left side of chamber]
SMOC	Stretch marks on case					1
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
ē	SSOC
ns ∾	STC
.< T	SWE
ien	SWH
liams v. Remington	sww
gto	TD
þ	TU
	TIAD

Subject to

SRIC	Specific rings in champer					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	**				
хн	Extracts hard					
HI	High		***			
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group			 		
FSST	Front sight tipped					P
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised			 		ľ
FSTR	Front sight raised			 		
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					1



AI-P	Assembly incompleye at proof	ł		1			
	Barrel bracket stacked or broken at proof						
	Blows cases at proof						
	Barrel extension broken at proof						
	Blanked primer at proof						
	Barrel lug shot off at proof						
3P-P	Blown primer at proof		Q.,.				
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
	Fore-end shot off at proof						
FF-P	Fails to fire at proof					ine. Weitherse	
GCSO-P	Gas cylinder shot off at proof						
	Magnaflux stamp illegible on bbi						
	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof				10000		
UNCM-P	Uncoded proof malfunctions						













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		àte.				
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back	~~~					
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			· · · · ·			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						Ś
DLO	Doesn't lock open (after last shell)		ve e e de la de ve				P
DLU	Doesn't lock-up					1. K.	
DS	Dead safe						r «
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA .
<u>a</u>	FB
SLL SLL	FC
ams v. Remington	FCB
fen	FD
ning	FF
ytor	FFP
ت	FOS
	FPHB

FA	Fires automatically]
FB	Follower binds						
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		-240.				
FF	Fails to fire						
FFP	Flat firing pin			• •			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· ***			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard					àine.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						P
JCS	Jumps cartridge					ž.	鍮
JM	Jumps magazin e						I.«
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
	ML	Magazine loos
Ē	MLH	Magazine load
	MRH	Magazine <i>t</i> em
.< T	он	Opens hard
ren	OR	Over-ndes
nin	PH	Pulis hard
lliams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m
	PROC	Disco and hule

		 	-		 -		-
ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-indes	án.					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			800. 2007/000			
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				Sec.		
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber				â		
SL	shaves lead						ľ
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
			•	•	•	•	




Protective Order	
	SRIC
a la	SSOC
ns .	STC
ams v. Remington	SWE
len	SWH
nin	sww
gtor	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	

н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1		***				



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




							_
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand		****				
CLM	Can't laod magazine						
со	Cut-off						
CR	Cuts rim						
CS	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull				899 1997 - J.		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~					
DCS	Double click in safety switch					1990.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			1185			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					200 4	ø
DLU	Doesn't lock-up					á	
DS	Dead safe						r w
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
	FA .
<u>8</u>	FB
n s	FC
æms v. Remington	FCB
hen	FD
ning	FF
ytor	FFP
<u>ب</u>	FOS
	FPHB


FA	Fires automatically					
0000000000 00000000	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· ***				
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				Ŕ	瀫
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ILE00071752


Subject to Protective Order	
N.	ML
lan	MLH
20 C	MRH
TI	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ب	PSM
	0000

ML	Magazine loose]
RALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					
OR	Over-ndes	àn.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem					
SBC	Stems bottom chambers		*********			
SBE	Stems bbl extension		1103			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				á	
SL	shaves lead					1 ~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough			 -		
SRC	Stems right side of chamber					




Subject to Protective Order	
	SRIC
<u>a</u>	SSOC 🖉
ns .	STC 🛞
	SWE
ren	SWH
jnir	sww
ams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber		****			
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Þ
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
SLL SLL	FC
lams v. Remington	FCB
len	FD
jnir	FF
ytor	FFP
<u>د</u>	FOS
	Ерна

FA.	Fires automatically						1
FB	Follower binds						
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Follows-down						1
FF	Fails to fire					1	1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						1
FPHI	Firing pin hits inside rim						1
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·			1
FPOH	Floor plate opens hard				Sec.		1
FSR	Fires when safe is released]
FT	Follower tips		****]
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail				1999 B		1
JCS	Jumps cartridge				;		
JM	Jumps magazin e						
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber]
SWE	Safety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					 ~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failur								
	Total Rejecte Overall Reject Ra								
		ot .					1	1	-
**	Proof Reject	ed. 🚺 0	0	0	0	0	0	0	1
	Perce	222222 · · · · · · · · · · · · · · · ·			F	1	1		-
	Sh Test Reject	of. [ed:Q	0	<u> </u>	0	0	0	0	
	Perce				0	5	v	, v	
	Sh		¥ ////						
	Target Rejection Perce			0	0	0	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL &	700 SS	700 CDL	700 POLICE	MODEL 7	
			*********						1
AB	Action binds								_
BABS	Bulge at body shoulder								4
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand	 * * * *				
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				80x.	
DCT	Double click in trigger					
DCU	Doesn't close-up	*	****	Min. Mill		
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				â	
DS	Dead safe					I.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
n ™®≋	FC
æms v. Remington	FCB
fen	FD
ning	FF
ytor	FFP
<u>ب</u>	FOS
	FPHB

					_
FA	Fires automatically				
CC-000000	Follower binds				
FC	Fails to comect				
FCB	Fore-end cracked or broken				
FD	Follows-down	Ann			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off	 			
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case	 			╡.
HPA	High pressure ammo				
HUR	Hard under rail				
JCS	Jumps cartridge			2	
JM	Jumps magazin e	 			
JO	Jars off	 			
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order	
	ML
ia n	MILH
	MRH
.> TI	он
ìen	OR
jing	PH
iams v. Remingtor	PSI
<u>ر</u>	PSM
	0000


ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine temoves hard				
он	Opens hant				
OR	Overandes	àte.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			;	
SL	shaves lead				I ~
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




Protective Order	
	SRIC
a la	SSOC
ns .	STC
ams v. Remington	SWE
len	SWH
nin	sww
gtor	TD
<u>د</u>	TU


Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
ΤΟ	Tips down				
тυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			See.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right		 		
DG	Doesn't Group		 		
FSST	Front sight tipped				P
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised		 		1~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
	1	***			




AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		- 2000.				
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~>					
DCS	Double click in safety switch					500.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			110			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up					á	
DS	Dead safe						I ~
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	- Maria Maria - Alara -	Subject to Protective Order	
	<u>ě</u> FB		FA
TS FC		א דו	FCB
FC FCB	FCB	len	FD
ns V. FCB FD	· P P P FD	jnir	FF
ns v. Remin	 FCB FCB FD FD FF 	ytor	FFP
ns v. Remingtor	Y. Remingtor	<u>ر</u>	FOS
Remingtor	 FCB FD FF FF FFP FOS 		EDHB

				•		 -
FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down		- 200.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin e					_~≈
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		itte.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline							
SIC	Stems in chamber					à		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Protective Order	
N.	SRIC
a a a a a a a a a a a a a a a a a a a	8500
ns .	STC
.S. TT	SWE
ien	SWH
nin	sww
llams v. Remington	TD
<u>د</u>	τu
	TIME

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard					
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				 â	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



					 		-
AI-P	Assembly incompleye at proof						
868	Barrel bracket bracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· · · · · ·					
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			••••			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
	Uncoded proof malfunctions						














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		t	0	0	0	0	0	0]
	Sho Test R ejecte Percer		0	0	0	0	0	0]
	Sho Target Rejecte Percer	d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds							1	_
BABS	Bulge at body shoulder							·	_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								╡∞
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								1
BCOF	Bolt catches on follower						n an Ali		17 8
вс	Blows cases						à		1
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▒
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA	FA FB	Subject to Protective Order		
	a FB	×.	FA	į
TS FC		.< TI	FCB	
FC V. FCB	FCB	ren	FD	
FC FC FC FC FC FC FC FC FC	· FCB	ning	FF	
ns v. Remin	S. FCB Perming	gtor		
ns v. Remingtor	 FCB FD FF FF FF FF 	<u>د</u>	FOS	
	<. Remington FCB FD FF FF FFP FOS		FPHB	

FA.	Fires automatically					1
FB	Follower binds					1
FC 💮	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	- 24%.				
FF	Fails to fire					
FFP	Flat firing pin		•			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				900.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				2	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
V	ML
<u>8</u>	MILH
n s	MRH
æms v. Remington	он
hen	OR
ning	PH
gto	PSI
	PSM
	0000


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				XX	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		110			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				;	
SL	shaves lead					1 ~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in champer]
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
ΤD	Tips down						
тυ	Tips up						
TWP	Trigger won't pull				800. 		
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·					
хн	Extracts hard						
HI	High			***			
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	鰴
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA		Subject to Protective Order	
	<u>o</u> FB		FA .
J FC		.< TT	FCB
FC FCB	FCB	len	FD
FC FC FC FC FC FC FC FC	- FCB - FD - FD	ing	FF
ns V. Reming	 FCB FCB FD FF 	ytor	FFP
The second secon	 FCB FD FF FF FFP 	ب	FOS
Remingtor	 FCB FD FF FF FFP FOS 		EDHB

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				àine.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				-	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		áto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				59			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline							
SIC	Stems in chamber					ä		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Subject to Protective Order	
	SRIC
a la	8506
n ''	STC 🛞
<u>ר</u>	SWE
len	SWH
jing	sww
ams v. Remington	TD
L	TU

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	325.				
sww	Safety ewitxh work					1
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				à	
HI	High					
LO	Low		1165			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped			 		
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N	FA
lan	FB
ີ ເ	FC
ר. דד	FCB
len	FD
ling	FF
lams v. Remington	FFP
-	FOS

FA.	Fires automatically					1
FB	Follower binds					
FC 💮	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down					1
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			17. m. 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				ä	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order		
×.	ML	Magazine loos
B	MLH	Magazine load
15 2	MRH	Magazine tem
<u>ج</u>	он	Opens hard
ien	OR	Over-ndes
lams v. Remingtor	PH	Pulis hard
gtor	PSI	Proof stamp ill
Ĺ	PSM	Proof stamp m
	1	

	1
ittere.	
	Ø
	- 000j



SRIC SSOD STC SWE SWH SWH SWW TD TU	Subject to Protective Order	
ams v. Remingtor	W	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW TD TU	n s	STC 📎
emington TU	א דו	SWE
nington 단	len	SWH
	ing	sww
- TU	jtor	ат
	-	TU

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand	 * * * *				
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				80x.	
DCT	Double click in trigger					
DCU	Doesn't close-up	*	****	Min. Mill		
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				â	
DS	Dead safe					I.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA FB FC FC FD FF FD FF FF FF FF FF FF FF FF FF FF	Subject to Protective Order	
FCB	Williams	FA FB FC
	<u>ר</u>	FCB
	ing	FF
TT FF	jtor	FFP
ningtor	-	FOS
nington FFP FOS		COUD

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down	- Arr.				1
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			12		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				200 4	Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					 L.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
ē	8500
ີ ເ	STC
iams v. Remington	SWE
len	SWH
ning	sww
yto	TD
J	TU

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull		8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			XX.,	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				4
FSST	Front sight tipped				1
RSTT	Rear sight tipped			ä	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
стоб	Chamber torn or gouged				
СТР	Creepy trigger pull		ann. Millionn		
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			80x.	
DCT	Double click in trigger				
DCU	Doesn't close-up		s		
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				╡.
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				Þ
DLU	Doesn't lock-up			2	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




Subject to Protective Order	
VIII	FA
ğ	FB
J S	FC
iams v. Remington	FCB
len	FD
in	FF
ytor	FFP
د.	FOS
	EDHB

FA	Fires automatically						1
	Follower binds						
	Fails to connect						
		 				1	
	Fore-end cracked or broken	- 				1	
	Follows-down						
FF	Fails to fire		 				
FFP							
FOS	Files of Sale		×				
FPHB	Finng pin nits boi						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard						
FSR	Fires when safe is released			<u> </u>			
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift	 					
	Heading mismatch-steps on case						
HPA	High pressure ammo						
	Hard under rail	 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			and the		Ø
JCS	Jumps cartridge				à		
JM	Jumps magazin e					*****	
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose]
//	Magazine loads hard					
MRH	Magazine temoves hard					
он	Opens hand					
OR	Overandes	itte.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work					
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				ä	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber]
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
<u>a</u>	FB
2 1 2 1 2 1	FC
iams v. Remington	FCB
ren	FD
nin	FF
ytor	FFP
د.	FOS
	FPHR

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		- Arr.				
FF	Fails to fire						1
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips			***			
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					200 4	
JCS	Jumps cartridge					;	
JM	Jumps magazin e						 1.0
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)				 		
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order-	
N.	SRIC
<u> </u>	SSOC
n	STC 📎
liams v. Remington	SWE
ien	SWH
jnir	sww
gtor	TD
	ΤU

Subject to

SRIC	Specific rings in chamber	1				1
SSOC	Surface scratches on case			 		
STC	Stems top chamber					
SWE	Safety switch works too easily					1
SWH	Safety switch works too hard					1
sww	Safety ewitxh won't work					1
то	Tips down					
TU	Tips up					1
TWP	Trigger won't pull					1
TWR	Trigger won't retract					
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·				1
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	
RSBR	Rear sight base raised					۱»
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington


									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N III	FA
ğ	FB
S SC	FC
ams v. Remington	FCB
٩en	FD
jnir	FF
ytor	FFP
<u>ب</u>	FOS
	FPHR

					_
1/////	Fires automatically				
FB	Follower binds				
FC	Fails to connect				
FCB	Fore-end cracked or broken	****			
FD	Follows-down				
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl		800. 8000 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 10		
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			880.	
FSR	Fires when safe is released				
FT	Follower tips	*			
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail				ø
JCS	Jumps cartridge			ź	
JM	Jumps magazin e				
OL	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		itte.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				59			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline							
SIC	Stems in chamber					à		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
ams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
38000000 0000000 0000000	Closes hand					1
CLM	Can't laod magazine					
со	Cut-off		- 444.			
CR	Cuts rim					1
CS	Cases swell					1
стоб	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				Sec.	1
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				ź	
DS	Dead safe					l.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




₹ FA	FA FB T	FA FB FC FC	FA FB FC FC FCB	Subject to Protective Order	
	E E E E E E E E E E E E E E E E E E E		FC FC FC FCB	N III	FA.
V. FCB FD	FCB FD FD	E FD		in	FF
v. Reming	Reming	E FD FF		gtoj	FFP
s v. Remingto	Remingto	FD FD FF FF FFP	ningto		FOS
V. Remingto	Remington FCB	FD FF FF FOS	nington FF FOS		

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
X	SRIC
ā	SSOC
n S	STC 📎
ר. דו	SWE
ìen	SWH
ŋiŋ	sww
ams v. Remington	TD
<u>ر</u>	ΤU
	100

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down		• •			
τu	Tips up					
TWP	Trigger won't pull			899 1997 - J.		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>ğ</u>	FB
1 × × × ×	FC
lams v. Remington	FCB
fen	FD
jnir	FF
ytor	FFP
ر	FOS
	Ерна

FA.	Fires automatically							
FB	Follower binds							1
FC 💮	Fails to connect							1
FCB	Fore-end cracked or broken							
FD	Follows-down		44					
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·						
FFP	Flat firing pin							1
FOS	Fires on safe							1
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips						·	
GCSO	Gas cyl shot off			**				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							Ø
JCS	Jumps cartridge					ž		
JM	Jumps magazin e							ľ
OL	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ā	MILH
S I S	MRH
<u>ج</u>	он
ren	OR
nin	PH
ams v. Remingtor	PSI
ر	PSM


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens.hand					
OR	Over-indes	áto.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder				360.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					Ś
SI	Stems incline					ø
SIC	Stems in chamber				ź	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order-	
	SRIC
a la	SSOC
S SU	STC
<u>ج</u> ٦٦	SWE
len	SWH
ini	sww
ams v. Remington	TD
د	τu

Subject to

SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				1
STC	Stems top chamber	 ****]
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	340.			1
sww	Safety ewitxh won't work]
TD	Tips down				
τυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			1990.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				19
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised				 l.
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose	****			
MGPT-G	Missing parts at target	 			
UNCN-G	Uncoded nonconformity at target				



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				800.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					1
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor sterns shell					




Subject to Protective Order	
	FA
<u>B</u>	FB
ns	FC
ams v. Remington	FCB
len	FD
ing	FF
ytor	FFP
<u>ب</u>	FOS
	FPHB

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard				360.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		198			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					l.«
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)			 		
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


			1			 	_
	Magazine lõose						
BALH.	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes		itte.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				59		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					5ao.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline						
SIC	Stems in chamber					à	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
ā	SSOC
ns 🐃	STC
	SWE
fen	SWH
ning	sww
lams v. Remington	TD
	TU
	TIAD

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA.	Subject to Protective Order	
	WIIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA 🦾	Fires automatically						
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		44				
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·					1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		****				
FT	Follower tips]
GCSO	Gas cyl shot off			100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge		****			ž	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
ğ	SSOC
liams v. Remington	STC
П	SWE
ìen	SWH
nine	sww
itor	TD
<u>ت</u>	τu

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			500.	
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				1
RSTT	Rear sight tipped			ź	1
RSBR	Rear sight base raised				_ ~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N III	FA
<u>ø</u>	FB
ams v. Remington	FC
<u>ج</u> ۳	FCB
len	FD
ing	FF
, tor	FFP
ت	FOS
	FPHR

						_
FA	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken]
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				XX	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		· · · · ·			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1	1		1	1	7
	Magazine lõose							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes							
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	···· ////						
RBOC	Rings and bulges on case				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder]
RS	Rim srem							
SBC	Stems bottom chambers		****					
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches] .
SHI	Short indent							
SI	Stems incline							17
SIC	Stems in chamber					ä		
SL	shaves lead							ľ
SLC	Stems left side of chamber]
SMOC	Stretch marks on case							1
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							1
SRC	Stems right side of chamber]



SRIC SSOC STC SWE SWH SWW TD TU	Subject to Protective Order	
ams V. Remington	VII	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW ED EU	S SU	STC 🕺
Remington	.S. TI	SWE
nington	len	SWH
at not not	in	sww
- TU	ytor	тр
	-	ти

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



				 		-
AI-P	Assembly incompleye at proof					
868	Barrel bracket bracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	· · · · · ·				
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		••••			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
	Uncoded proof malfunctions					













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	W IIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	. Anna				
FF	Fails to fire					
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released	*****				
FT	Follower tips	****				
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo	****				
HUR	Hard under rail					ø
JCS	Jumps cartridge	*****			2	
JM	Jumps magazin e					r~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)			 		
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
la n	MLH
n	MRH
	он
ren	OR
ning	PH
liams v. Remingtor	PSI
ر	PSM


ML.	Magazine loose				1
MALH	Magazine lo ads hard				1
MRH	Magazine ternoves hard				1
он	Opens hard				1
OR	Over-indes	itte.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers	*			
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches].
SHI	Short indent				
SI	Stems incline				1
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
N.	SRIC
a la	SSOC
 ອີ	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		áto.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
SLL SLL	FC
lams v. Remington	FCB
len	FD
jnir	FF
ytor	FFP
<u>د</u>	FOS
	Ерна

						_
1/1000 1000///	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				8ee.	
FSR	Fires when safe is released					
FT	Follower tips	*				
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					Ś
HUR	Hard under rail					Ø
JCS	Jumps cartridge				á	
JM	Jumps magazin e					r~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ā	MILH
S I S	MRH
<u>ج</u>	он
ren	OR
nin	PH
ams v. Remingtor	PSI
ب	PSM


ML.	Magazine loose					1
MLH	Magazine loose Magazine loogs hard					1
MRH	Magazine removes hard					-
	Opens hand					
OR	Over-ndes					
РН	Pulls hard					1
PSI	Proof stamp illegible					1
PSM	Proof stamp missing					1
RBOC	Rings and bulges on case			2000. 		1
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				Sec.	1
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				à	
SL	shaves lead]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber		****			



Protective Order-	
	SRIC
an	SSOC
л С	STC 🕺
.< TI	SWE
ren	SWH
ņir	sww
ams v. Remington	TD
د	ΤU
	740

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	橡
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised				 		
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target	<u> </u>					
UNCN-G	Uncoded nonconformity at target	Ļ					 4
	1		****				



ILE00071958

AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hand					1
CLM	Can't laod magazine					1
со	Cut-off	-300.				
CR	Cuts rim					1
CS	Cases swell					1
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull			1200. 1997 - June -		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				ites.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		100			
DEL	Doesn't eject live round			~~~~		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					鏐
DLU	Doesn't lock-up				3	瀫
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor sterns shell					




FA	Subject to Protective Order	
		FA
	.	FC
Ts FC		FCB
FC FCB	fen	FD
FC FC FC FD FD	ning	FF
FC FCB FD FF	ytor	FFP
ns v. Remingto	<u>د</u>	FOS
FD FF F		

FA.	Fires automatically]
FB	Follower binds				
FC	Fails to connect				
FCB	Fore-end cracked or broken				
FD	Follows-down	340.]
FF	Fails to fire]
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens		·····		
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips	****			
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo	****			
HUR	Hard under rail				Þ
JCS	Jumps cartridge	****		ž	
JM	Jumps magazin e				
O	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				1



Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
ā	SSOC
ns 🐄	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	TU

Subject to

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily		****				
SWH	Safety switch works too hard		220				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						17
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N.	FA
<u>B</u>	FB
ams v. Remington	FC
.< T	FCB
len	FD
nin	FF
ytor	FFP
ر	FOS
	EDHB

FA	Fires automatically						
100000000 0000000 0000000	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		322.				
FF	Fails to fire						
FFP	Flat firing pin			- 			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					á	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ā	MILH
S I S	MRH
<u>ج</u>	он
ren	OR
nin	PH
ams v. Remingtor	PSI
ر	PSM

ML.	Magazine loose					1
MLH	Magazine loose Magazine loogs hard					1
MRH	Magazine removes hard					-
	Opens hand					
OR	Over-ndes					
РН	Pulls hard					1
PSI	Proof stamp illegible					1
PSM	Proof stamp missing					1
RBOC	Rings and bulges on case			2000. 		1
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				Sec.	1
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				à	
SL	shaves lead]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber		****			




Protective Order	
	SRIC
a la	SSOC
ns .	STC
ams v. Remington	SWE
len	SWH
nin	sww
gtor	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	

н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1		***				



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA B	FA B FB G FC	Subject to Protective Order	
	₫ F B	E FB FC		FA
FC V. FCB	FCB		len	FD
FC FC FCB FD	FCB FD FD	fD FD	ing	FF
ns v. Reming	Y. FCB FD FD FD FF	FD FF	ytor	FFP
ns v. Remingtor	 FCB FD FF FF FFP 	Remingtor	ب	FOS
Remington	 FCB FD FF FF FFP FOS 	FD FF FF FFP FOS		

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · ·				
FPOH	Floor plate opens hard				à	
FSR	Fires when safe is released					
FT	Follower tips				-	
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				-	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

			1			 	_
	Magazine lõose						
BALH.	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes		itte.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				58		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					5ao.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline						
SIC	Stems in chamber					à	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failur								-
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	1	1	1	1	-
	Sho Proof Rejected	ot	0	0	0	0	0	0	
1	Perce			Ŭ	v	÷	v	v	
	110000 0000000000 000	n []
	Test Rejection Perce		0	o O	0	0	0	0	
	Sin	8 <u> </u>	<u>*************************************</u>				1	1	7
	Target Rejecte	əd: 0 🎆			0	0	0	0	_
-	Perce								-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5	~~					
BBMA	BBL-to-bolt misalignment								1000
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🐰
BC	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>B</u>	FB
ns	FC
ams v. Remington	FCB
len	FD
ing	FF
ytor	FFP
<u>ب</u>	FOS
	FPHB

							_
FA 🥼	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken		****				
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·					
FPOH	Floor plate opens hard					1990.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1985			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						P
JCS	Jumps cartridge					ź	
JM	Jumps magazin e						I.«
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ā	MALH
ີ ນ	MRH
.< T	ОН
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




Protective Order	
N.	SRIC
a a a a a a a a a a a a a a a a a a a	8500
ns .	STC
.S. TT	SWE
ien	SWH
nin	sww
llams v. Remington	TD
<u>د</u>	τu
	TIME

Subject to

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
то	Tips down					
ти	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard					
HI	High		****	din din		
LO	Low					4
LEFT	Left					4
RIGHT	Right					┨
DG	Doesn't Group					
FSST	Front sight tipped	 *				P
RSTT	Rear sight tipped				2	纝
RSBR	Rear sight base raised					
FSTR	Front sight raised					 4
FSTL	Front sight loose					 4
RSTL	Rear sight loose					4
MGPT-G	Missing parts at target					 4
UNCN-G	Uncoded nonconformity at target					 4



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand	 * * * *				
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				80x.	
DCT	Double click in trigger					
DCU	Doesn't close-up	*	****	Min. Mill		
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				â	
DS	Dead safe					I.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



Subject to Protective Order	
	FA
<u>a</u>	FB
n su	FC
lams v. Remington	FCB
٦en	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS
	FPHR

				•		 -
FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down		- 200.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin e					_~≈
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
X	SRIC
a la	SSOC
n s	STC 🕺
.S. TT	SWE
ien	SWH
nin	sww
ams v. Remington	TD
<u>د</u>	TU
	100

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			See.	
HI	High		Maria III		
LO	Low				
LEFT	Left				
RIGHT	Right				.
DG	Doesn't Group				
FSST	Front sight tipped				₽
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				1999 - 1997 -	ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA. B	FA FB FC	Subject to Protective Order	
	ā FB	FB FC FC	N.	FA
FC FCB	- FCB		ren	FD
FC FCB FD FD	FCB FD FD	en FD	ning	FF
TS V. Reming	V. Reming	ferming	ytor	FFP
ns v. Remingto	 FCB FD FD FF FF FF FF 	FD FF FF	L	FOS
FC FCB FD FF	 FCB FD FD FF FFP FOS 	Remington		

FA	Fires automatically						1
	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or proken						
FD	Follows-down		- 200.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	··· ////					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·					
FPOH	Floor plate opens hard					XX.,	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			110			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Ø
JCS	Jumps cartridge					á	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong		-				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
B	MLH
.	MRH
.< T	он
fen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ب</u>	PSM


ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC 🐘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	**				
хн	Extracts hard				Seo.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right			 		
DG	Doesn't Group			 		
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised			 		1~
FSTR	Front sight raised			 		
FSTL	Front sight loose					
RSTL	Rear sight loose					_
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine		Millin					
co	Cut-off			×				
CR	Cuts rim							
cs	Cases swell				ä			
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull					Illina.		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round					*****///		
DFB	Doesn't feed back							
DFU	Doesn't feed up						į	
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							100
DS	Dead safe							
אס	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



ILE00072039

CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS 👘	Extractor sterns shell							
FA	Fires automatically		****					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				\$\$			
FFP	Flat firing pin							
FOS	Fires on safe					illus.		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				. ///			
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off					*****		
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case						į	
HPA	High pressure ammo							
HUR	Hard under rail							144+
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.	×						
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port							
SR 👹	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work					Alter .		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		***					
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard				···.			
н	High							
LO	Low							
LEFT	Left	<u> </u>					;	
RIGHT	Right							
DG	Doesn't Group		***					
FSST	Front sight tipped		***					
RSTT	Rear sight tipped							
RSBR	Rear sight base raised		1					
FSTR	Front sight raised							
FSTL	Front sight loose		-					



ILE00072042

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at larget							
			Mar					
Al-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					allen.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof		***					
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof		***			****///		
FF-P	Fails to fire at proof		****					
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof maifunctions							









