Н
H
团
0
Ō
Q
J
N
4
4
Ω_

nmary Total	Test + Proof Failures Total Rejected: Överall Reject Rate:	731 55 7.52						
	Shot:	399	249	151	11			66
Proof	Shot: Rejected:	0	0	0	0	0	0	1
Proof Test	Percent Shot: Rejected:	0.0	0.0	0.0	0.0			1.5
	Shot	149	218	193	56			42
Test	Rejected:	4	g: 33	13	0	O	0	1
	Parcent .	🍇 2.7 💥	15.1	6.7	0.0			2.4
	Shot: Rejected:	14	18	9	5			3
Target	Rajected:	0	//// 0 "**/////	0	0	0	0	0
 	Percent:	0.0	ŏ.o	0.0	0.0			0.0

CODE	MALFUNCTION INDEX	700 S PS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							1
BABS	Bulge at body shoulder						200	
BAC	Burr at chamber		4	2				* .
BBMA	BBL-to-bolt misalignment							
вв	Bolt binds/catches	3	8	6				
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower					4		
BC	Blows cases							
BHR	Bolt hits receiver						***	
BHS	Bolt plug hits safety switch							***
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Boit won't carn down							
BWCFM	Bolt won't close over full magazine							
CD	Case dented							

CODE

MALFUNCTION INDEX

700 SPS

700 SPS

700 BDL &

700 SS

700 CDL

700 POLICE

MODEL 7

Н	
Н	
H	
0	
0	
0	
J	
N	
4	
Ú	
0	

	////////							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect							
FCB	Fore-end cracked or broken				-			
FD	Fallows-down							
FF	Fails to fire							
FFP	Flat firing pie							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				-			
FPHI	Firing pin hits inside rim				és			
FPO	Floor plate opens							
FPOH	Floor plate opens hard	*****	***			\$x		
FSR	Fires when safe is released	***						
FT	Follower tips						Allen .	
GCSO	Gas cyl shot off				###			,
HBL	Heavy bolt lift		5	*****				
HMSC	Heading mismatch-steps on case				7700			
HPA	High pressure ammo							<i>.</i>
HUR	Hard under rail					,		
JCS	Jumps cartridge					*		
JM	Jumps magazine							
10	Jars off							****
LB	Light blow							
MAH	Magazine assembles hard				-			
MCW	Magazine capacity wrong				-			
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position				-			
ML	Magazine loose							
MLH	Magazine loads hard							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MARH	Magazine removes hard							
ОН	Opens friend							
OR	Over-riides			1	-			
PH	Pulls hard	**************************************			***************************************			
PSI	Proof stamp:#legible	"						
PSM	Proof stamp missing		///////					
RBOC	Rings and bulges on case			1				
RDW	(Action) release doesn't work				Sa			
RIC	Rings in chamber		14	2				
RIS	Ring in sholder					*		
RS	Rim srem	***		/////				
SBC	Stems bottom chambers							
SBE	Stems bbl extension			***************************************				
SCB	Stock cracked or broken				[97			7 11000
scx	Shell catches							
SHI	Short indent				***			
SI	Stems incline			77		;		
SIC	Stems in chamber				4		19	
SL	shaves lead			40000 P. C.	******			
SLC	Stems left side of chamber				****			
SMOC	Stretch marks on case				****			
SOR	Stem over-ride				***************************************			
SP	Stems port				-			
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							

ŀ	4	
۲	ij	
L	-	
ľ	1	
€)	
ċ)	
2	=	
۲,	5	
-	J	
ŀ	J	
J	>	
L	Л	
ŀ	J	

	///88/4/							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
STC	Stems top chamber							
SWE	Safety switch works too easily			1				
swh	Safety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull	····						
TWR	Trigger won't retract				\$x			
UNCN-T	Uncoded							
хн	Extracts hard	*****	1		******	*		
				/////				
HI	High		,,				Žillion.	
LO	Low							y.
LEFT	Left			****				
RIGHT	Right				****			
DG	Doesn't Group							
FSST	Front sight tipped					;		
RSTT	Rear sight tipped					Ÿ		
RSBR	Rear sight base raised						400	
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
Al-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							

Ì		1	
ı		11000	
Ì	1	1	
į)	
ŧ)	
)	
	-	J	
l	`	٥	
	P	_	
١	J	П	
į		j	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof	····						
ESB-P	Ejector sticks back at proof				Street.			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof	*****						
FF-P	Fails to fire at proof	2.50						
GCSO-P	Gas cylinder shot off at proof			<i>300</i>			ália.	
MSI-P	Magnaflux stamp illegible on bbl							<i>r</i> .
MSM-P	Magnaflux stamp missing on bbl							Ž. 2000.
PP-P	Pierced primer at proof				**************************************			
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions					3		1


۱	4	
L	-	
Ī	1100	
(כ	
Č	5	
ì	5	
•	7	
	J	
	>	
	Л	
	`	


	22/40000000.						•	
						totals	700 totals	New Gen totals
	72	34	1 22			982	876	106
Ø	. 0	0.	O	0	0	1	1	0
	00	00		866.		0.1	0.1	0.0
		72	1			730	1311	72
2	0 🥢	1	// (0	0	0	54	53	1
	****	1.4		<i></i>	######################################	7.4	4.0	1.4
	***************************************	6	T.	ľ //////		55	96	6
0	0	0 ***	//// O		0	0	0	0
		0.0				0.0	0.0	0.0
XR-10	0 7400	7500	7600	7615	Rimfi r e	totals	totals	totals


						1	1	
							300000000000000000000000000000000000000	40//22 //444/


XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals
						1	1	//
						**** ********************************		
					-	6	6	
						17	17	
					44 A		7988	//////////////////////////////////////
					N			4///
					Panaga			
					-			
					10 A A A A A A A A A A A A A A A A A A A			
				***************************************				***************************************
					PARAMANA AND AND AND AND AND AND AND AND AND			
					***************************************		-	-


																	788									
																		Šies.								
																11/03					÷					
г			I	I	<u> </u>						<u> </u>	T	T å					ł.,				 	I			
	totals									-		3							La companya di sanggaran di s							
	to																Second									
	s					***********		**********		*******									*********			 *********				
	totals						***									333				₩.	*					
_							*********	**********	j		8.			:			**********		********		***********	 *********				
	totals						-			ŧ.	3										*-					
_								.888								•			***************************************			 				
	Rimfire												ľ	r.,												
	<u>~</u>	***********			***********	**								*********			*********	**********	**********	*********	**********	 *********		*************************	******	
	7615				500																					
	76										*															
-								3		1985						•			***************************************			 				
	7600																									
	7500									***																
-						33333	ė.																			
	7400																									
	7																									
	80																									
	XR-100			No.																						
L			L 88.	L	L	L	L	L	<u> </u>		L	<u></u>	L	<u></u>	<u></u>		L	L	L	L	L	 L	L	L	.	





















AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
CH	Closes hard
CLM	Can't load magazine
CO	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber torn or gouged
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
UOD	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
DFB	Doesn't feed back
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DLU	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
DXL	Doesn't extract tive round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	
	Extractor stems shell
FA	Fires automatically
FB &	Follower binds
FC 🛞	Fails to connect
FCB	Fore-end cracked or broken
FD	Follows-down
FF	Fails to fire
FFP	Flat (iring pin
FOS	Fires on safe
FPHB	Firing pin hits bbl

FPHI	Firing pin hits inside rim
FPO	Floor plate opens
FPOH	Floor plate opens hard
FSR	Fires when safe is released
FT	Follower tips
GCSO	Gas cyl shot off
HBL	Heavy bolt lift
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
HUR	Hard under rail
JCS	Jumps cartridge
JM	Jumps magazine
JO	Jars off
LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine assembles hard Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
MLH	Magazine loose
***************************************	Magazine loads hard
MRH	Magazine removes hard
OH	Opens hard
OR	Over-rides
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing.
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
RIS	Ring in sholder
RS	Rim srem
SBC	Stems bottom chambers
SBE	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SI	Stems incline
SIC	Stems in chamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SOR	Stem over-ride
SP	Stem over-time
	Stems port
SR	Shoulder rough
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSOC	Surface scratches on case
STC	Stems top chamber
SWE	Safety switch works too easily
SWH	Safety switch works too hard
SWW 💮	Safety ewitch won't work



TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
UNCN-T	Uncoded
XH	Extracts hard
HI	High
LO	Low
LEFT	Left
RIGHT	Right
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnaflux stamp (liegible on bbl
MSM-P	Magnatiux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof maliturictions
L	



8/14/2006

AB	Action binds	***************************************
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	************
BCOF	Bolt catches on follower	
BC	Blows cases	*********
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	n
BLSO	Barrel lug shot off	···
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	************
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	250565
CD CD	Case dented	*****
CH		
	Closes hard	5555
CLM	Can't load magazine	88.
<u>co</u>	Cut-off	<u> </u>
CR	Cuts rim	
CS	Cases swell	 (100
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	1136
DBB	Doesn't blow back	
DCS	Double click in safety switch	*****
DCT	Double click in trigger	3666
DCU	Doesn't close-up	
DE	Doesn't eject	(10)
DEL	Doesn't eject live round	
DFB	Doesn't feed back	000000
DFU	Doesn't feed up	***
DLO	Doesn't lock open (after last shell)	ibo-
DLU	Doesn't lock-up	8' 3
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shelt catches receiver	
ESS	Extractor stems shell	
FA	Fires automatically	***************************************
FB	Follower bings	***************************************
FC	Fails to connect	
FCB	Fore-end cracked or broken	************
FD	Follows-down	
FF	Fails to fire	
FFP 🦠	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits by	



FPHI	Firing pin hits inside rim	1
FPO	Floor plate opens	1
FPOH	Floor plate opens hard	1
FSR	Fires when safe is released	1
FT	Follower tips	1
GCSO	Gas cyl shot off	1
HBL	Heavy bolt lift	1
HMSC	Heading mismatch-steps on case	1
HPA	High pressure ammo	┨
HUR		1
JCS	Hard under rail	1
JM	Jumps cartridge	1
	Jumps magazine	
<u>10</u>	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
ОН	Opens hard	
OR	Over-rides	1
PH	Pulls hard	ं
PSI	Proof stamp illegible	
PSM	Proof stamp missing	1
RBOC	Rings and bulges on case	1
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	1
SBE	Stems bbl extension	1
SCB	Stock cracked or broken	1
		-
SCX	Shell catches	-
SHI	Short indent	-
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Sterns port	
SR	Shoulder rough	1
SRC	Stems night side of chamber	1
SRIC	Specific rings in chamber	1
SSOC	Surface scratches on case	1
STC ,	Stems top chamber	1
SWE &	Safety switch works too easily	1
	Safety switch works too hard	1
SWW	Safety ewitch went work	1
AAAA 1999	SANAN AMIVII AKARIT AANIV	1

TD	Tips down	***************************************	1
TU	Tips up		٦
TWP	Trigger won't pull		1
TWR	Trigger won't retract		
UNCN-T	Uncoded		1
XH	Extracts hard	***************************************	
		***************************************	_
HI	High		_
LO	Low		_
LEFT	Left		4
RIGHT	Right		4
DG	Doesn't Group		4
FSST	Front sight tipped		4
RSTT	Rear sight tipped	***************************************	
RSBR	Rear sight base raised	******	-
FSTR	Front sight raised		
FSTL	Front sight loose	1000000	1
RSTL	Rear sight loose	***	
MGPT-G	Missing parts at target	.8888°	_
UNCN-G	Uncoded nonconformity at target		_

Al-P	Assembly incompleye at proof		
BBB	Barrel bracket cracked or broken a	it proof	
BC-P	Blows cases at proof		
BEB-P	Barrel extension broken at proof		
BLP-P	Blanked primer at proof		
BLSO-P	Barrel lug shot off at proof		Š
BP-P	Blown primer at proof	1000	
BS-P	Barrel split at proof	**	
DLOS-P	Doesn't lock over shells at proof		
ESB-P	Ejector sticks back at proof		
FCB-P	Fore-end cracked at proof		
	Fore-end cracked at proof Fore-end shot off at proof		
FCB-P FESO-P FF-P	Fore-end cracked at proof Fore-end shot off at proof		-
FESO-P	Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof		
FESO-P FF-P	Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof		
FESO-P FF-P GCSO-P	Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		
FESO-P FF-P GCSO-P MSI-P	Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl Magnaflux stamp missing on bbl		
FESO-P FF-P GCSO-P MSI-P MSM-P	Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		



AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	***************************************
BCOF	Boll catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of positio	n
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	*************
BWCFM		2888888
	Bolt won't close over full magazine	-2000
CD	Case dented	
CH	Closes hard	5555
CLM	Can't load magazine	388°
co	Cut-off	<u> </u>
CR	Cuts rim	ું
CS	Cases swell	488
CTOG	Chamber torn or gouged	October 1990
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	1,60000
DBB	Doesn't blow back	935 800 800 800 800 800 800 800 800 800 80
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DE	Doesn't eject	- 3333
DEL	Doesn't eject live round	55.53333
DFB	Doesn't feed back	
DFU	Doesn't feed up	antition.
DLO	Doesn't lock open (after last shell)	·
DLU	Doesn't lock open carter last shelly	300 (7
DS	Dead safe	<u> </u>
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
FA	Fires automatically	**********
FB	Follower bings	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
==	Fails to fire	
	Flat firing pin	
FFP 🔞		
FFP FOS	Fires on safe	



FPHI	Eiring nin hits inside rim	1
FPO	Firing pin hits inside rim	
FPOH	Floor plate opens Floor plate opens hard	
FSR	Fires when safe is released	
FT		
GCSO	Follower tips	
····	Gas cyl shot off	
HBL	Heavy bolt lift	
HPA	Heading mismatch-steps on case	
HUR	High pressure ammo Hard under rail	
JCS		
	Jumps cartridge	ji).
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	leses
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	1
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
ОН	Opens hard	
OR	Over-rides	-
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	à
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC	Surface scratches on case	
STC		
SWE &	Stems top chamber	
	Safety switch works too easily Safety switch works too hard	
SWH SWW		
OVANA 💥	Safety ewitxh work	
199	ecococi, AMAMA	



·····	
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
UNCN-T	Uncoded
XH	Extracts hard
HI	High
LO	Low
LEFT	Left
RIGHT	Right
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL.	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at preof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnaflux stamp llegible on bbl
MSM-P	Magnaflux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof malfunctions
CINCINI-L.	Louroaca Maria mananasiss



AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	***************************************
BCOF	Bolt catches on follower	
BC	Blows cases	***************************************
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	10
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	2505050
	Case dented	
CH		
	Closes hard	0000
CLM	Can't load magazine	332
CO	Cut-off	Ş
CR	Cuts rim	
CS	Cases swell	
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	1775
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	,699
טסם	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	00000
DFB	Doesn't feed back	
DFU	Doesn't feed up	***
DLO	Doesn't lock open (after last shell)	850
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
FA	Fires automatically	~~~~~~~~~~
FB	Follower bings	***************************************
FC	Fails to connect	
FCB	Fore-end cracked or broken	***************************************
FD	Follows-down	
FF	Fails to fire	
FFP &	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits by	************
	17	



FPHI	Firing pin hits inside rim		·····
FPO	Floor plate opens		
FPOH	Floor plate opens hard		
FSR	Fires when safe is released		
FT	Follower tips		
GCSO	Gas cyl shot off		
HBL	Heavy bolt lift		
HMSC	Heading mismatch-steps on case	*********	*********
HPA			
HUR	High pressure ammo		
JCS	Hard under rail		
	Jumps cartridge		
JM	Jumps magazine		
<u>JO</u>	Jars off	***************************************	
LB	Light blow		
MAH	Magazine assembles hard		www.
MCW	Magazine capacity wrong		
MFA	Misfires (ammo)		
MFOP	Magazine follower out of position	****	[
ML	Magazine loose		Ÿ
MLH	Magazine loads hard		
MRH	Magazine removes hard		
OH	Opens hard		400
OR	Over-rides (0.000
PH	Pulls hard	1000	
PSI	Proof stamp illegible		
PSM	Proof stamp missing		in the second
RBOC	Rings and bulges on case	ar little	
RDW	(Action) release doesn't work	*****************	
RIC	Rings in chamber		
RIS	Ring in sholder		
RS	Rim srem		
SBC	Stems bottom chambers		
SBE	Stems bbl extension		2000
SCB	Stock cracked or broken		
SCX	Shell catches		-
\$HI	Short indent	100000	
SI	Stems incline		
SIC	Stems in chamber		
SL	shaves lead		
SLC	Stems left side of chamber		
SMOC			
SOR	Stretch marks on case Stem over-ride		

SP	Sterns port		
SR ODA	Shoulder rough		
SRC	Stems right side of chamber		***********
SRIC	Specific rings in chamber		
SSOC	Surface scratches on case		
STC	Stems top chamber		
SWE	Safety swifeti works too easily		
SWH 🦠	Safety switch works too hard		
SWW 🏽	Safety ewitxh won't work		



ITD	Tips down	ĺ
TU	Tips up	i
TWP	Trigger won't pull	i
TWR	Trigger won't retract	l
UNCN-T	Uncoded	l
XH	Extracts hard	l
ΔΠ	EXITAGES HAID	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	2000
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	20

AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	ŝ
BEB-P	Barrel extension broken at proof	8
BLP-P	Blanked primer at proof	ľ
BLSO-P	Barrel lug shot off at proof	ļ
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at preof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	
	1	•



۲	1	
۲	ł	
	1	
C)	
C)	
C)	
_	J	
N	J	
£	>	
~	J	
a		

	100000000000000000000000000000000000000											
Summa	any			Proof Failures		731						
				otal Rejected:		55						
			Overa	otal Rejected: Il Reject Rate:	;	7.52						
	Pr	<i>#</i>		Shot: Rejected	399	-	249	151	11			66
	Pr	oof		Rejected	0		0	0	0	0	0	1
				Percent Shot	0.0	*	0.0	0.0	0.0			1.5
				Shot.	149		218	193	56			42
	Te	st	8	Rejected:	4	:	33 33 33 A	13	0	0	Đ	1
	, -			Shot. Rejected: Percept Shot. Rejected: Peicent:	2.7		33 15.1	6.7	0.0			2.4
				400 233307 .	14	200	18	9	5			3
	Та	rget		Rejected:	0		9 /	Ç.	0	0	0	0
				Percent:	0.0		0.0	9 0	0 9.0			0.0


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$S	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			********		1 ************************************		X	
AB	Action binds		***************************************					1
BABS	Bulge at body shoulder		Hadelstades					***
BAC	Burr at chamber		4	2				
BBMA	BBL-to-bolt misalignment		and the same of th		77.00		3////	
ВВ	Bolt binds/catches	3	8	6				
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		of the same of the				7777	
ВС	Blows cases		Palatetala				į.	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					
BHS	Bolt plug hits safety switch		The state of the s					
BLOP	Bar lock or disconnector out of position		************					
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine		Banking and a second					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard		***************************************					
CLM	Can't load magazine							
со	Cut-off		\$45.					
CR	Cuts rim		***					
cs	Cases swell							
CTOG	Chamber tom or gouged		1					
CTP	Creepy trigger pull				ites. ##/////www.			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back					11/1/11		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up	Anna	***************************************					
DE	Doesn't eject		***************************************					
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up						ž.	
DS	Dead safe			1				*******
DX	Doesn't extract	1						
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell				_			


ML	Magazine lööse							
MLH	Magazine loads hard		**************************************					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					
OR	Over-rides		áva.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	14	2		<i>11/1</i> /11		
RIS	Ring in sholder						Stv.	
RS	Rim srem							
SBC	Stems bottom chambers		***************************************	***************************************				****
SBE	Stems bbl extension		-	· · · ·				
SCB	Stock cracked or broken		SATISFACE OF THE PARTY OF THE P		******			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline		11000				*****	
SIC	Stems in chamber						ž.	
SL	shaves lead							***///
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride		***************************************					
SP	Stems port		**************************************					
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber							


SRIC	Specific rings in chamber							
8500	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily			1				
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work		<i>*************************************</i>					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	*		
хн	Extracts hard		1				Sec.	
				2000	***			
HI	High							
LO	Low			****				
LEFT	Left				· ************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						å	
RSBR	Rear sight base raised							*****
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		dan.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof	100000						
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***			***	11/11/11		
FESO-P	Fore-end shot off at proof						560.	
FF-P	Fails to fire at proof			<i>#</i>	****			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl			1%				
MSM-P	Magnaflux stamp missing on bbl				**************************************			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						2004	1
							;	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////	8a.								
Summ	ary To	otai Test i	Proof Failures	0						
		***	Total Rejected:	0						
		Over	Total Rejected: all Reject Rate:							
	Pro	of .	Shot: Rejected Percent Shot Rejected: Percent:							
	Pro	of	Rejected.	0	0	0	0	0	0	0
			Percent	0	\$350.					
			Shot.	See	<i>8000</i> 7					
	Tes	t ***	Reje cted :	o o	0	0	0	0	0	0
			Percent:	Q.	0					
			Shot: Rejected:	.88838	3000	1 1988 H	۸.			
	Tar	get		0 🧼	9/	O	0	0	O	0
		=	Percent:	0	9	Ü	0			
				7777777	2222222	3.273.232.	********			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


	20000000								_
BWCFM	Bolt won't close over full magazine								
CD	Case dented								1
СН	Closes hard								1
CLM	Can't laod magazine								1
со	Cut-off		\$t0.						1
CR	Cuts rim		<i>-</i>						1
CS	Cases swell]
CTOG	Chamber tom or gouged	· · · · //							
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	***				200			
DCS	Double click in safety switch						Sec.		
DCT	Double click in trigger				*** //				
DCU	Doesn't close-up								
DE	Doesn't eject			/%					
DEL	Doesn't eject live round				**************************************				
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up						ž.		1
DS	Dead safe							***///	ľ
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								

FA	Fires automatically								
FB	Follower binds								
FC	Fails to comect								
FCB	Fore-end cracked of broken								
FD	Follows-down		\$45.						
FF	Fails to fire		***						
FFP	Flat firing pin								
FOS	Fires on safe	- " <i>(</i>							
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FP0	Floor plate opens				***				
FPOH	Floor plate opens hard		***			***	500.		
FSR	Fires when safe is released				*** //				
FT	Follower tips			***************************************					
GCSO	Gas cyl shot off		400	· · ·					
HBL	Heavy bolt lift				×44				
HMSC	Heading mismatch-steps on case					1000			
HPA	High pressure ammo		***************************************						
HUR	Hard under rail						2000		
JCS	Jumps cartridge								
JM	Jumps magazine							***//	
JO	Jars off								
LB	Light blow								Ì
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								

	200000001	 						_
ML	Magazine lögse							
MALH	Magazine loads hard	***************************************						
MRH	Magazine removes hard	***						
ОН	Opens hard							
OR	Over-rides	344.						
PH	Pulls hard	W						
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber				1000			
RIS	Ring in sholder					Sec.		
RS	Rim srem	***************************************	1///	****				
SBC	Stems bottom chambers							
SBE	Stems bbl extension	*******	***					
SCB	Stock cracked or broken			**************************************				
SCX	Shell catches	-						
SHI	Short indent							
SI	Stems incline	Haddenstand				*****		
SIC	Stems in chamber	***************************************				×		
SL	shaves lead	***************************************					*****	1.00
SLC	Stems left side of chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1						
SMOC	Stretch marks on case	***************************************						
SOR	Stem over-ride							
SP	Stems port	***************************************						
SR	Shoulder rough	-						
SRC	Stems right side of chamber	-						

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low						
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 ****	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	1000000000000									
Summ	nary		Test + Proof Failures							
			Total Rejected	: 0						
			Total Rejected Overall Reject Rate	:						
		Proof .	Shot: Rejected Percent Shot:	Allien.	-					
		Proof	Rejected	0	0	0	0	0	0	0
			Percent	0	žto.					
			Shot.		L000000F					
		Test	Reje cted	Q	0	0	0	0	Đ	0
			Percent							
			SHOL		k	I *****				
		Target	Rejected	: 0	9/	O	0	0	Đ	0
		_	Percent	: ////						
			Shot: Rejected Percent Shot: Rejected Shot: Rejected Percent	0	0	I *****	0		_	0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				<i>****</i>	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

L	4	
Ļ	i	
Ł	j	
Г	3	
C	100	
C	2	
C	2	
_		
N	J	
C	Л	
C	2	
Ē	<u>.</u>	


BWCFM	Bolt won't close over full magazine								
CD	Case dented								
СН	Closes hard		***						
CLM	Can't laod magazine								
со	Cut-off		244.						
CR	Cuts rim								1
cs	Cases swell								
CTOG	Chamber torn or gouged	···							
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	****			***	1000			
DCS	Double click in safety switch						Sec.		
DCT	Double click in trigger		***************************************		****				
DCU	Doesn't close-up		***************************************					illi tarangan dan salah sa	
DE	Doesn't eject		4.00	***					
DEL	Doesn't eject live round		-		1000000				
DFB	Doesn't feed back		-						
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)						******		P
DLU	Doesn't lock-up		***************************************				ž.		
DS	Dead safe							***//	ľ
DX	Doesn't extract		ann						
DXL	Doesn't extract live round								
EDS	Extractor drops shell		***************************************						
ESB	Ejector sticks back		HARMANA						
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell	-	-						

FA	Fires automatically							
FB	Follower binds		Personal Control of Co					
FC	Fails to connect	a.	***************************************					
FCB	Fore-end gracked of broken		VARIABLE					
FD	Follows-down		\$20.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					<i>#</i>		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released				****			
FT	Follower tips							
GCSO	Gas cyl shot off		*******	***				
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						,	
JM	Jumps magazine							
JO	Jars off		A					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		-					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

SRIC	Specific rings in chamber							
850¢	Surface scratches on case							
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		\$20.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	11/11		
XH	Extracts hard						Sec.	
				11/11/1	*** //			
HI	High							
LO	Low			***				
LEFT	Left				: W. W.			
RIGHT	Right							
DG	Doesn't Group		***************************************					
FSST	Front sight tipped		***************************************				*****	
RSTT	Rear sight tipped		-				ž.	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FSTL	Front sight loose							
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	•	-	•	•	•	•		

ŀ	4	
L	⊣	
į	T T 000	
(2	
(Ō	
(2	
•	J	
ľ	V	
(л О Л	
(2	
ţ	Л	

6	0.000000000000000000000000000000000000							
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		što.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						55o.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		***************************************	**********				
MSI-P	Magnaflux stamp illegible on bbl			***				
MSM-P	Magnaflux stamp missing on bbl				40000			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		* Table * Tabl					
-		•				•		A38884 (A38884)














Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000									
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected: Overall Reject Rate:	0						
			Overall Reject Rate:							
			Shot: Rejected: Percent: Shot: Rejected: Percent:	I.						
	***************************************	Proof	Shot: Rejected:	9	0	0	0	0	0	0
			Percent: Shot	0	Wa.					
			Shot.	\$\$500 ki	888F					
		Test	Reje cted :	G	0	o	0	0	O	0
			Pe rce nt:	G.	0					
			Shot: Rejected:		3888	I 78888	A .			
		Target	Rejected:	0	9	0	0	0	0	0
		-	Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


BWCFM Bolt won't class over full magazin CD Case dented CH Closes hard CLM Can't laed magazine	ne						
CH Closes hard CLM Can't laod magazine							
CLM Can't laod magazine							

\$ \$00000000000000000000000000000000000	2000000 20000	888 I					
CO Cut-off			žito.				
CR Cuts rim							
CS Cases swell							
CTOG Chamber tom or gouged							
CTP Creepy trigger pull							
CWSB Cams wrong side of action bar							
DBB Doesn't blow back		****			***		
DCS Double click in safety switch						550.	
DCT Double click in trigger							
DCU Doesn't close-up				***************************************			
DE Doesn't eject				1995			
DEL Doesn't eject live round					******		
DFB Doesn't feed back							
DFU Doesn't feed up							
DLO Doesn't lock open (after last shell)					2004 8	
DLU Doesn't lock-up						8	
DS Dead safe							******
DX Doesn't extract							
DXL Doesn't extract live round							
EDS Extractor drops shell							
ESB Ejector sticks back							
ESCR Empty shell catches receiver							
ESS Extractor stems shell							

ML	Magazine lögse								
MLH	Magazine loads hard								
MRH	Magazine removes hard	200							
ОН	Opens hard								
OR	Over-rides		desc.						
PH	Pulls hard		<i>*************************************</i>						
PSI	Proof stamp illegible								
PSM	Proof stamp missing	***.							
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber	. 449				<i>#</i>			
RIS	Ring in sholder						5ec.		
RS	Rim srem								
SBC	Stems bottom chambers								
SBE	Stems bbl extension			1184					
SCB	Stock cracked or broken				: W. W.				
SCX	Shell catches								
SHI	Short indent								
SI	Stems incline						**************************************		
SIC	Stems in chamber						ž		
SL	shaves lead							****	ľ
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								l
SOR	Stem over-ride								
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		Part of the Control o					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						Sec.	
			***************************************		***			
HI	High							
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		***************************************				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		Seco.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				*		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof				*** //		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		-				
			_	_	_	,	3.33.00 J. (3.33.00)




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	<u> </u>								
Summary	Total	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot:	Sec. 1						
**	Proof	Rejected:	0	0	0	0	0	0	0
		Percent;	0	doos.					
		Shot.	k	9900F					
	Test	Reje pted :	Q.	0	O	0	0	Đ	0
		Percent:		0					
		Shot:		7 2000	100000	A .			
	Target	пејенец.	0	ø	0	0	O	0	ō
	_	Percent:							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds			<i></i>				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				*****		3////	
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		-					
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

400	3000000							
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard	To.						
CLM	Can't laod magazine							
со	Cut-off		\$22.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	7,44			***	11/1/11		
DCS	Double click in safety switch						350.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up							Sistem.
DE	Doesn't eject			***				WW 1////
DEL	Doesn't eject live round				*****			
DFB	Doesn't feed back							
DFU	Doesn't feed up		-					
DLO	Doesn't lock open (after last shell)		***				2004	
DLU	Doesn't lock-up		Andrew Control				á	
DS	Dead safe		-					*******
XD	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		-					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-					

ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		što.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/1	*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken				*******			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							******
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber	***************************************					
SSOC	Surface scratches on case	***************************************					
STC	Stems top chamber	 ***************************************					
SWE	Safety switch works too easily	**************************************					
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded			***	1000		
XH	Extracts hard					Sec.	
		***************************************	<i>111</i> 11				
HI	High	***************************************					
LO	Low	410444					
LEFT	Left	***************************************		**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group	A-100-0-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-					
FSST	Front sight tipped	Milantanas				2000	
RSTT	Rear sight tipped	Anna Anna Anna Anna Anna Anna Anna Anna				á	
RSBR	Rear sight base raised	MARAMATA					***************************************
FSTR	Front sight raised	***************************************					
FSTL	Front sight loose	**************************************					
RSTL	Rear sight loose	***************************************					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target	 -					
		-					
	<u> </u>						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	100					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 ****	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000									
Summa	ary	Total	Test + Proof Failures							
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejepted: Percent:							
		Proof	Rejected:	0	0	0	0	0	0	0
			Percent,	o .	žisto.					
			Shot: Reje pted: Percent: Shot: Rejected:	K	8888F					
		Test	Reje cted :	Q	0	O	0	0	Đ	0
			Percent:	Q.	0					
			Shot:	3888349		I 78888	<i>A</i> .			
		Target	Rejected:	0	O.	O	0	0	0	0
		-	Percent:							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

FA	Fires automatically						
FB	Follower binds		Per la constante de la constan				
FC	Fails to comect		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FCB	Fore-end cracked or broken						
FD	Follows-down		\$45.				
FF	Fails to fire		***				
FFP	Flat firing pin						
FOS	Fires on safe	···.					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***			***		
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips			***///			
GCSO	Gas cyl shot off		400	1760			
HBL	Heavy bolt lift				*******		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*****	
JCS	Jumps cartridge					Ä	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position		-				

ML	Magazine lööse						
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		šta.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbt extension			***			
SCB	Stock cracked or broken				· ************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					**************************************	
SIC	Stems in chamber					8	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target					_		
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		*******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	
	_	<u> </u>					;	













Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		****					

BWCFM

CD


Bolt won't close over full magazine

Case dented

		,	-					
	Magazine lööse							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		\$40a					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/1	****			
SBC	Stems bottom chambers							************************************
SBE	Stems bbl extension			***				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						8	
SL	shaves lead							*****
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
		-			•			

	1010001014 (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber		-					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		Sec.					
sww	Safety ewitxh work		- XX					
TD	Tips down							
TU	Tips up	· · ·						
TWP	Trigger won't pull				** **********************************			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	200		
хн	Extracts hard						Sec.	
			***************************************	2000	***			
HI	High							
LO	Low			***				WW 1////2
LEFT	Left				4000			
RIGHT	Right		***************************************					
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				2000	
RSTT	Rear sight tipped		***************************************				,	
RSBR	Rear sight base raised		-					***
FSTR	Front sight raised		and the same of th					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
							•	

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anakar				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		***************************************			**************************************	
<u> </u>	_					ž	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total Test +	Proof Failures	0						
	7	otal Rejected:	0						
Summary	7 Overa	otal Rejected: Il Reject Rate:							
	Proof	Shot: [Rejected: Percent: Shot: [Rejected: Percent:	×						
	Proof	Rejected.	0	0	0	0	0	0	0
***************************************		Percent	o .	žen.					
		Shot [ss K	<i>888</i>					
	Test	Shot. [Reje sted : Percent:	o.	0	O	0	0	0	0
		Percent:	a ,	0					
		SHOL		3000	700000	A .			
	Target	Rejected:	0 💥	9	Ø	0	0	0	0
	-	Percent:	0	o,	Ċ	0			
				22112244	7771777				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD

СН

Bolt won't close over full magazine

Case dented


Closes hapt

	\$5500000					,		
FA	Fires automatically		-					
FB	Follower binds		***************************************					
FC	Fails to comect		·					
FCB	Fore-end cracked of broken		Managara anaka					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin			.				
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***						
FPOH	Floor plate opens hard						5to.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips			*****				
GCSO	Gas cyl shot off			***				WW 1000
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		-					
HUR	Hard under rail		***************************************				200 4	
JCS	Jumps cartridge		***************************************				į.	
JM	Jumps magazin e		-					***************************************
JO	Jars off		and the same of th					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
				•	•	•		

	// /						
ML	Magazine loose						
MLH	Magazine loads hard	***************************************					
MRH	Magazine removes hard	 ***************************************					
он 🤻	Opens hard	**************************************					
OR	Over-indes	244.					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			*			
RDW	(Action) release doesn't work						
RIC	Rings in chamber			***	<i>M</i> ////		
RIS	Ring in sholder					Sec.	
RS	Rim srem	***************************************		****			
SBC	Stems bottom chambers	***					
SBE	Stems bbl extension		***				
SCB	Stock cracked or broken			*****			
SCX	Shell catches						
SHI	Short indent	-					
SI	Stems incline	***************************************				3,000	
SIC	Stems in chamber	***************************************				,	
SL	shaves lead	MARKATA AND AND AND AND AND AND AND AND AND AN					******
SLC	Stems left side of chamber						
SMOC	Stretch marks on case	***************************************					
SOR	Stem over-ride	-					
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

AI-P	Assembly incompleye at proof		A				
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof.		***************************************				
BLP-P	Blanked primer at proof		- Sec.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					800.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		-	***			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************			*****	
	·				•	;	2,33,53,5 /2,53,53,5





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	77799977799907											
Summa	ary			roof Failures		0						
			To	stal Rejected: Reject Rate:		0						
			Overal	Reject Rate:								
	,			Shot: Rejected Percent Shot Rejected: Percent								
	ŀ	Proof		Rejected	0	•	0	0	0	0	0	0
				Percent	, o	200						
				Shot.		1000000						
	7	Test 🦷	¥ 9	Reje sted :	O.		0	O	0	0	Đ	0
			3	Shot Rejedlød: Percent: Shot:			0					
				~\$390L			2000F	1 788888	Δ.			
	7	Target		Reječted:	0		0	0	0	0	0	0
		-		Percent:								


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

	80000000 "1400000000.							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hand		**************************************					
CLM	Can't laod magazine		on and a second					
со	Cut-off		deca.					
CR	Cuts rim							
CS	Cases swell							
стоб	Chamber torn or gouged			W////////				
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***				<i></i>		
DCS	Double click in safety switch							
DCT	Double click in trigger		4110011100		- "W //			
DCU	Doesn't close-up		411000111001	***************************************	.			
DE	Doesn't eject		-	7.0				
DEL	Doesn't eject live round		В		****			
DFB	Doesn't feed back		-					
DFU	Doesn't feed up		***					
DLO	Doesn't lock open (after last shell)		* A S S S S S S S S S S S S S S S S S S				2000	
DLU	Doesn't lock-up		***************************************				,	
DS	Dead safe		***************************************					******
XD	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		-					
ESB	Ejector sticks back		· ·					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

ML	Magazine lööse	-					
MLH	Magazine loads hard						
MRH	Magazine removes hard	***************************************					
ОН	Opens hard	****					
OR	Over-rides						
PH	Pulls hard	**					
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder	****			2	580.	
RS	Rim srem			***			
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension	Andrews Control of the Control of th	100				
SCB	Stock cracked or broken			******			
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber					ž	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride	***************************************					
SP	Stems port	***************************************					
SR	Shoulder rough						
SRC	Stems right side of chamber	***************************************					

Specific rings in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Safety switch works too easily		VARIABLE					
Safety switch works too hard		\$45.					
Safety ewitxh work							
Tips down							
t the rth							
Trigger won't pull							
Trigger won't retract							
Uncoded	****						
Extracts hard						5ec.	
		***************************************		883			
High		***************************************					
Low		***************************************	***				
Left				19.000 m			
Right							
Doesn't Group							
Front sight tipped						3000	
Rear sight tipped	-	***************************************				;	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose							
Missing parts at target		***************************************					
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scrattches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on base Sterns top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work! work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scratches on base Stems top shapeher Safety switch works too easily Safety switch works foo easily Safety switch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on asse Stems top chamber Safety switch works too easily Safety switch works foo hard Safety ewitch work foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too easily Safety switch works too hard Safety ewitxh weat work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight toped Rear sight tose Rear sight loose Rear sight loose Missing parts at target

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof.		****				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************			2000	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	990a.								
Summ	any T	otai Test	+ Proof Failures	0						
		WW i	Total Rejected:	0						
		Ove	+ Proof Failures Total Rejected: erall Reject Rate:							
	Pro	oof	Shot: Rejected Percent Shot Rejected: Percent:	\$\$\$\$.						
	Pro	oof	Rejected:	0	0	0	0	0	0	0
			Percent	<i>u</i> .	900c.					
			Shot:		<i>1000</i> 7					
	Te:	st	Reje cted :	Q	0	O	0	0	0	0
			Percent:		0					
			SHOT.	.83333	8 <i>38888</i> -	100000	Δ.			
	Tai	rget	Rejected:	0 🎆	9	O	0	0	O	0
		-	Percent:	0	Ġ.	¢	0			
_				*******	222322	1777 1783	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


Bolt won't close over full magazine							
Case dented							
Closes hard							
Can't laod magazine							
Cut-off		2000.					
Cuts rim							
Cases swell							
T = - 20000007 (***.						
Creepy trigger pull				Militar.			
Cams wrong side of action bar							
Doesn't blow back							
Double click in safety switch						5a.	
Double click in trigger				·			
Doesn't close-up			***///				
Doesn't eject			176				
Doesn't eject live round				***************************************			
Doesn't feed back							
Doesn't feed up							
Doesn't lock open (after last shell)						2000 F	
Doesn't lock-up						â	
Dead safe							
Doesn't extract							
Doesn't extract live round							
Extractor drops shell							
Ejector sticks back							
Empty shell catches receiver							
Extractor stems shell							
	Case dented Closes hard Can't laed magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't extract live round	Case dented Closes hard Can't laod magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock open (after last shell) Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't lack magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't elose-up Doesn't elose-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't ladd magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't flock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't extract	Case dented Closes hard Can't laod magazine Cith-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't eject live round Doesn't eject live round Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't laed magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject love round Doesn't jeet live round Doesn't feed back Doesn't feed up Doesn't feed up Doesn't feed up Doesn't lok-up Dead safe Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Cases hard Carl faed magazine Cut-off Cut-off Cut-off Cut-off Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't feed up Doesn't lock-up Doesn't lock-up Doesdafe Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver

	998888691							
FA	Fires automatically							
FB	Follower binds		***************************************					
FC	Fails to connect	,.						
FCB	Fore-end cracked or broken							
FD	Folfows-down		dus.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	11/1/11		
FPOH	Floor plate opens hard						500.	
FSR	Fires when safe is released			11/11/1	****			
FT	Follower tips							
GCSO	Gas cyl shot off			7.00				
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		1				×	
JM	Jumps magazin e							******
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard		***					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

ML	Magazine lööse							
MLH	Magazine lo ad s hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		šta.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***			***	<i>11/1</i> 0		
RIS	Ring in sholder						Sec.	
RS	Rim srem				***			
SBC	Stems bottom chambers			***************************************				
SBE	Stems bbl extension			****				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						***************************************	
SIC	Stems in chamber						8	
SL	shaves lead							***************************************
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

	//////////////////////////////////////							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		Per la constante de la constan					
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		\$45.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded				***	100		
хн	Extracts hard						5ec.	
			***************************************		**** //			
HI	High		***************************************					
LO	Low		***************************************	***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						2000	
RSTT	Rear sight tipped	-	***************************************				;	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		No. of Contract of					
UNCN-G	Uncoded nonconformity at target							
			-			_		

	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					50a.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
<u> </u>	_					á	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000								
Summ	ary Tota	l Test + Proof Failures							
		Total Rejected: Overall Reject Rate:	0						
		Overall Reject Rate:							
	Proof	Shot: Rejected: Percent: Shot: Rejected: Percent:							
	Proof	Rejected.	88888888888 44 5.	0	0	0	0	0	0
		Percent: Shot		Se					
		Shot. Reje cted :	kasa.	<i></i>					
	Test	Rejectød:	g.	0	o	o	0	Đ	0
		Percent:	Q.	0					
		/// 2990 1	I	2000	78888	Δ.			
	Targe	t Rejected:	0	9	O	0	0	0	0
		Percent:			- 2000 - 4				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


BWCFM


Bolt won't close over full magazine

FA							
1 1 /200. 38888	Fires automatically						
ODONO 00000 000000 1	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked of broken						
FD	Follows-down		žto.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	···.					
FPHB	Firing pin hits bbl				Militar.		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			198			
HBL	Heavy bolf lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*****	
JCS	Jumps cartridge					ž.	
JM	Jumps magazin e						*****
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work		***				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	1			1000		
XH	Extracts hard					Sec.	
		-	44440444	****			
HI	High		***************************************				
LO	Low		***************************************				
LEFT	Left			**************************************			
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped		1			ž.	
RSBR	Rear sight base raised						*******
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof		Antonia			
BEB-P	Barrel extension broken at proof.		***************************************			
BLP-P	Blanked primer at proof		áva.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	****				
FESO-P	Fore-end shot off at proof				Sec.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************************************			
MSI-P	Magnaflux stamp illegible on bbl		***************************************			
MSM-P	Magnaflux stamp missing on bbl		***************************************	**************************************		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions				*****	
	·			 	 - 8	













Subject to Protective Order - Williams v. Remington

Summary	Total	Test + Proof Failures	0						
		Total Rejected:							
		Overall Reject Rate:							
		Shot:		S. C.					
7	Proof	Rejected:	· · · · · · · · · · · · · · · · · · ·	0	0	0	0	0	0
		Rejected: Percent:		200					
		Shot:							
	Test	Reje cted :	C C	0	<i>0</i>	o	0	Đ	0
		Percent:							
		Shot:		r	100000	A .			
	Target	Rejected:	0 🚃	9	O	o	0	0	0
		Percent:							
CODE	MALFU	INCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		šta.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 449					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger			11/11/16	***		
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round				· ************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					**************************************	
DLU	Doesn't lock-up					8	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MALH	Magazine loads hard						
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-rides		Seco.				
PH	Pulls hard		- XX				
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension		***************************************	****			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber					ž	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		***************************************				
SP	Stems port		No. of Contract of				
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rin gs in chamber						
850C	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$to.				
sww	Safety ewitxh work		<i>-</i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	****					
XH	Extracts hard					Sec.	
HI	High				.		
LO	Low			***			
LEFT	Left				1900 B		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

	-
	(C C C C C C C C C C C C C C C C C C C
	٥
	Ξ
	Ξ
(C
	Ĉ
	Ξ

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof		**					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>M</i>		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		-					
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		**************************************				2004	
	·			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·			1/22/2/// /////////////////////////////



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summary		Proof Failures	0						
		otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof	Shot: Rejected: Percent Shot: Rejected: Percent:	*** I						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje çted :	Q	0	O	0	0	Đ	0
		Shift, [Rejected: Percent: Shiot: [Rejected:	o.	0					
		Shot:	-8883 8 F	#####	l 18888	۸.			
	Target	Rejected:	0	9	0	0	0	0	0
	-	Percent:			<i>.</i>				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


·	10000 - 10000000 - 10000000 - 10000000 - 100000000	,					•	
BWCFM	Bolt won't class over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine		***************************************					
со	Cut-off		\$45.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber torn or gouged	···						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***			***	100		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************		***			
DCU	Doesn't close-up				.			iliano.
DE	Doesn't eject		-	***				
DEL	Doesn't eject live round				**************************************			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						2006	
DLU	Doesn't lock-up		-				į.	
DS	Dead safe		***************************************					***************************************
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
	•	•	•	•	•		•	

ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		žto.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case				800. 800.			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/4	***			
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1,454				
SCB	Stock cracked or broken				× 4			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof.		***************************************				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof	-	**********				
UNCM-P	Uncoded proof malfunctions		***************************************			*****	
·	_	•	•		•	ž.	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////	1886.								
Summa	any 1	otai Tes	st + Proof Failures	0						
			Total Rejected:	0						
		O ₁	Total Rejected: verall Reject Rate:							
	Pr	oof	Shot: Rejected: Percent Shot Rejected: Percent:	8 60						
	Pn	oof	Rejected	0	0	0	0	0	0	0
		30,	Percent	Q.	door.					
			Shot.	. k	<i>9007</i>					
	Te	st	Reje pted :	Q.	0	0	0	0	0	0
			Shot. Rejepted: Percent: Shot. Rejected:	Q.		o				
			Shot:	-333338	7 1000	100000	۸.			
	Та	rget	Rejected:	0 💥	9	Ø	0	0	0	0
		-	Percent:	0	9	ţ	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		***************************************				*****	
ВС	Blows cases		****				;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine		-				
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		****				
СО	Cut-off						
CR	Cuts rim		**				
CS	Cases swell						
CTOG	Chamber torn or gouged	- '''.					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sax.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	//&			
DEL	Doesn't eject live round		***************************************		700		
DFB	Doesn't feed back		-				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			*****	
DLU	Doesn't lock-up					ž.	
DS	Dead safe		naantinaante				*****
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***				
ESB	Ejector sticks back		***************************************				
ESCR	Empty shell catches receiver		-				
ESS	Extractor stems shell		-				


ML	Magazine lööse						
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		šta.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbt extension			***			
SCB	Stock cracked or broken				· ************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					**************************************	
SIC	Stems in chamber					8	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
			-		***		<i>I</i>	
HI	High							
LO	Low			**				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•	•		

AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		*******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	
	_	<u> </u>					;	














Subject to Protective Order - Williams v. Remington

	77,955,977,958,407,97	***									
Summa	ary	Total	Test + Proof	f Failures	0						
			Total I	Rejected:	0						
Summa			Total i Overali Rej	iect Rate:							
	Pi			Shot: Rejected Percent: Shot: Rejected: Percent:	\$100v.						
	P	roof		\$hot: Rejected:	0	0	0	0	0	0	0
		*		Percent	o.	door.					
				Shot.	I	#####					
	Te	est		Reje cted .	G.	0	O	0	0	0	0
				Shot Reje cted Percent Shot: Rejected:		0					
			***	Shot:	-88838	7 2000	78888				
	Ta	arget		Rejected:	0	0	Ü	0	0	D	0
		_		Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control Control					
BWCD	Bolt won't cam down							

BWCFM

CD

СН

CLM

CO

CS

CTOG

CWSB

CTP

Bolt won't close over full magazine

Case dented

Closes hard Can't laod magazine

Cut-off

Cuts rim

Cases swell

Chamber tom or gouged

Cams wrong side of action bar


Creepy trigger pull

FA	Fires automatically						
FB	Follower binds	***************************************					
FC	Fails to connect	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FCB	Fore-end cracked of broken	 V					
FD	Follows-down	\$20.					
FF	Fails to fire	<i>*************************************</i>					
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FP0	Floor plate opens	//////////////////////////////////////		***	<i>11/1</i> 0		
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		11/11/16	***			
FT	Follower tips	***************************************					
GCSO	Gas cyl shot off	*******	****				
HBL	Heavy bolt lift			*******			
HMSC	Heading mismatch-steps on case				******		
HPA	High pressure ammo						
HUR	Hard under rail	***************************************				**************************************	
JCS	Jumps cartridge	A.				8	
JM	Jumps magazin e						
10	Jars off						
LB	Light blow	***************************************					
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						
MCW MFA	Magazine capacity wrong Misfires (ammo)						

	\$3000000 \text{\tinx{\text{\tinx{\tinx{\tinx{\tinx{\tinx{\tinx{\tinx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texitinx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi{\text{\texi\tinx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}}\tint{\text{\text{\tinx{\tinx{\text{\tin}}\tint{\text{\text{\tinx{\tin}\tinx{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\texi}\tinx{\tinx{\text{\text{\text{\tinx{\tin}\tint{\tinitht}\tint{\text{\tinit}\tint{\tinithtt{\tinit}\tint{\tint}\text{\t							
ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard		on and a second					
OR	Over-rides		244.					
PH	Pulis hard		W					
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case	100			*			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	//////////////////////////////////////		***	<i>M</i> ////		
RIS	Ring in sholder						Soc.	
RS	Rim srem		***************************************		*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		-	***				
SCB	Stock cracked or broken		-		**************************************			
SCX	Shell catches		-					
SHI	Short indent		**********					
SI	Stems incline		***************************************				2000	
SIC	Stems in chamber		****				,	
SL	shaves lead		***************************************					******
SLC	Stems left side of chamber							
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		And a					
SP	Stems port		Manager and American					
SR	Shoulder rough		***************************************					
SRC	Stems right side of chamber		and the same of th					

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
			411		***		<i>I</i>	
HI	High							
LO	Low			**				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•	•		

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$45.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		-			****	
						;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////////////////////////////////								
Summa	ary Tot	al Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proo	Shot. Rejected: Percent: Shot. Rejected: Percent:	. I						
	<i>Pr</i> oo	f Rejected	0	0	0	0	0	0	0
		Percent;	<i>o</i>	door.					
		Shot:	l .	<i>1000</i> 7					
	Test	Reje cted .	Q	0	. O	0	0	O O	0
		Percent:		0					
		Stjot: et Rejected:	.8883	<i>7 - 30000</i>	700000	4.			
	Targe		0 333	9	ŧ,	0	0	0	0
	· ·	Percent:	0	0	O	0			
	7			222222					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

Bolt won't close over full magazine

FA.

Fires automatically

ML,

MLH

MRH

ОН

OR

РН

PSI

Magazine loose

Opens hard

Over-rides


Pulls hard

Magazine loads hard

Proof stamp illegible

Magazine removes hard


	······						
AI-P	Assembly incompleye at proof		***				
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof		*****				
BLP-P	Blanked primer at proof		âte.				
BLSO-P	Barrel lug shot off at proof		***				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		****		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	***			
MSM-P	Magnaflux stamp missing on bbl		-		100000		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		**************************************			****	
						;	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000000000000000000000000000000000										
Summ	ary	Total	Test + Proc	of Failures	0						
			Total	l Rejected: eject Rate:	0						
			Overall Re	eject Rate:							
	- W.S.			Shot: Rejected Percent Shot	Willian.						
	***********	Proof		Rejected	0	0	0	0	0	0	0
				Percent;		Ma.					
				Shot.	**************************************	<i>30007</i>					
		Test	×	Rejected:	Q	0	O	0	0	Đ	0
				Shot. Reje sted ; Percent: Shot.		0					
				CONOL.	.000	7 2000	1 78888				
		Target		Rejected:	0 🎆	* * * * * * * * * * * * * * * * * * *	O C	0	0	O	0
				Percent:	0	Ŷ	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		****				*****	
ВС	Blows cases		*****				;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down							

BWCFM


Bolt won't close over full magazine

ML	Magazine loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MALH	Magazine loads hard						
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-rides		Seco.				
PH	Pulls hard		- XX				
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension		***************************************	****			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber					ž.	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		***************************************				
SP	Stems port		-				
SR	Shoulder rough						
SRC	Stems right side of chamber						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		200				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Stv.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			***			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					*******	



Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000									
Sumn	nary T	otal Test +	Proof Failures	0						
			otal Rejected:	0						
		Overa	lotal Rejected: ill Reject Rate:							
'	Pro	of	Shot: Rejected Percent Shot Rejected: Peicent:	\$800.						
	Pro	of	Rejected:	0	0	0	0	0	0	0
			Percent		300					
			Shot	See 1						
	Tes	st 🦥	Reje çled :	Q	0	O	0	0	Ð	0
			Percent:		0					
			::3310E	.0000	7 - 30000	700000	4.			
	Tar	get	Rejected:	0 ////	9	(1)	0	0	Đ	0
		-	Percent:	0	8	Ü	0			
					77177777	7771777				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD


Bolt won't close over full magazine

Case dented


ML	Magazine lööse						
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		šta.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbt extension			***			
SCB	Stock cracked or broken				· ************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					**************************************	
SIC	Stems in chamber					8	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		Part of the Control o					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

	200002000							
AI-P	Assembly incompleye at proof							
368	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof.							
BLP-P	Blanked primer at proof		See					
BLSO-P	Barrel lug shot off at proof		- A.					
BP-P	Blown primer at proof			* ***********************************				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				2			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	****						
FESO-P	Fore-end shot off at proof						Xe.	
FF-P	Fails to fire at proof				- 1		2 / 2000	
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl			**				
MSM-P	Magnaflux stamp missing on bbl				*****			
PP-P	Pierced primer at proof					1000		
SCB-P	Stock cracked or broken at proof					3,77		
UNCM-P	Uncoded proof malfunctions						2000	
							:	



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington

	//////////	89 3 30.								
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
			Shot: Rejected: Percent: Shot: Rejected; Percent:	.						
	***	Proof	Rejected:	0	0	0	0	0	0	0
		er 🗼	Percent		800.					
			Shot.	1800 - LO						
		Test "	Shot. Reje sted : Percent:	o.	0	O	0	0	Đ	0
			Percent:	o.	0					
			Shiot: Rejected:		11/11/		<i>A</i> .			
		Target		0 ////	9/	ø	0	0	Đ	0
		-	Percent:	0	Q	e e	0			
				1 12,22,22	2232223	4 32733333 S	***************************************			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD

Bolt won't close over full magazine

Case dented


200000000							
Fires automatically							
Follower binds		Per la constante de la constan					
Fails to connect		***************************************					
Fore-end cracked or broken		***************************************					
Follows-down		dus.					
Fails to fire							
Flat firing pin							
Fires on safe							
Firing pin hits bbl							
Firing pin hits inside rim							
Floor plate opens	***			***	<i>M</i>		
Floor plate opens hard					***	55o.	
Fires when safe is released				****			
Follower tips							
Gas cyl shot off		-	***				
Heavy bolt lift				**************************************			
Heading mismatch-steps on case							
High pressure ammo		A					
Hard under rail						*****	
Jumps cartridge		-				;	
Jumps magazin e		***************************************					*****
Jars off		-					
Light blow							
Magazine assembles hard							
Magazine capacity wrong							
Misfires (ammo)							
Magazine follower out of position		-					
	Follower binds Fails to coanect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to coanect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or proken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bott lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower birids Fails to confrict Fore-end orsicked or broken Follows-crown Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bott lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (armo)	Follower binds Fails to connect Fore-and cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (armmo)	Follower birids Fails to cognect Fore-ead cracked or broken Follows-Gown Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Misfires (ammo)

ML	Magazine logse							
MLH	Magazine lo ads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		desc.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	//////		***	<i>M</i>		
RIS	Ring in sholder						Sec.	
RS	Rim srem			2000	***			
SBC	Stems bottom chambers							ilean.
SBE	Stems bbl extension			***				WW 2000
SCB	Stock cracked or broken				4444			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						8	
SL	shaves lead							***************************************
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
				·	·			

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	áss.				
sww	Safety ewitxh wont work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard			***	560.	

HI	High					
LO	Low					W// /////
LEFT	Left		70000			
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped				2774	
RSTT	Rear sight tipped				į.	***
RSBR	Rear sight base raised					- 4///
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					

100							
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		****				
BLP-P	Blanked primer at proof		âte.				
BLSO-P	Barrel lug shot off at proof		***				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////				
FESO-P	Fore-end shot off at proof					Sto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	/%			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2000	
						;	














Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000	**************************************									
Summa	ary	Total	Test + Proof Failu	res	0						
			Total Reject Overall Reject Re	ed:	0						
			Overall Reject R	ite:							
		Proof	Sj Rejec Perc S Sje Perc	ot: ted: ent: iot:							
		Proof	Rejec	ted.	0	0	0	0	0	0	0
			Perd	ent.	0	286s					
			Si Si	iot.							
		Test	Rejet	(ed:	<i>Q</i>	0	O	0	0	Đ	0
			Si Rejet Peic Si	ent:	o ,	0					
			(CS)	iot:		2000	l 18888	A.			
		Target	Rejec	tea:	0	0	Q	0	0	0	0
			Perd	ent:	4880°	<i>1888</i>	<i>.</i>				


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control Control					
BWCD	Bolt won't cam down							

1 300	1	1	1				
BWCFM	Bolt won't class over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
СО	Cut-off						
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged	· · · · //					
CTP	Creepy trigger pull				800.00 s		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Seo.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up	Anna		***********			
DE	Doesn't eject			1,454			
DEL	Doesn't eject live round				× 4		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					ž	
DS	Dead safe						*****
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						
		•					

ML	Magazine lööse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		\$40a					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>#</i>		
RIS	Ring in sholder						Sec.	
RS	Rim srem				****			
SBC	Stems bottom chambers	Anna						
SBE	Stems bbl extension			***				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						100	
SL	shaves lead							******
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		Part of the Control o					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

	4000000001 T1110000000							
AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		ika.					
BLSO-P	Barrel lug shot off at proof		***					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>1</i> ////////////////////////////////////		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof			<i>IIII</i>	****			
GCSO-P	Gas cylinder shot off at proof			**********	.			
MSI-P	Magnaflux stamp illegible on bbl		1	· · ·				
MSM-P	Magnaflux stamp missing on bbl				******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						*****	
	·						;	0.800 (0.0000)



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////									
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejected: Percent:							
		Proof	Rejected:	0	0	0	0	0	0	0
			Shot: Rejected: Percent; Shot:	9	što.					
			Shot		38688F					
		Test	Reje çted	a.	0	O	0	0	0	0
			Shot. Reje tied: Percent: Shot: Rejected:		0					
			Shot:		V 2000	I 78888	<i>4</i> .			
		Target	Rejected:	0	g	O	0	0	0	0
		-	Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control Control					
BWCD	Bolt won't cam down							

BWCFM

CD


Bolt won't close over full magazine

Case dented

FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect	ac.					
FCB	Fore-end cracked or broken						
FD	Follows-down		átte.				
FF	Fails to fire		<i>*************************************</i>				
FFP	Flat firing pin						
FOS	Fires on safe	***.					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FP0	Floor plate opens	***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released				*** //		
FT	Follower tips			***************************************			
GCSO	Gas cyl shot off			178			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*******	
JCS	Jumps cartridge					-8	
JM	Jumps magazine						
10	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						


ML	Magazine lööse						
MLH	Magazine lo ads hard						
MRH	Magazine removes hard	a.					
ОН	Opens hard						
OR	Over-rides		2000.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				*** //		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbl extension			1780			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*******	
SIC	Stems in chamber					-8	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

	7,000000,7000° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °					
AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof		**************************************			
BC-P	Blows cases at proof		Antonia			
BEB-P	Barrel extension broken at proof		***************************************			
BLP-P	Blanked primer at proof		- Sec.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	1				
FESO-P	Fore-end shot off at proof				800.	
FF-P	Fails to fire at proof		***************************************			
GCSO-P	Gas cylinder shot off at proof		*******			
MSI-P	Magnaflux stamp illegible on bbl		4.00			
MSM-P	Magnaflux stamp missing on bbl		-	**************************************		
PP-P	Pierced primer at proof		-			
SCB-P	Stock cracked or broken at proof		***************************************			
UNCM-P	Uncoded proof malfunctions				*****	
		·		 	 - ;	0000 (0000)



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000000000000000000000000000000000										
Summ	ary	Total	Test + Proc	of Failures	0						
			Total	l Rejected: eject Rate:	0						
			Overall Re	eject Rate:							
	- W.S.			Shot: Rejected Percent Shot	Mice.						
	*********	Proof		Rejected	0	0	0	0	0	0	0
				Percent;		Ma.					
				Shot.	**************************************	<i>30007</i>					
		Test	×	Rejected:	Q	0	O	0	0	Đ	0
				Shot. Reje sted ; Percent: Shot.		0					
				CONOL.	.000	7 2000	1 78888	<i>A</i> .			
		Target		Rejected:	0 🎆	* * * * * * * * * * * * * * * * * * *	O C	0	0	O	0
				Percent:	0	Ŷ	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		****					


BWCFM Bolt won't class over f CD Case dented CH Closes hard CLM Can't lacd magazine	ull magazine		Anti-					
CH Closes hard							1	
200004 200000 20000		1	I					
CLM Can't laod magazine		L.	***************************************					

CO Cut-off								
CR Cuts rim								
CS Cases swell								
CTOG Chamber tom or goug								
CTP Creepy trigger pull								
CWSB Cams wrong side of a	ction bar							
DBB Doesn't blow back		***						
DCS Double click in safety	switch					***	55c.	
DCT Double click in trigger			***************************************		****			
DCU Doesn't close-up			-	***************************************				
DE Doesn't eject			***************************************	· · · ·				
DEL Doesn't eject live roun	d				× 4			
DFB Doesn't feed back								
DFU Doesn't feed up			T-1					
DLO Doesn't lock open (after	er last shell)		1100				*****	
DLU Doesn't lock-up							,	
DS Dead safe								******
DX Doesn't extract								
DXL Doesn't extract live ro	und		***************************************					
EDS Extractor drops shell			***************************************					
ESB Ejector sticks back			NAME					
ESCR Empty shell catches re	eceiver							
ESS Extractor stems shell			-					

	1000 00000 00 1 1 1 1 1 1 1 1 1 1 1 1 1							
ML	Magazine loose		-					
MLH	Magazine loads hard		-					
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-ndes		Soo.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	****				<i>M</i> ////		
RIS	Ring in sholder						5co.	
RS	Rim srem				****			
SBC	Stems bottom chambers				.			
SBE	Stems bbl extension			***				
SCB	Stock cracked or broken				*****			
scx	Shell catches		-					
SHI	Short indent							
SI	Stems incline		***************************************				*****	
SIC	Stems in chamber						;	
SL	shaves lead		***************************************					
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

	//////////////////////////////////////						
SRIC	Specific rings in chamber						
SSOC	Surface scratches on case	Part of the Control o					
STC	Stems top chamber						
SWE 👋	Safety switch works too easily	on and a second					
SWH	Safety switch works too hard	dece.					
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	//////////////////////////////////////			<i>M</i> ////		
XH	Extracts hard						
		-		***			
HI	High		******	.			
LO	Low		777				****
LEFT	Left			*****			
RIGHT	Right				***//		
DG	Doesn't Group						
FSST	Front sight tipped	***************************************				2006	
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						***//
FSTR	Front sight raised	-					
FSTL	Front sight loose						
RSTL	Rear sight loose	***************************************					
MGPT-G	Missing parts at target	-					
UNCN-G	Uncoded nonconformity at target	-					
	<u> </u>			•			

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	 ***************************************					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof	ása.					
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>**</i>		
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof	***************************************					
GCSO-P	Gas cylinder shot off at proof	***************************************					
MSI-P	Magnaflux stamp illegible on bbl		· **				
MSM-P	Magnaflux stamp missing on bbl	-		× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof	-					
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions					*****	
	_					á	




Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	///////////									
Summa	ary	Total	Test + Proof Failures	0						
		9888E	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot. Rejected: Percent: Shot. Rejected: Peicent:							
		Proof	Rejected:	0	0	0	0	0	0	0
			Percent	o	Ma.					
			Shot.	l	8888F					
		Test "	Reje pted :	o	0	0	0	0	Ð	0
			Shot. Rejected: Peicent: Shot: Rejected:		0					
			Shot:	33000	7 2007	1 *****	<i>A</i> .			
		Target	Rejected:	0	9	Ü	0	0	Đ	0
		-	Percent:	<i></i>						

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM

CD

СН

Bolt won't close over full magazine

Case dented

Closes hapt


FA.

Fires automatically

									_
ML	Magazine loose								1
MALH	Magazine loads hard								1
MRH	Magazine removes hard		-						1
ОН	Opens hard		***************************************						1
OR	Over-rides		áte.						1
PH	Pulls hard								1
PSI	Proof stamp illegible								1
PSM	Proof starnp missing								1
RBOC	Rings and bulges on case								1
RDW	(Action) release doesn't work								1
RIC	Rings in chamber	***	//////////////////////////////////////			<i>M</i> ////			1
RIS	Ring in sholder						Sec.		1
RS	Rim srem			////	***		Allino.		1
SBC	Stems bottom chambers			***************************************	.				1
SBE	Stems bbl extension		-	***					1
SCB	Stock cracked or broken				100				1
scx	Shell catches] .
SHI	Short indent								1
SI	Stems incline		***************************************				300%		1
SIC	Stems in chamber						,		1
SL	shaves lead							- 44//	1**
SLC	Stems left side of chamber		-						1
SMOC	Stretch marks on case		***************************************						1
SOR	Stem over-ride								1
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber		-						1

Specific rings in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Safety switch works too easily		VARIABLE					
Safety switch works too hard		\$45.					
Safety ewitxh work							
Tips down							
t the rth							
Trigger won't pull							
Trigger won't retract							
Uncoded	****						
Extracts hard						5ec.	
		***************************************		883			
High		***************************************					
Low		***************************************	***				
Left				19.000 m			
Right							
Doesn't Group							
Front sight tipped						**************************************	
Rear sight tipped	-	***************************************				;	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose							
Missing parts at target		***************************************					
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scrattches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on base Sterns top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work! work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scratches on base Stems top shapeher Safety switch works too easily Safety switch works foo easily Safety switch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on asse Stems top chamber Safety switch works too easily Safety switch works foo hard Safety ewitch work foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too easily Safety switch works too hard Safety ewitxh weat work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight toped Rear sight tose Rear sight loose Rear sight loose Missing parts at target

AI-P	Assembly incompleye at proof		A				
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof.		***************************************				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					55s.	
FF-P	Fails to fire at proof		***************************************		***		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			***			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		-			2006	
	•	•		-	•		




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Fotal Test + Proof Failures 0	
Total Rejected: 0 Overall Reject Rate:	
Shot: 0 0 0 Percent	
Proof Rejected: 0 0 0	0 0 0 0
Proof Rejected: 0 0 0 Percent:	
Shot	
(est	0 0 0
Peicent:	
SHOT SALE SA	
Target Rejected: 0 0 0	0 0 0
Percent:	
Shipt: Q 0 0 Percent: Shipt: Q 0 0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD

СН

CLM CO

CR

CS

CTOG

Bolt won't close over full magazine

Case dented

Closes hard Can't laod magazine

Cut-off


Cuts rim

Cases swell

Chamber tom or gouged

FA	Fires automatically							
FB	Follower binds		Personal Control of Co					
FC	Fails to connect	a.	***************************************					
FCB	Fore-end gracked of broken		VARIABLE					
FD	Follows-down		\$20.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					<i>#</i>		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released				****			
FT	Follower tips							
GCSO	Gas cyl shot off		***************************************	1189				
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						,	
JM	Jumps magazine							
JO	Jars off		A					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		No. of Contract of					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					


40							
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		******				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof		.				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	17					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof		-				₩
MSI-P	Magnaflux stamp illegible on bbl		-	100			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof		****				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		************			2000	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percept: Shot: Rejected: Peicent:							
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	a	No.					
			Shot:	li	000F					
		Test	Reje çted :	Q.	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	a	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 ////	9	O	0	0	0	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		THE COLUMN TWO IS NOT			.,		
BCOF	Bolt catches on follower		***************************************				*****	
ВС	Blows cases		****				;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down							

BWÇFM	Bolt won't close over full magazine							
	Case dented							
CD	10000h 2000000h							
CH	Closes hard							
CLM	Can't laod magazine							
co	Cut-off		1					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull				****			
CWSB	Cams wrong side of action bar					-1-		
DBB	Doesn't blow back	***						
ocs	Double click in safety switch						Sec.	
DCT	Double click in trigger		-					
ocu	Doesn't close-up	Anna	***************************************					****
DE	Doesn't eject		***************************************	***				
DEL	Doesn't eject live round				******			
DFB	Doesn't feed back							
DFU	Doesn't feed up		***************************************					
DLO	Doesn't lock open (after last shell)		***************************************					
DLU	Doesn't lock-up		-					
DS .	Dead safe		-					
DX	Doesn't extract		-					
DXL	Doesn't extract live round		-					
EDS	Extractor drops shell							
ESB	Ejector sticks back		-					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

ML	Magazine lööse							
MLH	Magazine lo ad s hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		šta.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***			***	<i>11/1</i> 0		
RIS	Ring in sholder						Sec.	
RS	Rim srem				***			
SBC	Stems bottom chambers			***************************************				
SBE	Stems bbl extension			****				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						***************************************	
SIC	Stems in chamber						8	
SL	shaves lead							***************************************
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top.chamber	a.	***************************************				
SWE	Safety switch works too easily		VANDETHINA				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh went work						
TD	Tips down						
TU	Tips up	···					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	*****					
хн	Extracts hard					5ec.	
			***************************************		****		
HI	High		***************************************				
LO	Low		4.00	·**			
LEFT	Left				**************************************		
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					2004	
RSTT	Rear sight tipped		***************************************			á	
RSBR	Rear sight base raised						- 400
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	 ***************************************					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof	ása.					
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>**</i>		
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof	***************************************					
GCSO-P	Gas cylinder shot off at proof	***************************************					
MSI-P	Magnaflux stamp illegible on bbl		· **				
MSM-P	Magnaflux stamp missing on bbl	-		× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof	-					
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions					*****	
	_					á	




Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


	10000000	~???????									
Summa	ary	Total	Test + Pro	of Failures	o						
			Tota	l Rejected:	0						
			Overall R	of Failures I Rejected: leject Rate:							
		/##//		Shot: Rejected: Percent: Shot:		-					
	*******	Proof		Rejected:	0	0	0	0	0	0	0
				Percent,	o	dese.					
				Shot:		L000000F					
		Test	Y	Reje cted :	G.	0	O	0	0	0	0
				Percent:		0					
				SHOL		k	100000	4.			
		Target		Reječted:	0	•	O	0	0	0	0
		•		Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds			<i></i>				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				*****		2000	
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		-					
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		šta.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 449					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger			11/11/16	***		
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round				· ************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					**************************************	
DLU	Doesn't lock-up					8	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
			-		***		<i>I</i>	
HI	High							
LO	Low			**				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•	•		

AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof		***************************************					
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	···						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof					11/1/11		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl		***************************************		****			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-			_	2700	













Subject to Protective Order - Williams v. Remington

	///99/0///09/00/	90 00 00.									
Summa	any	Total	Test + Pr	oof Failures	0						
			Tot	al Rejected:	0						
			Overall I	oof Failures al Rejected: Reject Rate:							
		Proof .		\$hot:	o.						
	1	Proof		Rejected:	0	0	0	0	0	0	0
				Rejected Percent: Shot		doca.					
				Shot:	XXX	888888F					
	-	Test	Y 333	Reje çted :	Q.	0	O	0	0	O	0
				Shot Reje sted: Percent: Shot:		0					
				SHOL.		Y 2000	19988			1	
	1	Target		Reječted:	0 💥	9/	Ç.	0	0	0	0
		•		Percent:	0	9	Ö	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		THE COLUMN TWO IS NOT			.,		
BCOF	Bolt catches on follower		****				*****	
ВС	Blows cases		*****				;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down							


	olt won't close over full magazine	1				
CD C						
OD000000000 00000000 1	ase dented					
сн сі	loses harð					
CLM C	an't laod magazine					
co ci	ot-off	žto.				
CR C	cuts rim					
CS C	ases swell					
CTOG CI	chamber tom or gouged					
CTP C	reepy trigger pull					
CWSB Ca	ams wrong side of action bar					
DBB Do	oesn't blow back			***		
DCS Do	ouble click in safety switch				550.	
DCT Do	ouble click in trigger					
DCU D	loesn't close-up		***************************************			
DE Do	oesn't eject		1995			
DEL D	loesn't eject live round			******		
DFB D	oesn't feed back					
DFU Do	loesn't feed up					
DLO Do	oesn't lock open (after last shell)				*****	
DLU D	loesn't lock-up				8	
DS De	ead safe					******
DX Do	oesn't extract					
DXL D	loesn't extract live round					
EDS Ex	xtractor drops shell					
ESB Ej	jector sticks back					
ESCR E	mpty shell catches receiver					
ESS E	xtractor stems shell					

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard		***************************************				
ОН	Opens hard		****				
OR	Over-rides						
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder					50a.	
RS	Rim srem						
SBC	Stems bottom chambers		***************************************				.
SBE	Stems bbl extension		***************************************	138			
SCB	Stock cracked or broken		SATISFACE OF THE PARTY OF THE P		*****		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*******	
SIC	Stems in chamber		***************************************			,	
SL	shaves lead		-				
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port		***************************************				
SR	Shoulder rough		***************************************				
SRC	Stems right side of chamber						

Specific rings in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Safety switch works too easily		VARIABLE					
Safety switch works too hard		\$45.					
Safety ewitxh work							
Tips down							
t the rth							
Trigger won't pull							
Trigger won't retract							
Uncoded	****						
Extracts hard						5ec.	
		***************************************		883			
High		***************************************					
Low		***************************************	***				
Left				19.000 m			
Right							
Doesn't Group							
Front sight tipped						3000	
Rear sight tipped	-	***************************************				;	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose							
Missing parts at target		***************************************					
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scrattches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on base Sterns top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work! work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scratches on base Stems top shapeher Safety switch works too easily Safety switch works foo easily Safety switch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on asse Stems top chamber Safety switch works too easily Safety switch works foo hard Safety ewitch work foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too easily Safety switch works too hard Safety ewitxh weat work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight toped Rear sight tose Rear sight loose Rear sight loose Missing parts at target

E	i	
-	ı	
È)	
C	٤	
_	į	
_	1	
ナード・コンファイル / 女は) j	

AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof.						
BLP-P	Blanked primer at proof	áta.					
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof			*			
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>M</i> ////		
FESO-P	Fore-end shot off at proof					Soc.	
FF-P	Fails to fire at proof	1		***			
GCSO-P	Gas cylinder shot off at proof		****	.			
MSI-P	Magnaflux stamp illegible on bbl		7.3				
MSM-P	Magnaflux stamp missing on bbl			(%) (M)			
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					3000	
						;	



Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	5								
Summ	ary Tot	ai Test + Pro		0						
		Tota	l Rejected:	0						
		Overall R	l Rejected: eject Rate:							
	Proo	1	Shot: Rejected: Percent: Shot: Rejected: Percent:	3 000.						
	Proo	f //	Rejected	o.	0	0	0	0	0	0
			Percent		žtto.					
	8		Shot.	I						
	Test		Reje cted :	Q	0	ω Ο	0	0	Ð	0
			Percent:	Q.	0					
			SHOL	.200030	3000	788888	۸.			
	Targ	et	Rejected:	0 🧼	<i></i>	Ü	0	0	Đ	0
	_		Percent:	0	9	Ü	0			
_				*******	77 17 77 77	1771777	*****			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

_	4
	i
•	1
ξ	,
č	5
	J
^) `
人〇〇上	5
Ē	1


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
СО	Cut-off	žto.					
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				5a.		
DCT	Double click in trigger			****			
DCU	Doesn't close-up						
DE	Doesn't eject		133				
DEL	Doesn't eject live round			**************************************			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)				*****		
DLU	Doesn't lock-up				â		
DS	Dead safe					***************************************	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FB	Follower binds		NATIONAL DE LA CONTRACTOR DE LA CONTRACT					
FC	Fails to connect		************					
FCB	Fore-end cracked of broken		MANAGEMAN					
FD	Follows-down							
FF	Fails to fire		- Ass.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	· ***				<i>11/1</i> /11		
FPOH	Floor plate opens hard						Sax.	
FSR	Fires when safe is released		***************************************					
FT	Follower tips		************					
GCSO	Gas cyl shot off		450445044	·**				
HBL	Heavy bolt lift		***************************************		**************************************			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		1133A113A1				*****	
JCS	Jumps cartridge		***************************************				ž.	
JM	Jumps magazin e		nant in the second					
10	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		And Andreas					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)		***************************************					
MFOP	Magazine follower out of position		-					

ML	Magazine lööse						
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		šta.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbt extension			***			
SCB	Stock cracked or broken				· ************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					**************************************	
SIC	Stems in chamber					8	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
							<i>- 1</i>	
HI	High							
LO	Low			**				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•			

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 ****	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000	**************************************									
Summa	ary	Total	Test + Proof Failu	res	0						
			Total Reject Overall Reject Re	ed:	0						
			Overall Reject R	ite:							
		Proof	Sj Rejec Perc Si Rejet Perc	ot: ted: ent: iot:							
		Proof	Rejec	ted.	0	0	0	0	0	0	0
			Perd	ent.	0	286s					
			Si Si	iot.							
		Test	Rejet	(ed:	<i>Q</i>	0	O	0	0	Đ	0
			Si Rejet Peic Si	ent:	o ,	0					
			(CS)	iot:		2000	l 18888	A.			
		Target	Rejec	tea:	0	0	Q	0	0	0	0
			Perd	ent:	4880°	<i>1888</i>	<i>.</i>				


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWÇFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		žec.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 443					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			****			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					******	
DLU	Doesn't lock-up					*8	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
SWW	Safety ewitxh work						
TD	Tips down						
TU	Tips up	····					
TWP	Trigger won't pull				800. 800////2000.		
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	

HI	High		***************************************				
LO	Low		***************************************	****			
LEFT	Left						
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					******	
RSTT	Rear sight tipped					*8	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target		Name of the last o				
UNCN-G	Uncoded nonconformity at target						

,								
AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof		- XX					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				11/1/11		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof	-	-					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	
							ž.	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000										
Summa	any	Total	Test + Pro	of Failures	0						
			Tota	l Rejected:	0						
			Overall R	l Rejected: leject Rate:							
	P			Shot: Resisted: Percent: Shot: Rejected: Percent:	g.						
	F	roof		Rejected:	0	0	0	0	0	0	0
				Percent;		što.					
				Shot:							
	7	est	* ****	Reje cted :	G	0	O	0	0	O	0
				Percent:		0					
				Shot: Rejected:	.8883	7 7000	788888	<i>b</i> .			
	7	arget			0	0	O	0	0	O	0
		_		Percent:			<i>3</i>				


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't class over full magazine					
CD	Case dented					
CH	Closes hard					
CLM	Can't laod magazine					
со	Cut-off	Seco.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			***		
DCS	Double click in safety switch				Siau.	
DCT	Double click in trigger			***		
DCU	Doesn't close-up		***//			
DE	Doesn't eject		1799			
DEL	Doesn't eject live round			*****		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				******	
DLU	Doesn't lock-up				ž.	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					

FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken							
FD	Follows-down		što.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	· · · · //						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					<i>**</i>		
FPOH	Floor plate opens hard					***	Sec.	
FSR	Fires when safe is released			11/11/1	*** //			
FT	Follower tips							
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift				4444			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						8	
JM	Jumps magazin e							****
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
		-						

ML	Magazine loose						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-ndes		\$46.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···.					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		************	***			
SCB	Stock cracked or broken				*******		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber		***************************************			á	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		***********				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SRC	Stems right side of chamber						

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		A Constitution of the Cons					
BEB-P	Barrel extension broken at proof		National Property and Property					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>M</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof		**************************************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	1%				
MSM-P	Magnaflux stamp missing on bbl				*****			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	
	_						;	














Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000										
Summa	ary	Total	Test + Pr	oof Failures	0						
			Tot	al Rejected:	0						
Summa			Overall)	al Rejected: Reject Rate:							
	P			Shot Rejected Percent Shot Rejected Percent							
	P	roof		Rejected:	0	0	0	0	0	0	0
	***************************************			Percent	o	Mari					
				Shot,		<i>88008</i>					
	Τ	est	*	Reje șted :	а	0	O	0	0	Đ	0
				Shot Reje sted ; Percent: Shot:		0					
					1 000000	F 2000F	1 78888	<i>A</i> .			
	T	arget		Reječted:	0	9	Ü	0	Ō	D	o
		-		Percent:	<i></i>	2000		1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********				X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		Photo the same of					
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		Palatetenate				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**********					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
BWCFM	Bolt won't close over full magazine		resident							
CD	Case dented		-							
СН	Gloses hard		***************************************							
CLM	Can't laod magazine		<i>200</i>							
co	Cut-off			*						
CR	Cuts rim									
cs	Cases swell				800					
CTOG	Chamber torn or gouged									
CTP	Creepy trigger pull					Miles.				
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back						*			
DCS	Double click in safety switch		***************************************	4//////////////////////////////////////						
DCT	Double click in trigger		***************************************					**************************************		
DCU	Doesn't close-up		***************************************		****					
DE	Doesn't eject		Artenantes							
DEL	Doesn't eject live round		vision to the second							
DFB	Doesn't feed back		**************************************							
DFU	Doesn't feed up		Photoletana							
DLO	Doesn't lock open (after last shell)		***************************************					***		
DLU	Doesn't lock-up		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					***		
DS	Dead safe		********							
DX	Doesn't extract		Production							
DXL	Doesn't extract live round		***************************************							
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESCR	Empty shell catches receiver		-							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
ESS .	Extractor stems shelf		HARAGAMA							
FA	Fires automatically		of the second							
FB	Follower binds		***************************************							
FC	Fails to connect		<i>200</i>							
FCB	Fore-end cracked or broken			*						
FD	Follows-down									
FF	Fails to fire				* **					
FFP	Flat firing pin									
FOS	Fires on safe					William.				
FPHB	Firing pin hits bbl									
FPHI	Firing pin hits inside rim						*			
FPO	Floor plate opens		11000 T							
FPOH	Floor plate opens hard		***************************************	****						
FSR	Fires when safe is released		and the same of th		****			***		
FT	Follower tips		ninin ni		**					
GCSO	Gas cyl shot off		****			******				
HBL	Heavy bolt lift		HARINA							
HMSC	Heading mismatch-steps on case		400				į.			
HPA	High pressure ammo		***************************************					***		
HUR	Hard under rail		A+++					17.		
JCS	Jumps cartridge		***************************************							
JM	Jumps magazine		11001111							
JO	Jars off									
LB	Light blow									
MAH	Magazine assembles hard									
MCW	Magazine capacity wrong									


CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)		HARAMANA					
MFOP	Magazine follower out of position							
ML	Magazine bose		-					
MLH	Magazine loads hard		***					
MRH	Magazine removes hard			λ.				
он	Opens hard							
OR	Over-rides			- 1000 m				
PH	Pulls hard							
PSI	Proof stamp illegible	****				Mar.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case		********				*	
RDW	(Action) release doesn't work		V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
RIC	Rings in chamber		***************************************					
RIS	Ring in sholder		***************************************		****			
RS	Rim srem		and the same of th					
SBC	Stems bottom chambers		N			***************************************		
SBE	Stems bbl extension		************					
SCB	Stock cracked or broken		***************************************				;	
SCX	Shell catches		AAA444					***
SHI	Short indent		MATERIAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPE					444
SI	Stems incline		A-1410-1-1-1-1-1					
SIC	Stems in chamber		Milanian					
SL	shaves lead		***************************************					
SLC	Stems left side of chamber		-					
SMOC	Stretch marks on case							
SOR	Stem over-ride		-					

4	
T T T	
0	
3	
S	
α 4	
40	

MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
Stems port		***************************************							
Shoulder raugh									
Stems right side of chamber									
Specific rings in chamber		<i>illa</i>							
Surface scratches on case			*						
Stems top chamber									
Safety switch works too easily				***					
Safety switch works too hard									
Safety ewitxh won't work					Mar.				
Tips down									
Tips up		**********				*			
Trigger won't pull		-							
Trigger won't retract		******							
Uncoded		***************************************		-746					
Extracts hard		***************************************							
		***************************************			****				
High		***							
Low		***************************************				,			
Left							·**		
Right							***		
Doesn't Group		***************************************							
Front sight tipped		***************************************							
Rear sight tipped									
Rear sight base raised									
Front sight raised		-							
Front sight loose									
	Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised	Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised	Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised	Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised	Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised	Slems port Shoulder räugh Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety switch work too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight traised	Stems port Shoulder resign Shoulder resign Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety switch works too hard Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tipped Rear sight tipped Front sight traised		

Н	
Η	
000ET	
$\overline{}$	
$\boldsymbol{-}$	
0	
0	
J	
N	
∞	
4	
1	

		,						,
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			<i>1000</i>					
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					Mar.		
BLSO-P	Barrel lug shot off at proof				*** *********************************			
BP-P	Blown primer at proof		***************************************				*	
BS-P	Barrel split at proof		**************************************					
DLOS-P	Doesn't lock over shells at proof		***************************************					
ESB-P	Ejector sticks back at proof				*****			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					*****		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof		***************************************				,	
MSI-P	Magnaflux stamp illegible on bbl		name and a second					
MSM-P	Magnaflux stamp missing on bbl							***
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		*************					



Subject to Protective Order - Williams v. Remington

