Summary	Total Test + Proof Failure Total Rejected Overall Reject Rate	: 1164								
	Shot		1275	1305	329		45	550	222	9287
	<b>Proof</b> Rejected		0	1	0	0	0	0	0	2
	Percen		0.0	0.1	0.0	1	0.0	0.0	0.0	0.0
	Shot <b>Test R</b> ejected		1226 147	1280 69	246 13	0	67 10	637 30	162 53	9227 42
	Percen	799999**	12.0	5.4	5.3	V	14.9	4.7	32.7	0.5
100	Shor		25	25	10		226			3
	Target Rejected		0	0	0	0	0	0	0	0
	Percen	***********	0,0	0.0	0.0		0.0			0.0
CODE	MALFUNCTION INDEX	1187 Super	1187	1167	1100	1100	1100	1100	1100	870
		Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
AB	Action binds	7		9						7
ASFB	Action spring follower binds	1 2								
BABS	Bulge at body shoulder	***				<b>***</b>		Sec.		
BAC	Burr at chamber									
BB	Bolt binds/catches			***						
BCOE	Bolt catches on ejector			-						
BC	Blows cases			***************************************	-	1000 P				
BLOP	Bar lock or disconnector out of position	1		1 1 1 1						3
BSCO	Barrel support came out			1						
CBS-F	Shells catch on bbl support-feeding			-				****		
CBS-L	Shells catch on bbl support-loading		-	***************************************						
СС	Carrier catches on shells,mag,receiver	18	1	1						2
CD	Case dented		-	-						
сн	Closes hard		-	***************************************						
CHAB	Carrier hits action bar									
CLM	Can't laod magazine		1	-						1
со	Cut-off			-						
CR	Cuts rim		-	-						
cs	Cases swell		-							

Н
H
T T
Ō
0
0
J
4
4
បា
LTI.

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
стов	Chamber torn or gouged			***		***************************************				-
СТР	Creepy trigger pull									
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back	30	3	14	3		1	1	9	
DCS	Double stick in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		1							
DE	Doesn't eject	17	2	1	1			1	1	
DEL	Doesn't eject live round									
DFU	Doesn't feed up	72	3	3	Mar.				3	
DLO	Doesn't lock open (after last shell)	12			100	<b>.</b>		2		
DLU	Doesn't lock-up	2/	2				<b>.</b>	1		
DS	Dead safe					L å				
DSM	Drops shell-magazine	14	2	M 2						
DTL	Doesn't trip latch	16	4	3 💸					21.	
DX	Doesn't extract	3								
DXL	Doesn't extract live round				1000					
EDS	Extractor drops shell	2						5 🛞	8	
ESB	Ejector sticks back						****			
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds								77000	1
FC	Fails to connect									
FCB	Fore-end cracked or broken									
FD	Follows-down									
FF	Fails to fire	•								1
FFM	Fails to feed from magazine	50	7	2			5		1	3
FFP	Flat firing pin									
FOS	Fires on safe									
FSR	Fires when safe is released									

Н
H
Ħ
0
0
0
J
4
4
Úī
ത

CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
CODE	MALFUNC HON INDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
GCSO	Gas cyl shot off	1		44444						
GRSO ///	Guide ring shot off			***************************************						2
HPA	High pressure ammo									
HUE	Hard under extractor	13	2	2				3		2
ILOP	Int. latebout of position			1					1	
ILRM	Int. latch ret. Missing		4							
ILSB	Int. latch stud broken		308°	***************************************						
ILSP	Int. latch spring out of position									
JL	Jumps latch	103	76	1.	3			1	1	
JO	Jars off				10000	***************************************				
LB	Light blow		1							
MCSO	Magazine cap shot off						\$			
MCW	Magazine capacity wrong	6		1						
MFA	Misfires (ammo)		*********							
MFOP	Magazine follower out of position									
MLH	Magazine loads hard	5		6	1			1		. 4
ОН	Opens hard			444	77005					
PH	Pulls hard					~				
PSI	Proof stamp illegible			**************************************			1999			
PSM	Proof stamp missing			1						
RBOC	Rings and bulges on case									//////
RDW	(Action) release doesn't work	8	3	4	1		2		***	
RIC	Rings in chamber									1606
SBC	Stems bottom chambers	230	2	2	3			-6	3	
SBCL	Shell binds carrier latch			***************************************						
SBE	Stems bbl extension									
SCB	Stock cracked or broken			444						9
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber	2	3	-						

CODE

|st

SLC

SMOC

SRC

SRIC

SSC

STC

1910	oterns top chamber	700		1			-			<del> </del>
SWE	Safety switch works too pasily									
swh	Safety switch works too hard									
sww	Safety ewitxh won't work			1000	100mm					
TD	Tips down					<b>**</b> **********************************				
Τυ	Tips up	***/					ž			
TWP	Trigger won't pull									
TWR	Trigger won't retract		*****	333						
UNCN-T	Uncoded	4	1							
хн	Extracts hard						0.00000 0.0000			8
XHB	Extractor hits bbl				77998			<u> </u>		
HI	High			***************************************			1444		SF 3	
LO	Low									
LEFT	Left									
RIGHT	Right			4 4 4 4 4					***	-4007
DG	Doesn't Group									2,50%
FSST	Front sight tipped			***************************************						
RSTT	Rear sight tipped			***************************************						
RSBR	Rear sight base raised			1 1 1 1 1						
FSTR	Front sight raised			***************************************						
FSTL	Front sight loose			-						
RSTL	Rear sight loose			1						
MGPT-G	Missing parts at target									

1187 Super

Mag

65

3

2

10

10

MALFUNCTION INDEX

shaves lead

Stems left side of chamber

Stems right side of chamber

Stretch marks on case

Specific rings in chamber

shell stems carrier

Stems top chamber

1187

12Ga

29

1187

20Ga

1

1

19

1100

12Ga

1100

16Ga

1100

20Ga

2

1100

28Ga

6

3

1100

410Ga

13

8

4

870

12Ga

6

ı	4	
i		
Ļ		
Į	7	
C	$\supset$	
ì	5	
•	_	
ť	)	
-	J	
d	4	
ı	7	
ĺ	Л	
ſ	O	


CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
0000	MALI ONO HOW MADER	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
UNCN-G	Unicoded nonconformity at target			***************************************						
AI-P	Assembly incompleye at proof			***************************************						
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof	59c		***************************************		***************************************				
BLP-P	Blanked primer at proof			**************************************		*****				
BP-P	Blown primer at proof	**************************************	()()	444444444444444444444444444444444444444						
BS-P	Barrel split at proof					***************************************				
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof				10000	***************************************				
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof						Š.			
FF-P	Fails to fire at proof	*		<b>1</b>						2
GCSO-P	Gas cylinder shot off at proof		*********							
GRSO-P	Guide ring shot off at proof									
MCSO-P	Magazine cap shot off at proof			***************************************						Š so
MSI-P	Magnaflux stamp illegible on bbl			400	77000					
MSM-P	Magnaflux stamp missing on bbl			***************************************						
PP-P	Pierced primer at proof						.444//			
SCB-P	Stock cracked or broken at proof			***************************************		***************************************				
UNCM-P	Uncoded proof malfunctions			- Augustus		**		•		

H
H
L E O E
ੂ
0
O
J
4
4
ĹΠ
ပ် ပ
w

<u> </u>									
					Month:				
*****								Auto	Pump
							totai	Total	Total
113	<b>4230</b>	<b>***</b>	2604		1522	11	23068	5301	16234
- O	/ 1	O	9	0	0	0	13	1	12
0.0	0.0		0.3		0.0	0.0	0.056	0.019	0.074
113	4151		2599	T/	1356		22956	5510	16090
0 💥	. 4 /	0	310		4	0	1092	1032	56
0.0	0.1		0.4		0.3		4.76	18.73	0.35
	100000000				728	.57	1074	286	3
0	0	0	<b>:0</b> ::::	0	59	0	59	0	0
					8.1	0.0	5.49	0.00	0.00
870	870 20Ga	870 light	870 SM	SP10	870	ט/ט	total	Auto	Pump
16Ga	010 20Ga	weight	918 9141	- SET 18	Police 8	<b>∞</b> 50/0 ⊗	iviai	Total	Total

870 16Ga	870 20Ga	870 light weight	870 SM	SP10	870 Police	D/U	total	Auto Total	Pump Total
				Ÿ					<b>**********</b>
	2		2		1		28	16:	11
							0	- 0	. 0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							4	1	3
							0	0	0
							0	0	0
							0	0	0
							22	20	2
							0	0	0
							0	0	0
							0	0	0
							2	1	1
							0	0	0
							0	0	0
							0	0	0

870 16Ga	870 20Ga	870 light weight	870 SM	SP10	870 Police	O/U	total	Auto Total	Pump Total
		85					0	0	0
							0	0	0
							0	0	0
				Bitan.			61	61	0
					1000		0	0	0
						a.	0	0	0
	1,000,000,000						2	2	٥
							<b>2</b> 2	22	0
							0	. 0	0
					i i		81	81	<sub>∞</sub> 0
							15	15	0
							5	5	0
						- 4000	. 0	0	<b>0</b>
					1	* 72	17	16	0
							24	24	. 0
	1						4	3	1
							0	0	0
			5				20	15	5
							0	0	0
							0	0	0
							0	0	0
			2				3	0	3
							0	0	0
							0	0	0
							0	0	0
							2	1	1
					1		69	65	3
							0	0	0
							0	0	0
							0	0	0



16Ga

870 20Ga

870 light

weight

870 SM

**SP10** 

Police

O/U


total


Auto

Total

Pump

Total








																št					•
											- 49 					iika.					
Pump Total	0	0	0	o	0	O	0	0	0	o	0	3	o	o	ð	0	0	0	O)	0	
Auto Totai	0	0	0	0	0	0	0	0	0	0	0	Ţ	0	0	0	0	0	0	0	0	
total	0	0	0	0	0	0	0	D	0	0	0	4	0	0	0	0	0	0	6	0	
Ω/O					j																
870 Políce																					
SP10				Į																	
870 SM	***********								***********	********	************	************	*****	*********	<b>.</b>	*****	***************************************	******	6	*******	
870 light weight																					
870 20Ga		8										-									
870 1663a																					

## Gallery Top Faults for Pump Shotguns - Current month through:


四 8/13/06
























FC	Fails to connect
FCB	Fore-end cracked or broken
FD	Follows-down
FFP	Flat firing pin
FOS	Fires on safe
FSR	Fires when safe is released
GCSO	Gas cyl shot off
HPA	High pressure ammo
ILOP	Int. latch out of position
ILRM	Int. latch out of position
ILSB	Int. latch ret. Wissing
ILSP	Int. latch spring out of position
JL	
	Jumps latch
JO	Jars off
LB	Light blow
MCSO	Magazine cap shot off
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ОН	Opens hard
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RIC	Rings in chamber
SBC	Stems bottom chambers
SBCL	Shell binds carrier latch
SBE	Stems bbl extension
SCX	Shell catches
SHI	Short indent
SIC	Stems in chamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSC	shell stems carrier
SWE	Safety switch works too easily
SWH	Safety switch works too hard
SWW	
	Safety ewilish won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigget wen't retract
UNCN-T	Unceded
XH	Extracts hard
XHB	Extractor hits bbt
HI 🦼	High
LO	Low
LEFT	Left
1939	·**






SBC	Stems bottom chambers	
JL	Jumps latch	
SLC	Stems left side of chamber	
DFU	Doesn't feed up	
STC	Stems top chamber	]
FFM	Fails to feed from magazine	
DBB	Doesn't blow back	٦
DE	Doesn't eject	٦
DTL	Doesn't trip latch	1
HUE	Hard under extractor	1
RDW	(Action) release doesn't work	1
SRC	Stems right side of chamber	٦,
DSM	Drops shell-magazine	
CC	Carrier catches on shells,mag,receiver	1
DLO	Doesn't lock open (after last shell)	٦
EDS	Extractor drops shell	1
AB	Action binds	1
MLH	Magazine loads hard	1
SSC	shell stems carrier	1
MCW	Magazine capacity wrong	t
UNCN-T	Uncoded	1
DLU	Doesn't lock-up	1
ILRM	Int. latch ret. Missing	1
DX	Doesn't extract	1
SIC	Stems in chamber	1
DCU	Doesn't close-up	1
ILOP	Int. latch out of position	5
SRIC	Specific rings in chambel	1
BLOP	Bar lock or disconnector out of position	1
CLM	Can't laod magazine	1
FF	Fails to fire	1
GCSO	Gas cyl shot off	-
LB	Light blow	1
MCSO	Magazine cap shot off	-
FF-P	Fails to fire at proof	-
ASFB	Action spring follower binds	
BABS	Bulge at body shoulder	-
BAC	Burr at chamber	
BB	Bolt binds/catches	1
BCOE	Bolt catches on ejector	1
BC	Blows cases	1
BSCO	Barrel support capte out	1
CBS-F	Barrel support came out Shells catch on bbl support feeding	
CBS-L	Shells catch on bbl support-loading	
CD	Case dented	-
CH	Closes hard	
CHAB	Carrier hits action bar	+
CO	Gut-off	$\forall$
	Cuts nm	1
	Cases swell	+
cs 🛞		




CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DEL	Doesn't eject live round	
DS	Dead safe	
DXL	Doesn't extract live round	
ESB	Ejector sticks back	
ESS	Extractor stems shell	
FA	Fires automatically	
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD FD	Follows-down	
FFP	Flat firing pin	
FOS	Fires on safe	.88888
FSR	Fires when safe is released	0000000
GRSO	Guide ring shot off	
HPA		000000 000000
	High pressure ammo	202 8888.
ILSB	Int. latch stud broken	
ILSP	Int. latch spring out of position	·
JO .	Jars off	<del> (11</del>
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ОН	Opens hard	1.75
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	700000 700000
RBOC	Rings and bulges on case	300
RIC	Rings in chamber	<i>*************************************</i>
SBCL	Shell binds carrier latch	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	1.55%
SCX	Shell catches	
SHI	Short indent	**************************************
SL	shaves lead	<del>Vilgion von von von</del>
SMOC	Stretch marks on case	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitch won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	****************
XH	Extracts hard	
*********************		
XHB	Extractor hits bbl	
H	High	
LO	.p	
	Left	
RIGHT	Right	
DG 🛞	Doesn't Group	



HI	High	ء ا	16
LO	Low		8
RIGHT	Right		3
AB	Action binds		1:0000
DSM	Drops shell-magazine		1
FFM	Fails to feed from magazine	ŝ	4
MCW	Magazine capacity wrong	. A	
FSTL	Front sight loose		31 310
MGPT-G	Missing parts at target		1
ASFB	Action spring follower binds		0
BABS	Bulge at body shoulder	188	0
BAC	Burr at chamber	Allena.	0
BB	Bolt binds/catches		O
BCOE	Bolt catches on ejector		ő
BC	Blows cases		0
BLOP	Bar lock or disconnector out of position		Ö
BSCO	Barrel support came out	6000000 6000000	0
CBS-F	Shells catch on bbl support-feeding		
CBS-L	Shells catch on bbl support-leading		0
CC		20.	1,646,659
	Carrier catches on shells,mag,receiver	. ·	0 ***
	Classe dented		0
CH	Closes hard		Ų.
CHAB	Carrier hits action bar		0
CLM	Can't laod magazine		0
CO	Cut-off		0
CR	Cuts rim	1000	0
CS	Cases swell	<u>.</u>	0
CTOG	Chamber torn or gouged		0
CTP	Creepy trigger pull		0
CWSB	Cams wrong side of action bar		0
DBB	Doesn't blow back		0
DCS	Double click in safety switch		0
DCT	Double click in trigger		0
DCU	Doesn't close-up		0
DE	Doesn't eject		0
DEL	Doesn't eject live round		0
DFU	Doesn't feed up		0
DLO	Doesn't lock open (after last shell)		0
DLU	Doesn't lock-up		0
DS	Dead safe		0
DTL	Doesn't trip latch		0
DX	Doesn't extract		0
DXL	Doesn't extract live round		0
EDS	Extractor drops shell		0
ESB	Ejector sticks back		0
ESS	Extractor stems shell		0
FA	Fires automatically		0
FB .	Follower binds		0
FC 🤵	Fails to connect		0
FCB	Fore-end cracked or broken		0
FD 🎇	Follows-down		0
333	**************************************		

			1
FF	Fails to fire		
FFP	Flat firing pin		1
FOS	Fires on safe		
FSR	Fires when safe is released		
GCSO	Gas cyl shot off	***************	]
GRSO	Guide ring shot off		
HPA	High pressure ammo		
HUE	Hard under extractor		
ILOP	Int. latch out of position		]
ILRM	Int. latch ret. Missing		
ILSB	Int. latch stud broken		
ILSP	Int. latch spring out of position		k
JL	Jumps latch		18
JO	Jars off		1
LB	Light blow		1.,
MCSO	Magazine cap shot off	2000	
MFA	Misfires (ammo)		
MEOP	Magazine follower out of position		ľ
MLH	Magazine loads hard		1
ОН	Opens hard	\$\$\$ \$\$\$	ે
PH	Pulls hard		I
PSI	Proof stamp illegible		l
PSM	Proof stamp missing		1
RBOC	Rings and bulges on case		ŀ
RDW	(Action) release doesn't work		
RIC	Rings in chamber		
SBC	Stems bottom chambers		1
SBCL	Shell binds carrier latch		l
SBE	Stems bbl extension	- 100	1
SCB	Stock cracked or broken	200	l
SCX	Shell catches	0.00000000	1
SHI	Short indent		1
SIC	Stems in chamber		1
SL	shaves lead	 Šiisi.	1
SLC	Stems left side of chamber		1
SMOC	Stretch marks on case	<del>Milji</del>	1
SRC	Stems right side of chamber		1
SRIC	Specific rings in chamber		1
SSC	shell stems carrier		1
STC	Stems top phamber		1
SWE	Safety switch works too easily		1
SWH	Safety switch works too hard		1
sww	Safety ewitxh won't work	***************************************	1
TD	Tips down		-
TU	Tipsaip		1
TWP	Trigger won't pull		1
TWR	Trigger won't retract		1
UNCN-T	Uncoded		1
XH	Extracts hard		1
XHB	Extractor hits bbi		1
LEFT	Left		1
I §	op. on		





	200999992	~~~ <u>~~~</u>												
Summa	any	Total	Test + Pro	oof Failures	107	7								
			Tota	al Rejected:	10	2								
				Reject Rate:	9.47	7								
	*******.			Shot:	× 48	14	20	11		24		39	364	113
		Proof		Rejected	0	O	0	0	0	0	0	0	0	0
	***************************************			Percent	0.0	0.0	0.0	0.0		0.0		0.0	0.0	0.0
		*		Sh <b>a</b> t:	‱.)28	20	1			56		27	364	113
		Test	***	Rejected	57 44:5	. 0	0	0	0	10	0	12	4	0
				Percent.	44.5	0 00	0			17.9		44.4	1.1	0.0
				Shat: Rejected:		1.000	1000	17888	Ac.					
		Target		Rejected:	0	O	<i></i> 0	<b>000</b>	0	0	0	0	0	0
				Percent:	;	0	0	O	V					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///	. 25%.	200000		¥ 28		
АВ	Action binds					88				<b>333</b> 1	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber			***************************************						Á	
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position			***************************************						1	
BSCO	Barrel support carne out			4							
CBS-F	Shells catch on bbl support-feeding			***************************************							
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
CHAB	Carrier hits action bar										
CLM	Can't land magazine										
со	Cut-off										
CR	Cuts rim			Allen .							
cs	Cases swell										
стов	Chamber torn or gouged					á.					
CTP	Creepy trigger pull	á									
CWSB	Cams wrong side of action bar			ÿ							
DBB	Doesn't blow back	1	-4//				1				
DCS	Double click in safety switch								<b>⊗</b> :		
DCT	Double click in trigger									×	
DCU	Doesn't close-up										
DE	Doesn't eject	2									
DEL	Doesn't eject live round						750				
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)	4									
DLU	Doesn't lock-up								1791		
DS	Dead safe									*****	
DSM	Drops shell-magazine	5									****
DTL	Doesn't trip latch	1									
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell								5		
ESB	Ejector sticks back										
ESS	Extractor stems shell										

				$\overline{}$							
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
FA	Fires automatically	Mar.									
FB	Follower binds										
FC	Fails to connect										
FCB	Fore-end cracked or broken			Ällion.				***************************************			
FD	Follows-down										
FF	Fails to fire										
FFM	Fails to feed from magazine	6 ,					. 5				
FFP	Flat firing pin	4									
FOS	Fires on safe						*				
FSR	Fires when safe is released								<b>*</b>		
GCSO	Gas cyl shot off									×	
GRSO	Guide ring shot off										
HPA	High pressure ammo										
HUE	Hard under extractor	8					71995 11995			ř.	
ILOP	Int. latch out of position									- A	
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken								1,64		
ILSP	Int. latch spring out of position									****	
JL	Jumps latch	5									****
JO	Jars off										
LB	Light blow										
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)										
MFOP	Magazine follower out of position										


CODE	MALFUNCTIÓN INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
MLH	Magazine leads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible			Žito.							
PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	1 ;					. 2				
RIC	Rings in chamber	4									
SBC	Stems bottom chambers	20					*				
SBCL	Shell binds carrier latch		,						<b>*</b>		
SBE	Stems bbl extension									×	
SCB	Stock cracked or broken									2	
SCX	Shell catches										
SHI	Short indent						1.000 1.000				
sic	Stems in chamber										
SL	shaves lead										
SLC	Stems left side of chamber	2							5		
SMOC	Stretch marks on case									****	
SRC	Stems right side of chamber								2		****
SRIC	Specific rings in chamber										
SSC	shell stems carrier	1									
STC	Stems top chamber						2				
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										


		1187									
CODE	MALFUNCTION INDEX	Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
TD	Tips down	Maria.									
TU	Tips up		···								
TWP	Trigger won't pulk										
TWR	Trigger won't retract			i i i i i i i i i i i i i i i i i i i							
UNCN-T	Uncoded										
XH	Extracts hard					ás.					
XHB	Extractor hits bbl										
		4									
Н	High										
LO	Low								<b>*</b>		
LEFT	Left									×	
RIGHT	Right										
DG	Doesn't Group					2,000					
FSST	Front sight tipped						2,000			Š.	
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										ÿ
FSTR	Front sight raised								1791		
FSTL	Front sight loose									77888	
RSTL	Rear sight loose										*****
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
				,							
AI-P	Assembly incompleye at proof										
ВС-Р	Blows cases at proof										
BEB-P	Barrel extension broken at proof										


CODE	MALFUNCTIÓN INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof						-				
DLOS-P	Doesn't lock over shells at proof	<b>***</b> *********************************									
ESB-P	Ejector sticks back at proof	***************************************									
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof	.;									
FF-P	Fails to fire at proof	4									
GCSO-P	Gas cylinder shot off at proof						- X				
GRSO-P	Guide ring shot off at proof								<b>⊗</b> :		
MCSO-P	Magazine cap shot off at proof					- TO				S	
MSI-P	Magnaflux stamp illegible on bbl										
MSM-P	Magnaflux stamp missing on bbl										
PP-P	Pierced primer at proof			-			**************************************				
SCB-P	Stock cracked or broken at proof										
UNCM-P	Uncoded proof malfunctions										





Subject to Protective Order - Williams v. Remington













	199999999													
Summa	any	Total	Test + F	Proof Failures	105	9								
Summa			T	stal Rejected:		7								
				l Reject Rate:	0.6	6								
		Proof		Shot: Rejected	<b>25</b>	66	1	10				31	814	
	*******	Proof	<i>###</i> 3	Rejected	0	O	0	0	0	0	0	0	0	0
				Percent	0.0	0.0		0.0				0.0	0.0	
		*		Shot:	4	43	<b>2</b>	10					814	
		Test		Rejected	0 0:0		0	. 0	0	0	0	0	1	0
				Shot: Rejected Percent Shot: Rejected Percent: Shot:	0.0	400000000	o	0.0					0.1	
				Shot.		1.000000	<i>\$00000</i>	1888						
		Target		Rejected:	0	<i></i> 0		0	0	0	0	О	0	0
		J		Percent:		0	0	0	0	50. 50.0000				

			80007 - 6000	9997	2/02000 00//000 114000/00000						
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///				8 /8m.		
АВ	Action binds					22					
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,				*	
BAC	Burr at chamber									ĺ	
вв	Bolt binds/catches							19992			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding							ALIAN AND AND AND AND AND AND AND AND AND A			
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver									1	
CD	Case dented										
СН	Closes hard										

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- <del>24</del> 4.								
FF 👋	Fails to:fire									
FFM	Fails to feed from magazine		<b>***</b>							
FFP	Flat firing pin			200.						
FOS	Fires on safe				On.					
FSR	Fires when safe is released	***								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor		2000				<b>.</b>	90.		
ILOP	Int. latch out of position					. 488.				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									1100
ILSP	Int. latch spring out of position					·			ř	
JL	Jumps latch		5							
JO	Jars off									<b>*</b>
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200.								
RIC 🤻	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			ille.						
SBE	Stems bbl extension				On.					
SCB	Stock cracked or broken	119								
SCX	Shell catches									
SHI	Short indent									
SIC	Stems in chamber									
SL	shaves lead		33.65				<b>ä</b> 38	ie.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									11000
SRIC	Specific rings in chamber								Š.	
SSC	shell stems carrier									
STC	Stems top chamber									<b>2</b>
SWE	Safety switch works too easily							2004		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									***************************************
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded		1							
хн	Extracts hard									





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	10000000													
Summa	any	Total		oof Failures	101	6								
			Tot	al Rejected:	3	7								
				al Rejected: Reject Rate:	3.6	4								
		/###		Shot: Rejected Percent Shot: Rejected Percent	14	36		3			13	24	619	
	*******	Proof	<i>##</i> #	Shot: [ Rejected	0	<u></u> 0	0	0	0	0	0	0	1	0
	***************************************			Percent.	0.0	0.0	ller	0.0			0.0	0.0	0.2	
				Shot	14	12		14		I	16	50	619	
		Test	**	Rejected Percent:	1 7.1		0	O	0	0	0	17	3	0
				Per <b>cent</b> :	7.1	4000000		.0.0			0.0	34.0	0.5	
				Shot: [ Rejected:			#80000F	1 999	Ar.	1				
		Target		Rejected:	0	0	<i></i>	<b>0</b>	0	0	0	0	0	0
		<b>J</b> • • • • • • • • • • • • • • • • • • •		Percent:		0	0	0						

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000		¥ 28		
AB	Action binds				***	88				<b>***</b>	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							19092			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR 🧠	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			200.						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	***				,				
DBB	Doesn't blow back							2		
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		2000				<b>.</b>	90.		
DE	Doesn't eject					. 448.		<i>3</i>		
DEL	Doesn't eject live round									
DFU	Doesn't feed up									Mar
DLO	Doesn't lock open (after last shell)					·			ř	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine		1					2000 P		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell							1		
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	200								
FF 🤻	Fails to fire								1	
FFM	Falls to feed from magazine		200					1		
FFP	Flat firing pin			2000						
FOS	Fires on safe				On.					
FSR	Fires when safe is released	1.8								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo		**							
HUE	Hard under extractor		2000					io.		
ILOP	Int. latch out of position							<i>1</i>		
ILRM	Int. latch ret. Missing							****		
ILSB	Int. latch stud broken					***************************************				
ILSP	Int. latch spring out of position									
JL	Jumps latch		1							
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp massing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- 344							1	
RIC	Rings in chamber									
SBC	Stems bottom chambers	1								
SBCL	Shell binds carrier latch			-384.						
SBE	Stems bbl extension				Zoo.					
SCB	Stock cracked or broken	- 19							1	
scx	Shell catches									
SHI	Short indent	- A								
SIC	Stems in chamber						ä			
SL	shaves lead		.000				<b>*</b>	ev.		
SLC	Stems left side of chamber							3		
SMOC	Stretch marks on case									
SRC	Stems right side of chamber							6 🧷		1100
SRIC	Specific rings in chamber								ř.	
SSC	shell stems carrier								À	
STC	Stems top chamber							2		
SWE	Safety switch works too easily							3334		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard			-						

	//////////////////////////////////////										_
XHB.	Extractor hits bbi										
				•			,				_
HI 🐰	High	20									
LO	LOW										
LEFT	Left										
RIGHT	Right			- St							
DG	Doesn't Group				Store.						
FSST	Front sight tipped	*%									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	â.									
FSTR	Front sight raised					***					
FSTL	Front sight loose		200					So.			
RSTL	Rear sight loose										
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target									11000	
						~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			<u> </u>		_
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										]***
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof								1		















Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


ŀ	4	
L	<b>-</b>	
l	<b>→</b>	
(	3	
¢	)	
(	$\supset$	
	J	
d	4	
ĺ	Л	
ŀ	Л 1	
t	Л	


	100000000													
Summ	ary	Total	Test + Prod	of Failures	101	1								
			Total	Rejected:	1	7								
				Rejected: eject Rate:	1.6	8								
				Shot:	<u></u> 10	7	166	3			88	14	575	
		Proof	<i>100</i>	Rejected	0	<u> 0</u>	0	0	0	0	0	0	0	0
				Percent	0.0	0.0	0.0	0.0			0.0	0.0	0.0	
				Shat			116			11	87	15	575	
		Test	**	Rejected	0	Ø	// <b>#</b> ////	O	0	0	0	6	1	0
				Rejected Percent: Shot:		466456556	4 3.4			0.0	0.0	40.0	0.2	
				21901		1.000000	<b>.</b> ₩888	1988	Are.					
		Target		Rejected:	0	0			0	0	0	0	0	0
				Percent:		0	0	0	0	288				

			900007 - 66690	2000	200099900 900	986689 TV8888	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		100000	<b>1</b> 8 88	<i>3</i>		
АВ	Action binds			1		<b>*****</b>				<b>*********</b>	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							1999/			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out							***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										

											_
Carrier hits action bar											
Can't laod magazine											
Cut-off											
Cuts.rim											
Cases swell		<b>*</b>									
Chamber torn or gouged			- 1885.								
Creepy trigger pull				War.							
Cams wrong side of action bar	***										
Doesn't blow back			1								
Double click in safety switch											
Double click in trigger						***					
Doesn't close-up								Sto.			
Doesn't eject					7.488						
Doesn't eject live round				***************************************							
Doesn't feed up										<i>Mar</i>	
Doesn't lock open (after last shell)					,						
Doesn't lock-up											
Dead safe											
Drops shell-magazine								2000	98886		
Doesn't trip latch									*****		h
Doesn't extract										****	<u> </u> "
Doesn't extract live round											
Extractor drops shell								1			
Ejector sticks back											
Extractor stems shell											
Fires automatically											
Follower binds											
	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Guts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject live round Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod mägažine Cut-off Cuts-nim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't tock open (after last shell) Doesn't lock-up Dead's fee Drops shell-magazine Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Güts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back 1 Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back 1 Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock-up Doesn't stract Doesn't stract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl lead magazine Cut-off Cits rim Cases swell Chamber torn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't eject Doesn't eject live round Doesn't eject live round Doesn't hock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't rip latch Doesn't trip latch Doesn't stract Doesn't extract Doesn't extract live round Extractor drops shell Extractor stems shell Fires automatically	Cart laod magazine Cut-off Cits-rim Cases swell Chamber torn of gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back 1 Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't leject Doesn't leject low round Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock open (after last shell) Doesn't lock open (after last shell) Doesn't text-dup Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't skract Doesn't skrac	Carl laud mayagine Cut-off Cits nim Cases swell Clamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back 1 Double click in safety switch Double click in rigger Doesn't eject Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't tolok per (after last shell) Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically

FC	Fails to connect							
FCB	Fore-end cracked or broken:							
FD	Follows-down	- Way						
FF **	Fails to fire							
FFM	Fails to feed from magazine		<b>***</b>				1	
FFP	Flat firing pin							
FOS	Fires on safe			On.				
FSR	Fires when safe is released	1.0						
GCSO	Gas cyl shot off							
GRSO	Guide ring shot off							
HPA	High pressure ammo							
HUE	Hard under extractor		773			<u> </u>		
ILOP	Int. latch out of position						···	
ILRM	Int. latch ret. Missing							
ILSB	Int. latch stud broken							11/02
ILSP	Int. latch spring out of position						š	
JL	Jumps latch					1		
JO	Jars off							3 4
LB	Light blow							
MCSO	Magazine cap shot off							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
MLH	Magazine loads hard							
ОН	Opens hard							
PH	Pulls hard							
PSI	Proof stamp illegible							














Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

Total Rejected:

Overall Reject Rate:

0

0

**************************************										
Carrier hits action bar										
Can't laod magazine										
Cut-off	344.									
Guts rim										
Cases swell		<b>*</b>								
Chamber torn or gouged		· ·	ille.							
				War.						
Cams wrong side of action bar										
Doesn't blow back	,									
Double click in safety switch	Ä									
Double click in trigger						***				
Doesn't close-up		10000						500.		
Doesn't eject					2,445.					
Doesn't eject live round										
Doesn't feed up										<i>300</i> 2
Doesn't lock open (after last shell)					·			2000	ř	
Doesn't lock-up										
Dead safe									.000000	
Drops shell-magazine								2000		
Doesn't trip latch									**************************************	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Can't laod magazine Cut-off Cuts-inn Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine  Cut-off  Cuts rim  Cases swell  Chamber tom or gouged  Creepy trigger pull  Cams wrong side of action bar  Doesn't blow back  Double click in safety switch  Double click in trigger  Doesn't close-up  Doesn't eject  Doesn't eject live round  Doesn't feed up  Doesn't lock open (after last shell)  Doesn't lock-up  Dead safe  Drops shell-magazine  Doesn't extract  Doesn't extract  Doesn't extract  Doesn't extract  Doesn't extract  Doesn't extract  Doesn't extract live round  Extractor drops shell  Ejector sticks back  Extractor stems shell  Fires automatically	Can't laod magazine  Cut-off  Cuts.rier  Cases swell  Chamber torn or gouged  Creepy trigger pull  Cams wrong side of action bar  Doesn't blow back  Double click in safety switch  Double click in trigger  Doesn't close-up  Doesn't eject  Doesn't eject live round  Doesn't feed up  Doesn't lock open (after last shell)  Doesn't lock-up  Dead safe  Drops shell-magazine  Doesn't trip latch  Doesn't extract  Doesn't extract live round  Extractor drops shell  Ejector sticks back  Extractor stems shell  Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts nim Cases swell Chamber torn of gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't sylve round Doesn't sylve round Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't sylve round Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Doesn't extract live round Doesn't extract Doesn't extract live round Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't ject live round Doesn't feed up Doesn't fock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't stract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't land magazine Cut-off Gits rim Cases Swell Chamber forn orgouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl laod migsgzine Cut-off Güts-rim Cases swell Chamber torn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't eject live round Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't lock-up Doesn't stract Doesn't skract D

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	200							
FF 🦎	Fails to fire								
FFM	Fails to feed from magazine		<b>.</b>						
FFP	Flat firing pin								
FOS	Fires on safe								
FSR	Fires when safe is released				20.				
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo								
HUE	Hard under extractor		779				<u> </u>		
ILOP	Int. latch out of position				7,000			100	
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								
ILSP	Int. latch spring out of position				,				
JL	Jumps latch								
JO	Jars off								
LB	Light blow						**************************************		
MCSO	Magazine cap shot off							****	
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

P										
Proof stamp missing										
Rings and bulges on case										
(Action) release doesn't work	- Marie									
Rings in chamber										
Stems bottom chambers		200								
Shell binds carrier latch			:8a.							
				War.						
Stock cracked or broken	***									
Shell catches										
Short indent										
Stems in chamber						3.65	<b>*</b>			
shaves lead								500.		
Stems left side of chamber					1.488					
Stretch marks on case				***************************************						
Stems right side of chamber										11000
Specific rings in chamber					,			2000	ř.	
shell stems carrier										
Stems top chamber								66666666	.00000	
Safety switch works too easily								2,000		
Safety switch works too hard									2000 E	
Safety ewitxh won't work										
Tips down										
Tips up										
Trigger won't pull										
Trigger won't retract										
Uncoded										
Extracts hard										
	Rings and buggs on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and budges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work  Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't retract Uncoded	Rings and bugges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems right side of chamber Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work fitings in thamber Stems bottom chambers Shell binds carrier atch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in thamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell slems carrier Stems top chamber Stems top chamber Stefts wwitch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in ght side of chamber Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work Rings ar chamber Stems bottom chambers Shell binds carrier latch Stems bil extension Stock cracked or broken Short indent Stems in chamber Short indent Stems lead Stems lead Stems lead Stems are a side of chamber Stress lead Stems right side of chamber Stretch marks on case Stems right side of chamber Stems right side of chamber Stems right side of chamber Stems varier Stems v	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Stems bottom chambers Shell binds carrier latch Slems bil extension Slock cracked or broken Shell calches Short indent Stems in chamber Shews lead Stems lead Stems in chamber Shaves lead Stems left side of chamber Stereth marks on case Stems right side of chamber Specific rings in chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips dwn Trips up Trigger won't pull Trigger won't retract Uncoded

			 						-
XHB.	Extractor hits bibl								
									_
HI	High	20							
LO	Low				-				
LEFT	Left								
RIGHT	Right		- 38e						
DG	Doesn't Group			Zoo.					
FSST	Front sight tipped	***							
RSTT	Rear sight tipped								
RSBR	Rear sight base raised	Å.							
FSTR	Front sight raised								
FSTL	Front sight loose					200.			
RSTL	Rear sight loose			2000.					
MGPT-G	Missing parts at target					****			
UNCN-G	Uncoded nonconformity at target							Mar	
					*****		<u> </u>		, ,
AI-P	Assembly incompleye at proof				-				
BC-P	Blows cases at proof							<b>*</b>	
BEB-P	Barrel extension broken at proof				-	2000			
BLP-P	Blanked primer at proof								
BP-P	Blown primer at proof							*****	<b>│</b> <sup>™</sup> ┊
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof				-				
FF-P	Fails to fire at proof				-				






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

BABS

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Bulge at body shoulder

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches


Summar	7 Overa	Proof Failures otal Rejected: Il Reject Rate:	0 0									
	Proof	Shot: [ Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shøt: [ Rejected Percent:	0	Ø	ø	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0 ****	0	0	0	0
CODE	MALFUNCTION	i INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds			_		- 200						
ASFB	Action spring follower bin	ds				****						Mars

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	200							
FF 🦎	Fails to fire								
FFM	Fails to feed from magazine		<b>.</b>						
FFP	Flat firing pin								
FOS	Fires on safe								
FSR	Fires when safe is released				20.				
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo								
HUE	Hard under extractor		779				<u> </u>		
ILOP	Int. latch out of position				7,000			100	
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								
ILSP	Int. latch spring out of position				,				
JL	Jumps latch								
JO	Jars off								
LB	Light blow						**************************************		
MCSO	Magazine cap shot off							****	
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

Proof stamp missing										
Rings and bulges on case										
(Action) release doesn't work	344									
Rings in chamber										
Stems bottom chambers		<b>*</b>								
Shell binds carrièr latch		· ·	2000							
				On.						
Stock clacked of proken	1.8									
Shell catches										
Short indent										
Stems in chamber										
shaves lead							<b>.</b>	200.		
Stems left side of chamber										
Stretch marks on case				***************************************						
Stems right side of chamber										<i>200</i> 2
Specific rings in chamber								38000	*	
shell stems carrier										
Stems top chamber										
Safety switch works too easily								2000		
Safety switch works too hard									*****	
Safety ewitxh won't work										
Tips down										
Tips up										
Trigger won't pull										
Trigger won't retract										
Uncoded										
Extracts hard										
	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and builges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carries fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems right side of chamber Stems right side of chamber Stems right side of chamber Stems lean Stems carrier Stems top chamber Tight switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Steft sywitch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't pull Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stems in shamber Shell stems carrier Stems to chamber Stems to chamber Shell stems carrier Stems to chamber Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and burges on case (Action) release doesn't work Rings in chamber Stems boftom clambers Shell binds carrier latch Stems bbi extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stems inght side of chamber Stems right side of chamber Stems right side of chamber Stems right side of chamber Stems very with works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bugges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier actch Stems ble extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Sheves lead Stems left side of chamber Stretch marks on case Stems light side of chamber Stems in chamber Stems legt side of chamber Stems logt side of chamber Stems logt side of chamber Stems to case S

	//////////////////////////////////////			 		 			_
XHB.	Extractor hits bibl								
									_
HI 🐰	High	20							
LO	Low								
LEFT	Left								
RIGHT	Right								
DG	Doesn't Group			Soc.					
FSST	Front sight tipped	7%							
RSTT	Rear sight tipped								
RSBR	Rear sight base raised	i i							
FSTR	Front sight raised								
FSTL	Front sight loose		33.5				Sto.		
RSTL	Rear sight loose				17888				
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target								
									_ 200
AI-P	Assembly incompleye at proof							Ž.	] //
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof						2000		<b>]</b>
BLP-P	Blanked primer at proof							488	
BP-P	Blown primer at proof								]
BS-P	Barrel split at proof								]
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BABS

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Bulge at body shoulder

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Burr at chamber

Blows cases

Case dented

Closes hard


Bolt binds/catches


Summ		Test + Proof Failures Total Rejected: Overall Reject Rate:	1307 19 1.45									
	Proof	Shot: Rejected Percent	13 0 0.0	38 0 0.0	189 1 0.5	0	0	0	0 0.0	8 0 0.0	665 0 0.0	0
	Test	Shat Rejected Percent	Ø		283 4 1.4	0	0	0	128 5 3.9	0	665 5 0.8	0
	Target	Shat: Rejected: Percent:	0	0	0	10 Ø Ø.0	0	226 0 0.0	0	o	0	0
CODE	MALFUI	NCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds				1						1	
ASFB	Action spring folio	wer binds				,						300.

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344.								
CR	Cuts.rim									
cs	Cases swell		<b></b>							
стос	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	1.8								
DBB	Doesn't blow back						1			
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100	
DEL	Doesn't eject live round									
DFU	Doesn't feed up			1		***************************************				11/2/2
DLO	Doesn't lock open (after last shell)					·			8	
DLU	Doesn't lock-up						<b>1</b>			
DS	Dead safe									3
DSM	Drops shell-magazine							2004		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell						1			
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- <del>24</del> 4								
FF	Fails to fire									
FFM	Fails to feed from magazine		22.2						1	
FFP	Flat firing pin			388.						
FOS	Fires on safe				War.					
FSR	Fires when safe is released	- 14								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off								1	
HPA	High pressure ammo		7	·			ä			
HUE	Hard under extractor		777				<b>*</b>	50v.		
ILOP	Int. latch out of position					2,445.				
ILRM	Int. latch ret. Missing								***************************************	
ILSB	Int. latch stud broken									<i>1100</i>
ILSP	Int. latch spring out of position					;			<b>X</b>	
JL	Jumps latch						<b>1</b>			
JO	Jars off									<b>2</b> 4
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong			1						
MFA	Misfires (ammo)									
MFOP	Magazine follower cut of position									
MLH	Magazine loads hard			1			1			
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	- 344								
RIC W	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			ille.						
SBE	Stems bbl extension				On.					
SCB	Stock cracked or broken	779							1	
SCX	Shell catches									
SHI	Short indent	4								
SIC	Stems in chamber		2							
SL	shaves lead						<b>*</b>	ie.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									1100
SRIC	Specific rings in chamber								Š.	
SSC	shell stems carrier									
STC	Stems top chamber		2							<b>8</b>
SWE	Safety switch works too easily							3300		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


		888.											
Summ	any	Total	Test + Proof Failures	1390									
			Total Rejected:	113									
			Overall Reject Rate:	8.13									
'			Shot:	<b>211</b>		T						517	
		Proof	Shot: Rejected	Ö	0	0	0	0	0	0	0	0	0
			Shot: Rejected Parcent Shat Rejected Percent	0.0	<b>***</b>							0.0	
			Sh <b>o</b> t.	293	40	20.						517	
		Test	Rejected Percent:	93 31.7	17	0	<u> 0</u>	0	0	0	0	3	0
			Percent:	31.7	42.5	0						0.6	
			Shot: Rejected:			<b>.</b> ₩₩							
		Target	Rejected:	0		<i>&gt;&gt;&gt; 0</i>	<b>0</b>	0	0	0	0	0	0
			Percent:	l l	0	0							
				1187	1407	960	1100		1400	1400	4400	070	970

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000		2000		¥ .		
АВ	Action binds	4				×				<b>***</b>	
ASFB	Action spring follower binds				,,,						illion.
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position	1								,.	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver									1	
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
CO	Cut-off	344								
CR	Cuts.rim									
cs	Cases swell		<b>*</b>							
стов	Chamber torn or gouged		· ·	300						
CTP	Creepy trigger pull				lin.					
CWSB	Cams wrong side of action bar	***								
DBB	Doesn't blow back	15	<b>9</b>							
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		1004				<b>*</b>	89.		
DE	Doesn't eject	3				1,46%				
DEL	Doesn't eject live round									
DFU	Doesn't feed up	14								11000
DLO	Doesn't lock open (after last shell)	1				Í			<u> </u>	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2004 <u>\$</u>		
DTL	Doesn't trip latch	1								
DX	Doesn't extract	1								
DXL	Doesn't extract live round									
EDS	Extractor drops shell									***************************************
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

100000										
Fails to connect										
Fore-end cracked or broken:										
Follows-down	200									***************************************
Fails to fire	3									
Fails to feed from magazine		1								
Flat firing pin			:8a.							
				an.						
Fires when safe is released										***************************************
Gas cyl shot off										
Guide ring shot off									1	
High pressure ammo										
Hard under extractor		2000					<b>.</b>	800.		***************************************
Int. latch out of position					. 488.					***************************************
Int. latch ret. Missing				***************************************				****		
Int. latch stud broken										111000
Int. latch spring out of position								#99223	ž.	
Jumps latch	10	15							À	
Jars off										
Light blow								2,000		
Magazine cap shot off									*****	
Magazine capacity wrong	1									
Misfires (ammo)										***************************************
Magazine follower out of position										***************************************
Magazine loads hard										
Opens hard										
Pulis hard										
Proof stamp illegible										
	Fore-end cracked or broken: Follows-down Fails to feed from magazine Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down  Fails to fire:  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Magazine follower out of position  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or broken: Follows-down Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken:  Follows-down  Fails to feed from magazine  Fails to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch ret. Missing  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine cap shot off  Magazine capacity wrong  Magazine follower out of position  Magazine loads hard  Opens hard  Pulls hard	Fore-end cracked or bitcken:  Follows-down  Fails-to-fire  Fails-to feed from magazine  Flat firing pin  Fires on safe  Fires when safe is released  Gas cyl shot off  Guide ring shot off  High pressure ammo  Hard under extractor  Int. latch out of position  Int. latch stud broken  Int. latch stud broken  Int. latch spring out of position  Jumps latch  Jars off  Light blow  Magazine capacity wrong  Magazine cloads hard  Opens hard  Pulls hard	Fore-end cracked or broken: Follows-down Fails to: fire Fails to feed from magazine Fires on safe Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end crafted or broken: Follows-down Fails to feed from magazine Filat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Mistires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free from magazine Fails to freed from magazine Fails to freed from magazine Fires on safe Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Mistires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free Fails to feed from magazine Filst firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Magazine cloads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Falls to free from magazine Falls to free from magazine Falls fring pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Magazine follower cut of position Magazine follower cut of position Magazine follower out of position Magazine follower cut of position





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	22000000	**************************************												
Summ	any	Total	Test + Proo	f Failures	1259									
			Total	Rejected:	75									
			Total Overall Re	ject Rate:	5.96									
		Proof		Shot:	<b>3131</b>		82					26	353	
	*******	Proof		Rejected	0	0	0	0	0	0	0	0	0	0
		Week J		Percent.	0.0		0.0					0.0	0.0	
				Shot	<u>159</u>	Ĭ .	.98						353	
		Test	**	Rejected	69 43:4	0	0	0	0	0	0	0	3	0
				Percent:	43:4	Ø	0 0.0						0.8	
				Sign		1.000000	<b>1000000</b>	10000	die.					
		Target		Rejected:	0	O			0	0	0	О	0	0
				Percent:	4		0.0							
		Target			U	0	0.0	0	0	<i>U</i>	0	U	· ·	


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000				8 20mm		
AB	Action binds				******	22				1	
ASFB	Action spring follower binds				,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber										
вв	Bolt binds/catches							19960			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver	4									
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	₩							
CR W	Cuts rim								
cs	Cases swell								
стос	Chamber torn or gouged								
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar	118							
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger		77						
DCU	Doesn't close-up		77.42			<b>*</b>			
DE	Doesn't eject	2							
DEL	Doesn't eject live round			*****					
DFU	Doesn't feed up	15							1100
DLO	Doesn't lock open (after last shell)	5			·			8	
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine	2					2008		
DTL	Doesn't trip latch								
DX	Doesn't extract								*****
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

AND 1000000000000000000000000000000000000			,							
Fails to connect										
Fore-end cracked or broken:										
Follows-down	86						***************************************			
alls to fire										
Fails to feed from magazine	2								1	
Flat firing pin			:3a							
aca on said				Soc.						
ires when safe is released	***									
Gas cyl shot off										
Guide ring shot off	<u></u>									
High pressure ammo										
Hard under extractor	1	, constant						ia.		
nt. latch out of position					2,555				<b>.</b>	
nt. latch ret. Missing										
nt. latch stud broken					***************************************					Mar.
nt. latch spring out of position					:					
Jumps latch	2								À	
Jars off										<b>*</b>
ight blow								2000		
Magazine cap shot off									****	
Magazine capacity wrong	1									
Misfires (ammo)										
Magazine follower out of position										
Magazine loads hard										
Opens hard										
Pulis hard										
Proof stamp illegible										
	ore-end cracked or broken: collows-down ails to feed from magazine lat firing pin ires on safe ires when safe is released cas cyl shot off duide ring shot off ligh pressure ammo lard under extractor at. latch out of position at. latch stud broken at. latch stud broken at. latch spring out of position umps latch ars off light blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard opens hard	ore-end cracked or broken:  ollows-down  ails to feed from magazine  alt firing pin  ires on safe  ires when safe is released  ass cyl shot off  buide ring shot off  ligh pressure ammo  lard under extractor  at. latch out of position  at. latch stud broken  at. latch stud broken  at. latch spring out of position  umps latch  ars off  light blow  lagazine cap shot off  flagazine capacity wrong  flisfires (ammo)  flagazine loads hard  opens hard  fulls hard	ore-end cracked or broken: ollows-down ails to feed from magazine ails to feed from magazine ails to feed from magazine alt firing pin ires on safe ires when safe is released as cyl shot off builde ring shot off ligh pressure ammo lard under extractor at latch out of position at latch stud broken at latch stud broken at latch spring out of position umps latch ars off light blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard opens hard utills hard	ore-end cracked or broken: ollows-down alls to freed from magazine alts firing pin ires on safe ires when safe is released as cyl shot off aligh pressure ammo lard under extractor at. latch out of position at. latch stud broken at. latch stud broken at. latch spring out of position atric latch spring out of position array off light blow dagazine cap shot off lagazine capacity wrong lagazine loads hard alls hard	ore-end cracked or broken:  ollows-down ails to fire ails to feed from magazine  lat firing pin ires on safe ires when safe is released as cyl shot off ligh pressure ammo lard under extractor  at. latch out of position at. latch stud broken at. latch stud broken at. latch spring out of position umps latch ars off light blow lagazine cap shot off lagazine capacity wrong lagazine loads hard opens hard ulls hard	ore-end cracked or broken:  ollows-down  alls to fire  alls to feed from magazine  2  lat firing pin  lires on safe  lires when safe is released  lass cyl shot off  ligh pressure ammo  lard under extractor  at. latch out of position  at. latch stud broken  at. latch stud broken  at. latch spring out of position  umps latch  largazine cap shot off  lagazine capacity wrong  fisfiers (ammo)  dagazine loads hard  opens hard  ulls hard	ore-end crasked or broken:  ollows-dowith  ails te:fire:  ails to feed from: magazine:  lat firing pin  ires on safe  ires when safe is released  isas cyl shot off  buide ring shot off  ligh pressure ammo  lard under extractor  at. latch out of position  at. latch ret. Missing  at. latch stud broken  at. latch spring out of position  umps latch  ars off  light blow  lagazine capacity wrong  flagazine capacity wrong  flagazine loads hard  opens hard  ulls hard	ore-end cracked or broken  ollows-down  alls to feed from magazine  lat firing pin  ires on safe  ires when safe is released  las cyl shot off  ligh pressure ammo  lard under extractor  it. latch out of position  it. latch stud broken  at. latch spring out of position  tumps latch  large off  light blow  lagazine capacity wrong  flagazine capacity wrong  flagazine loads hard  opens hard  ulls hard	ore-end cracked or broken ollows-down alls to fire alls to feed from magazine all to feed from magazine all to feed from magazine alls to feed from magazine	ore-end cracked or broken:  ollows-down  alls to freed from magazine  2


PSM.	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work	- 344						
RIC 🤻	Rings in chamber							
SBC	Stems bottom chambers	25						
SBCL	Shell binds carrier latch		ille.					
SBE	Stems bbl extension			Occ.				
SCB	Stock cracked or broken	779					1	
SCX	Shell catches							
SHI	Short indent	4						
SIC	Stems in chamber							
SL	shaves lead					ie.		
SLC	Stems left side of chamber	10						
SMOC	Stretch marks on case					****		
SRC	Stems right side of chamber							1100
SRIC	Specific rings in chamber						ř	
SSC	shell stems carrier							
STC	Stems top chamber							<b>8</b>
SWE	Safety switch works too easily					2000		
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard							






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


	100000000000000000000000000000000000000	*********												
Summa	ary	Total	Test ± f	Proof Failures	126	1								
			<b>7</b> 1	otal Rejected:	8	6								
			Overal	l Reject Rate:	6.8	2								
		Proof		Shot:	<u>4</u> 5	30	29				113		559	
	*******	Proof		Rejected	0	o 0	0	0	0	0	0	0	0	0
	***************************************			Percent.	0.0	0.0	0.0				0.0		0.0	
				Shot	96		. 26				115	34	559	
		Test	₩.	Rejected	5 <del>4</del> 56.3	Ø	3 11.5	0	0	0	14	15	0	0
				Shot: Rejected Percent: Shot: Rejected Percent: Shot:	56.3	46666666	20000000				12.2	44.1	0.0	
				Shot:		.888887	18888		An.					
		Target		Rejected:	0	0		<b>000</b>	0	0	0	0	0	0
		<b>J</b>		Percent:		0	0	0	v					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000		¥ 28		
AB	Action binds	1				88				<b>***</b>	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver	3									
CD	Case dented										
СН	Closes hard										

			1							
<b>.</b>										
work	1									
i	15						3	1		
				Zzo.						
	***									
	â.									
								80.		
oer	6		1		7.488			3		
				***************************************				*****		
nber							6			1100
er						***		22/20/20	ř	
			2					2010/01/2015		<b>8</b>
easily								2,000		
hard									*****	
(										
			***************************************							
			-							
		se work 1  s 15  ber 6  mber er  easily hard	se work 1  s 15  ber 6  niber  easily hard	se work 1  s 15  ber 6 1  niber er  easily hard	se work 1  15  ber 6 1  niber  er  2  easily hard	se work 1  1 15  ber 6 1  niber er  easily hard	se work 1  5 15  ber 6 1  niber er 2  easily hard	se work 1 3 3 3 15 3 3 3 15 3 3 3 15 3 3 3 3 3	se wark 1  5 15 3 1  Der 6 1 9  nber 9  easily hard	se

XHB.	Extractor hits bis									
										•
HI	High				-					
LO	Low									1
LEFT	Left									1
RIGHT	Right									
DG	Doesn't Group			lin.						
FSST	Front sight tipped	***								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	Á								
FSTR	Front sight raised					lo				
FSTL	Front sight loose						800.			
RSTL	Rear sight loose							<b></b>		
MGPT-G	Missing parts at target						*****			
UNCN-G	Uncoded nonconformity at target								1	
					**************************************			<u> </u>		- 200
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof						2008			
BLP-P	Blanked primer at proof							****		
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									] ****
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof		-							
FF-P	Fails to fire at proof									





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	2000000000	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~												
Summa	any	Total		oof Failures	116	5								
			701	al Rejected:	6	1								
			Overall	Reject Rate:	5.24	4								
				Shot:	161	75	26				12		401	
	********	Proof	<i>3</i> 337 33	Rejected	0	Sec. 9	0	0	0	0	0	0	0	0
	***************************************			Shot: Rejected Percent: Shot Rejected Percent:	0.0	0.0	0.0				0.0		0.0	
				Shat	121	22	27				10		390	
		Test	*	Rejected	38 31:4	15	8	. 0	0	0	0	0	1	0
		,	3	Pergent:	31:4	15 68.2	8 22.2				0.0		0.3	
				ંડાવળ			<b>.</b>	1988	Ac.					
		Target		Rejected:	0	0	0	0	0	0	0	0	0	0
				Percent:						990a				


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///	. 25%.	200000		¥ 286		
AB	Action binds					88				<b>333</b> 1	
ASFB	Action spring follower binds										illion.
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber			***************************************						Á	
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position			***************************************						, .	
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading			-							
CC	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR	Guts rim									
cs	Cases swell									
CTOG	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	***								
DBB	Doesn't blow back	1		1						
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		33.55				<b>.</b>	200.		
DE	Doesn't eject					. 488.				
DEL	Doesn't eject live round									
DFU	Doesn't feed up	1								11000
DLO	Doesn't lock open (after last shell)	1				·			ř	
DLU	Doesn't lock-up	1								
DS	Dead safe									<b>8</b>
DSM	Drops shell-magazine	2						2000		
DTL	Doesn't trip latch		1							
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell	1								
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect			-						
FCB	Fore-end cracked or broken:									
FD	Follows-down	30.								
FF	Fails to fire									
FFM	Fails to feed from magazine	1								
FFP	Flat firing pin									
FOS	Fires on safe				On.					
FSR	Fires when safe is released	119								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off	Ä								
HPA	High pressure ammo									
HUE	Hard under extractor		2000					200.		
ILOP	Int. latch out of position					7,000				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									11000
ILSP	Int. latch spring out of position					·			Š.	
JL	Jumps latch	6	11							
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower cut of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible			1						

PSM /	Proof stamp mussing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	34.								
RIC	Rings in chamber									
SBC	Stems bottom chambers	12								
SBCL	Shell binds carrier latch			2000						
SBE	Stems bbl extension				Zo.					
SCB	Stock cracked or broken	- 179				,				
SCX	Shell catches	,								
SHI	Short indent	Ä								
SIC	Stems in chamber									
SL	shaves lead		2000					Sey.		
SLC	Stems left side of chamber	11			2000.	2,488.				
SMOC	Stretch marks on case							****		
SRC	Stems right side of chamber					***************************************				111000
SRIC	Specific rings in chamber								ř	
ssc	shell stems carrier									
STC	Stems top chamber		3	5						Ø
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									

((((((((((((((((((((((((((((((((((((((											_
Extractor hits bist											
											_
High	20					-					
Low						-					
Left						-					
Right						-					
				Steel							
	118										
Rear sight tipped											
Rear sight base raised	- A										
Front sight raised											
Front sight loose								80.			
Rear sight loose					1,488						
Missing parts at target					**************************************			*****			
Uncoded nonconformity at target										<i>M</i>	
		_				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					_
Assembly incompleye at proof									l d		
Blows cases at proof										2	
Barrel extension broken at proof								2,000			
Blanked primer at proof									****		
Blown primer at proof										****	
Barrel split at proof											
Doesn't lock over shells at proof											
Ejector sticks back at proof											
Fore-end cracked at proof											
Fore-end shot off at proof											
Fails to fire at proof						-					
	High Löwr Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof	High  Low  Left  Right  Doesn't Group  Front sight tipped  Rear sight base raised  Front sight raised  Front sight loose  Rear sight loose  Missing parts at target  Uncoded nonconformity at target  Uncoded nonconformity at target  Assembly incompleye at proof  Blows cases at proof  Barrel extension broken at proof  Blown primer at proof  Blown primer at proof  Barrel split at proof  Doesn't lock over shells at proof  Fore-end cracked at proof  Fore-end shot off at proof	High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blown primer at proof Barrel split at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Lew Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Blanked primer at proof Blown primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target Elows cases at proof Blows cases at proof Blanked primer at proof Blown primer at proof Blown primer at proof Elown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Löw Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blown primer at proof Brore-end cracked at proof Fore-end cracked at proof Fore-end shot off at proof	High Law Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight rose Rear sight loose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Blown primer at proof Blown primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Blanked primer at proof Blanked primer at proof Blown primer at p	High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target  Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blarrel split at proof Barrel split at proof Barrel split at proof Egetor sticks back at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end cracked at proof Fore-end cracked at proof Fore-end shot off at proof






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary


Total Test + Proof Failures


159

Summary	Te	otal Rejected: I Reject Rate: Shot: Rejected: Percent:	1.89 1.89	12 0	83 0 0.0	0	0	0	0	0	68 0 0.0	0
	Test	Shat Rejected Percent	0	j j	0	0	0	0	0	0	68 1 1.5	0
	Target	Shipt: Rejected: Percent:	0	0	0	O	0	0	0	o	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						2000					S	
АВ	Action binds					***************************************						
ASFB	Action spring follower bind	ls							<u> </u>			
BABS	Bulge at body shoulder										Ÿ.	
BAC	Burr at chamber										,	
BB	Bolt binds/catches								100			
BCOE	Bolt catches on ejector									****		
BC	Blows cases											
BLOP	Bar lock or disconnector of	ut of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl suppor	t-feeding										
CBS-L	Shells catch on bbl suppor	t-loading										
CC	Carrier catches on shells,n	nag,receiver										
CD	Case dented											
сн	Closes hard											


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR	Cuts.rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	1.8								
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		77.43					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				1100
DLO	Doesn't lock open (after last shell)								×	
DLU	Doesn't lock-up									
DS	Dead safe									× 4
DSM	Drops shell-magazine							2004		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									


FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- <del>- 24</del>								
FF 💮	Fails to fire									
FFM	Fails to feed from magazine		<b>***</b>							
FFP	Flat firing pin			200.						
FOS	Fires on safe				Za.					
FSR	Fires when safe is released	114								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo			·			ä			
HUE	Hard under extractor						<b>*</b>	500.	1	
ILOP	Int. latch out of position					2,445.				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>-</i>
ILSP	Int. latch spring out of position					*			bbo	
JL	Jumps latch									
JO	Jars off									<b>8</b> 4
LB	Light blow							2008		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower cut of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									
OH PH	Opens hard Pulls hard									





Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		20000	<b>8</b> <i>8</i>	# 2000		
AB	Action binds			1		88				<b>****</b>	
ASFB	Action spring follower binds										2000
BABS	Bulge at body shoulder					,				*	
BAC	Burr at chamber			***************************************						ĺ	
вв	Bolt binds/catches							. 2000			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard				·						

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	300.								
CR 🤍	Cuts rim									
cs	Cases swell		<b>***</b>							
стос	Chamber torn or gouged									
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	118								
DBB	Doesn't blow back			1						
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		773					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up									1100
DLO	Doesn't lock open (after last shell)					·			×	
DLU	Doesn't lock-up									
DS	Dead safe									× 4
DSM	Drops shell-magazine							2004 <u>\$</u>		
DTL	Doesn't trip latch			1						
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

PSM.	Proof stamp mussing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	300.							
RIC 🤻	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch			2000					
SBE	Stems bbl extension				Zo.				
SCB	Stock cracked or broken	119							
scx	Shell catches								
SHI	Short indent								
SIC	Stems in chamber								
SL	shaves lead		33.65				eo.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11000
SRIC	Specific rings in chamber							Š.	
SSC	shell stems carrier								
STC	Stems top chamber								<b>2</b>
SWE	Safety switch works too easily						300		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								***************************************
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								

	//////////////////////////////////////							 		_
XHB.	Extractor hits bibl									
										_
HI 🐰	High	200		***************************************			***************************************			
LO 🦠	LOW			***************************************			-			
LEFT	Left						-			
RIGHT	Right			:: :::::::::::::::::::::::::::::::::::			-			
DG	Doesn't Group				Star.					
FSST	Front sight tipped	***					-			
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	<u></u>								
FSTR	Front sight raised					<u></u>	***			
FSTL	Front sight loose		2006					800.		
RSTL	Rear sight loose					7,445				
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target								<i>2002</i>	
							****			
AI-P	Assembly incompleye at proof						-			
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof							2004		
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									





Subject to Protective Order - Williams v. Remington













Subject to Protective Order - Williams v. Remington

Summ	ary	Total	Test ±	Proof Failures	1077	,								
			<i></i>	otal Rejected:	68	}								
		20000	Overa	otal Rejected: Il Reject Rate:	6.31	!								
	- *****.			Shot: Rejected Percent Shat: Rejected Percent	<b>3112</b>		70				107	21	495	
	*********	Proof		Rejected	0 0.0	0	0	0	0	0	0	0	0	0
				Percent			0.0				0.0	0.0	0.0	
				Shøt:	<u>1</u> 34	21	23	3			130		495	
		Test	₩.	Rejected	41 30.6	13	3 13.0	0	0	0	5	0	5	O
				Per <b>ce</b> nt:	30.6	13 51.9	39999999 1990	. 0.0			3.8		1.0	
				Shot:			<b>.</b> ₩888	1988	Ar.					
		Target		Rejected:	0	0	- O	<b>0</b>	0	0	0	0	0	0
				Percent:	di di	0	0	0	· ·					

			99 <i>007 - 490</i> 9	9000	2000000 50	99999 1199899	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///4						
AB	Action binds			1		22				<b>3</b> 1	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									i	
BB	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									1	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver	1	1								
CD	Case dented										
сн	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	300.								
CR	Guts rim									
cs	Cases swell		<b></b>							
стос	Chamber torn or gouged			2000						
СТР	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	118								
DBB	Doesn't blow back	1		1						
DCS	Double click in safely switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		20,46							
DE	Doesn't eject								La	
DEL	Doesn't eject live round									
DFU	Doesn't feed up	4				***************************************				11/02
DLO	Doesn't lock open (after last shell)						2		ř	
DLU	Doesn't lock-up									
DS	Dead safe									<b>2</b> 4
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									






Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	///////////													
Summa	any	Total	Test + Pr	oof Failures	102	?3								
			Tot	al Rejected:	4	6								
			Overall	Reject Rate:	4.5	50								
		Proof		Shot: Rejected Percent Shot Rejected Percent	<u>26</u>	14							198	
	*******	Proof		Rejected	<b>0</b> 0.0	<i>0</i>	0	0	0	0	0	0	0	0
				Percent:	0.0	0.0	Sec.						0.0	
		*		Committee Shafe	‱: <u>1</u> 10 -	13	.32						198	
		Test		Rejected	39 35.5	. <b>I</b>	0	O	0	0	0	0	0	0
			900	Rejected Percent: Shat: Rejected:	35.5	* 356055506	0.0						0.0	
				Shot:		1.8888	<b>1</b> 00000	[*****	Av.					
		Target		Rejected:	0	<i></i> 0	O	<b>0</b>	0	0	o	О	0	0
		•		Percent:		0	0	0						
	•							0.222.0.222.0			,	1	1	

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///3/	. 25%.	200000	<b>1</b> 8 28	¥ 28		
AB	Action binds	1				88				<b>***</b>	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber			***************************************						Á	
вв	Bolt binds/catches							19992			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out							***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading			-							
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR	Cuts.rim									
cs	Cases swell		<b>*</b>							
стос	Chamber torn or gouged			200.						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	**4								
DBB	Doesn't blow back	1								
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		2000					90.		
DE	Doesn't eject	3				. 488.				
DEL	Doesn't eject live round									
DFU	Doesn't feed up									Mar
DLO	Doesn't lock open (after last shell)					·			ř	
DLU	Doesn't lock-up	1								
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FCB

FD

FF

FFM

FFP

FOS

FSR

Fails to connect

Follows-down

Fails to fire

Flat firing pin

Fires on safe

Fore-end cracked or broken


Fails to feed from magazine

Fires when safe is released

4

	POSSO								
PSM.	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	With the second							
RIC	Rings in chamber								
SBC	Stems bottom chambers	16							
SBCL	Shell binds carfier latch								
SBE	Stems bbl extension								
SCB	Stock cracked or broken	1.3							
SCX	Shell catches								
SHI	Short indent								
SIC	Stems in chamber								
SL	shaves lead		2000			Ž 20	200.		
SLC	Stems left side of chamber				2,445.			·	
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11/2/2
SRIC	Specific rings in chamber				Í			*	
SSC	shell stems carrier	4							
STC	Stems top chamber	2	7						
SWE	Safety switch works too easily						2000		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Sumn		<b>***</b>	Proof Failures otal Rejected: Il Reject Rate:	1165 89 7.64									
	Pro	of	Shot:   Rejected Percent:	317 0 0.0	93 0 0.0	0 0.0	7 0 0.0	0	0	0	10 0 0.0	264 0 0.0	0
	Tes	st .	Shat Rejected Percent:	160 49 30.6	32 17 53.1	116 4 3.4	0	0	0	0	0	264 2 0.8	0
	Tar	get	Shot: [ Rejected: Percent:	0	0		0	0	0	O	0	0	0
CODE	MA	LFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
<u> </u>							2//2/	-9%	1 2233 3	<u> </u>	× /***		


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.					
AB	Action binds										
ASFB	Action spring follower binds										2000
BABS	Bulge at body shoulder									ř.	
BAC	Burr at chamber										
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,	
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR 🤍	Cuts rim									
cs	Cases swell									
стос	Chamber torn or gouged									
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	1.3								
DBB	Doesn't blow back			1						
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up	1	773					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up	1				***************************************				11/2/2
DLO	Doesn't lock open (after last shell)								š	
DLU	Doesn't lock-up									
DS	Dead safe									× 4
DSM	Drops shell-magazine	1								
DTL	Doesn't trip latch	3		1						
DX	Doesn't extract									*****
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds								1	


11000
ž a
**///
The second constant of the second of the sec

											_
PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	341	1	1							
RIC	Rings in chamber						-				
SBC	Stems bottom chambers	19									
SBCL	Shell binds carrier latch			- Sec							
SBE	Stems bbl extension				an.						
SCB	Stock cracked or broken	· · · · ·									
SCX	Shell catches										
SHI	Short indent										
SIC	Stems in chamber						1000				
SL	shaves lead							Sto.			
SLC	Stems left side of chamber										
SMOC	Stretch marks on case										
SRC	Stems right side of chamber									11000	
SRIC	Specific rings in chamber					;			ř		
SSC	shell stems carrier	2									. ا
STC	Stems top chamber									<b>*</b>	
SWE	Safety switch works too easily							2000			<b> </b>
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										**
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract			***************************************							
UNCN-T	Uncoded			***************************************							
хн	Extracts hard			-			-				







Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


Summ			Test + Proof Failu Total Reject Overall Reject R	ted:	1323 70 5.29									
			Š	ot: 🏻	40	139	25	73			18	5	224	
		Proof	Rejec	ted	0	. 0	0	0	0	0	0	0	0	0
			S Rejek Pero S	æn <b>t</b>	0.0	0.0	0.0	0.0			0.0	0.0	0.0	
			S	hat 💮	134	234	.17				63		224	
	•	Test	Rejec	ted	46 34:3	11	Ø 9.0	. 0	0	0	3	0	0	0
			Rejed Perd	ent:	34.3	11 4.7	36696666 11966				4.8		0.0	
				qot:		16	15		75.					
		Target	Rejec		0	0	0	32333 <b>6</b>	O.	0	0	0	0	0
		9	Pero	ent:	0	0 0.0	0.0	0	Ž					
CODE		4441 811	VICTION INDEV		1187		£0	1100	1100	1100	a 1100	1100	870	870

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///		200000		¥ 286		
АВ	Action binds					88				<b>*************************************</b>	
ASFB	Action spring follower binds								Â		illion.
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							1,44000			
BCOE	Bolt catches on ejector								******		
вс	Blows cases			1							
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

19										
n çase										
esn't work	1									
nbers	15						3			
			2000							
u				Zo.						
roken 🦠 🎆	***									
	- A									
							*			
								500.		
chamber	4				110000					
ase				***************************************						
chamber					**********					<i>-</i>
amber					7				×.	
	1									
r										<b>8</b> 4
s too easily								2,038		
s too har <del>d</del>									******	
t work										
ot .										
	chamber case	on case  pesrit work  1  mbers  15  jatch  on  roken  chamber  4  ase  chamber  hamber  1  s too easily s too hard t work	on case  pesrit work  1  mibers  15  jatch  on  roken  Chamber  asse  chamber  hamber  1  stoo easily s too hard t work	on case  pesn't wark  1  mibers  15  jatch  on  roken  Chamber  4  chamber  asse  chamber  1  st so easily s too hard  t work	on case  pesfit work  1  mibers  15  patch  on  roken  Chamber  4  chamber  asse  chamber  1  if  s too easily s too hard  t work	chamber  chamber  dase  fehamber  1  ar  s too easily  s too hard  t work	on case pesn't work  1  inters 15  inters 15  inters  chamber 4  chamber anamber 1  inters is too easily is too hard it work  1  inters	in case in perit work  1  In perit work  I	processe  pescrit work  1  mibers  15  3  jatch  proken  chamber  4  asse ic chamber  pamber  1  ror s too easily s too hard t work	in case inestrit work  1  inters 15  3  jatch  inter i

	//////////////////////////////////////										_
XHB.	Extractor hits bbit										
			•	•		•					•
HI	High	-00					-				
LO	LOW										
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group			(A) (B) (A) (B)	Mar.						
FSST	Front sight tipped										
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	á á									
FSTR	Front sight raised										_
FSTL	Front sight loose		77					<u> </u>			-
RSTL	Rear sight loose				- 2000.				lee.		_
MGPT-G	Missing parts at target				****			*****	<b>***</b>		
UNCN-G	Uncoded nonconformity at target					L .					
						•			<u> </u>		n 280.
AI-P	Assembly incompleye at proof										]
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof									*****	
BS-P	Barrel split at proof										]
DLOS-P	Doesn't lock over shells at proof										<b></b>
ESB-P	Ejector sticks back at proof						***************************************				
FCB-P	Fore-end cracked at proof			4							
FESO-P	Fore-end shot off at proof			***************************************							
FF-P	Fails to fire at proof										






Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	100000000	************												
Summ	ary	Total	Test + P	roof Failures	888	}								
			70	tal Rejected:	13	}								
Summ			Overall	tal Rejected: Reject Rate:	1.46	3								
				Shot: Rejected	<b>‱</b> .65	176						10	377	
	*******	Proof	<i>300</i> 3	Rejected	0	0	0	0	0	0	0	0	0	0
				Shot: Rejected Percent Shat: Rejected Percent:	0.0	0.0						0.0	0.0	
				Shot:	39	121	Ž						377	
		Test		Rejected	6 15.4	. #///	0	. 0	0	0	0	0	0	0
			,	Rejected Percent:	15.4	* 33	O						0.0	
				Shot:			<b>.</b>		As.					
		Target		Rejected:	0	O	<i></i>	<b>339</b>	7773375	0	0	0	0	0
		<b>J</b> • •		Percent:	3	0	0	0	0					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000						
АВ	Action binds					×				<b>***</b>	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder										
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							199664			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

ESS

FΑ

FΒ


Extractor stems shell

Fires automatically

Follower binds

XHB.	Extractor hits bibl									
										_
HI	High									
LO	Low									
LEFT	Left		200							
RIGHT	Right			- Sec						
DG	Doesn't Group				Øss.					
FSST	Front sight tipped	***								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	Á								
FSTR	Front sight raised									
FSTL	Front sight loose						eo.			
RSTL	Rear sight loose							<b>.</b>		
MGPT-G	Missing parts at target				******		****			
UNCN-G	Uncoded nonconformity at target								1	
								<u> </u>		
AI-P	Assembly incompleye at proof									
вс-Р	Blows cases at proof								<b>2</b>	
BEB-P	Barrel extension broken at proof						2008			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof			***************************************						
















Subject to Protective Order - Williams v. Remington

200												
Summary	Total	Test + Proof Failures Total Rejected: Overall Reject Rate:	382 11 2.88									
	Proof	Rejected Percent.	82 0 0.0	0	0	55 0 0.0	0	0	0	0	213 0 0.0	0
	Test	Shøt Rejected Pergant:	31 4 12.9	2 0 0.0	0	40 2 .5.0	0	0	0	0	213 0 0.0	0
	Target	Shot:	0	0	0	Ø	0	0	0	0	0	0
CODE	MALFU	NCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///		200000		¥ 286		
АВ	Action binds					88				<b>*************************************</b>	
ASFB	Action spring follower binds								Â		illion.
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							19900			
BCOE	Bolt catches on ejector								*****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										


CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR	Cuts.rim								
cs	Cases swell		<b></b>						
стос	Chamber torn or gouged			2000					
CTP	Creepy trigger pull				On.				
CWSB	Cams wrong side of action bar	1.8							
DBB	Doesn't blow back	1							
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		77.43				<u> </u>		
DE	Doesn't eject				.1			100	
DEL	Doesn't eject live round								
DFU	Doesn't feed up	2							11/2/2
DLO	Doesn't lock open (after last shell)							8	
DLU	Doesn't lock-up								
DS	Dead safe								3 4
DSM	Drops shell-magazine						2004 <u>\$</u>		
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								


FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	30.								
FF	Fails to fire									
FFM	Falls to feed from magazine	1	<b>***</b>							
FFP	Flat firing pin			- in the second						
FOS	Fires on safe				ilio.					
FSR	Fires when safe is released	- 19								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off	4								
HPA	High pressure ammo						***			
HUE	Hard under extractor							o.		
ILOP	Int. latch out of position				2000					
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken					*******				<i>M</i>
ILSP	Int. latch spring out of position						8.88%		ř	
JL	Jumps latch				1					
10	Jars off									
LB	Light blow							2003		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible			-						

PSM	Proof stamp mussing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	300 m							
RIC	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch								
SBE	Stems bbl extension			On.					
SCB	Stock cracked or broken								
scx	Shell catches								
SHI	Short indent								
SIC	Stems in chamber								
SL	shaves lead		20,44				\$\$\$.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber				***************************************				11/02
SRIC	Specific rings in chamber							Š.	
SSC	shell slems carrier								
STC	Stems top chamber								
SWE	Safety switch works too easily								
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								

XHB.	Extractor hits bibl									
					_					
HI	High	200							· Carrier Control of C	
LO	Low					-				
LEFT	Left									
RIGHT	Right								-	
DG	Doesn't Group			iio.		-				
FSST	Front sight tipped	***								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	Á								
FSTR	Front sight raised									
FSTL	Front sight loose		2000							
RSTL	Rear sight loose								-	
MGPT-G	Missing parts at target			****	**************************************					
UNCN-G	Uncoded nonconformity at target							Mar		
									. 200	
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof					-				
BEB-P	Barrel extension broken at proof						2000		<b>/</b>	
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									3
BS-P	Barrel split at proof								] 👑	
DLOS-P	Doesn't lock over shells at proof					-			- **	
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof					1				













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

Total Rejected:


Overall Reject Rate:

0

0

											_
PSM.	Proof stamp mussing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers		200								
SBCL	Shell binds carrier latch			200.							
SBE	Stems bbl extension				On.						
SCB	Stock cracked or broken	114									
SCX	Shell catches										
SHI	Short indent	4									
SIC	Stems in chamber		**								
SL	shaves lead							Xv.			
SLC	Stems left side of chamber					. 488.					
SMOC	Stretch marks on case				***************************************						
SRC	Stems right side of chamber									Mar	
SRIC	Specific rings in chamber					·			ř.		
SSC	shell stems carrier										١,
STC	Stems top chamber										
SWE	Safety switch works too easily							33038			P
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										<b> </b> **
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										

XHB.	Extractor hits bibl						-					
			_								•	
HI	High						***************************************					
LO	Low		]									
LEFT	Left											
RIGHT	Right			- Sec								
DG	Doesn't Group				ilion.		***************************************					
FSST	Front sight tipped	***										
RSTT	Rear sight tipped											
RSBR	Rear sight base raised	Á										
FSTR	Front sight raised											
FSTL	Front sight loose		779					ey.				
RSTL	Rear sight loose					× 1			terr.			
MGPT-G	Missing parts at target				*****	TYPO 000000000000000000000000000000000000						
UNCN-G	Uncoded nonconformity at target									Mar		
											//20	
AI-P	Assembly incompleye at proof											
BC-P	Blows cases at proof											
BEB-P	Barrel extension broken at proof							300				
BLP-P	Blanked primer at proof											
BP-P	Blown primer at proof											3
BS-P	Barrel split at proof											
DLOS-P	Doesn't lock over shells at proof										***	440
ESB-P	Ejector sticks back at proof											
FCB-P	Fore-end cracked at proof											
FESO-P	Fore-end shot off at proof											
FF-P	Fails to fire at proof											





Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington


	100000000	***************************************												
Sun	nmary	Total		of Failures	1414	!								
			Tota	l Rejected:	70	)								
			Overall R	l Rejected: Reject Rate:	4.95	i								
		Proof		Shot:	99	223	13	10			46		561	
	******	Proof	<i>307</i> 33	Shot: Rejected	0	0	0	0	0	0	0	0	0	0
				Shot: Rejected Percent, Shat. Rejected Percent:	0.0	0.0	0.0	0.0			0.0		0.0	
				Shot.	‱. 91	273	13	20			46		561	
		Test	**	Rejected	3 <del>4</del> 37.4	25	2 15.4	5	0	0	0	0	2	0
				Percent:	37.4	25 9 2	15.4	.25.0			0.0		0.4	
				Shot:					An.					
		Target		Rejected:	0	O		0	<i>o</i>	0	0	0	0	0
				Percent:	A A	0	0	0	0					


			800007 - 66600	80%	20093300 500	986689 TV8888	99999999				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		/////		<i>X 28</i>		
АВ	Action binds					<b>*****</b>					
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber										
вв	Bolt binds/catches							19992			
BCOE	Bolt catches on ejector								998		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									,.	
BSCO	Barrel support came out							***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading						-				
CC	Carrier catches on shells,mag,receiver	1									
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine								1	
co	Cut-off	200								
CR 🐃	Guts rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	118								
DBB	Doesn't blow back	3	- P	1	<b>****</b>					
DCS	Double click in safety switch	4								
DCT	Double click in trigger									
DCU	Doesn't close-up									
DE	Doesn't eject		1			1,465				
DEL	Doesn't eject live round									
DFU	Doesn't feed up	5	3							<i>1100</i> 22
DLO	Doesn't lock open (after last shell)					,			×	
DLU	Doesn't lock-up									
DS	Dead safe									<b>X</b> 4
DSM	Drops shell-magazine	1						200		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell	1								
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds								-	


١ .
Mar

PSM	Proof stamp missing									land	
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	30.	1	1	1						
RIC	Rings in chamber										
SBC	Stems bottom chambers	9	1,								
SBCL	Shell binds carrier latch			:88.						and the second	
SBE	Stems bbl extension				an.						
SCB	Stock cracked or broken	**									
SCX	Shell catches										
SHI	Short indent	å									
SIC	Stems in chamber						***	<u>.</u>		and the second	
SL	shaves lead		777						Sto.		
SLC	Stems left side of chamber	8									
SMOC	Stretch marks on case										
SRC	Stems right side of chamber										
SRIC	Specific rings in chamber					,				ř	
SSC	shell stems carrier										
STC	Stems top chamber		12								
SWE	Safety switch works too easily								2000		
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		Test + Proof Failures	1130									
		Total Rejected:	53									
		Overall Reject Rate:	4.69									
		Shot:	<u></u> 13	136	21	105					445	,
***	Proof	Rejected	0	0	0	0	0	0	0	0	0	0
		Shot: Rejected Percent.		0.0	0.0	0.0					0.0	
	220	Shot.	96	175	22	84					445	
	Test	Rejected	37 38:5	9	2 9.1	. 4	0	0	0	0	1	0
		Rejected Percent:	38.5	9 5.1	9.1	4.8					0.2	
		Shot:		9			da.					
	Target	Rejected:		O	0	<b>0</b>	0	0	0	0	0	0
	•	Percent:	Å	0.0								
			1187	1187	∞1187 .≾	1100	1100	200	× 1100	1100	870	870


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000		¥ 28		
AB	Action binds				****	88				<b>***</b>	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							19092			
BCOE	Bolt catches on ejector								*****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										

	0000000000								
FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	20		***************************************					
FF 🤻	Fails to fire								
FFM	Fails to feed from magazine	2	\$20.						
FFP	Flat firing pin			:300					
FOS	Fires on safe				₩.				
FSR	Fires when safe is released	***							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off	- A							
HPA	High pressure ammo					***			
HUE	Hard under extractor						50c.		
ILOP	Int. latch out of position								
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								11/02
ILSP	Int. latch spring out of position					3.555 3.555		ř	
JL	Jumps latch	7	5						
JO	Jars off								
LB	Light blow						****		
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard	5						1	
он	Opens hard								
PH	Pulis hard								
PSI	Proof stamp illegible			***************************************					

PSM

Proof stamp mussing





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

ВВ

вс

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

Bolt binds/catches

Blows cases

Case dented

Closes hard

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading


Carrier catches on shells,mag,receiver


Summ		est + Proof Failures Total Rejected: Overall Reject Rate:	916 40 4.37									
	Proof	Shot: Rejected Percent.	53 Ø 0.0	111 0 0.0	9 0 0.0	15 0 0.0	0	0	0	0	389 0 0.0	0
	Test	Shat Rejected Percent:	92 29 31:5	117 5 4.3	0	23 2 .8.7	0	0	0	o	389 1 0.3	0
	Target	Shut: Rejected: Percent:	0	0	0	Ö	0	0	0	O	0 0.0	0
CODE	MALFUN	CTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds										<b>*</b>	
ASFB	Action spring follow	ver binds										
BABS	Bulge at body shou						:				×	
BAC	Burr at chamber										Á	

Carrier hits action bar			***************************************							
Can't laod magazine		1								
Cut-off	- 00		***************************************							
Cuts rim			***************************************							
Cases swell		200								
Chamber torn or gouged										
				ala.						
Cams wrong side of action bar	***						***************************************			
Doesn't blow back										
Double click in safety switch										
Double click in trigger										
Doesn't close-up										
Doesn't eject	1				1,388					
Doesn't eject live round				****						
Doesn't feed up	2				*******					<i>M</i>
Doesn't lock open (after last shell)				1	;				ř.	
Doesn't lock-up									Á	
Dead safe										
Drops shell-magazine	1							2000	60000000	
Doesn't trip latch									****	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds			***************************************							
	Cut-off Citts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safely switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Citts-riers Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 1 Doesn't eject live round Doesn't feed up 2 Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't extract Doesn't extract Doesn't extract Ejector sticks back Extractor stems shell Fires automatically	Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject 11 Doesn't feed up 2 Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine  Cut-off  Cits rim  Cases swell  Chamber torn or gouged  Creepy trigger pull  Cams wrong side of action bar  Doesn't blow back  Double click in safety switch  Double click in trigger  Doesn't eject  Doesn't eject live round  Doesn't feed up  Doesn't lock open (after last shell)  Doesn't lock-up  Dead safe  Drops shell-magazine  Doesn't extract  Doesn't extract  Doesn't extract live round  Extractor drops shell  Ejector sticks back  Extractor stems shell  Fires automatically	Can't laod magazine 1  Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 1  Doesn't eject 1  Doesn't feed up 2  Doesn't feed up 2  Doesn't lock open (after last shell) 1  Doesn't lock-up Dead safe Drops shell-magazine 1  Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine 1  Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 1  Doesn't eject live round Doesn't feed up 2  Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine 1  Doesn't trip latch Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine 1 Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 1 Doesn't eject 1 Doesn't eject live round Doesn't feed up 2 Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cits rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject 11 Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't fock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Cart laod magazine Cut-off Cuts rien Cases swell Chamber forn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl taod magazine Cut-off Cits rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't edu up Doesn't ject live round Doesn't leck open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't stract ive round Doesn't extract live round Doesn't extract live round Doesn't extract of crops shell Extractor of gross shell Ejector sticks back Extractor stems shell Fires automatically

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200								
RIC 🐃	Rings in chamber									
SBC	Stems bottom chambers	7	<b>***</b>		1					
SBCL	Shell binds carrier latch			200.						
SBE	Stems bbl extension				Ore.					
SCB	Stock cracked or broken	114							1	
SCX	Shell catches									
SHI	Short indent									
sic	Stems in chamber			·			ä			
SL	shaves lead		10000					50v.		
SLC	Stems left side of chamber					2,445.				
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									11000
SRIC	Specific rings in chamber					;			<b>.</b>	
SSC	shell stems carrier									
STC	Stems top chamber	4	3							<b>2</b>
SWE	Safety switch works too easily							2008		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									
TWP TWR UNCN-T	Trigger won't pull Trigger won't retract Uncoded									

				 					_
XHB.	Extractor hits bist								
									_
HI	High	200				***************************************			
LO	Low					-			
LEFT	Left					***************************************			
RIGHT	Right								
DG	Doesn't Group			illon.					
FSST	Front sight tipped	***							
RSTT	Rear sight tipped								
RSBR	Rear sight base raised	Ž.							
FSTR	Front sight raised								
FSTL	Front sight loose		.000				Sec		
RSTL	Rear sight loose			2000	1,488				
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target							1000	
						·			<b>,</b> .685.
AI-P	Assembly incompleye at proof					-			<b>│</b>
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof					***************************************	2000		
BLP-P	Blanked primer at proof								
BP-P	Blown primer at proof								<b>│</b> <sup>™</sup>
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								Ĭ
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof								
FF-P	Fails to fire at proof								






Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading


Carrier catches on shells,mag,receiver


Summ		+ Proof Failures Total Rejected: erall Reject Rate:	0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Pergant:	0	0	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	0	0	0	0	O	0	0
CODE	MALFUNCTI	ON INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
	***************************************						7300					
AB	Action binds					17000000						
ASFB	Action spring follower I	binds										
BABS	Bulge at body shoulder	ſ					;				ľ	

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell		<b></b>							
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- <del>- 24</del>								
FF 👋	Fails to fire									
FFM	Fails to feed from magazine		<b>***</b>							
FFP	Flat firing pin			2000						
FOS	Fires on safe				On.					
FSR	Fires when safe is released	14								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off	- A		<b>*</b>						
HPA	High pressure ammo						*			
HUE	Hard under extractor							500.		
ILOP	Int. latch out of position					7.488				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>-</i>
ILSP	Int. latch spring out of position					,			bbu	
JL	Jumps latch								<u></u>	
JO	Jars off									<b>8</b> 4
LB	Light blow							2008		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									
MFOP MLH OH PH	Magazine follower out of position  Magazine loads hard  Opens hard  Pulls hard									

											_
PSM.	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	200									
RIC	Rings in chamber										
SBC	Stems bottom chambers		200								
SBCL	Shell binds carrier latch			:8a.							
SBE	Stems bbl extension				Mar.						
SCB	Stock cracked or broken	· ·									
SCX	Shell catches										
SHI	Short indent										
SIC	Stems in chamber						*				
SL	shaves lead							So.			
SLC	Stems left side of chamber					7.488					
SMOC	Stretch marks on case				***************************************						
SRC	Stems right side of chamber									Mar	
SRIC	Specific rings in chamber								ř		
SSC	shell stems carrier										1,
STC	Stems top chamber									<b>*</b>	
SWE	Safety switch works too easily							2000 B			#
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										<b>↓</b> ~~
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver


Summ		Proof Failures Total Rejected: all Reject Rate:	0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected Percent:	0	Ø	0	0	0	0	0	0	o	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	o	0	0
CODE	MALFUNCTION	N INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds		_									
ASFB	Action spring follower bir	nds				***************************************						Militar.
BABS	Bulge at body shoulder											


CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	36.							
CR W	Cuts rim								
cs	Cases swell								
стос	Chamber torn or gouged								
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar	1.8							
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		1004			<b>*</b>	89.		
DE	Doesn't eject							101.	
DEL	Doesn't eject live round								
DFU	Doesn't feed up								11/02
DLO	Doesn't lock open (after last shell)							8	
DLU	Doesn't lock-up								
DS	Dead safe								× 4
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								полити
FA	Fires automatically								
FB	Follower binds								

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	200							
FF **	Fails to fire								
FFM	Fails to feed from magazine								
FFP	Flat firing pin								
FOS	Fires on safe								
FSR	Fires when safe is released								
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off								
HPA	High pressure ammo								
HUE	Hard under extractor		2000				igo.		
ILOP	Int. latch out of position								
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								111/2/2
ILSP	Int. latch spring out of position				·			Š	
JL	Jumps latch								
JO	Jars off								<b>2</b> 4
LB	Light blow						2004		
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								*******
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

			 ,						
PSM.	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	- <del>- 24</del> 2.							
RIC	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch		2000						
SBE	Stems bbl extension			On.					
SCB	Stock cracked or broken	- 13							
SCX	Shell catches								
SHI	Short indent	Ä							
SIC	Stems in chamber								
SL	shaves lead						ie.		
SLC	Stems left side of chamber				. 488.			···	
SMOC	Stretch marks on case			***					
SRC	Stems right side of chamber				*****				11000
SRIC	Specific rings in chamber				,			<b>*</b>	
SSC	shell stems carrier								
STC	Stems top chamber								<b>*</b>
SWE	Safety switch works too easily						2000		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard		***************************************						

											_
XHB.	Extractor hits bbl										
			•	•							_
HI	High						-				
LO	LOW						-				
LEFT	Left						-				
RIGHT	Right			- Sec			-				
DG	Doesn't Group				2000.						
FSST	Front sight tipped	*14									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	Į į									
FSTR	Front sight raised		<b>**</b>				***				
FSTL	Front sight loose		200					Sey.			
RSTL	Rear sight loose				2000	. 488.					
MGPT-G	Missing parts at target							****			
UNCN-G	Uncoded nonconformity at target									<i>Mar</i>	
							•		<u> </u>		_
AI-P	Assembly incompleye at proof						-				] ,
BC-P	Blows cases at proof										48
BEB-P	Barrel extension broken at proof						***************************************	2000			#
BLP-P	Blanked primer at proof										1
BP-P	Blown primer at proof										_ ```
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof			-							
FF-P	Fails to fire at proof						-				





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CBS-F

CBS-L

CC

CD

СН

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Case dented

Closes hard


Carrier catches on shells,mag,receiver


Mari	Total Test + Pro		0									
		al Rejected: Reject Rate:	o									
		Shot:	Hillion.									
	Proof	Rejected Percent.	0	0	0	0	0	0	0	0	0	0
		0997000999			l							
	Test	Rejected Pergent:	0	0	0	0	0	0	0	О	0	0
	<del>-</del> .	Shat: Rejected:	0	) 	0	0	<b>0</b>	0	0	0	0	0
	Target	Percent:		Ü			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		U	U	Ū	Ü
CODE	MALFUNCTION IN	IDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						2000		/////				
AB	Action binds											
ASFB	Action spring follower binds						******					1000
BABS	Bulge at body shoulder											
BAC	Burr at chamber											
вв	Bolt binds/catches								1997			<b>*</b>
BCOE	Bolt catches on ejector											
	12010 000001100 011 030 000											177777777
вс	Blows cases											
BC BLOP		of position										
	Blows cases	of position										

ails to connect										
ore-end cracked or broken:										
ollows-down	344									
ails to fire										
ails to feed from magazine		<b>*</b>								
lat firing pin		· ·	200.							
				War.						
ires when safe is released	***									
Gas cyl shot off										
Guide ring shot off										
ligh pressure ammo							8			
lard under extractor		10000						50v.		
nt. latch out of position					2,445.					
nt. latch ret. Missing				***************************************						
nt. latch stud broken										Miller
nt. latch spring out of position					·			2000	ř	
umps latch										
ars off									1000000	<b>*</b> 4
ight blow								2,000		
Aagazine cap shot off									2000 E	
Magazine capacity wrong										
Aisfires (ammo)										
Magazine follower out of position										
Aagazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	ore-end cracked or broken:  ollows-down  iils to fire:  ails to feed from magazine  at firing pin  res on safe  res when safe is released  as cyl shot off  uide ring shot off  igh pressure ammo  ard under extractor  t. latch out of position  t. latch stud broken  t. latch spring out of position  umps latch  ars off  ght blow  agazine cap shot off  agazine capacity wrong  isfires (ammo)  agazine loads hard  pens hard  uills hard	ore-end cracked or broken:  ollows-down  iits to fire  aits to feed from imagazine  at firing pin  res on safe  res when safe is released  as cyl shot off  uide ring shot off  igh pressure ammo  ard under extractor  t. latch out of position  t. latch stud broken  t. latch spring out of position  umps latch  ars off  ght blow  agazine cap shot off  agazine capacity wrong  isfires (ammo)  agazine loads hard  pens hard  uills hard	ore-end cracked or broken:  ollows-down  itils to fire:  alls to feed from magazine at firing pin res on safe res when safe is released as cyl shot off uide ring shot off igh pressure ammo and under extractor t. latch out of position t. latch stud broken t. latch spring out of position umps latch ars off ght blow agazine cap shot off agazine capacity wrong isfires (ammo) agazine loads hard pens hard uills hard	bre-end cracked or broken:  billows-down  bills to fire  billows-down  bills to feed from magazine at firing pin res on safe res when safe is released as cyl shot off uide ring shot off uide ring shot off gip pressure ammo and under extractor t. latch out of position t. latch stud broken t. latch stud broken t. latch spring out of position amps latch ars off gipt blow agazine capacity wrong isfires (ammo) agazine loads hard pens hard uills hard	ore-end cracked or bisken:  billows-down  bills to:fire  at firing pin  res on safe  res when safe is released  as cyl shot off  uide ring shot off  gip pressure ammo  and under extractor  t. latch out of position  t. latch stud broken  t. latch stud broken  t. latch spring out of position  umps latch  ars off ght blow  agazine capacity wrong  agazine (ammo)  agazine loads hard  pens hard  uills hard	ore-end cracked or broken:  oblows-down  itils to fire  itils to feed from magazine  at firing pin  res on safe  res when safe is released  as cyl shot off  uide ring shot off  gh pressure ammo  ard under extractor  t. latch out of position  t. latch ret. Missing  t. latch stud broken  t. latch spring out of position  imps latch  ars off ght blow  agazine cap shot off  agazine capacity wrong  isfires (ammo)  agazine loads hard  pens hard  uills hard	pre-end cracked or broken:  pollows-down  pills to fife  pills to fife  pills to freed from magazine  at firing pin  res on safe  res when safe is released  as cyl shot off  uide ring shot off  gip pressure ammo  and under extractor  t. latch out of position  t. latch ret. Missing  t. latch stud broken  t. latch spring out of position  umps latch  pers off ght blow  agazine cap shot off  agazine capacity wrong  isfires (ammo)  agazine loads hard  pens hard  uits hard	ore-end cracke@ or bitoken:  ollows-down  ills to:fire  alls to feed from magazine at firing pin res on safe res when safe is released as cyl shot off uide ring shot off gh pressure ammo ard under extractor t. latch out of position t. latch stud broken t. latch stud broken t. latch spring out of position myps latch mis off ght blow agazine cap shot off agazine capacity wrong isfires (ammo) agazine loads hard pens hard uits hard	pre-end crapked or broken: pllows-down ills to freed from magazine at firing pin res on safe res when safe is released as cyl shot off uide ring shot off gip pressure ammo ard under extractor t. latch out of position t. latch ret. Missing t. latch stud broken t. latch spring out of position mys latch ars off gift blow agazine cap shot off agazine capacity wrong sisfires (ammo) agazine loads hard pens hard uits hard	ore-end cracked or bjoken:  ollows-down  ills to:fir8  ills to:fir8  ills tredifing bin  res on safe  res on safe  res when safe is released  as cyl shot off  uide ring shot off  gip pressure ammo  and under extractor  t. latch out of position  t. latch ret. Missing  t. latch stud broken  t. latch spring out of position  imps latch  ins off  ght blow  agazine capacity wrong  sifires (anmo)  agazine follower out of position  agazine loads hard  pens hard  uils hard

SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down												
REDIC Rings and bulges on case  RDW (Action) release doesn't work  RIC Rings in chamber  SBC Stems bofton chambers  SBCL Shell binds carrier tatch  SBE Stems bbl extension  SCB Stock cracked or broken  SCX Shell catches  SHI Short indent  SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SSC shell stems carrier  STC Stems top chamber  SSC Stems fly switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh work work  TD Tips down	PSM.	Proof stamp mussing					-					
RIC Fitings in Chamber SBC Stems bottom chambers SBCL Shell binds carrier latch SBE Stems bbl extension SCB Stock cracked or broken SCX Shell catches SHI Short indent SIC Stems in chamber SL shaves lead SLC Stems left side of chamber SL Stems right side of chamber SMOC Stretch marks on case SRC Stems right side of chamber SRIC Specific rings in chamber SSC shell stems carrier STC Stems top chamber STC Stems top chamber SWE Safety switch works toe easily SWH Safety switch works toe hard SWW Safety ewitxh won't work TD Tips down		Rings and bulges on case										
SBC Stems bottom clambers SBCL Shell binds carrier latch SBE Stems bbl extension SCB Stock cracked or broken SCX Shell catches SHI Short indent SIC Stems in chamber SL shaves lead SLC Stems left side of chamber SMOC Stretch marks on case SRC Stems right side of chamber SRIC Specific rings in chamber SRIC Specific rings in chamber SRIC Stems top chamber SRIC Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh won't work TD Tips down	RDW	(Action) release doesn't work										
SBCL Shell binds carrier; atch  SBE Stems bbl extension  SCB Stock cracked or broken  SCX Shell catches  SHI Short indent  SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SCS shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	RIC	Rings in chamber										
SEE Stems bbl extension  SCB Stock cracked or broken  SCX Shell catches  SHI Short indent  SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SBC											
SCB Stock cracked or broken  SCX Shell catches  SHI Short indent  SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SBCL			<u> </u>								
SCX Shell catches  SHI Short indent  SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SRIC Specific rings in chamber  SRIC Stems top chamber  SRC Stems top chamber	SBE	Stems bbl extension			Occ.		-					
SCX Shell catches SHI Short indent SIC Stems in chamber SL shaves lead SLC Stems left side of chamber SMOC Stretch marks on case SRC Stems right side of chamber SRIC Specific rings in chamber SSC shell stems carrier STC Stems top chamber STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh won't work TD Tips down	SCB		- 179			,						
SIC Stems in chamber  SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SSC shell slems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	scx	Shell catches	<u> </u>									
SL shaves lead  SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SHI	Short indent	4									
SLC Stems left side of chamber  SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SIC	Stems in chamber										
SMOC Stretch marks on case  SRC Stems right side of chamber  SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh work  TD Tips down	SL	shaves lead							Sec			
SRC Stems right side of chamber  SRIC Specific rings in chamber  SSC Shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SLC	Stems left side of chamber			- 1000 m			<b>1</b> 0000 0000000				
SRIC Specific rings in chamber  SSC shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SMOC	Stretch marks on case			*******							
SSC Shell stems carrier  STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SRC	Stems right side of chamber									## P	
STC Stems top chamber  SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	SRIC	Specific rings in chamber										
SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh won't work TD Tips down	SSC	shell stems carrier					-					
SWE Safety switch works too easily  SWH Safety switch works too hard  SWW Safety ewitxh won't work  TD Tips down	STC	Stems top chamber								400		4
SWW Safety ewitxh won't work  TD Tips down	SWE	Safety switch works too easily					***************************************		11000000	40000000		#
TD Tips down	SWH	Safety switch works too hard								****		
	sww	Safety ewitxh won't work									*****	┛゙
TU Tips up	TD	Tips down										
1.45 %	TU	Tips up										
TWP Trigger won't pull	TWP	Trigger won't pull										
TWR Trigger won't retract	TWR	Trigger won't retract										
UNCN-T Uncoded	UNCN-T	Uncoded										
XH Extracts hard	хн	Extracts hard					***************************************					

	//////////////////////////////////////										_
XHB.	Extractor hits bbit										
			•	•		•					•
HI	High	-00					***************************************				
LO	LOW										
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group			000000000000000000000000000000000000000	Mar.						
FSST	Front sight tipped										
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	á á									
FSTR	Front sight raised										_
FSTL	Front sight loose		77					<u> </u>			-
RSTL	Rear sight loose				- 2000.				lee.		_
MGPT-G	Missing parts at target				****			*****	<b>***</b>		
UNCN-G	Uncoded nonconformity at target					L .					
						•			<u> </u>		n 280.
AI-P	Assembly incompleye at proof										]
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof									*****	
BS-P	Barrel split at proof										]
DLOS-P	Doesn't lock over shells at proof										<b></b>
ESB-P	Ejector sticks back at proof						***************************************				
FCB-P	Fore-end cracked at proof			4							
FESO-P	Fore-end shot off at proof			***************************************							
FF-P	Fails to fire at proof										

















Subject to Protective Order - Williams v. Remington

Summai	Tota	oof Failures al Rejected: Reject Rate:	0 0									
*	Proof	Shot: Rejected Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Shot: Rejected Percent:	0	Ø	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION IN	IDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds											




CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell		<b></b>							
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	<b>₩</b>							
FF *	Fails to fire		••						
FFM	Fails to feed from magazine								
FFP	Flat firing pin								
FOS	Fires on safe								
FSR	Fires when safe is released	ø							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off			<u></u>					
HPA	High pressure ammo								
HUE	Hard under extractor		1000				80.		
ILOP	Int. latch out of position							100.	
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken				***************************************				11/2/2
ILSP	Int. latch spring out of position				,			Š	
JL	Jumps latch								
10	Jars off								3
LB	Light blow								
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	¥6								
RIC	Rings in chamber									
SBC	Stems bottom chambers		<b>***</b>							
SBCL	Shell binds carrier latch			ille.						
SBE	Stems bbl extension				Wa.					
SCB	Stock cracked or broken									
SCX	Shell catches									
SHI	Short indent	- A								
SIC	Stems in chamber		**							
SL	shaves lead						<b>*</b>			
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber					***************************************				<i>1100</i> 00
SRIC	Specific rings in chamber								ř	
SSC	shell stems carrier									
STC	Stems top chamber									<b>8</b> 4
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	100000000	900000000000000000000000000000000000000												
Summa	ary	Total	Test ± P	roof Failures	104	2								
			T c	tal Rejected:	8	5								
			Overall	Reject Rate:	8.1	6								
		Proof		Shot:	<b></b> ≥≥29	51	21	25			15		369	
	*******	Proof	### 9	Rejected	0	0	0	0	0	0	0	0	1	0
	***************************************			Percent	0.0	0.0	0.0	0.0			0.0		0.3	
				Shot	94	32	.83	21			26		369	
		Test	₩' :	Rejected	70 74:5	. 5	2	. O	0	0	3	0	3	0
		,		Shot: Rejected Percent. Shot: Rejected Percent.	74.5	5 15.6	2 2.4	.0.0			11.5		0.8	
				્રસારા		.000000	<b>A</b> 88888		An.					
		Target		Rejected:	0	0		<b>000</b>	0	0	0	0	0	0
				Percent:		0	0	0	V					


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					1000						
АВ	Action binds					×				<b>****</b>	
ASFB	Action spring follower binds										2000
BABS	Bulge at body shoulder										
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							199664			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver	2									
CD	Case dented										
СН	Closes hard										


Carrier hits action bar										
Can't laod magazine										
Cut-off	- 00									
Cuts rim										
Cases swell		200								
Chamber torn or gouged			:3a							
				Soc.						
Cams wrong side of action bar	***									
Doesn't blow back	,									
Double click in safety switch										
Double click in trigger			* ************************************							
Doesn't close-up								ia.		
Doesn't eject	2									
Doesn't eject live round				***************************************					***************************************	
Doesn't feed up	10									<i>M</i>
Doesn't lock open (after last shell)	1					***			ř	
Doesn't lock-up		1								
Dead safe										
Drops shell-magazine		1							988888	
Doesn't trip latch		1	1						****	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell							3			
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Cut-off Citts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safely switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Citts-rier Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 2 Doesn't eject live round Doesn't feed up 10 Doesn't lock open (after last shell) 1 Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Ejector sticks back Extractor stems shell Fires automatically	Cut-off Citts.rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up 10 Doesn't lock-up 11 Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cits rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject 2 Doesn't eject 2 Doesn't feed up Doesn't feed up 10 Doesn't lock open (after last shell) 1 Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't extract	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Toesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract live round Doesn't extract live round Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber forn or gauged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject   2 Doesn't eject live round Doesn't feed up   10 Doesn't lock open (after last shell)   1 Doesn't lock-up   1 Doesn't lock-up   1 Doesn't trip latch   1   1 Doesn't trip latch   1   1 Doesn't extract live round Doesn't extract live round Doesn't extract live round Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cits rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject up Doesn't eject live round Doesn't feed up 10 Doesn't fock open (after last shell) 1 Doesn't lock-up Dead safe Drops shell-magazine 1 Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Cart laod magazine Cut-off Cuts rien Cases swell Chamber forn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject up Doesn't eject live round Doesn't feed up 10 Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up 1 Doesn't trip latch Doesn't trip latch 1 Doesn't trip latch Doesn't extract Doesn't extract live round Doesn't extract Doesn't extract shell Signal and Signal a	Carl laod magazine Cut-off Cits rim Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't edu up Doesn't ject live round Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up 1 Doesn't lock-up 1 Doesn't trip latch 1 Doesn't stract ive round Doesn't extract live round Extractor drops shell Extractor stems shell Fires automatically

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	36.								
FF 👋	Fails to fire									
FFM	Fails to feed from magazine	7	<b>***</b>							
FFP	Flat firing pin			2000						
FOS	Fires on safe				On.					
FSR	Fires when safe is released	1.8								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor		10,446				<b>*</b>			
ILOP	Int. latch out of position					1,488				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken					***************************************				11/2/2
ILSP	Int. latch spring out of position								ř	
JL	Jumps latch	7	2							
JO	Jars off									
LB	Light blow							2008		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp mussing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	20		1						
RIC	Rings in chamber			***************************************						
SBC	Stems bottom chambers	23								
SBCL	Shell binds carrier latch									
SBE	Stems bbl extension				lin.					
SCB	Stock cracked or broken	*%					***************************************			
SCX	Shell catches									
SHI	Short indent	Å					A			
SIC	Stems in chamber									
SL	shaves lead		333					io.		
SLC	Stems left side of chamber	11				2,555.				
SMOC	Stretch marks on case			***************************************						
SRC	Stems right side of chamber	3		-						
SRIC	Specific rings in chamber			***************************************		:				
SSC	shell stems carrier								,	
STC	Stems top chamber	4							3	
SWE	Safety switch works too easily							2008		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									


~~~						 					_
XHB	Extractor hits bbi										
											_
HI	High	100				***************************************					
LO	Low					-					
LEFT	Left			***							
RIGHT	Right			3866.							
DG	Doesn't Group				illon.						
FSST	Front sight tipped	***									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	Á									
FSTR	Front sight raised		<b>**</b>			***					
FSTL	Front sight loose						<b>ä</b> 38	200.			
RSTL	Rear sight loose										
MGPT-G	Missing parts at target				***************************************						
UNCN-G	Uncoded nonconformity at target									<i>M</i>	
						 **************************************			*		. 4
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof									Ø	
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof					-			1		













Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington


	2000000000													
Summa	any	Total		roof Failures	87	1								
			T c	tal Rejected:	3.	8								
				stal Rejected: Reject Rate:	4.3	6								
		Proof		Shot: Rejected	34	41	209	9		1			267	
	**********	Proof		Rejected	0	<sub>0</sub> 0	0	0	0	0	0	0	0	0
				Percent	0.0	0.0	0.0	0.0		0.0			0.0	
				Shot	<b>22</b>	52	231	28			8		218	
		Test	₩	Rejected	- 8	. 200	25	. 0	0	0	0	0	2	0
				Shot: Rejected Percent: Shat Rejected Percent:	8 36.4	46606666	25 10.8	.0.0			0.0		0.9	
				Shot				178888	Ac.					
		Target		Rejected:	0	O	- O	<b>000</b>	0	0	0	0	0	0
		<b>9 - 1</b>		Percent:		0	0	0	0	Element				

			900007 - 66690	000	20093800 000	866600 11740000	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		100000		<i>3</i>		
АВ	Action binds			3		<b>****</b> ********************************				<b>****</b>	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber										
вв	Bolt binds/catches							1999/			
BCOE	Bolt catches on ejector										r /
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out							***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver			1							
CD	Case dented										
сн	Closes hard										

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	200							
CR W	Cuts rim								
cs	Cases swell								
стос	Chamber torn or gouged								
CTP	Creepy trigger pull				On.				
CWSB	Cams wrong side of action bar	1.8							
DBB	Doesn't blow back	1	2007 g	5					
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		773				<u> </u>		
DE	Doesn't eject		1					100	
DEL	Doesn't eject live round								
DFU	Doesn't feed up	1							1100
DLO	Doesn't lock open (after last shell)							8	
DLU	Doesn't lock-up								
DS	Dead safe								× 4
DSM	Drops shell-magazine						2004		
DTL	Doesn't trip latch	1							
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

PSM	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work		1						
RIC **	Rings in chamber								
SBC	Stems bottom chambers	1	 2						
SBCL	Shell binds carrier latch		2000						
SBE	Stems bbl extension			On.					
SCB	Stock cracked or broken	174						1	
SCX	Shell catches								
SHI	Short indent	- A							
SIC	Stems in chamber								
SL	shaves lead						80.		
SLC	Stems left side of chamber				2,445.				
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11000
SRIC	Specific rings in chamber				·			ř	
SSC	shell stems carrier								
STC	Stems top chamber		7					1	
SWE	Safety switch works too easily						2000		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								*****
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								






Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington


	100000000	************												
Summa	any	Total		oof Failures	94	9								
			Tota	al Rejected:	5	7								
			Overall F	Reject Rate:	6.0	11								
		Proof		Shot:	<i>3</i> 47	13	96	3		20	6	34	550	
	*******	Proof		Rejected	0	o 0	0	0	0	0	0	0	0	0
	***************************************			Shot: Rejected Parcent. Shat. Rejected Percent:	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	
				Shot	74	1.7	108	3			8	36	550	
		Test	**	Rejected	35 47.3	. <b>(\$</b>	10 9.3	O	0	0	0	3	4	O
			*	Percent:	47.3	5 29.4	9.3	0.0			0.0	8.3	0.7	
				3 <i>00</i>			1888	10000	An.					
		Target		Rejected:	0	<i></i> 0	o	<b>0</b>	9	0	0	0	0	0
		Ū		Percent:		0	0	0	v					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000		20000				
AB	Action binds	1		2		88				···2	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder										
BAC	Burr at chamber			***************************************						Á	
вв	Bolt binds/catches							. 446%			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position			***************************************							
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading			-							
CC	Carrier catches on shells,mag,receiver	5									
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR 🐃	Cuts.rim									
cs	Cases swell									
стов	Chamber torn or gouged									
CTP	Creepy trigger pull				Za.					
CWSB	Cams wrong side of action bar	1.8								
DBB	Doesn't blow back	1		3						
DCS	Double click in safely switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		773					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up			2		***************************************		3		1100
DLO	Doesn't lock open (after last shell)					·			8	
DLU	Doesn't lock-up		1							
DS	Dead safe									× 2
DSM	Drops shell-magazine							2008		
DTL	Doesn't trip latch	2								
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

	***************************************								
PSM_	Proof stamp missing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	30.	1						
RIC	Rings in chamber								
SBC	Stems bottom chambers	12	1,						
SBCL	Shell binds carrier latch			- Sec					
SBE	Stems bbl extension				Wee.				
SCB	Stock cracked or broken	- 14						1	
SCX	Shell catches								
SHI	Short indent								
SIC	Stems in chamber	2							
SL	shaves lead						eo.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber			1					11000
SRIC	Specific rings in chamber							×	
SSC	shell stems carrier								
STC	Stems top chamber			1					
SWE	Safety switch works too easily						33338		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								The second of th
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract			***************************************					
UNCN-T	Uncoded			***************************************					
хн	Extracts hard			***************************************					





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

Total Rejected:

Overall Reject Rate:

0


0

CHAB	Carrier hits action bar							
CLM	Can't laod magazine							
co	Cut-off	34.						
CR	Cuts.rim							
cs	Cases swell						Acceptance	
стос	Chamber torn ör:göuged		- Sec					
CTP	Creepy trigger pull			Wee.				
CWSB	Cams wrong side of action bar	***						
DBB	Doesn't blow back							
DCS	Double click in safety switch	- A					Anna	
DCT	Double click in trigger							
DCU	Doesn't close-up					800.		
DE	Doesn't eject							
DEL	Doesn't eject live round					****		
DFU	Doesn't feed up							Mar
DLO	Doesn't lock open (after last shell)						Š	
DLU	Doesn't lock-up							
DS	Dead safe							
DSM	Drops shell-magazine					2004		
DTL	Doesn't trip latch							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESS	Extractor stems shell							
FA	Fires automatically		-					
FB	Follower binds		***************************************					

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	200							
FF 🦎	Fails to fire								
FFM	Fails to feed from magazine		<b>.</b>						
FFP	Flat firing pin								
FOS	Fires on safe								
FSR	Fires when safe is released				20.				
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off			<u> </u>					
HPA	High pressure ammo								
HUE	Hard under extractor		779				<u> </u>		
ILOP	Int. latch out of position				7,000			100.	
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								
ILSP	Int. latch spring out of position				,			Š	
JL	Jumps latch								
JO	Jars off								× 4
LB	Light blow						*****		
MCSO	Magazine cap shot off							****	
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible								

PSM	Proof stamp missing			-						
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	34.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch			- Alexander - 1						
SBE	Stems bbl extension				War.					
SCB	Stock cracked or broken	***								
SCX	Shell catches									
SHI	Short indent	å								
SIC	Stems in chamber						*			
SL	shaves lead		335					ia.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									11000
SRIC	Specific rings in chamber					,			ř.	
SSC	shell stems carrier								,	
STC	Stems top chamber									
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard			-						













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington