	·/*/*****							
Summary	Total Test + Proof Fa							
. ////	Total Reje Overall Reject							
9997 - 99992 97 - 99992		Shot: 1136		1 611	812	1166	23	2462
	Proof Re	jected: 27	312	611 7	1	2	32 0	246 <u>2</u> 8
	P	ercent 2.4	0.3	1.1	0.1	0.2	0.0	0.3
		shor: 590	29	1034	1190	1436	11	1958
		njected: 60	4	60	145	148	0	197
	e e e e e e e e e e e e e e e e e e e	ercent 6.7	13.8	5.8	12.2	10.3	0.0	10.1
	·	Shot: 68 jected: 0	<u>5</u> 0	131	291	114 0	24 0	141 5
		jected: 0 ercent: 0:0	00	0.8	0.0	0.0	0.0	э 3.5
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							8
					1992 66666666		- 594 1999-1999 - 1999	с
BABS	Bulge at body shoulder							
BAC	Burr at chamber	5		10	\$2	3		2 15
BBMA	BBL-to-bolt misalignment							
3B	Bolt binds/catches	7		7	15	9		/////29
COBS	Bolt catches on bolt stop							
SCOF	Bolt catches on follower			3	2	4		
3C	Blows cases							
3HR	Bolt hits receiver							
SHS	Bolt plug hits safety switch				-	Ĭ		100
BLOP	Bar lock or disconnector out of posi	ition						
BLSO	Barrel lug shot off							
PO	Bolt pulls out							
SSM	Bolt stems shell in magazine							
BWCD	Boit won't carn down							
BWCFM	Bolt won't close over full magazine					2		
CD	Case dented							

	2000000								_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
CH	Closes hard	4	3	5	32	8		1	
CLM	Can't load magazine			***		2			
co 🛛	Cut-off			*****					
CR	Cuts fim			****					
CS	Cases swell]
CTOG	Chamber torn or gouged	11		-]
СТР	Creepy trigger pull]
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								1
DCS	Double click in safety switch								1
DCT	Double click in trigger								1
DCU	Doesn't close-up								1
DE	Doesn't eject			3	1				1
DEL	Doesn't eject live round							li illine	1
DFB	Doesn't feed back								1
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up					3			1
DS	Dead safe			2	1	4		/23////	
DX	Doesn't extract		1		1	3			
DXL	Doesn't extract live round	[1
EDS	Extractor drops shell	1		1	5	16		2	1
ESB	Ejector sticks back					1			1
ESCR	Empty shell catches receiver	1		-					1
ESS	Extractor stems shell								1
FA	Fires automatically								1
FB	Follower binds								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
FC	Fails to connect								
FCB	Fore-end cracked or broken								1
FD	Followsidown								
FF	Fails to fire				1				
FFP	Flat firing pin								1
FOS	Fires on safe								1
FPHB	Firing pin hits bbl]
FPHI	Firing pin hits inside rim]
FPO	Floor plate opens	10			10	16		2	1
FPOH	Floor plate opens hard							3]
FSR	Fires when safe is released]
FT	Follower tips	12			1	18		29	1
GCSO	Gas cyl shot off							<i>.</i>	1
HBL	Heavy bolt lift	1		1		10		<u>1</u>	1
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo]
HUR	Hard under rail				1			2	
JCS	Jumps cartridge			*****	****	1			
JM	Jumps magazine				2				
JO	Jars off								1
LB	Light blow								1
MAH	Magazine assembles hard]
MCW	Magazine capacity wrong]
MFA	Misfires (ammo)]
MFOP	Magazine follower out of position								1
ML	Magazine loose								
MLH	Magazine loads hard								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Marh	Magazine removes hard							
он	Opens hard							
OR	Over-rides	3		3	1	22		15
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				1			15
RDW	(Action) release doesn't work			1				
RIC	Rings in chamber	3		20	24	4		7
RIS	Ring in sholder				2			
RS	Rim srem					ilia - 11an.		
SBC	Stems bottom chambers				1	12	dina.	3
SBE	Stems bbl extension							<i>.</i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1		3	1	12 ,		1
SIC	Stems in chamber			***				5
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride					1		18
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				3
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
strc	Sterns top chamber								
SWE	Safety switch works too easily	2			2	1			1
SWH	Safety switch works too hard				1			1	1
SWW	Safety ewitzh won't work								1
TD	Tips down								1
τU	Tips up								
TWP	Trigger won't pull								1
TWR	Trigger won't retract				tim.				1
UNCN-T	Uncoded				4			14	
ХН	Extracts hard					2			
									1
HI	High								1
LO	Low							<i>.</i>	1
LEFT	Left							li dilan	l
RIGHT	Right								1
DG	Doesn't Group			1				5	ļ
FSST	Front sight tipped				***	:			
RSTT	Rear sight tipped								1
RSBR	Rear sight base raised						1		
FSTR	Front sight raised								Ĩ
FSTL	Front sight loose								
RSTL	Rear sight loose								
MGPT-G	Missing parts at target								1
UNCN-G	Uncoded nonconformity at target								
AI-P	Assembly incompleye at proof								1
BBB	Barrel bracket cracked or broken at proof			***					1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
8C-P	Blows cases at preof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof							
BS-P	Barrel split at proof				***			
DLOS-P	Doesn't lock over shells at proof				***			
ESB-P	Ejector sticks back at proof							
CB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof							
F-P	Fails to fire at proof	1				ille ittere.		
GCSO-P	Gas cylinder shot off at proof							
VISI-P	Magnaflux stamp illegible on bbl							<i></i>
VSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof			7				
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	26	1		1	2		8


/		20000000								
wall							totals	700 totals	New Gen totals	
	13	70		an 1189	127	95	8025	6544	1386	
	0	0	0	46 3.9	0	0	92	46	46	
	0.0		0	3.9	0.0	0.0	1.1	0.7	3.3	
	12			1387	118	95	8160	15430	1505	
	0	0	0	11	9	0	694	614	80	
	0.0			5.1	7.6	0.0	8.5	4.0	5.3	
	18	-		85			985	1902	193	
	0 0.0	0	0***	0 0.0	15	0	21	6	15	
	0.0			····· 0.0	///13.9		2.1	0.3	7.8	1
	XR-100	7400	7500	7600	7615	Rimfire	totals	totais	totals	
				11	3		22	. 8	14	
						100	65	65		
								67		
		l					67	01		
							5	5		
					*					
							2	2		


Subject to Protective Order - Williams v. Remington


ILE00089080


		19 11-19 14-1								
	(R-100	7400	7500	7600	7615	Rimfire	totals	totals	totals	
						***	53	53		
<u> </u>							2	2		
				3			14	11	3	
								·		
<u> </u>										
					2		8	6	2	
					2					
<u> </u>										
<u> </u>										
<u> </u>										
						3				
							30	30		
				5	•		10	5	5	
				25	1		51	25	26	
							1	1		
ļ				4			4		4	
<u> </u>										
]

13












Subject to Protective Order Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order Williams v. Remington



Subject to Protective Order - Williams v. Remington

BAC	Burr at chamber	1
BB	Bolt binds/catches	-
СН	Closes hard	
FT	Follower tips	
OR	Over-rides	- ~
FPO	Floor plate opens	
RIC	Rings in chamber	- 222
DS	Dead safe	- <u>199</u>
UNCM-P	Uncoded proof malfunctions	
EDS HBL	Extractor drops shell	5
	Heavy bolt lift	-
SI	Stems incline	. and
SOR	Stem over-ride	
UNCN-T	Uncoded	
SBC	Stems bottom chambers	
СТОС	Chamber torn or gouged	<u> </u>
PP-P	Pierced primer at proof	Sec.
DE	Doesn't eject	
DG	Doesn't Group	
BCOF	Bolt catches on follower	- ···
DX	Doesn't extract	-
RBOC	Rings and bulges on case	• 200
SWE	Safety switch works too easily	
SIC	Stems in chamber	
SRC	Stems right side of chamber	
FPOH		
	Floor plate opens hard	-
HUR	Hard under rail Bolt won't close over full magazine	-
BWCFM		-
	Can't load magazine	
JM	Jumps magazine	-
RIS	Ring in sholder	
SWH	Safety switch works too hard	
XH	Extracts hard	_
ESB	Ejector sticks back	
FF	Fails to fine	
RDW	(Action) release doesn't work	
FF-P	Fails to fire at proof	
AB	Action binds	-
BABS	Bulge at body shoulder	
BBMA	BBL to-bolt misalignment	-
BCOBS	Bolt catches on bolt stop	1
BC	Blows cases	-
BHR	Bolt hits receiver	-
BHS		
	Bolt plug hits safety switch	•
BLOP §		1
BLSO	Barrel lug shot off	-
BPO	Bolt pulls out	-
BSSM	Boll stems shelf in magazine	
BWCD	Bolt wont cam down	
CD	Case dented	
co 👯	Cut-off	


Subject to Protective Order Williams v. Remington

CR	Cuts rim	
CS	Cases swell	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	S
DBB	Doesn't blow back	- A
DCS		dille.
	Double click in safety switch	
	Double click in trigger	
	Doesn't close-up	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	2
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	Sec.
DLU	Doesn't lock-up	
DXL	Doesn't extract live round	
ESCR	Empty shell catches receiver	-
ESS	Extractor stems shell	
FA	Fires automatically	<i>.</i>
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	6
FD	Follows-down	ditte
FFP	Flat firing pin	Ë.
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FSR	Fires when safe is released	З ⁴
GCSO		
	Gas cyl shot off Heading mismatch-steps on case	
HMSC	Heading mismatchesteps on case	
HPA	High pressure ammo	
JCS	Jumps cartridge	
10	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (artimo)	
MFOP	Magazine follower out of position	
ML.	Magazine loose	
MLH	Magazine loads bard	
MRH	Magazine removes hard	
ОН	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RS	Rim srem	
SBE		
SCB	***************************************	
	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC 💥	Stretch marks on case	




SP	Stems port	
SR	Shoulder rough	
SRIC	Specific rings in chamber	1
SSOC	Surface scratches on case	
STC	Stems top chamber]
SWW	Safety ewitxh won't work	
TD	Tips down	
ти	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
HI	High	
LO	Low	1111
LEFT	Left	8
RIGHT	Right	50
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	8
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	1
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnattux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
SCB-P	Stock cracked or broken at proof	


Ø



AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	-
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF		-
******	Boll catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	_
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	Š
BPO	Bolt pulls out	- 199
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	
CH	Closes hard	-
CLM	Can't load magazine	
co	Cut-off	-
CR	Cuts rim	
CS	Cases swell	-
CTOG	Chamber torn or gouged	
CTP	Chamber tom of gouged	
	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch). ₩3:
DCT	Double click in trigger	
	Doesn't close-up	
DE	Doesn't eject	<u>.</u>
DEL	Doesn't eject live round	Š.
DFB	Doesn't feed back	
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	-
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	-
ESS	Extractor stems shell	-
FA	Fires automatically	
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF	Fails to fire	
	Elat firing pin	_
FOS 🐰	Fires on safe	
FPHB 🛞	Firing pin hits bot	1





FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	À
JO	Jars off	
LB	Light blow	•
MAH		
	Magazine assembles hard	88
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	- 2
ML	Magazine loose	
MLH	Magazine loads hard	Ì
MRH	Magazine removes hard	
он	Opens hard)
OR	Over-rides	:
РН	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	Å.
RIC	Rings in chamber	\$\$-
RIS	Ring in sholder	
RS	Rim srem	S.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
<u>SHI</u>	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
SRIC	A CONTRACT OF A	
SSOC	Surface scratches on case	
SSOC	Surface scratches on case Stems top chamber	
SSOC STC SWE	Surface scratches on case	




Subject to Protective Order Williams v. Remington

TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
	Left	
	Right	;
DG	Doesn't Group	ŝ.
FSST RSTT	Front sight tipped Rear sight tipped	
RSBR	Rear sight base raised	88
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	1
BC-P	Blows cases at proof	See
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	netë
BLSO-P	Barrel lug shot off at proof	1
BP-P	Blown primer at proof	8
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at preof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	1
UNCM-P	Uncoded groof malfunctions	







ESB-P	Ejector sticks back at proof
EDS	Extractor drops shell
AB	Action binds
DX	Doesn't extract
ESCR	Empty shell catches receiver
CTOG	Chamber torn or gouged
JM	Jumps magazine
RIC	Rings in chamber
OR	Over-rides
UNCN-T	Uncoded
PP-P	Pierced primer at proof
UNCM-P	Uncoded proof malfunctions
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
CH	Closes hard
CLM	Can't load magazine
<u>co</u>	Cut-off
CR	Cuts rim
cs	Cases swell
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DE	Doesn't eject
DEL	Doesn't eject live round
	Doesn't feed back
	Doesn't feed up Doesn't lock open (after last shell)
DLO	Doesn't lock up an (aner last shen)
DS DVI	Dead safe
DXL	Doesn't extract live round
ESB	Ejector sticks back
	Extractor Stems shell
FA 🎇	Fires automatically
FB 🎇	Follower binds




FC	Fails to connect	Í
FCB	Fore-end cracked or broken	Í
FD	Follows-down	Í
FF	Fails to fire	Í
FFP	Flat firing pin	ļ
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	8
FT	Follower tips	<u>ê</u> s
GCSO	Gas cyl shot off	ŝĝ.
HBL	Heavy bolt lift	Ì
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	88
HUR	Hard under rail	
JCS	Jumps cartridge	
JO	Jars off	
LB	Light blow	2014
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	Š.
MFA	Misfires (ammo)	<u> </u>
MFOP	Magazine follower out of position	ŝs.
ML	Magazine loose	
MLH	Magazine loads hard	-eeffi G
MRH	Magazine removes hard	
OH	Opens hard	à
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	Ş.
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems indige	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems.port Shoulder rough	
CO		
SR		
SRC 🤞	Stems right side of chamber	
SRC 🤞		



STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TŲ	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
хн	Extracts hard	
HI	High	
LO	Low	Ś
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped 🧼	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	eréfére
BBB	Barrel bracket cracked or broken at proo	<u>f.</u>
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	×.
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
SCB-P	Stock cracked or broken at proof	






	T	1
HI	High	
AB	Action binds	
DE	Doesn't eject	
EDS	Extractor drops shell	
MCW	Magazine capacity wrong	
MRH	Magazine removes hard	
SOR	Stem over-ride	
LÖ	Low	
RSTL	Rear sight loose	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	È
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	88
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	. 4
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	ġ.
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	
СН	Closes hard	
CLM	Can't load magazine	5.
CO	Cut-off	
CR	Cuts rim	
CS	Cases swell	
CTOG	Chamber torn or gouged	•
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
	Doesn't lock-up	
rs.c		
DS	Dead safe	
DX	Doesn't extract	
DX DXL	Doesn't extract Doesn't extract live round	
DX DXL ESB	Doesn't extract Doesn't extract live round Ejector sticks back	
DX DXL ESB ESCR	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver	
DX DXL ESB ESCR ESS	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell	
DX DXL ESB ESCR ESS FA	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell Fires automatically	
DX DXL ESB ESCR ESS FA	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell	





		1
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF	Fails to fire	
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	:
GCSO	Gas cyl shot off	à
HBL	Heavy bolt lift	6.9
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	da.
MAH	Magazine assembles hard	
MFA		
	Misfires (ammo)	
MFOP	Magazine follower out of position	÷.
ML	Magazine loose	
MLH	Magazine loads hard	eti ĝ
OH	Opens hard	
OR	Over-rides	2
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	Ş .
RBOC	Rings and bulges on case	•
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
	STUMPOO OORANNAA AA AAAA	
	Surface scratches on case Stems top chamber	



SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
LEFT	Left	å
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	33
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	166
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	

Al-P	Assembly incompleye at proof	ŝ.
BBB	Barrel bracket cracked or broken at proof	f
BC-P	Blows cases at proof	È.
BEB-P	Barrel extension broken at proof	8
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	È.
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	ř
ESB-P	Ejector sticks back at proof	Ì
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl]
MSM-P	Magnaflux stamp missing on bbl]
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	1
UNCM-P	Uncoded proof malfunctions	1





Summary	Total Test + Proof F		1032						-
	Total Rej Overall Rejec	jected: t:Rate:	53 5.14						
		Shot: 34	8 69) 193	112	235			1
		ejected.	0	0	0	0	0	0	-
		Percent 0.3	and the second		0.0	0.0			_
		Shot 26		202	142	270			
	Test R	eje <mark>cted: 5</mark> Percent: 1.6		8 4.0	10 7.0	23 8.5	0	0	
	· · · · · · · · · · · · · · · · · · ·	Shot: 24		12	138	25	1		1
	Target R	lejected: 0		· · · · · · · · · · · · · · · · · · ·	0	0	0	0	Ŀ
		Percent: 0.0		0.0	9 .0	0.0			
CODE	MALFUNCTION INDEX	700 S	PS 700 S		700 SS	700 CDL	700 POLICE	MODEL 7	
	A - (*								-
AB	Action binds				· · · · · · · · · · · · · · · · · · ·				4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber	1		1					_
BBMA	BBL-to-bolt misalignment								
3B	Bolt binds/catches	1		2		3			
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								1
вс	Blows cases						ä		
BHR	Bolt hits receiver								ľ
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of pos	sition							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1




				_			_
BWCFM	Bolt won't close over full magazine				2		
CD	Case dented						
СН	Closes hand			3	1		
CLM	Can't load magazine						
co	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull			2000			
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					500.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						Ś
DLO	Doesn't lock open (after last shell)						P
DLU	Doesn't lock-up					á	
DS	Dead safe				1		
хD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				1		
ESB	Ejector sticks back				1		
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA FC FC FC FD FF	Subject to Protective Order	
S FCB	Williams	FA FB FC
	<u>ר</u>	FCB
	ing	FF
j FF	jtor	FFP
ningtor	-	FOS
nington FFP FOS		соцо

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect	 					
FCB	Fore-end cracked or broken						
FD	Follows-down	240					
FF	Fails to fire]
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			4	1 🖉		
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips				4		
GCSO	Gas cyl shot off		100				
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					á	
JM	Jumps magazin e			2			
OL	Jars off						
Ľ₿	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong]
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
<u>a</u>	MALH
ייי אר	MRH
TI	он
fen	OR
nin	PH
ams v. Remington	PSI
ر	PSM
	1

ML	Magazine lööse]
MALH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							
OR	Over-ndes		àn.	3		8]
РН	Pulls hard							1
PSI	Proof stamp illegible]
PSM	Proof stamp missing]
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder						5au.	
RS	Rim srem							
SBC	Stems bottom chambers]
SBE	Stems bbl extension			100]
SCB	Stock cracked or broken]
SCX	Shell catches]
SHI	Short indent							
SI	Stems incline	1		2	1			ø
SIC	Stems in chamber						â	
SL	shaves lead							ľ
SLC	Stems left side of chamber]
SMOC	Stretch marks on case]
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1





ILE00089105


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily	2			1		
SWH	Safety switch works too hard		àre.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· **					
хн	Extracts hard					ñe.	
HI	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						




Al-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
BC-P	Blows cases at proof					
вев-р	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		200			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			9 a.e 2 august - Alexandro - Alexa 19 alexandro - A		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				500.	
FF-P	Fails to fire at proof	1	*****			
GCSO-P	Gas cylinder shot off at proof		******			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	









Subject to Protective Order - Williams v. Remington







Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failures	984							-
	Total Rejected:	96							
	Overall Reject Rate:	9.76							=
	Shot: Proof Rejected	326 0	80	52 0	117	75 0	0	5 0	
~	Proof Rejscied	0.0	. 0.0	0.0	0.9	0.0	U	0.0	
	Shot	299		126	198	72			1
	Test Rejected.	20	0	1	46	0	0	0	1
	Percent	67		0.8	23.2	0.0	1	1	٦
	Target Rejected:	26 0	<u> </u>	6 000	14 0	7	0	0	
	Percent:	0.0		\$ 0	0.0	0.0	5	ů.	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber	3			27	1100.101000			4
BBMA	BBL-to-bolt misalignment								-
BB	Bolt binds/catches	2			3				4
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower				1		- 1947 		1
BC	Blows cases	ļ							4
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off	<u> </u>							
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								


	<i></i>						
BWCFM CD CH	Bolt won't close over full magazine Case dented Closes hard				7		
CLM CO	Closes hard Can't laod magazine Cut-off	l	· · .		i		-
CR CS	Cuts rim Cases swell						
CTOG CTP	Chamber tom or gouged						
CWSB DBB	Cams wrong side of action bar Doesn't blow back						
DCS DCT	Double click in safety switch Double click in trigger						
DCU DE	Doesn't close-up Doesn't eject			1	1		
DEL DFB DFU	Doesn't eject live round Doesn't feed back Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU DS DX	Doesn't lock-up Dead safe Doesn't extract				1		
DXL EDS	Doesn't extract live round Extractor drops shell						
ESB ESCR	Extractor drops sheri Ejector sticks back Empty shell catches receiver						
ESS	Extractor stems shell						



Protective Order		
	FA	Fires automat
liams v. Remingtor	FB	Follower bind:
S. S.	FC	Fails to conne
<u>ج</u>	FCB	Fore-end crac
ien	FD	Follows-down
ning	FF	Fails to fire
gto	FFP	Flat firing pin
3	FOS	Fires on safe
	FPHB	Firing pin hits
	CDUU	Eirian air bita


Subject to

17.000 0000777	Fires automatically						
FB	Follower binds						
FC 👘	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		ikan.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	··· ////					
FPHB	Firing pin hits bbl				800. 8000 (2010		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	2			2		
FPOH	Floor plate opens hard					XX	
FSR	Fires when safe is released						
FT	Follower tips	11					
GCSO	Gas cyl shot off			1.00			
HBL	Heavy bolt lift	1					
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						Â
HUR	Hard under rail					and the second sec	ji j
JCS	Jumps cartridge					ź	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
X	ML
la n	MLH
iams v.	MRH
TI	он
len	OR
ing	РН
. Remington	PSI
<u>د</u>	PSM
	PBOC


ML.	Magazine lööse						1
RALH	Magazine loads hard						1
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-ndes	Mar		1			
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				XX.,		
RS	Rim srem			···· //			
SBC	Stems bottom chambers						
SBE	Stems bbl extension		1985				
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						₽
SIC	Stems in chamber				á		瀫
SL	shaves lead					*****	l.«
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
N.	SRIC
a a	SSOC
ns	STC
ams v. Remington	SWE
ìen	SWH
jnir	sww
ytor	TD
	TU

Subject to


SRIC	Specific rings in chamber						1
8500	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily				1		
SWH	Safety switch works too hard		itte.]
sww	Safety ewitxh work]
тр	Tips down						
TU	Tips up						
TWP	Trigger won't pull				888. 		
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					àte.	
HI	High			*****			
LO	Low			1100			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						<u> </u>
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





AI-P	Assembly incompleye at proof					
368	Barrel bracket gracked or broken at proof					
3С-Р	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof	- A.M.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		110			
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions			1		Ø .


•		Test Date:						
							totals	
I		16	1	160	34	40	905	
	0	0 0.0	0	18 11.3	0 20	0 0.0	19 2.1	
Γ				183	47	40	965	
	0	0	0	0 0.0	1 2.1	0 0.0	68 7.0	-
Γ				18	46		117	
-	0	0	0	0 0.0	9 19.6	0	9 7.7	
	XR-100	7400	7500	7600	7615	Rimfire	totals	
ļ								
							30	
							5	
							1	
ſ								
ſ								
Γ								
ľ								
l								
L			1				•	


ILE00089120











Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof Failure Total Rejected							
	Overall Reject Rat							
		t 🚺 119	5	13	162	461	5	
	Proof Rejecte Percei		0.0	0 0.0	0 0.0	2 0.4	0 0.0	0
	Sho	1999 <u>1 - 1999</u>		153	232	256	0.0	1
	Test Rejecto	and the second	0	0	20	18	0	0
	Peircei	: <u> </u>		0.0	8.6	7.0		
	Sho			15	45 0	18 0	0	0
	Target Rejecte Percer		0	0 00	0 90	0.0	U	U
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			····					
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber	1						
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches				2			
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						*	
BC	Blows cases							
BHR	Bolt hits receiver							
BHS BLOP	Bolt plug hits safety switch							
BLOP BLSO	Bar lock or disconnector out of position							
	Barrel lug shot off Bolt pulls out							
IBBO		1	1					
BPO BSSM	Bolt stems shell in magazine							

BWCFM	Bolt won't close over full magazine							
CD	Case dented]
СН	Closes hand				17			
CLM	Can't laod magazine		****			1		
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
стоб	Chamber tom or gouged	5 🎊						
СТР	Creepy trigger pull				888. 			
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·			
DCS	Double click in safety switch						àte.	
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			110				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							4
DLO	Doesn't lock open (after last shell)							1
DLU	Doesn't lock-up							
DS	Dead safe					1		l.»
DX	Doesn't extract					1		
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1	3		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							




FA.	FA FB FC	Subject to Protective Order	
ā FB	FB FC	W	FA
	TS FC	B	
т		len	FD
	FD FD	ing	
Y. FCB FD FD FF	fD FD FF	itor	
Remingtor	FD FF F		FOS
eming	FD FF FF FOS		

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down		- 200.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens				2		
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips	1					
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift				1		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					and the	
JCS	Jumps cartridge					;	
JM	Jumps magazin e						l.«
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ă line	MLH
 2.	MRH
т	он 🦉
ams v. Remingto	OR
jnir	PH
ytor	PSI
<u>ب</u>	PSM

ML	Magazine loose							
MILH	Magazine loads hard							
MRH	Magazine ternoves hard							
он	Opens.hant							
OR	Overandes	1	itte.					
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	3			 <u></u> 1			
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers				3			
SBE	Stems bbl extension			110				
SCB	Stock cracked or broken							
scx	Shell catches							
SHI	Short indent							
SI	Stems incline							Þ
SIC	Stems in chamber					ä		攭
SL	shaves lead						*****	I.»
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride				1			
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order	
	SRIC
ā	SSOC
n ree	STC
TI	SWE
ien	SWH
ning	sww
llams v. Remington	TD
L	τu
	TIME

Subject to


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case]
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
σт	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard				2	See	

HI	High						
LO	Low						
LEFT	Left						
RIGHT	Right			 			
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	4
RSBR	Rear sight base raised			 			ľ
FSTR	Front sight raised						
FSTL	Front sight loose	<u> </u>					
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						4
	1						





Subject to Protective Order	
N.	AI-P
Ē	868
ns "	BC-P
א. דו	BEB-P
len	BLP-P
ams v. Remington	BLSO-P
ytor	BP-P
د	BC_D


AI-P Assembly incompleye at proof	
BBBBarrel bracket ctacked or Broken at proofImage: constraint of the set of	
BC-P Blows cases at proof Image: cases at proof Image: cases at proof BE-P Barrel extension braken at proof Image: cases at proof Image: cases at proof BLSO-P Btarked primer at proof Image: cases at proof Image: cases at proof Image: cases at proof BLSO-P Barrel lug shot off at proof Image: cases at proof Image: cases at proof Image: cases at proof Image: cases at proof BP-P Blown primer at proof Image: cases at proof Ima	
BE-P Barrel extension broken at proof Image: Constraint of the proof Image: Constraint of the proof BLP-P Blanked primer at proof Image: Constraint of the proof Image: Constraint of the proof BP-P Blown primer at proof Image: Constraint of the proof Image: Constraint of the proof BP-P Blown primer at proof Image: Constraint of the proof Image: Constraint of the proof BS-P Barrel split at proof Image: Constraint of the proof Image: Constraint of the proof DLOS-P Doesn't lock over shells at proof Image: Constraint of the proof Image: Constraint of the proof SEB-P Ejector sticks back at proof Image: Constraint of the proof Image: Constraint of the proof Image: Constraint of the proof CB-P Fore-end cracked at proof Image: Constraint of the proof Image: Constraint of the proof Image: Constraint of the proof FF-P Fails to fire at proof Image: Constraint of the proof Image: Constraint of the proof Image: Constraint of the proof GCSO-P Gas cylinder shot off at proof Image: Constraint of the p	
BLP-P Blanked primer at proof Image: constraint of the proof Image: constraint of the proof BLSO-P Barrel lug shot off at proof Image: constraint of the proof Image: constraint of the proof BP-P Blown primer at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof BS-P Barrel split at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof DLOS-P Doesn't lock over shells at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof SB-P Ejector sticks back at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof ESB-P Fore-end shot off at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof FF-P Fails to fire at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof GCSO-P Gas cylinder shot off at proof Image: constraint of the proof Image: constraint of the proof Image: constraint of the proof MSI-P Magnaflux stamp missing on bbl Image: constraint of the proof Image: constraint	
Barrel lug shot off at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof BP-P Blown primer at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof BS-P Barrel split at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof DLOS-P Desn't lock over shells at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof ESB-P Ejector sticks back at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof FCB-P Fore-end shot off at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof FF-P Fails to fire at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof GCSO-P Gas cylinder shot off at proof Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof MSI-P Magnaflux stamp missing on bbl Image: Solution of the proof Image: Solution of the proof Image: Solution of the proof MSM-P Magnaflux stamp missing on bbl Image: Solution of the proof	
BP-P Blown primer at proof Image: Second Secon	
BS-P Barrel split at proof Image: Construction of the second	
DLOS-P Doesn't lock over shells at proof Image: Construction of the proof Image: Construction of the proof ESB-P Ejector sticks back at proof Image: Construction of the proof Image: Construction of the proof FCB-P Fore-end cracked at proof Image: Construction of the proof Image: Construction of the proof FESO-P Fore-end shot off at proof Image: Construction of the proof Image: Construction of the proof FF-P Fails to fire at proof Image: Construction of the proof Image: Construction of the proof GCSO-P Gas cylinder shot off at proof Image: Construction of the proof Image: Construction of the proof MSI-P Magnaflux stamp missing on bbl Image: Construction of the proof Image: Construction of the proof	
ESB-P Ejector sticks back at proof Image: SB-P Ejector sticks back at proof Image: SB-P Fore-end cracked at proof Image: SB-P Fore-end cracked at proof Image: SB-P Fore-end cracked at proof Image: SB-P Fore-end shot off at proof Image: SB-P Image: SB-P Fore-end shot off at proof Image: SB-P Image: SB-P Fore-end shot off at proof Image: SB-P Image: SB-	
FCB-P Fore-end cracked at proof Image: Constraint of the proof Image: Constraint of the proof FESO-P Fore-end shot off at proof Image: Constraint of the proof Image: Constraint of the proof FF-P Fails to fire at proof Image: Constraint of the proof Image: Constraint of the proof GCSO-P Gas cylinder shot off at proof Image: Constraint of the proof Image: Constraint of the proof ASI-P Magnaflux stamp missing on bbl Image: Constraint of the proof Image: Constraint of the proof	
ESO-P Fore-end shot off at proof Image: Constraint of the state of the sta	
F-P Fails to fire at proof Image: Constraint of the proof Image: Constraint of the proof GCSO-P Gas cylinder shot off at proof Image: Constraint of the proof Image: Constraint of the proof ASI-P Magnaflux stamp illegible on bbl Image: Constraint of the proof Image: Constraint of the proof ASM-P Magnaflux stamp missing on bbl Image: Constraint of the proof Image: Constraint of the proof	
GCSO-P Gas cylinder shot off at proof	
MSI-P Magnaflux stamp illegible on bbl MSM-P Magnaflux stamp missing on bbl	
ASM-P Magnaflux stamp missing on bbl	
SCB-P Stock cracked or broken at proof	
JNCM-P Uncoded proof malfunctions 2	





Subject to Protective Order Williams v. Remington











Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failur Total Rejecte Overall Reject Ra	ed: 104							
		iot 52	59	2	162	121	4		1
***	Proof Reject	ted.	0	0	0	0	0	0	-
	Perce	ent 0.0	0.0	0.0	0.0	0.0	0.0		
		<i>iot:</i> 51		22	259	279]
	Test Rejea	<i>led:</i> 6	0	6	36 13.9	45	0	0	
	Perce	900 <u> </u>		27.3		16.1	1	1	7
	11/200	iot: 3 ted: 0	5000 1100	16 10	21	26 0	0	0	
	Target Reječi Perce	111111111	0 0	0 0 //	0 0	0.0	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
]
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber			~	1				
BBMA	BBL-to-bolt misalignment				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
BB	Bolt binds/catches				4				1 /
BCOBS	Bolt catches on bolt stop								1
BCOF	Bolt catches on follower			2	1				V
BC	Blows cases						;		
BHR	Bolt hits receiver								1***
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	1							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
		1			1				


ILE00089138

								_
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand				3	4		
CLM	Can't laod magazine		****			1		
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
стоб	Chamber tom or gouged	5						
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch						XXX.	
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			2				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							ø
DLU	Doesn't lock-up						;	
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1		1	3	7		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver						_	
ESS	Extractor stems shell							




Subject to Protective Order	
V	FA .
<u>a</u>	FB
ns	FC
	FCB
Ren	FD
ninç	FF
llams v. Remington	FFP
د	FOS
	FPHB

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire		1			
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			<i>)</i> 5		
FPOH	Floor plate opens hard				889.	
FSR	Fires when safe is released					
FT	Follower tips		1	9		
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			4		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				â	
JM	Jumps magazin e					_ ~~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
N.	ML
n L	MLH
- S -	MRH
ר דו	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ت_	PSM
	RBOC

ML.	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	àn.		12		
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case		1			
RDW	(Action) release doesn't work					
RIC	Rings in chamber		17 🦋	2		
RIS	Ring in sholder		2		800.	
RS	Rim srem					
SBC	Stems bottom chambers		an Mil			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					I.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					





SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC 🐘	Stems top chamber					
SWE	Satety switch works too easily			1		
SWH	Safety switch works too hard	itte.		1		
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				800.	
HI	High		******	.		
LO	Low		~			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				;	
RSBR	Rear sight base raised					ſ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					




···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								


. Mar







Subject to Protective Order - Williams v. Remington









Subject to Protective Order Williams v. Remington

									_
Summary									
	Total Rejecte Overall Reject Ra								
	Shu Proof Reject Perce	ot: ed: 0 int:	0	0	0	0	0	0]
	Shi Test Rejech Peres		0	0	0	0	0	0	
	Shi Target Rejecti Perce	ed: 0 🎆	0		0	0	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder		2						
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						°		
BHR	Bolt hits receiver							***///	
BHS	Bolt plug hits safety switch						<u> </u>		
BLOP	Bar lock or disconnector out of position						ļ		
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								



						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off		- 200.			
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull			89.9 2011/2014		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	· · · · ·				
DCS	Double click in safety switch				500.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB	FA FB FC	FA FB FC FC FCB	FA FB FC FC FC FC FC FC FC FC FC FC FC FC FC	Subject to Protective Order	
	J FC	FC FCB	rns V. Remington FCB FD FF FF FF FF FOS	Willia	FA
Y. FCB FD FD	FD FD		FFP FOS	ling	
Y. Reming	FD FF FF		FOS	jtor	
v. Remingtor	P FF FF	ningtor		-	FOS

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose]
MILH	Magazine loads hard					1
MRH	Magazine temoves hard					
он	Opens hard					1
OR	Over-indes		- 2000.			
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing	···· ////				
RBOC	Rings and bulges on case			59		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches] .
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order-	
	SRIC
a la	8500
S SU	STC 🛞
.< TI	SWE
len	SWH
nin	sww
ams v. Remington	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ~
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof				
368 · · · ·	Barrel bracket gracked or broken at proof				
вс-р	Blows cases at proof				
вев-р 👋	Barrel extension broken at proof				
BLP-P	Blanked primer at proof				
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof				
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			1990.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl				
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA	FA FB	FA FB FC	Subject to Protective Order	
	ā FB	FB FC FC	W	FA
FC V. FCB	S FCB		lerr	FD
ns v. Ren	S. FCB P FD FD	FD FD	ing	FF
FC FCB FD FD FF	V. Reming	FD FD FF	, tor	
ns v. Remingtor	S. Remingtor	FD FF F	-	FOS
Y. FCB FD FD FF	S. Remington	FD FF FF FFP FOS		

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					1		1
ML	******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Protective Order	
	SRIC
ā s	SSOC
ns	STC
T	SWE
ien	SWH
ŋiŋ	sww
liams v. Remington	TD
<u>ر</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in champer						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull				ann. Millionn		
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						4
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						




AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			















Summary	Total Test + Proof Failu	res 583							-
	Total Reject								
	Overall Reject Re								-
		iot: 69	25	14	71	38		233]
	Proof Rejec		0	0	0	0	0	0	
	Perc		0.0	0.0	0.0	0.0	1	0.0	7
		101. 20 fed: 0	4	112	102 16	101 17	0	107 9]
	Test Reject		23.5	12.5	15.7	16.8	v	ş 8.4	
		iot:	1	16	31			9	1
	Target Rejec	ted: 0 🎆		000	o o	0	0	0	1
	Perc	ent:		\$\$ 00	00			0.0	_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
			**********]
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber			9	2				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		****	1					
BCOBS	Bolt catches on bolt stop		****						
BCOF	Bolt catches on follower			1					
BC	Blows cases						ä		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch		-						1
BLOP	Bar lock or disconnector out of position	n							1
BLSO	Barrel lug shot off		-						
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine		-						1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand	3		3			
CLM	Can't laod magazine						
со	Cut-off	322.					
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				in.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		198				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up				à		
DS	Dead safe						r w
DX	Doesn't extract	1					
DXL	Doesn't extract live round						
EDS	Extractor drops shell			2		2	
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA.		Subject to Protective Order	
	ດ ຮັ FC	Willian	
FCB		fen	FD
FCB FD FD	en FD	ning	FF
Y. FCB FD FD FF	Reming	ytor	FFP
V. Remingtor	Remingto	د	FOS
S. FCB FD FD FF	Remington		

n an									
FA.	Fires automatically								
FB	Follower binds								
FC	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down		322.						
FF	Fails to fire								
FFP	Flat firing pin			.					
FOS	Fires on safe								
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens	~~~				<i>))</i> //////3		1	
FPOH	Floor plate opens hard						Sec.		
FSR	Fires when safe is released								
FT	Follower tips			****		2		6	
GCSO	Gas cyl shot off								
HBL	Heavy bolt lift			1	7				
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo								
HUR	Hard under rail								þ
JCS	Jumps cartridge						à		
JM	Jumps magazin e								ľ
JO	Jars off								
LB	Light blow								
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								



Subject to Protective Order	
	ML
a n	aal.H
20 C	MRH
TI	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ت	PSM


ML	Magazine loose]
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hant							
OR	Overandes		àre.]
PH	Pulls hard]
PSI	Proof stamp illegible			•				
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~			6			
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers				1	7		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent							
SI	Stems incline			1				P
SIC	Stems in chamber						á	
SL	shaves lead]~
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				




Protective Order	
Williams v. Remington	SRIC SSOC STC
.< T	SWE
len	SWH
ing	sww
jtor	ΤΟ
<u>ت</u>	TU

Subject to


SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				





AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			





Subject to Protective Order Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total Test + Pr		641						
		tal Rejected:	68						
	Overall	Reject Rate:	10.61						
		Shot:		31	60	44	65	6	152
	Proof	Rejected Percent	2 3.9	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
		Shot		8	133	47	210	11	56
	Test	Rejected	14	0	1	4	23	0	6
		Percent:	40 0	0,0	0.8	8.5	11.0	0.0	10.7
		Shot:	1		42	6	18	11	5
	Target	Rejected: Percent:	0 0.0	· // / /	2.4	0 00	0 0.0	0 0.0	5 100.0
CODE	MALFUNCTION I	1	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber					2	2		
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		3				3		
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							ä	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out	l of position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazin	e							
BWCD	Bolt won't cam down								
	1				1	1		1	

. Ma

Subject to Protective Order Williams v. Remington

ILE00089186


Subject to Protective O	
der - V	
(illia ms	
v. Rem	
iington	

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand	3		1			
CLM	Can't laod magazine						
со	Cut-off		itte.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back	. ***					
DCS	Double click in safety switch						
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up					ž	
DS	Dead safe				2		
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				2		
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA FB	FA FB FC FC	Subject to Protective Order	
FB	E FB FC FC	N N	FA
- J. Web	FC FC	<u>ö</u>	FB
		_ <u>3</u>	
FCB		len	FD
FCB CO FD FD	FD FD	jnir	FF
FCB FD FD FF	eming	ytor	FFP
Remingto	FD FF FF FFP		FOS
Remingtor	termington FD FOS		CDUD

								_
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken		****					
FD	Follows-down		- 200.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	8			3			
FPOH	Floor plate opens hard					889.		
FSR	Fires when safe is released							
FT	Follower tips				2		2	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift				1			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail			1				
JCS	Jumps cartridge					â		
JM	Jumps magazin e							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order-1	
	ML
a a	MLH
10 S	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب_	PSM


ML.	Magazine loose								
MALH	Magazine loads hard								
MRH	Magazine ternoves hard								
он	Opens.hant								
OR	Overandes		àre.			1			
PH	Pulls hard								
PSI	Proof stamp illegible								
PSM	Proof stamp missing	··· ///							
RBOC	Rings and bulges on case				89.9 2011/2014				
RDW	(Action) release doesn't work								
RIC	Rings in chamber				1	<i></i> 1			
RIS	Ring in sholder						500.		
RS	Rim srem								
SBC	Stems bottom chambers								
SBE	Stems bbl extension			110					
SCB	Stock cracked or broken								
scx	Shell catches								
SHI	Short indent								
SI	Stems incline					6			Ø
SIC	Stems in chamber						à	4	
SL	shaves lead							****	
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SOR	Stem over-ride								
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								




Protective Order	
	SRIC
a la	SSOC
0	STC
.< TI	SWE
lams v. Remington	SWH
ŋir	sww
gtor	TD
	TU
	740


Subject to


SRIC	Specific rings in champer]
SSOC	Surface scratches on case							1
STC	Stems top chamber							
SWE	Satety switch works too easily							
SWH	Safety switch works too hard		àte.					
sww	Safety ewitxh work							
то	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	. W.S.						
хн	Extracts hard					à		
HI	High							
LO	Low			1.00				
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group			1			5	
FSST	Front sight tipped							Þ
RSTT	Rear sight tipped					2		
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							





AI-P	Assembly incompleye at proof					
	Barrel bracket gracked or broken at proof		*			
BC-P	Blows cases at proof					
вев-р	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				889.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	2				














Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof		713						
		Rejected:	71						
	Overall Rej		9.9 6						
		Shot:		-	158	28	93		257
- 19 E	Proof	Rejected. Percent:	0 0.0	0	7 4,4	0 0.0	0 0.0	0	0 0.0
		Shot		4	169	45	116		129
	Test	Rejected.	á l	0	<u> </u>	2	15	0	31
		Percent:	0.0	0,0	4.1	4.4	12.9		24.0
		Shot: [00016	25	10		16
	Target	Rejected: Percent:	0	<i></i>	0 0.0	0 90	0 0.0	0	0 0.0
CODE	MALFUNCTION INDE		700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
								Xee,	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								6
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				3				
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							ž	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of p	position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								

BWCFM	Bolt won't close over full magazine]
CD	Case dented								1
СН	Closes hand	<i>.</i>		4	2			1	
CLM	Can't laod magazine								
со	Cut-off		itte.						
CR	Cuts rim								
CS	Cases swell								
стоб	Chamber tom or gouged								
СТР	Creepy trigger pull								
CWSB	Carns wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch						teo.		
DCT	Double click in trigger								
DCU	Doesn't close-up								
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								Þ
DLU	Doesn't lock-up						á		瀫
DS	Dead safe								I.«
DX	Doesn't extract					2			
DXL	Doesn't extract live round								
EDS	Extractor drops shell					1			
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								




FA FB	FA FB FC FC FCB	Subject to Protective Order	
	< FCB	Williams	FA FB
en FD		ninç	FF
Perming	Jing FF	ytor	FFP
Remingtor	ningtor	-	FOS
fp FD FF	nington		

111100 10001111	Fires automatically						
FB	Follower binds						
FC 👘	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl			8			
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~			<u>/////</u> 1		
FPOH	Floor plate opens hard					See.	
FSR	Fires when safe is released						
FT	Follower tips				1		
GCSO	Gas cyl shot off		1165				
HBL	Heavy bolt lift				2		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						4
HUR	Hard under rail						Ø
JCS	Jumps cartridge					ä	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
B	MLH
n 1998	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
-	PSM


ML	Magazine loose							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		àn.				2	
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case						1	
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· ***						
RIS	Ring in sholder					5eo.		
RS	Rim srem							
SBC	Stems bottom chambers		****		2			
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
SHI	Short indent							
SI	Stems incline		ve e e de la de ve		6	200 4		ø
SIC	Stems in chamber					ź		
SL	shaves lead							l
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride						9	
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber						3	




Protective Order	
Willia	SRIC .
ams v. Remington	STC
.< TI	SWE
fen	SWH
jnir	SWW
, tor	TD
<u>ر</u>	ΤU


Subject to


SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	áto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				





AI-P	Assembly incompleye at proof						
368	Barrel bracket stacked or broken at proof						
3C-P	Blows cases at proof						
3EB-P	Barrel extension broken at proof						
3LP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
3P-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				59		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	- ××;					
ESO-P	Fore-end shot off at proof					8eo.	
F-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			****			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof			7			
SCB-P	Stock cracked or broken at proof						
JNCM-P	Uncoded proof malfunctions		***				














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Fai	lures 922							-
	Total Reje								
	Overall Reject	Rate: 9.11							_
		Shot: 21	3	1	25	19	13	613	1
×.		scted. 19	0	0	0	0	0	0	-
	358666	rcent: 90 5	0.0	0.0	0.0	0.0	0.0	0.0	_
	**************************************	Shot 16		15	30	74		614	
		ected: 0 rcent: 0.0	0	0 	1 3.3	0 0.0	0	58 9.4	
		99990 <u> </u>				6	1	9.4	٦
		Shot: 0	<u>k ////////////////////////////////////</u>		3 	0	0	0	1
		rcent:			0 0	0.0	5	0.0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									4
AB	Action binds								_
BABS	Bulge at body shoulder								
BAC	Burr at chamber			2				6	
BBMA	BBL-to-bolt misalignment]
BB	Bolt binds/catches		****					11] _
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						;		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of posit	ion							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down]

						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch			80.		
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up			ž		
DS	Dead safe				16	I.
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell]




Subject to Protective Order	
W	FA
Ē	FB
S L	FC
<u>א</u>	FCB
len	FD
ing	FF
ams v. Remingtor	FFP
	FOS

FA 🥼	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Follows-down	322.					
FF	Fails to fire						1
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl			58			
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			1]
FPOH	Floor plate opens hard				Sec.	1	
FSR	Fires when safe is released						
FT	Follower tips		****			4]
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift]
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge				á		
JM	Jumps magazin e						ľ
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						1




Subject to Protective Order	
	ML
Ē	MALH
 ອີ	MRH
	ОН
fen	OR
ning	PH
ams v. Remingtor	PSI
L	PSM

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hand						
OR	Overandes	àn.				5	
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			50		3	
RDW	(Action) release doesn't work						
RIC	Rings in chamber					3	
RIS	Ring in sholder				teo.		
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		~~				
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline				- 10 G	1	Ø
SIC	Stems in chamber				2		
SL	shaves lead						l 💖
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride					7	
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						





SRIC	Subject to Protective Order	
	N III	SRIC
	S S	STC 🕺
STC	<u>ج</u>	SWE
STC SWE	len	SWH
ns V. Ren	ing	sww
ns v. Reming	ytor	TD
ns v. Remingtor	ت.	ΤU
v. Remingtor		


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard					1	
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard				Sec.		
HI	High						
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped				à		4
RSBR	Rear sight base raised						ļ
FSTR	Front sight raised						
FSTL	Front sight loose					<u> </u>	1
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						4
	1						





AI- <u>P</u>	Assembly incompleye at proof						
368	Barrel bracket stacked or broken at proof						
3C-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
3LP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
3P-P	Blown primer at proof						
3S-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				59		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	- ××;					
ESO-P	Fore-end shot off at proof					889.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			1.0			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	19					














Subject to Protective Order Williams v. Remington


									_
Summary	Total Test + Proof Failu Total Reject								
	Overall Reject Re								-
		hot: 44	- -	39		5		97]
	Proof Rejection Rejection Percent		0	0 0.0	0	0 0.0	0	0 0.0	
		hot 71		4	I	0.0		191	7
	Test Rejec		0	<u> </u>	0	0	0	13	1
	Perc	xent: 4,2		0.0		0.0		6.8	
	100000	bot. 5				_		18	
	Target Rejëč Perc	222222222	9	0	0	0	0	0 0.0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7]
AB	Action binds				- TO				
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches	1							
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						ž		
BHR	Bolt hits receiver] 🔍 🎆
BHS	Bolt plug hits safety switch] 🏼
BLOP	Bar lock or disconnector out of position	n]
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1

							_
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	1					
CLM	Can't laod magazine						
со	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber torn or gouged						
СТР	Creepy trigger pull			ann. Millionn			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)				and the		ø
DLU	Doesn't lock-up				á		
DS	Dead safe					2	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order		
	FA	Fires automati
ā	FB	Follower binds
S. S.	FC	Fails to come
T	FCB	Fore-end crac
ren	FD	Follows-down
nin	FF	Fails to fire
ams v. Remingtor	FFP	Flat firing pin
	FOS	Fires on safe

	Fires automatically					_
1	Fires automatically					
Contractor Contractor	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	in.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl		800 8000/0000.			
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens				1	
FPOH	Floor plate opens hard			XX	1	
FSR	Fires when safe is released					
FT	Follower tips				5	
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo					
HUR	Hard under rail				2	ø
JCS .	Jumps cartridge			1.00		
JM	Jumps magazin e]%
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order		
V	ML	
a T	BALH	
ns 🕬	MRH	
.< T	он	Ŵ
ren	OR	
ninç	PH	
ams v. Remingtor	PSI	
<u>د</u>	PSM	
	0000	


ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он 🚿	Opens hard		****					
OR	Over-ndes	1	240				1	
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder					900.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1.0				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							filme.
SI	Stems incline							
SIC	Stems in chamber					â		
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							William.
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							







Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1


SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		áto.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						




AI-P	Assembly incompleye at proof	1				
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			·		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~				
ESO-P	Fore-end shot off at proof				Sec.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
P-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	3	***			








Subject to Protective Order - Williams v. Remington








Summary									_
Summary	Total Test + Proof Failure Total Rejected	: 0							
	Overall Reject Rate Shot Proof Rejected Percent	26 1 0	0	0	0	0	0	0	
	Shint. Test Rejected Percent	l 🔍 🗘	0	0	0	0	0	0]
	Shot. Target Rejected Percen	r O	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder	_							-
BAC	Burr at chamber	_							4
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								╡
BCOBS	Bolt catches on bolt stop								
BCOF BC	Bolt catches on follower Blows cases								ł. 🕷
BHR	Blows cases Bolt hits receiver								1
BHS	Bolt plug hits safety switch							2006	🞆
BLOP	Bar lock or disconnector out of position								🗮
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								-
1	1	1			1			ļ	4
BSSM	Bolt stems shell in magazine								

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			888. 		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N	FA
la l	FB
ns /	FC
ר דו	FCB
len	FD
inc	FF
liams v. Remington	FFP
-	FOS

FA	Fires automatically]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		-240.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					800.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					;	
JM	Jumps magazin e						1 ~~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine lõose					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			59		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · ·				
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				ž	
SL	shaves lead					1.000
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Subject to Protective Order	
	SRIC
ā	SSOC
1 S	STC 🔅
.< TI	SWE
lams v. Remingtor	SWH
ing	sww
jtor	TD
<u>ب</u>	TU
	1

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington


-									_
Summary	T ota l Test + Proof Failu Total Reject	ted: 54							
	Overall Reject R		1						=
	Si Proof Reject	hot: 53 ted	37 0	0	80 0	54 0	0	558 0	
	Perc		0.0	0.0	0.0	0.0	0.0	0.0	
		hot.		18	55	57		498]
	Test Rejet		0	2	1	7	0	40	
	Pere	967 <u> </u>	<u></u>	11.1	1.8	12.3	40	8.0	-
	Target Reject	hot: 0	<u> </u>	2	2	4 0	13 0	8	L
	Perce Perce			0 0	o o	0.0	0.0	0.0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds		2 2 2 2 2 2 2 2						_
BABS	Bulge at body shoulder								_
BAC	Burr at chamber							X	-
BBMA	BBL-to-bolt misalignment								L
BB	Bolt binds/catches					2		6	
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						à		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	n							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off	àn.					
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull			888. 			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				Nev.		
ОСТ	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up	 					
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up				;		
DS	Dead safe		2			4	ľ
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell			1			
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order V	
	FA
ā	FB
Soot Su	FC
.< TI	FCB
fen	FD
nin	FF
liams v. Remingtor	FFP
ب	FOS

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken	****					
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			1 🕺			
FPOH	Floor plate opens hard				800.	1	
FSR	Fires when safe is released						
FT	Follower tips					5	
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift			2			
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Ø
JCS	Jumps cartridge				a a		
JM	Jumps magazin e						l
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
5 NO	MRH
T	он
fen	OR
ning	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hant		****					
OR	Overandes				1		6	
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	··· ////						
RBOC	Rings and bulges on case			58				
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers		*					
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent							4
SI	Stems incline							ø
SIC	Stems in chamber					á		
SL	shaves lead							_ ™
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order		
W.	SRIC	
liams v. Remington	8500	
le S	STC	
<u>א</u>	SWE	
ìen	SWH	
nin	sww	
gtor	TD	
د	ΤU	
	TIME	


Subject to


SRIC	Specific rings in chamber							
8500	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up		<u> ////</u>					
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	~~~					14	
хн	Extracts hard					See.		
HI	High							
LO	Low			~~				
LEFT	Left				×			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							P
RSTT	Rear sight tipped					à		
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose		*****					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	1		****					





AI-P	Assembly incompleye at proof	8				1
368	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
вев-р 🚿	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof		V IIII			
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				Sec.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl			 1997 <i>i</i> 1997		
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	2				















Summary	Total Test + Proc	of Failures	709							-
		Rejected:	105							
	Overall Re	eject Rate:	14.81							-
		Shot:		3	65	11		3	547	
200	Proof	Rejected	0	1	0	0	0	0	8	
		Percent	0.0	33.3	0.0	0.0		0.0	1.5	,
	-	Shot. [Rejected:	26 1	0	80	80 9	0	0	363 40	
	Test	Percent:	3.8	0	21	9 11.3	U	U	40 11.0	
		Shot [3	8 <u>11 - 1777</u> 8 - 1777	6	6		1	28	1
	Target	Rejected:	0			0	0	0	0	1
		Percent:	0.0		00	0.0			0.0	
CODE	MALFUNCTION IND	EX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								8	
BABS	Bulge at body shoulder									
BAC	Burr at chamber				~					
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches				1	6			/// 3	1 //////
BCOBS	Bolt catches on bolt stop									
BCOF	Bolt catches on follower									
BC	Blows cases							ä		
BHR	Bolt hits receiver									1 🐨 🎆
BHS	Bolt plug hits safety switch									1 🗶
BLOP	Bar lock or disconnector out of	f position								1
BLSO	Barrel lug shot off									
BPO	Bolt pulls out									
BSSM	Bolt stems shell in magazine									
BWCD	Bolt won't cam down									1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off		àre.			
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged	Î 🦉				
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				teo.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	
DLU	Doesn't lock-up				á	
DS	Dead safe					<u>I</u> ∾
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




0	
Protective Order	
Williams v. Remington	FA FB FC
<u>.</u> ті	FCB
ìen	FD
jnir	FF
gtor	FFP
<u>ب</u>	FOS

FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken		****					
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin			• •				
FOS	Fires on safe	··· ////						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				3			
FPOH	Floor plate opens hard					Sec.		
FSR	Fires when safe is released							
FT	Follower tips						7	
GCSO	Gas cyl shot off			1100				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							ø
JCS	Jumps cartridge					á		
JM	Jumps magazin e							r~
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ā	MILH
n see	MRH
	он
ìen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
ب_	PSM
	1


ML	Magazine loose							
BALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-indes		200				1	
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case						11	
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~		20			4	
RIS	Ring in sholder					XX		
RS	Rim srem							
SBC	Stems bottom chambers						3	
SBE	Stems bbl extension			110				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							Ø
SI	Stems incline							Ø
SIC	Stems in chamber					á	1	
SL	shaves lead							l 👾
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride						2	
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							



Protective Order	
	SRIC
lan	SSOC
- 10 S	STC 💈
דו	SWE
ìen	SWH
nin	sww
ams v. Remington	TD
<u>ر</u>	ΤU


Subject to


SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		áto.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





Subject to Protective Order Williams v. Remington	
N.	AI-P
B r	868
S S L	BC-P
TI	BEB-P
len	BLP-P
ini	BLSO-P
ytor	BP-P
ر_	BC D

neegg Å							
NI-P	Assembly incompleye at proof]
868	Barrel bracket gracked or broken at proof						1
BC-P	Blows cases at proof						1
BEB-P	Barrel extension broken at proof						1
BLP-P	Blanked primer at proof	ŝta,					1
BLSO-P	Barrel lug shot off at proof						1
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof				XX.		
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	1 1		į		8	














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hand					1
CLM	Can't laod magazine					1
со	Cut-off	- 422.				1
CR	Cuts rim					1
CS	Cases swell					1
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				in.	
DCT	Double click in trigger					
DCU	Doesn't close-up		****			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	Ø
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					l.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1.0			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					;	
JM	Jumps magazin e						I ~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
Ē	MLH
 ອີ	MRH
.< T	он
fen	OR
ning	РН
ams v. Remingtor	PSI
Ĺ	PSM

ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard	 ****			
он	Opens hant				
OR	Overindes	240			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension	*****			
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ä	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
	NIII N	SRIC
	n ****	STC
STC	<u>ר</u>	SWE
STC SWE	ìen	SWH
ns STC V. SWE SWH	ning	sww
ns <. Reming	,tor	TD
ns v. Remingtor	-	тυ
V. Reming		I

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					1
SWH	Safety switch works too hard	220.				
sww	Safety ewitxh won't work					1
TD	Tips down		.			
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				àine.	
ні	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose	****				
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				














Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
lan I	FB
20 C	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down	áto.				
FF	Fails to fire					
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
B	MLH
n 1998	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
-	PSM


ML	Magazine loose]
RALH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Overandes		322.				
PH	Pulls hard						
PSI	Proof stamp illegible			.			
PSM	Proof stamp missing	··· ///					
RBOC	Rings and bulges on case				1999. 1997 - J.		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers			****			
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						Ø
SIC	Stems in chamber					;	
SL	shaves lead						l
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



ILE00089285

SRIC SSOD STC SWE SWH SWH SWW TD TU	Subject to Protective Order	
ams v. Remingtor	W	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW TD TU	n s	STC 📎
emington TU	א דו	SWE
nington 단	len	SWH
	ing	sww
- TU	jtor	ат
	-	TU

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·					
хн	Extracts hard					à	
HI	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						Þ
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						I.
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						-
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	FA.	FA FB FC	FA FB FC FC FCB	Subject to Protective Order	
	a ke	ams FC	ATTIC FCB	N.	FA
V. FCB V. FCB FD		FD FD		jnir	FF
S V. Reming	. FCB FD FD FF	eming		ytor	FFP
IS V. Remingtor	7. Remingtor	FD FF FF FF FFP	ningtor FFP	<u>ر</u>	FOS
Reming	FCB FCB FD FD FF FF FF FF FOS	FD FF FF FFP FOS	nington FFP FOS		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect	 				
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released	*****				
FT	Follower tips	****				
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1
JCS	Jumps cartridge	*****			a a	12
JM	Jumps magazin e					<u> </u>
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order	
	ML 🖉
<u>a</u>	MILH
S No.	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب	PSM

ML	Magazine loose					1
MILH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Overindes	áto.]
PH	Pulls hard]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		110			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				á	
SL	shaves lead					1.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off		itte.				
CR	Cuts rim						
cs	Cases swell						
стод	Chamber torn or gouged	··· ///					
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					XX	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			100			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						Ś
DLO	Doesn't lock open (after last shell)						Ø
DLU	Doesn't lock-up					à	
DS	Dead safe						l
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA			Subject to Protective Order	
	₫ FB	FB FC FC	N.	FA
FC S FC FCB	S FCB		len	FD
TS V. FCB FD	S. FCB	en FD	in	FF
FC FCB FD FF	Y. Reming	fD FD FF	ytor	FFP
ns v. Remingtor	 FCB FD FD FF FF FFP 	FD FF F	ب	FOS
V. Remingtor	Y. Remington	Remington		

FA.	Fires automatically					1
	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	- 200.				
FF	Fails to fire					1
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl			ан. 2011 - Сан.		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				á	
JM	Jumps magazin e					I ×
OL	Jars off					
₽B	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
10 TS	MRH
<u>ج</u>	он
len	OR
nin	PH
ams v. Remington	PSI
ت ب	PSM


ML	Magazine loose]
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hant				
OR	Overindes	àre.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			;	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber]



Protective Order	
	SRIC
la la	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
iams v. Remington	SWH
nin	sww
gtor	TD
د	ΤU
	7160

Subject to

SRIC	Specific rings in champer]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	200				
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				8a.	
HI	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped			 		
RSTT	Rear sight tipped				â	
RSBR	Rear sight base raised			 		<u>``</u>
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




					_
BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off	200			
CR	Cuts rim				
CS	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			Nev.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				17
DLU	Doesn't lock-up			8	
DS	Dead safe				ſ
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				




Subject to Protective Order	
V	FA
ğ	FB
3 S L	FD FC
T	FCB
fen	FD
jnir	FF
lams v. Remington	FFP
ر	FOS

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		322.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					Aires,	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge					;	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position]




Subject to Protective Order	
	ML
<u>a</u>	MLH
n se	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب_	PSM

ML	Magazine lõose				1
MLH	Magazine loads hard				1
MRH	Magazine removes hard				
он	Opens hant				
OR	Overandes	itte.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
	N III	SRIC
	n ver	STC
STC	א. דו	SWE
STC SWE	len	SWH
ns v. Ren swe	inc	sww
ns <. Reming	,tor	TD
ns v. Remingtor	-	TU
V. Reming		

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				80x.	
HI	High		******			
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					撑
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					
FSTR	Front sight raised			 		
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions					1999 B		

din.














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin			.			
FOS	Fires on safe						
FPHB	Firing pin hits bbl				800. 2007/000		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips			****			
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail					n an	1
JCS	Jumps cartridge		****			ź	瀫
JM	Jumps magazin e						1%
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
<u>a</u>	MLH
n se	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب_	PSM

ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard	 ****			
он	Opens hant				
OR	Overindes	340.			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension	*****			
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ä	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
		SRIC
	ns '	STC
STC	א דו	SWE
STC SWE	len	SWH
ns v. Ren	iing	sww
ns <. Reming	itor	то
ns v. Remingtor	ب	ти
 SWE SWH SWW 		1

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case						
STC	Stems top chamber						1
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· **					
хн	Extracts hard					à	
HI	High						
LO	Low			1100			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						1
RSTT	Rear sight tipped					-	
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order - V	
	FA
Ē	FB
S Sum	FC
.< TI	FCB
٦en	FD
ning	FF
ams v. Remingtor	FFP
د	FOS

FA	Fires automatically]
	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			8		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard				tes.	
FSR	Fires when safe is released					
FT	Follower tips		*****			
GCSO	Gas cyl shot off		1165			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
B	MLH
.	MRH
.< T	он
fen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ب</u>	PSM


ML 🥢	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine ternoves hard					
он	Opens hant					
OR	Overandes		àre.			
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			89.9 2011/2014		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· ***				
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				ä	
SL	shaves lead					1.00
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
a la	SSOC
ר <u>איי</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				19
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u>_</u> ~~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]




···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	FA FB	FA FB FC	Subject to Protective Order	
	a FB	FB FC	X	FA
FC FCB	FCB		ìen	FD
FC FCB FD FD		FD FD	ing	FF
FC B FC FC FC FF FC FF FF	. FCB FD FD FF	eming	jtor	
TS V. Remingtor	7. Remingtor	FD FD FF FF FF FF	ب_	FOS
V. FCB FD FD	FCB FCB FD FF FF FF FF FF FOS	FD FF FF FFP FOS		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect	 				
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released	*****				
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1¢
JCS	Jumps cartridge	*****			a a	12
JM	Jumps magazin e					<u> </u>
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM

ML.	Magazine loose]
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hant					
OR	Overandes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			58		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				1990.]
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken]
SCX	Shell catches] _
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead					1
SLC	Stems left side of chamber]
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
ب	тυ
	1

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	àre.				1
sww	Safety ewitxh won't work					1
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				80.	
HI	High		******			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped			 	2	
RSBR	Rear sight base raised					T.«
FSTR	Front sight raised					
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof				
368 · · · ·	Barrel bracket gracked or broken at proof				
вс-р	Blows cases at proof				
вев-р 👋	Barrel extension broken at proof				
BLP-P	Blanked primer at proof				
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof				
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			1990.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl				
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
×.	FA
lian .	FB
ns .	FC
TI	FCB
len	FD
ing	FF
lams v. Remingtor	FFP
-	FOS

FA .	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down		- A.M.			
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					1
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				1
FPOH	Floor plate opens hard				io.	1
FSR	Fires when safe is released					1
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin e					ľ.«
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ă L	MLH
S S S	MRH
.< T	он
len	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM


ML	Magazine lögse					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens han					
OR	Over-rides					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	**				
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				â	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a a	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
ren	SWH
ning	sww
iams v. Remington	TD
J	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					




···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	FA.	FA FB FC	Subject to Protective Order	
	₩ FB	FB FC FC	X	FA
FC FC FCB	т FCB		len	FD
FC FCB FCB FD	S FCB	en FD	ing	FF
F F F F F F	Y. Reming	fD FF FF	ytor	FFP
F F F F F	v. Remingtor	FD FF F	<u>ب</u>	FOS
ên FD	Y. Remington	Remington		

FA.	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down		àre.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· ***				
FPOH	Floor plate opens hard				5a.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				;	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	ása.				
PH	Pulls hard					1
PSI	Proof stamp illegible		• •			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				io.	1
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead					ľ
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					1
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
א דו	SWE
len	SWH
ing	sww
ams v. Remingtor	σт
<u>ب</u>	тυ
	1

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			ann. Millionn		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		110			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					P
DLU	Doesn't lock-up				á	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
V	FA
lan .	FB
20 C	FC
т	FCB
len	FD
inc	FF
ams v. Remington	FFP
ت	FOS

FA	Fires automatically					
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	ása.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				â	瀫
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
gtor	PSI
<u>د</u>	PSM

ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard	 ****			
он	Opens hant				
OR	Overindes	340.			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension	*****			
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			ä	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Subject to Protective Order	
	N III	SRIC
	S S	STC 🕺
STC	<u>ج</u>	SWE
STC SWE	len	SWH
ns V. Ren	ing	sww
ns v. Reming	ytor	TD
ns v. Remingtor	ت.	тυ
v. Remingtor		


SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	àre.				1
sww	Safety ewitxh won't work					1
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				80.	
HI	High		******			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped			 	2	
RSBR	Rear sight base raised					T.«
FSTR	Front sight raised					
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions					1999 B		

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failur								-
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	1	1	1	1	-
	Sho Proof Rejected	et	0	0	0	0	0	0	
1	Perce			Ŭ	v	÷	v	v	
	110000 0000000000 000	n []
	Test Rejection Perce		0	o O	0	0	0	0	
	Sin	8 <u> </u>	<u>*************************************</u>				1	1	7
	Target Rejecte	əd: 0 🎆			0	0	0	0	_
-	Perce								-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5	~~					
BBMA	BBL-to-bolt misalignment								1000
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🐰
BC	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off	internet and the second s				
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				100.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	ľ
DLU	Doesn't lock-up				à	
DS	Dead safe			 		ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA		Subject to Protective Order	
	a FB		FA .
J FC		.< T	FCB
FC SC FCB	FCB	len	FD
FC FC FCB FD	FCB FD FD	ing	FF
ns v. Reming	S. FCB Peming	ytor	FFP
ns v. Remingtor	 FCB FD FD FF FF FFP 	<u>ت</u>	FOS
Remingtor	 FCB FD FF FFP FOS 		FPHB

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect		* * * *				
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	··· ////					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					à	
FSR	Fires when safe is released						
FT	Follower tips		*				
GCSO	Gas cyl shot off			110			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Ø
JCS	Jumps cartridge					-	擦
JM	Jumps magazin e						ļ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
	ML	
a a a a a a a a a a a a a a a a a a a	MILH	
ns 🕬	MRH	
-	он	Ň
æms v. Remingtor	OR	
ŋiŋ	PH	
gtor	PSI	
L	PSM	


ML	Magazine lõose						
MALH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-indes		- 420.				
РН	Pulls hard						
PSI	Proof stamp illegible			•			
PSM	Proof stamp missing	··· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder					1990.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					à	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
liams	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
len	SWH
nin	sww
s v. Remington	TD
د.	ΤU
	TIAD

Subject to


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard					
HI	High		****		· · · · · · · · · · · · · · · · · · ·	
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	FA.	FA FB FC	Subject to Protective Order	
	₫ FB	B FB FC		FA
FC FCB	FCB		ien	FD
FC FCB FD		en FD	jnir	FF
ns v. Reming	Y. Reming	fD FD FF	gtor	FFP
ns v. Remingtor	Y. Remingtor	FD FF FF FF FF FF	<u>ر</u>	FOS
TS V. Remingtor	Y. Remington	Remington		

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			12		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				8ee.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					Ś
HUR	Hard under rail					Ø
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
X	SRIC
a a a a a a a a a a a a a a a a a a a	SSOC
ີ	STC 🛞
	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		

. Mar














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC FC	VIII	FA
FC FC FCB	S FCB		len	FD
FC FCB FD FD	S. FCB	en FD	ing	FF
ns v. Reming	Y. Reming	fD FF FF	ytor	FFP
ns v. Remingtor	 FCB FD FD FF FF FFP 	FD FF FF FF FF FF	ت.	FOS
BERC FCB FC FCB FD FF FF FF FOS	Y. Remington	Remington		

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				8ee.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					Ś
HUR	Hard under rail					Ø
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
<u>a</u>	MLH
ams v. Remingtor	MRH
.< T	он
len	OR
juir	PH
ytor	PSI
ت	PSM

ML	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine removes hard		****			
он	Opens hard					
OR	Over-indes		340.			
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· ***				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		*****			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					Í
SI	Stems incline					Ø
SIC	Stems in chamber				,	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order		
N.	SRIC	
liams v. Remington	8506	
าร	STC	
.< T	SWE	23
en	SWH	
ning	sww	
gto	TD	
	TU	
	TIAD	

Subject to

SRIC	Specific rings in chamber						
8500	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work	· · · ·					
ΤΟ	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
хн	Extracts hard					See.	

н	High			****			
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



					 		-
AI-P	Assembly incompleye at proof						
868	Barrel bracket bracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· · · · · ·					
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			••••			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
	Uncoded proof malfunctions						














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
Williams v. Remington	FA FB
	FCB
Ren	FD
ning	FF
ytor	FFP
<u>ت</u>	FOS
	ЕРЦО

1/////	Fires automatically]
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				820 888////			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~						
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released							
FT	Follower tips		****					
GCSO	Gas cyl shot off			198				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							17
JCS	Jumps cartridge						;	12
JM	Jumps magazin e							1 %
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)					-		
MFOP	Magazine follower out of position							1



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					1		1
ML	*******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Protective Order	
N.	SRIC
ā	SSOC
ר <u>מ</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		áto.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			

(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N.	FA
<u>a</u>	FB
S S S	FC
.< T	FCB
ren	FD
nin	FF
iams v. Remington	FFP
د.	FOS
	COUD

FA	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken		•				1
FD	Follows-down		- 200.				
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe	··· ///					
FPHB	Firing pin hits bbl				88		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift				20 0000		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge					;	
JM	Jumps magazin e						
JO	Jars off						
LВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose]
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard]
OR	Overandes					
PH	Pulls hard]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · ·				
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches] .
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				á	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
a a	SSOC
ns	STC
ams v. Remington	SWE
ìen	SWH
jnir	sww
ytor	TD
	TU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	áto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			

dina.














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes haid							
CLM	Can't laod magazine							
00	Cut-off							
CR	Cuts rim							
CS	Cases swell				ito.			
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull					littere .		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round					·**///		
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS	Extractor sterns shell							
FA	Fires automatically		****					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				×			
FFP	Flat firing pin							
FOS	Fires on safe					Illina -		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard		*****					
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off					·***///		
HBL	Heavy bolt lift		****					
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							



ILE00089464

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.							
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port		****					
SR	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
SWW	Safety ewitxh won't work					allen.		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		****					
TWR	Trigger won't retract		*****					
UNCN-T	Uncoded		****					
хн	Extracts hard				· · · ·			
						****///		
н	High							
LO	Low		****				;	
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		****					
RSTT	Rear sight lipped							
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							



ILE00089466

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G 🎆	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			illin:					
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				8			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					allen.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof		· · · · · · · · · · · · · · · · · · ·					
BS-P	Barrel split at proof		****					
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					***////		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof						ž	
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							daja.
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							





