Summari	Total Test + Proof Failure	s 7543								
Summary	Total Rejected									
	Overall Reject Rate	. 9.31								
	Shot.		309	546	801	1166	29	1915	1	
	Proof Rejected	27	0	7	1	2	0	0	1	
	Percent	279 999 99222	0.0	1.3	0.1	0.2	0.0	0.0	_	
	- Shot	CONTRACTOR A	29 ※ 4	954 39	1110 136	1436 148	11 0	1595 157	J	
	Test Rejection Parcent		4 13.8	39 4.1	136 12.3	148 10.3	0.0	157 9.8		
	Shot.	CONTRACION STRACCO	1	125	285	1114	24	113	1	
	Target Rejected	: 0	0	1	0	0	0	5	Ŧ	
	Percent	: 00	0.0	0.8	0.0	0.0	0.0	4.4	_	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	70 0 s s	700 CDL	700 POLICE	MODEL 7		
						<u>.</u>				
АВ	Action binds									
BABS	Bulge at body shoulder									
BAC	Burr at chamber	5		10	· \$2 //	3. 3 .		ຼ 15		
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches	7		6	9	9		26		
BCOBS	Bolt catches on bolt stop			***	***					;
BCOF	Bolt catches on follower			3	2	4			ľ	Î
BC	Blows cases							l IIIII.	1	
BHR	Bolt hits receiver									
вня	Bolt plug hits safety switch								1	
BLOP	Bar lock or disconnector out of position					1			1	
BLSO	Barrel lug shot off								1	
вро	Bolt pulls out								1	******
BSSM	Bolt stems shell in magazine								1	
BWCD	Bolt won't carn down						1		1	
BWCFM	Bolt won't close over full magazine					2	1			
CD	Case dented						1		1	

	·/////////								
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
сн	Closes hard	4	3	5	32	8		1	
CLM	Can't load magazine			***		2			
co 🔌	Cut-off			****	*****				
CR	Cuts rim			****					
cs	Cases swell								
CTOG	Chamber torn or gouged	10		-					
СТР	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up						Allance.		
DE	Doesn't eject				1	2]
DEL	Doesn't eject live round								
DFB	Doesn't feed back								
DFU	Doesn't feed up								V
DLO	Doesn't lock open (after last shell)					;			j,
DLU	Doesn't lock-up				*	3			
DS	Dead safe			2	1	4		23]
DX	Doesn't extract		1		1	3			
DXL	Doesn't extract live round								
EDS	Extractor drops shell	1		Tru	5	16		2]
ESB	Ejector sticks back					1			
ESCR	Empty shell catches receiver]
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								1



*#@};

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to pomnect							
FCB	Fore-end cracked or broken							
FD	Follows-down				*****			
FF	Fails to fire	······································			1			
FFP	Flat firing pin				****			
FOS	Fires on safe				***			
FPHB	Firing pin hits bbl				****			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	10			7	16		2
FPOH	Floor plate opens hard							3
FSR	Fires when safe is released							
FT	Follower tips	12			1	18	Allana.	22
GCSO	Gas cyl shot off							<i></i>
HBL	Heavy bolt lift	1		1		10		1
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail				1			2
JCS	Jumps cartridge							
JM	Jumps magazine				2			
OL	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							

(dina



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Marh	Magazine removes hard							
он	Opens hard							
OR	Over-rides	3		3	1	22		14
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				1			4
RDW	(Action) release doesn't work			1	e			
RIC	Rings in chamber	3			24	4		3
RIS	Ring in sholder				2			
RS	Rim srem					ilia - 11an.		
SBC	Stems bottom chambers				1	12	dina.	
SBE	Stems bbl extension							<i></i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1		3	1	12 ,		1
SIC	Stems in chamber					÷		4
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride					1		16
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				3
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



	11.1111.11.								
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
stc	Sterns top chamber								1
SWE	Safety switch works too easily	2			2	1			1
SWH 🛛	Salety switch works too hard				1			1	1
sww	Safety ewitxh won't work	1							1
TD	Tips down								1
TU	Tips up								1
TWP	Trigger won't pull								1
TWR	Trigger won't retract								
UNCN-T	Uncoded				4.			14]
ХН	Extracts hard					2			1
									1
HI	High						dina.		1
LO	Low								1
LEFT	Left								1
RIGHT	Right								1
DG	Doesn't Group			1				5	
FSST	Front sight tipped								
RSTT	Rear sight tipped			-		÷			1
RSBR	Rear sight base raised								
FSTR	Front sight raised								
FSTL	Front sight loose								
RSTL	Rear sight loose								1
MGPT-G	Missing parts at target								1
UNCN-G	Uncoded nonconformity at target								-
AI-P	Assembly incompleye at proof								-
BBB	Barrel bracket cracked or broken at proof								1




CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof	· · · · ·						
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				á			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof	1						
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							<i></i>
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof			7				
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	26			1	2		


math							totals	700 totais	New Gen totals]
	13	69		sa. 1112	127	95	7317	5914	1308	
	0	0	0	37	0	0	74	37	37	1
	0.0			33	0.0	0.0	1.0	0.6	2.8	
	12			1245	118	95	7469	14074	1363	
	0	0	0	//55	9	0	607	543	64	-
	0.0			4.4	7.6	0.0	8.1	3.9	4.7	
	18			77	108		934	1803	185	
	0	0	0	0	15	0	21	6	15	-
	0.0			0.0	13.9		2.2	0.3	8.1	_
	XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals	
				11	3		14		14	
							65	65		
							108			
							57	57		
							5	5		

								5		
					1		5 			
		I					2	2		
							<u> </u>			
	L			1	1	1	1	1	1	1


Subject to Protective Order Williams v. Remington


ILE00089878







Subject to Protective Order Williams v. Remington









Subject to Protective Order Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington




Subject to Protective Order Williams v. Remington



Subject to Protective Order - Williams v. Remington

Burr at chamber Closes hard Bolt binds/catches Follower tips	
Bolt binds/catches Follower tips	ł .
Follower tips	
	- 3
	. 🦓
Over-rides	edile.
Rings in chamber	
Floor plate opens	
Extractor drops shell	
Uncoded proof malfunctions	
Dead safe	8 Y
Stems incline	
Heavy bolt lift	1.
Pierced primer at proof	
Rings and bulges on case	
	999999 66699
	ġ.
Can't load magazine	
Jumps magazine	
Ring in sholder	
Safety switch works too hard	
Extracts hard	
Ejector sticks back	
	ļ
Barrel lug shot off	
Bolt pulls out	
	Uncoded proof malfunctions Dead safe Stems incline Heavy bolt lift Stem over-ride Stems bottom chambers Chamber torn or gouged Pierced primer at proof Doesn't Group Bolt catches on follower Doesn't eject Doesn't eject Doesn't extract Rings and bulges on case Safety switch works too easily Stems in chamber Stems right side of chamber Bolt won't close over full magazine Can't load magazine Jumps magazine Ring in sholder Safety switch works too hard Extracts hard Ejector sticks back Fails to fire Floor plate opens hard Hard under tail (Action) release doesn't work Uncoded Fails to fire at proof Action binds Bulge at body shoulder Blat-to-bolt misalignment: Bolt catches on bolt stop Blows cases Bolt hits receiver Bolt plug hits safety switch Bartlock or disconnector out of position Bartel lug shot off



CR	Cuts rim	
CS	Cases swell	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	-995
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DEL	Doesn't eject live round	
DFB		2000 - 1993 1990 - 1993
DFU	Doesn't feed back	
	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DXL	Doesn't extract live round	natilitiette
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	<i>30000</i> 0
FA	Fires automatically	Sec.
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	â.
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FSR	Fires when safe is released	
GCSO		
HMSC	Gas cyl shot off Heading mismatch-steps on case	
HPA	High pressure ammo	
JCS	Jumps cartridge	
10	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML.	Magazine loose	
MLH	Magazine loads bard	
MRH	Magazine removes hard	
OH	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RS	Rim srem	
SBE 🛞	Stems bbl extension	
SCB	Stock gracked or broken	
SCX	Shell catches	
SHI	Short indent	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	




Subject to Protective Order Williams v. Remington

SP	Stems port
SR	Shoulder rough
SRIC	Specific rings in chamber
SSOC	Surface scratches on case
STC	Stems top chamber
SWW	Safety ewitxh won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
HI	High
LO	Low
LEFT	Left
RIGHT	Right
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over strells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnattux stamp illegible on bbl
MSM-P	Magnaflux stamp missing on bbl
SCB-P	Stock cracked or broken at proof

Ø







AB	Action binds		
BABS	Bulge at body shoulder		
BAC	Burr at chamber		
BBMA	BBL-to-bolt misalignment		
BB	Bolt binds/catches		
BCOBS			
	Bolt catches on bolt stop		
BCOF	Boll catches on follower		
BC	Blows cases		
BHR	Bolt hits receiver		
BHS	Bolt plug hits safety switch		
BLOP	Bar lock or disconnector out of	position	
BLSO	Barrel lug shot off		į
BPO	Bolt pulls out		~
BSSM	Bolt stems shell in magazine		
BWCD	Bolt won't cam down		
BWCFM	Bolt won't close over full magaz	ine	
CD	Case dented		8888 ê
CH	Closes hard		
CLM	Can't load magazine	<u> </u>	8
co	Cut-off	999999 19995	<u> </u>
CR	Cuts rim		
CS	Cases swell	- <u> </u>	
CTOG	Chamber forn or gouged		- 22
CTP	Creepy trigger pull	10000	
CWSB	Cams wrong side of action bar		
DBB	Doesn't blow back		
DCS	Double click in safety switch		
DCT	Double click in trigger		<u> </u>
DCU	Doesn't close-up		
DE	Doesn't eject	1995	
DEL	Doesn't eject live round		6688
DFB	Doesn't feed back		
DFU	Doesn't feed up	Seen	
DLO	Doesn't lock open (after last she	31)	
DLU	Doesn't lock-up		
DS	Dead safe		
DX	Doesn't extract		
DXL	Doesn't extract live round		
EDS	Extractor drops shell		
ESB	Ejector sticks back		
ESCR	Empty shell catches receiver	·	
ESS	Extractor stems shell		
E33 FA		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	Fires automatically Follower binds	*****	
FB			
FC	Fails to connect	*****	*****
FCB	Fore-end cracked or broken		
FD	Follows-down		
FF	Fails to fire		
FFP	Elat firing pin		
Fos 🎡	Fires on safe		
FPHB	Firing pin hits bel		



FPHI	Firing pin hits inside rim
FPO	Floor plate opens
FPOH	Floor plate opens hard
FSR	Fires when safe is released
FT	Follower tips
GCSO	Gas cyl shot off
HBL	Heavy bolt lift
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
HUR	Hard under rail
JCS	Jumps cartridge
JM	
	Jumps magazine Jars off


LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine loose
MLH	Magazine loads hard
MRH	Magazine removes hard
OH	Opens hard
OR	Over-rides
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RIC	Rings in chamber
RIS	Ring in sholder
RS	Rim srem
SBC	Stems bottom chambers
SBE	
	Stems bbl extension
SCB	Stock cracked or broken
SCX	Shell catches
SHI	Short indent
SI	Stems incline
SIC	Stems in chamber
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SOR	Stem over-ride
SP	Stems port
SR	Shoulder rough
SRC	Stems right side of chamber
	Specific rings in chamber
SRIG	
SRIC	Surface scratchesioniciaes
SSOC	Surface scratches on case
SSOC	Stems lop chamber
SSOC STC SWE	






TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
	Left	
	Right	;
DG	Doesn't Group	ŝ.
FSST RSTT	Front sight tipped Rear sight tipped	
RSBR	Rear sight base raised	88
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	1
BC-P	Blows cases at proof	See
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	netë
BLSO-P	Barrel lug shot off at proof	1
BP-P	Blown primer at proof	8
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at preof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	1
UNCM-P	Uncoded groof malfunctions	






ESB-P	Ejector sticks back at proof						
EDS	Extractor drops shell						
AB	Action binds						
DX	Doesn't extract						
ESCR	Empty shell catches receiver						
CTOG	Chamber torn or gouged						
JM	Jumps magazine						
RIC	Rings in chamber						
OR	Over-rides						
UNCN-T	Uncoded						
PP_P	Pierced primer at proof						
UNCM-P	Uncoded proof malfunctions	ź					
BABS	Bulge at body shoulder	ŝ.					
BAC	Burr at chamber						
BBMA	BBL-to-bolt misalignment						
BB	Bolt binds/catches						
BCOBS	Bolt catches on bolt stop						
BCOF	Bolt catches on follower	8					
BC	Blows cases						
BHR	Bolt hits receiver	20					
BHS	Bolt plug hits safety switch						
BLOP	Bar lock or disconnector out of position	1940					
BLSO	Barrel lug shot off	Ľ.					
BPO	Bolt pulls out	8					
BSSM	Bolt stems shell in magazine						
BWCD	Bolt won't cam down	Ĩ					
BWCFM	Bolt won't close over full magazine						
CD	Case dented	à					
CH	Closes hard						
	Can't load magazine						
	Cut-off						
	Cuts rim						
CS	Cases swell						
CTP	Creepy trigger putt						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch						
DCS							
	Double click in trigger						
DE	Doesn't eject	ł					
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up	1					
DLO	Doesn't lock open (after last shell)						
	Doesn'i lock-up	ł					
DS	Dead safe	1					
DXL	Doesn't extract live round	1					
ESB	Ejector sticks back	1					
	Extractor Stems shell	ļ					
	At the second se	1					
FA 🕺 FB	Fires automatically Follower binds						





Subject to Protective Order Williams v. Remington

FC	Fails to connect	Í
FCB	Fore-end cracked or broken	Í
FD	Follows-down	Í
FF	Fails to fire	Í
FFP	Flat firing pin	ļ
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	8
FT	Follower tips	<u>ê</u> s
GCSO	Gas cyl shot off	ŝĝ.
HBL	Heavy bolt lift	Ì
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	88
HUR	Hard under rail	
JCS	Jumps cartridge	
JO	Jars off	
LB	Light blow	2014
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	Š.
MFA	Misfires (ammo)	<u> </u>
MFOP	Magazine follower out of position	ŝs.
ML	Magazine loise	
MLH	Magazine loads hard	-eeffi G
MRH	Magazine removes hard	
OH	Opens hard	à
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	Ş.
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems indige	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems.port Shoulder rough	
CO		
SR		
SRC 🤞	Stems right side of chamber	
SRC 🤞		



STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
SWW	Safety ewitxh won't work						
TD	Tips down						
TŲ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
ХН	Extracts hard						
HI	High						
LO	Low	Ś					
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped 🧼						
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
Al-P	Assembly incompleye at proof	eréfére					
BBB	Barrel bracket cracked or broken at proo	<u>f.</u>					
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof	×.					
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof						
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
SCB-P	Stock cracked or broken at proof						






HI	High	
	High	
AB	Action binds	
DE	Doesn't eject	
EDS	Extractor drops shell	
MCW	Magazine capacity wrong	
MRH	Magazine removes hard	
SOR	Stem over-ride	
LÖ	Low	
RSTL	Rear sight loose	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	Â
BB	Bolt binds/catches	693
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	20.
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	8
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	ŝa.
	Case dented	99
CH	Closes hard	
CLM	Can't load magazine	à.
<u>co</u>	Cut-off	
CR	Cuts rim	8
CS	Cases swell	Ŷ.
CTOG	Chamber torn or gouged	
СТР	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DEL	Doesn't eject lave round	
DFB	Doesn't feed back	
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
	Doesn't extract live round	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
	Fires automatically	
FB	Follower binds	
	The second of th	





Subject to Protective Order Williams v. Remington

		1
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF	Fails to fire	
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	:
GCSO	Gas cyl shot off	à
HBL	Heavy bolt lift	6.9
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	da.
MAH	Magazine assembles hard	
MFA		
	Misfires (ammo)	
MFOP	Magazine follower out of position	÷.
ML	Magazine loose	
MLH	Magazine loads hard	eti ĝ
OH	Opens hard	
OR	Over-rides	2
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	Ş .
RBOC	Rings and bulges on case	•
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
	STUMPOO OORANNAA AA AAAA	
	Surface scratches on case Stems top chamber	



SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
LEFT	Left	4
RIGHT	Right	
DG	Doesn't Group	999) 1
FSST	Front sight tipped	
RSTT	Rear sight tipped	-
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	di
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	200
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ř.
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	5
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	100
ESB-P	Ejector sticks back at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	





Summary	Total Test + Proof F		1032						-
	Total Rej Overall Rejec	jected: t:Rate:	53 5.14						
		Shot: 34	8 69) 193	112	235			1
		ejected.	0	0	0	0	0	0	-
		Percent 0.3	and the second		0.0	0.0			_
		Shot 26		202	142	270			
	Test R	eje <mark>cted: 5</mark> Percent: 1.6		8 4.0	10 7.0	23 8.5	0	0	
	· · · · · · · · · · · · · · · · · · ·	Shot: 24		12	138	25	1		1
	Target R	lejected: 0		· · · · · · · · · · · · · · · · · · ·	0	0	0	0	Ŀ
		Percent: 0.0		0.0	9 .0	0.0			
CODE	MALFUNCTION INDEX	700 S	PS 700 S		700 SS	700 CDL	700 POLICE	MODEL 7	
	A - (*								-
AB	Action binds				· · · · · · · · · · · · · · · · · · ·				4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber	1		1					_
BBMA	BBL-to-bolt misalignment								
3B	Bolt binds/catches	1		2		3			
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								1
вс	Blows cases						ä		
BHR	Bolt hits receiver								ľ
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of pos	sition							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine				2]
CD	Case dented						
СН	Closes hand			3	1		
CLM	Can'i load magazine						
со	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~					
DCS	Double click in safety switch					io.	
DCT	Double click in trigger						
DCU	Doesn't close-up		****				
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					and the	Ø
DLU	Doesn't lock-up					á	
DS	Dead safe				1		
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				1		
ESB	Ejector sticks back				1		
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
W	FA
ā j	FB
ns	FC
.< TT	FCB
len	FD
nin	FF
lams v. Remington	FFP
ب	FOS

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl			8			
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~		4	<u> </u>		
FPOH	Floor plate opens hard					500.	
FSR	Fires when safe is released						
FT	Follower tips				4		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					á	
JM	Jumps magazin e			2			1 ~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
a a	MLH
ns 👓	MRH
.< T	ОН
ren	OR
nin	PH
ams v. Remingtor	PSI
<u>ب</u>	PSM


ML.	Magazine loose							1
	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens.hand							
OR	Over-indes		Att.	3		8		
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	···· ////						
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							ø
SI	Stems incline	1		2	1			Ø
SIC	Stems in chamber						;	
SL	shaves lead							l
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							





SRIC	Specific rin gs in chamber						
8500	Surface scratches on case						
STC	Sterns top chamber						
SWE	Satety switch works too easily	2			1		
SWH	Safety switch works too hard		- Are.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull			59			
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · ·					
ХН	Extracts hard					5ao.	
HI	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					200 4	
RSTT	Rear sight tipped					ź	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





Al-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
BC-P	Blows cases at proof					
вев-р	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		200			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			9 a.e 2 august - Alexandro - Alexa 19 alexandro - A		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				500.	
FF-P	Fails to fire at proof	1	*****			
GCSO-P	Gas cylinder shot off at proof		******			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failures	984							-
	Total Rejected:	96							
	Overall Reject Rate:	9.76							=
	Shot: Proof Rejected	326 0	80	52 0	117	75 0	0	5 0	
~	Proof Rejscied	0.0	. 0.0	0.0	0.9	0.0	U	0.0	
	Shot	299		126	198	72			1
	Test Rejected.	20	0	1	46	0	0	0	1
	Percent	67		0.8	23.2	0.0	1	1	٦
	Target Rejected:	26 0	<u> </u>	6 0	14 0	7	0	0	
	Percent:	0.0		\$ 0	0.0	0.0	5	ů.	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber	3			27	1100.101000			4
BBMA	BBL-to-bolt misalignment								-
BB	Bolt binds/catches	2			3				4
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower				1		- 1947 		1
BC	Blows cases	ļ							4
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off	<u> </u>							
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								



	<i></i>						
BWCFM CD CH	Bolt won't close over full magazine Case dented Closes hard				7		
CLM CO	Closes hard Can't laod magazine Cut-off	l	· · .		i		-
CR CS	Cuts rim Cases swell						
CTOG CTP	Chamber tom or gouged						
CWSB DBB	Cams wrong side of action bar Doesn't blow back						
DCS DCT	Double click in safety switch Double click in trigger						
DCU DE	Doesn't close-up Doesn't eject			1	1		
DEL DFB DFU	Doesn't eject live round Doesn't feed back Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU DS DX	Doesn't lock-up Dead safe Doesn't extract				1		
DXL EDS	Doesn't extract live round Extractor drops shell						
ESB ESCR	Extractor drops sheri Ejector sticks back Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA
<u>a</u>	FB
1 ×**	FC
æms v. Remington	FCB
fen	FD
ning	FF
ytor	FFP
L	FOS
	FPHB

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	2		2		
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips	11				
GCSO	Gas cyl shot off		 1165			
HBL	Heavy bolt lift	1				
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ä	瀫
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
N.	ML
ğ	MLH
S S	MRH
<u>ج</u>	он
len	OR
nin	PH
ams v. Remington	PSI
د	PSM


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	1		1		
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing	··· ////				
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers		*			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				á	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order -1	
	SRIC
ā	SSOC
ams v.	STC
.< TI	SWE
Remington	SWH
nin	sww
gtor	TD
د	ΤU
	-

Subject to


SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily				1		
SWH	Safety switch works too hard		- day.				
sww	Safety ewitxh work						
TD	Tips down						
ΤU	Tips up	··· ///					
TWP	Trigger won't pull				1200 1997 - Maria Maria		
TWR	Trigger won't retract						
UNCN-T	Uncoded				1		
хн	Extracts hard					500.	
HI	High			****			
LO	Low						
LEFT	Left				1988) 1988)		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





Al-P	Assembly incompleye at proof						
	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
3LP-P	Blanked primer at proof		- A.M.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof			•			
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· · · · ·					
FESO-P	Fore-end shot off at proof					in.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			****			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions				1		


•		Test Date:						
400				litteer.			totals	
		16	1	1.00 f60	34	40	905	
	0	0 0.0	0	18 11.3	0 0.0	0 0.0	19 2.1	
[1.83	47	40	965]
	0	0	0	0 0.0	1 2.1	0 0 0	68 7.0	
[8	46		117	
	0	0	0	0 0.0	9 19.6	0	9 7.7	
	XR-100	7400	7500	7600	7615	Rimfire	totals	
ļ						********		
							30	
							5	
Ī								
Ī							1	
Γ								
f								1 /////////////////////////////////////
ľ								
ŀ								
ŀ								
ŀ								
ŀ								
L			1					


ILE00089918











Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof Failure Total Rejected	d: 62						
	Overall Reject Rate Sho		5	13	162	461	5	1
	Proof Rejecte Percer	d. 0	0.0	0.0	0.0	2 0.4	0.0	0
	Sho			153	232	256		
	Test Rejecte Percer	đ. 11	0	0.0	20 8.6	18 7.0	0	0
	Sho		¥ ////	15	45	18		
	Target Rejecte Percer		0	0 00	0 90	0 0.0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds				· · · · · · · · · · · · · · · · · · ·			
BABS	Bulge at body shoulder							
BAC	Burr at chamber	1				1		
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches	_			2			
BCOBS BCOF	Bolt catches on bolt stop Bolt catches on follower							
BCOF	Blows cases						;	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							1969
BLOP	Bar lock or disconnector out of position							1
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***					

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand				17			
CLM	Can't laod magazine					1		
со	Cut-off		- 200.					
CR	Cuts rim							
CS	Cases swell			•				
CTOG	Chamber torn or gouged	5						
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	· ***						
DCS	Double click in safety switch						à	
DCT	Double click in trigger							
DCU	Doesn't close-up		-					
DE	Doesn't eject			1100				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							ø
DLU	Doesn't lock-up						2	
DS	Dead safe					1		ľ
DX	Doesn't extract					1		
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1	3		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor sterns shell							




Subject to Protective Order	
X	FA
an a	FB
ams v. Remington	FC
ר. ת	FCB
len	FD
ling	FF
Itor	FFP
-	FOS

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		322.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·			 2		
FPOH	Floor plate opens hard					880.	
FSR	Fires when safe is released						
FT	Follower tips	1					
GCSO	Gas cyl shot off			110			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						Ś
HUR	Hard under rail						ø
JCS	Jumps cartridge					;	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
ă line	MLH
 2.	MRH
т	он
ams v. Remingto	OR
jnir	PH
ytor	PSI
<u>ب</u>	PSM

ML	Magazine loose]
MILH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-rides	1	320.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			58			
RDW	(Action) release doesn't work						
RIC	Rings in chamber	3		· · · · · · · · · · · · · · · · · · ·	1 🕺		
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers				3		
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					ž	
SL	shaves lead						r~
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride				1		
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




SRIC			a ssoc	Subject to Protective Order	
	acos de	ans stor	ams v. Remington	×.	SRIC
STC SWE	SWE		sww ⊐ ⊐ ⊤∪	len	SWH
ns v. Ren	SWE R B SWH	SWH		ing	sww
ns v. Reming	Y. Reming	eming swn		jtor	то
ns v. Remingtor	N SWE SWH	emingtor		<u>ب</u>	TU


SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Satety switch works too easily							
SWH	Safety switch works too hard		itte.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	~~~			***			
хн	Extracts hard					2	1990.	
HI	High				ina. Illi			
LO	Low			1.44				
LEFT	Left							
RIGHT	Right							1.
DG	Doesn't Group							
FSST	Front sight tipped							Þ
RSTT	Rear sight tipped						à	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							





Subject to Protective Order	
N.	AI-P
B r	868
S S L	BC-P
TI	BEB-P
len	BLP-P
ams v. Remington	BLSO-P
ytor	BP-P
ر_	BC D


BBB Barrel BC-P Blows BEB-P Barrel BLP-P Blanka BLSO-P Barrel BP-P Blown BS-P Barrel DLOS-P Doesn ESB-P Ejector FCB-P Fore-e	embly incompleye at proof rel bracket gracked or broken at proof vs cases at proof rel extension broken at proof iked primer at proof rel lug shot off at proof vn primer at proof rel split at proof sn't lock over shells at proof ctor sticks back at proof							
BEB Barrel BC-P Blows BEB-P Barrel BLP-P Blanka BLSO-P Barrel BP-P Blown BS-P Barrel DLOS-P Doesn ESB-P Ejecto FCB-P Fore-e	rel bracket stacked ör broken at proof vs cases at proof rel extension broken at proof iked primer at proof rel lug shot off at proof vn primer at proof rel split at proof sn't lock over shells at proof stor sticks back at proof							
BEB-P Barrel BLP-P Blanki BLSO-P Barrel BP-P Blown BS-P Barrel DLOS-P Doesn ESB-P Ejecto FCB-P Fore-e FESO-P Fore-e	rel extension broken at proof iked primer at proof rel lug shot off at proof wn primer at proof rel split at proof sn't lock over shells at proof ctor sticks back at proof							
BLP-P Blanks BLSO-P Barrel BP-P Blown BS-P Barrel DLOS-P Doesn ESB-P Ejecto FCB-P Fore-e FESO-P Fore-e	tked primer at proof rel lug shot off at proof wn primer at proof rel split at proof sn't lock over shells at proof ctor sticks back at proof							
BLSO-PBarrelBP-PBlownBS-PBarrelDLOS-PDoesnESB-PEjectoFCB-PFore-eFESO-PFore-e	rel lug shot off at proof wn primer at proof rel split at proof sn't lock over shells at proof ctor sticks back at proof							
BP-PBlownBS-PBarrelDLOS-PDoesnESB-PEjectoFCB-PFore-eFESO-PFore-e	wn primer at proof rel split at proof sn't lock over shells at proof ctor sticks back at proof							
BS-P Barrel DLOS-P Doesn ESB-P Ejecto FCB-P Fore-e FESO-P Fore-e	rel split at proof sn't lock over shells at proof ctor sticks back at proof						1	
DLOS-P Doesn ESB-P Ejecto FCB-P Fore-e FESO-P Fore-e	sn't lock over shells at proof					(1	
ESB-P Ejecto FCB-P Fore-e FESO-P Fore-e	shi lock over shells at proof							
FCB-P Fore-e FESO-P Fore-e								
FESO-P Fore-e		<u> '</u> '						
	e-end cracked at proof							
	e-end shot off at proof				Sec			
FF-P Fails t	s to fire at proof							
GCSO-P Gas c	cylinder shot off at proof	[F Starter F				
MSI-P Magna	naflux stamp illegible on bbl							
MSM-P Magna	naflux stamp missing on bbl							
PP-P Pierce	ced primer at proof							
SCB-P Stock	ck cracked or broken at proof							////www.
UNCM-P Uncod	oded proof malfunctions	<u> </u>		2				














Summary	Total Test + Proof Failure Total Rejected Overall Reject Rate	d: 104							_
	Show Show		59	2	162	121	4		7
	Proof Rejecte	d	0	0	0	0	0	0	-
	Percer	st: 0.0	0.0	0.0	0.0	0.0	0.0		
	Sha			22	259	279			
	Test Rejecto		0	6	36	45	Ð	0	
	Percer	<u></u>		27.3	13.9	16.1	1	1	7
	Sho Target Rejecte		5 	16 0	21	26 0	0	0	
	Percer.	1111111111	00	10 0	9 0	0.0	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								_
BABS	Bulge at body shoulder								
BAC	Burr at chamber				1				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				4				
BCOBS	Bolt catches on bolt stop]@
BCOF	Bolt catches on follower			2	1				
BC	Blows cases						;		
BHR	Bolt hits receiver								1 👒
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
00011		3	1						

ILE00089936

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard				3	4		
CLM	Can't laod magazine					1		
со	Cut-off		itte.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged	5 🏼						
СТР	Creepy trigger pull				ann. Millionn			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	~~~						
DCS	Double click in safety switch						800.	
ост	Double click in trigger							
DCU	Doesn't close-up			****				
DE	Doesn't eject			2				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up						;	
DS	Dead safe							[™
xa	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1		1	3	7		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							




FA	FA.	Subject to Protective Order	
	a FB	N.	FA ,
S FC		.< T	FCB
FC V. FCB	FCB	ferr	FD
FC FC FCB FD	· FCB · D · FD · FD	jnir	FF
ns v. Reming	Y. FCB FD FD FF	ytor	FFP
ns v. Remingtor	v. Remingtor	ت	FOS
Remington	 FCB FD FF FFP FOS 		FPHB

FA	Fires automatically]
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire			1			
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·			<i></i>		
FPOH	Floor plate opens hard					1990.	
FSR	Fires when safe is released						
FT	Follower tips			<u>)</u> 1	9		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift				4		
HMSC	Heading mismatch-steps on case						╡.
HPA	High pressure ammo		 				4
HUR	Hard under rail						1
JCS	Jumps cartridge					â	4
JM	Jumps magazin e]~
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
la n	MLH
S I S	MRH
<u>ج</u> ٦٦	он
len	OR
in	PH
ams v. Remingtor	PSI
ر	PSM

ML	Magazine loose						
MALH	Magazine loads hard						
MRH	Magazine temoves hard						
он	Opens hant						
OR	Overandes	itte.			12		
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			1			
RDW	(Action) release doesn't work						
RIC	Rings in chamber			17	2		
RIS	Ring in sholder			2			
RS	Rim srem						
SBC	Stems bottom chambers		****				
SBE	Stems bbl extension		100				
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ž	
SL	shaves lead						l 🗮
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						





SRIC	Specific rings in chamber				
SSOC 👘	Surface scratches on case				
STC	Stems top chamber	****			
SWE	Satety switch works too easily		1		
SWH	Safety switch works too hard		1		
sww	Safety ewitxh work				
TD	Tips down				
τu	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			ñes.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				1
RSTT	Rear sight tipped			:	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				





···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								


(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




					_
BWCFM	Bolt won't close over full magazine				
CD	Case dented]
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off	itte.			
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			ða.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)			 	Þ
DLU	Doesn't lock-up			 8	
DS	Dead safe				ſ
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				




FA FB	FA FB FC	FA FB FC FC FCB	FA FB FC FC FC FD FD	Subject to Protective Order	
	IS FC	б FC S FCB	FC FCB FD FD	William	FA FB
Reming	eming FD			jtor	FFP
V. Remingtor	FD FF F	ningtor FF	TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	ب_	FOS
Amms v. Remington	EP FD FF FF FOS	nington FF	fos		COUD

FA	Fires automatically						
	Follower binds						
	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		in.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	···· ///					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					800.	
FSR	Fires when safe is released						
FT	Follower tips		******				
GCSO	Gas cyl shot off		*****	198			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						
JCS	Jumps cartridge		*****			2	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose]
MILH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens.hand				
OR	Overandes	àre.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
ē	8500
ີ ເ	STC
iams v. Remington	SWE
len	SWH
ning	sww
yto	TD
J	TU

Subject to

SRIC	Specific rin gs in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
ΤD	Tips down					
тυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				1990 -	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				ä	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N	FA
la l	FB
ns /	FC
ר דו	FCB
len	FD
inc	FF
liams v. Remington	FFP
-	FOS

FA	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				io.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
ă L	MLH
S S S	MRH
.< T	он
len	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM

ML	Magazine lögse					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens han					
OR	Over-ndes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	**				
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				â	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	SRIC SSOC STC	Subject to Protective Order	
	SSOC STC	×.	SRIC
		S. Su	STC 🕺
STC SWE		len	SWH
ns v. Ren	SWH	ing	sww
ns <. Reming	eming swn	ytor	TD
ns v. Remingtor	emingtor	ب	ΤU
V. Remingtor	Remington		

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
то	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			1.44			
LEFT	Left						
RIGHT	Right						1.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof					
вс-р	Blows cases at proof					
BEB-P	Barrel extension broken at proof.					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				5eo.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		~			
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					















Summary	Total Test + Proof Failu	res 583							-
	Total Reject								
	Overall Reject Re								-
		iot: 69	25	14	71	38		233]
	Proof Rejec		0	0	0	0	0	0	
	Perc		0.0	0.0	0.0	0.0	1	0.0	7
		101. 20 fed: 0	4	112	102 16	101 17	0	107 9]
	Test Reject		23.5	12.5	15.7	16.8	v	ş 8.4	
		iot:	1	16	31			9	1
	Target Rejec	ted: 0 🎆		000	0	0	0	0	1
	Perc	ent:		\$\$ 00	00			0.0	_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
			**********]
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber			9	2				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		****	1					
BCOBS	Bolt catches on bolt stop		****						
BCOF	Bolt catches on follower			1					
BC	Blows cases						ä		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch		-						1
BLOP	Bar lock or disconnector out of position	n							1
BLSO	Barrel lug shot off		-						
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine		-						1
BWCD	Bolt won't cam down								1

									_
BWCFM	Bolt won't close over full magazine								
CD	Case dented								
СН	Closes hand		3			3			
CLM	Can't laod magazine								
со	Cut-off								
CR	Cuts rim								
cs	Cases swell								
стоб	Chamber tom or gouged								
СТР	Creepy trigger pull				888. 				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	· · · · ·							
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up								
DE	Doesn't eject			1168					
DEL	Doesn't eject live round								
DFB	Doesn't feed back								
DFU	Doesn't feed up								Ś
DLO	Doesn't lock open (after last shell)								Ø
DLU	Doesn't lock-up						á		
DS	Dead safe								
DX	Doesn't extract		1						
DXL	Doesn't extract live round								
EDS	Extractor drops shell					2		2	
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								




FA			Subject to Protective Order	
	₿ FB	MARKEN FR		
FC FCB	ТП FCB		lerr	FD
FC FCB FD FD		FD FD	ing	
FC B FC B FD FD FF	N FCB FD FD FF	eming	itor	FFP
FC B FD FF FF	Premingtor	FD FF FF FF FFP	-	FOS
 FCB FD FF 	Permington	FD FF FF FFP FOS		

FA	Fires automatically					1		1
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							1
FPHB	Firing pin hits bbl							1
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				3		1	
FPOH	Floor plate opens hard					io.		
FSR	Fires when safe is released							
FT	Follower tips		****		2		6	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift		1	7				
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge					á		
JM	Jumps magazin e							l.«
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ē	MLH
ns s	MRH
.< TI	он
ien	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML 🥼	Magazine loose]
MALH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overandes						
РН	Pulls hard]
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~		6			
RIS	Ring in sholder					1990.	
RS	Rim srem						
SBC	Stems bottom chambers			1	7		
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline		1			and the	₽
SIC	Stems in chamber					à	
SL	shaves lead						I
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber		1				



Protective Order	
	SRIC
a a a a a a a a a a a a a a a a a a a	SSOC
ີ	STC 📎
TI	SWE
ien	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	TU


Subject to


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	itte.				1
sww	Safety ewitxh won't work					1
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				8a.	
HI	High		******			
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					Þ
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					l.»
FSTR	Front sight raised					
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					





AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			

-		Test Date:		/////			totals	
Ē		1. <i>.</i>	1	59	26		535	
L	0	<u> </u>	0	0	0	0	0	
				0.0	20		0.0	
· ſ	12			85	27 🥢		583	
_	0	0	0	85 24 28.2	3 MM	0	87	_
_	0.0				11.4		14.9	
	12			4	23		95	
	0 0.0	0	0	0 0.0	4 17.4	0	4 4.2	
	XR-100	7400	7500	7600	7615	Rimfire	totals	
							- 10000 ******	
					1		1	
Γ								
F							11	
F								
-								
F							1	
L								
							1	
F								1
F								┥
-								
F								4
Ļ								











Subject to Protective Order Williams v. Remington

Summary	Total Test + Pr		641						
		tal Rejected:	68						
	Overall	Reject Rate:	10.61						
		Shot:		31	60	44	65	6	152
	Proof	Rejected	2	0	0	0	0	0	0
		Percent	3.9	0.0	0.0	0.0	0.0	0.0	0.0
		Shot. Reje cted :	35 14	<u>8</u> 0	133	47	210 23	0 0	56 6
	Test	Percent:	40.0	0.0	0.8	4 8.5	23 11.0	0.0	10.7
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Shot	1 888		42	6	18	11	5
	Target	Rejected:	0			0	0	0	5
		Percent:	0.0		2.4	00	0.0	0.0	100.0
CODE	MALFUNCTION I	NDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds								1
BABS	Bulge at body shoulder								
BAC	Burr at chamber				~	2	2		
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		3				3		
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							ä	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out	l of position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazin	e							
BWCD	Bolt won't cam down								
	4						1		


. Ma

Subject to Protective Order Williams v. Remington

ILE00089984


Subject to P	
rotective Orde	
- Williams v.	
Remington	

						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand	3	1			
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
CS	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				Neo.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					╡.
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up				8	
DS	Dead safe			 2		I.
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell			2		
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC FC	X	FA
FC FCB	FCB		ren	FD
FC FC FCB FD	FCB FD FD	en FD	ning	FF
FC FCB FD FD FF	V. Reming	Reming	jtor	FFP
ns v. Remingtor	<ul> <li>FCB</li> <li>FCB</li> <li>FD</li> <li>FD</li> <li>FF</li> <li>FFP</li> </ul>	Remingtor	<u>د</u>	FOS
ns v. Remingtor	<ul> <li>FCB</li> <li>FD</li> <li>FD</li> <li>FF</li> <li>FFP</li> <li>FOS</li> </ul>	Remington FD FF FF FF FOS		

FA 🥼	Fires automatically							1
FB	Follower binds							1
FC 👘	Fails to connect							1
FCB	Fore-end cracked or broken							1
FD	Follows-down		322.					
FF	Fails to fire							1
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	8		· · · · · · · · · · · · · · · · · · ·	<u> </u>			
FPOH	Floor plate opens hard					Sec.		
FSR	Fires when safe is released							
FT	Follower tips				2		2	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift				1			]
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail			1		1999 B		1
JCS	Jumps cartridge					ä		
JM	Jumps magazin <del>e</del>							ľ
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)			 				
MFOP	Magazine follower out of position							1



Subject to Protective Order	
	ML
a n	aal.H
20 C	MRH
TI	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ت	PSM


ML	Magazine loose							]
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hant							]
OR	Overandes		àre.		1			]
PH	Pulls hard							]
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· · · · ·		1	<i>))</i> // 1			
RIS	Ring in sholder					880.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							] .
SHI	Short indent							
SI	Stems incline				6	- 10 G		
SIC	Stems in chamber					;	4	
SL	shaves lead							
SLC	Stems left side of chamber							]
SMOC	Stretch marks on case							
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order	
V	SRIC
la la	SSOC
S S	STC
<u>ج</u>	SWE
len	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	ΤU


Subject to


SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~					
хн	Extracts hard						
HI	High				· · · · · · · · · · · · · · · · · · ·		
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group		1	 		<i></i> 5	
FSST	Front sight tipped						ľ
RSTT	Rear sight tipped				2		
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target			 			
UNCN-G	Uncoded nonconformity at target						
	1 1						





		5	•		 	 ,
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
ВС-Р	Blows cases at proof					
BEB-P	Barrel extension broken at proof		****			
BLP-P	Blanked primer at proof		- AM-2			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			8		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	· · · · ·				
FESO-P	Fore-end shot off at proof					
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	2				














Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof		713						
		Rejected:	71						
	Overall Rej		9.9 <b>6</b>						
		Shot:		-	158	28	93		257
- 19 E	Proof	Rejected. Percent:	0 0.0	0	7 4,4	0 0.0	0 0.0	0	0 0.0
		Shot		4	169	45	116		129
	Test	Rejected.	á l	0	7	2	15	0	31
		Percent:	0.0	0,0	4.1	4.4	12.9		24.0
		Shot: [			00016	25	10		16
	Target	Rejected: Percent:	0	<i></i>	0 0.0	0 90	0 0.0	0	0 0.0
CODE	MALFUNCTION INDE		700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
								Xee,	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								6
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				3				
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							ž	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of p	position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								

BWCFM	Bolt won't close over full magazine							]
CD	Case dented							
СН	Closes hand		4	2			1	
CLM	Can't laod magazine							
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch					XX		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject		1100					
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							ø
DLU	Doesn't lock-up					á		
DS	Dead safe							
DX	Doesn't extract				2			
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1			
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor sterns shell							




Subject to Protective Order	
W	FA
<b>B</b>	FB
าง 	FC
ר. ד	FCB
len	FD
iing	FF
lams v. Remington	FFP
-	FOS

FA	Fires automatically						]
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		àn.				
FF	Fails to fire						
FFP	Flat firing pin			• •			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~			 <i>)</i> 1		
FPOH	Floor plate opens hard					XX.	
FSR	Fires when safe is released						
FT	Follower tips				1		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift				2		
HMSC	Heading mismatch-steps on case						╡.
HPA	High pressure ammo		7				
HUR	Hard under rail						Þ
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong		****				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MALH
ີ 15 ແລະ	MRH
.< T	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
ر_	PSM


ML.	Magazine loose						
MILH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overindes	àn.				2	
PH	Pulls hard						]
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case		88.0 8880 (1990)			1	
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				500.		
RS	Rim srem						
SBC	Stems bottom chambers			2			
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline			6	- 10 A		Þ
SIC	Stems in chamber				á		攭
SL	shaves lead						l.«
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride					9	
SP	Stems port	-					
SR	Shoulder rough						
SRC	Stems right side of chamber					3	




Protective Order	
N.	SRIC
ā	SSOC
ີ <b>ນ</b>	STC
.< TI	SWE
ren	SWH
nin	sww
lams v. Remington	TD
ب	ΤU
	TWP


Subject to


SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work	···				
то	Tips down					
ти	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard					
HI	High		****	din din		
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					4
FSTL	Front sight loose					
RSTL	Rear sight loose					_
MGPT-G	Missing parts at target					 4
UNCN-G	Uncoded nonconformity at target					4





AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				in.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof	****				
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof		7			
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Summary		Proof Failures otal Rejected: I Reject Rate:	922 84 9.11							•
	Proof	Shot:   Rejected: Percent:	19	0 0.0	1 0 0.0	25 0 0.0	19 0 0.0	13 0 0.0	613 0 0.0	]
	Test	Shot Rejected: Percent:	90.5 16 0 0,0	0.0	0.0 15 0	30 1 3.3	0.0 74 0 0.0	0.0	614 58 9.4	]
	Target	Shot:   Rejected: Percent:	0	0	0	3 0 00	6 0 0.0	0	57 0 0.0	]
CODE	MALFUNCTION	INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds									
BABS	Bulge at body shoulder									
BAC	Burr at chamber								6	1
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches									1 /
BCOBS	Bolt catches on bolt stop									
BCOF	Bolt catches on follower									
BC	Blows cases							;		
BHR	Bolt hits receiver									1***
BHS	Bolt plug hits safety switch	1								]
BLOP	Bar lock or disconnector o	ul of position								
BLSO	Barrel lug shot off									
BPO	Bolt pulls out									
BSSM	Bolt stems shell in magazi	ine								
BWCD	Bolt won't cam down									

							_
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	Ato.					
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				100.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)				- and the		P
DLU	Doesn't lock-up				à		
DS	Dead safe					16	
XD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						



≦ FA	FA FB	Subject to Protective Order		
	a FB	×.	FA	į
TS FC		.< TI	FCB	
FC V. FCB	FCB	ren	FD	
FC FC FC FC FC FC FC FC FC	· FCB	ning	FF	
ns v. Remin	S. FCB Perming	gtor		
ns v. Remingtor	<ul> <li>FCB</li> <li>FD</li> <li>FF</li> <li>FF</li> <li>FF</li> <li>FF</li> </ul>	<u>د</u>	FOS	
emin FF	<. Remington FCB FD FF FF FFP FOS		FPHB	

FA.	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		-240.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				800 8000/0000.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	· •••			1			
FPOH	Floor plate opens hard					XX.,	1	
FSR	Fires when safe is released							
FT	Follower tips						4	
GCSO	Gas cyl shot off			110				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							Ø
JCS	Jumps cartridge					á		
JM	Jumps magazin <del>e</del>						****///	
JO	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		******					



Subject to Protective Order	
	ML
an I	MALH
 ອີ	MRH
ר דו	он
len	OR
jnir	PH
lams v. Remingtor	PSI
د	PSM
	0000


ML	Magazine loose					7
BALH.	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes	in.			5	
РН	Pulls hard					1
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case		1200 1997 - Maria Maria		3	
RDW	(Action) release doesn't work					
RIC	Rings in chamber				3	
RIS	Ring in sholder			tes.		
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					] _
SHI	Short indent					
SI	Stems incline				1	
SIC	Stems in chamber			:		
SL	shaves lead					]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride				7	
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order	
N.	SRIC
a a a a a a a a a a a a a a a a a a a	8500
ns .	STC
.S. TT	SWE
ien	SWH
nin	sww
llams v. Remington	TD
<u>د</u>	τu
	TIME


Subject to


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard					1	
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard				Sec.		
HI	High						
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped				à		4
RSBR	Rear sight base raised						Ţ
FSTR	Front sight raised						
FSTL	Front sight loose					<u> </u>	1
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						4
	1						





AI- <u>P</u>	Assembly incompleye at proof						
368	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
3LP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
3P-P	Blown primer at proof						
3S-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				58		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	- ××;					
ESO-P	Fore-end shot off at proof					889.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			1.0			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	19					














Subject to Protective Order - Williams v. Remington


									_
Summary	Total Test + Proof Failure Total Rejected								-
	Overall Reject Rate								
	Shot			39		5		97	]
N.	Proof Rejected		0	0	0	0	0	0	-
	Percen			0.0		0.0		0.0	-
	Shot Test Rejected		0	4	0	0	0	191 13	
	Test Rejected Percen		U U	0.0	v	0.0	U	6.8	
	Shot		<u></u>					18	1
	Target Rejected	1: 0 🎆	<i></i>		0	0	0	0	4
	Percen	t: 0.0						0.0	-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder			****					
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches	1							
BCOBS	Bolt catches on bolt stop								]////
BCOF	Bolt catches on follower								
BC	Blows cases						à		
BHR	Bolt hits receiver								1 🦓
BHS	Bolt plug hits safety switch								1 🐰
BLOP	Bar lock or disconnector out of position								]
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								]
BWCD	Bolt won't cam down	-			1			1	-1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						
<u> </u>	Closes hand	1					1
L	Can't laod magazine						1
со	Cut-off						1
CR	Cuts rim						
cs	Cases swell						1
стоб	Chamber torn or gouged						1
СТР	Creepy trigger pull						1
CWSB	Carns wrong side of action bar						1
DBB	Doesn't blow back	· · · · · · · · · · · · · · · · · · ·					1
DCS	Double click in safety switch				Xao.		
DCT	Double click in trigger						
DCU	Doesn't close-up						1
DE	Doesn't eject						1
DEL	Doesn't eject live round						1
DFB	Doesn't feed back						] //
DFU	Doesn't feed up						]@
DLO	Doesn't lock open (after last shell)						y
DLU	Doesn't lock-up				;		
DS	Dead safe					2//	
אס	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
X	FA
a a a a a a a a a a a a a a a a a a a	FB
20 C	FC
ר. דו	FCB
len	FD
ing	FF
lams v. Remington	FFP
	FOS

· · · · · · · · · · · · · · · · · · ·		1	<b>A</b>	1	1		1	г
	Fires automatically							_
	Follower binds						1	
FC	Fails to connect	••••						
	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens						1	
FPOH	Floor plate opens hard					800.	1	
FSR	Fires when safe is released							
FT	Follower tips						5	
GCSO	Gas cyl shot off			1100				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						///// 2 ///	
JCS	Jumps cartridge					ž.		
JM	Jumps magazin <del>e</del>							13
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							1



Subject to Protective Order		
×.	ML.	Magazine loos
a la	MLH	Magazine load
S S	MRH	Magazine tem
.< T	он	Opens hard
ren	OR	Over-ndes
nin	PH	Pulis hard
lams v. Remingtor	PSI	Proof stamp ill
D	PSM	Proof stamp m
	RBOC	Rings and huld


ML	Magazine loose								
MLH	Magazine loads hard								
MRH	Magazine removes hard								
он	Opens hard								
OR	Over-indes	1						1	
PH	Pulls hard								
PSI	Proof stamp illegible								
PSM	Proof stamp missing								
RBOC	Rings and bulges on case				89.9 2011/2014				
RDW	(Action) release doesn't work								
RIC	Rings in chamber								
RIS	Ring in sholder						500.		
RS	Rim srem								
SBC	Stems bottom chambers								
SBE	Stems bbl extension								
SCB	Stock cracked or broken								
SCX	Shell catches								
SHI	Short indent								
SI	Stems incline								Ø
SIC	Stems in chamber						á		
SL	shaves lead								l 🛒
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SOR	Stem over-ride								
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								
	-		-	-	-	-	-	-	•




Protective Order	
N.	SRIC
ā	SSOC
ר <u>מ</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	<b>T</b> ) ( ( <b>D</b> )


Subject to


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				




AI-P	Assembly incompleye at proof	1				
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
ЗЕВ-Р	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		data.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	×.				
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	3				














J.


									_
Summary	<b>Tota</b> l Test + Proof Failu Total Reject								
	Overall Reject R								
	S Proof Repu	hot: 26 sted: 0	0	0	0	0	0	0	]
	Perc			I	I			1	7
	Test Rejet	hot. [ XedQ	0	0	0	0	0	0	]
	Pere	xent:							_
	1000	hot: 0				0	0	0	
	<b>Target</b> Reject Perc				0	Ū	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds							1	4
BABS	Bulge at body shoulder								
BAC	Burr at chamber								4
BBMA	BBL-to-bolt misalignment		****						
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🗶
BC	Blows cases						;		
BHR	Bolt hits receiver								] ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of positio	n							]
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down					1			1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N N	FA.
iams v. Remington	FC
T	FCB
len	FD
jnir	FF
ytor	FFP
<u>ب</u>	FOS
	COUD

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked of broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin			<b>.</b>			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			~~			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge					â	
JM	Jumps magazin <del>e</del>						Ţ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard				]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
nin	sww
gtor	TD
<u>د</u>	TU
	TIME

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						













Subject to Protective Order - Williams v. Remington


									_
Summary	Total Test + Proof Fai Total Reje								
	Overall Reject I								_
		Shot: 53	37	14	80	54	1	558	]
		icted: 2 rcent: 3.8	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	
	1886077 - 19880 (1886077 -	rcent 3.8 Shot	0.0 T	18	55	57	0.0	498	٦
		ected: Q	0	<u> </u>	1	7	0	490	L
		rœnt:		.11.1	1.8	12.3		8.0	
		Shot:	¥ <u>////</u>	2	2	4	13	8	
		ected: 0		0 0.0	0 90	0 0.0	0 0.0	0.0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									]
AB	Action binds		**						_
BABS	Bulge at body shoulder								_
BAC	Burr at chamber							<u> </u>	4
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches					2		<b>6</b>	
BCOBS	Bolt catches on bolt stop								4
BCOF	Bolt catches on follower								
BC	Blows cases						a		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of positi	on							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine							1
CD	Case dented							1
СН	Closes hand							1
CLM	Can't laod magazine							1
со	Cut-off		325.					
CR	Cuts rim							
CS	Cases swell							
стоб	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back	· · · · ·						
DCS	Double click in safety switch					900.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			1165				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							╡.
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up					2		
DS	Dead safe			2			4	<u>``</u>
DX	Doesn't extract	Į						1
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1			
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							




Subject to Protective Order	
W	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
inc	FF
liams v. Remington	FFP
-	FOS

FA.	Fires automatically							]
FB	Follower binds							1
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		-240.					
FF	Fails to fire							1
FFP	Flat firing pin							1
FOS	Fires on safe	··· ///						
FPHB	Firing pin hits bbl			1200. 1997 - June -				
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				1 🖉			
FPOH	Floor plate opens hard					8eo.	1	
FSR	Fires when safe is released							
FT	Follower tips						5	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift				2			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge					â		
JM	Jumps magazin <del>e</del>							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ă L	MLH
0 IN	MRH
ج דו	он
len	OR
nin	PH
iams v. Remingtor	PSI
<u>ر</u>	PSM
	1


ML	Magazine loose							]
MALH	Magazine loads hard							
MRH	Magazine removes hard	 						
он	Opens hant	****						
OR	Overandes				1		6	
PH	Pulls hard							]
PSI	Proof stamp illegible		<b>.</b>					]
PSM	Proof stamp missing							]
RBOC	Rings and bulges on case			8				1
RDW	(Action) release doesn't work							
RIC	Rings in chamber							]
RIS	Ring in sholder					1990.		]
RS	Rim srem	****						]
SBC	Stems bottom chambers		****					1
SBE	Stems bbl extension							
SCB	Stock cracked or broken							]
SCX	Shell catches							] .
SHI	Short indent	****						
SI	Stems incline							P
SIC	Stems in chamber	****				;		
SL	shaves lead							]~~
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order	
N.	SRIC
liams	SSOC
n s	STC
TI	SWE
ien	SWH
nin	sww
; v. Remington	TD
<u>ر</u>	TU
	TIMD


Subject to


							_
SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
тр	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~				14	
хн	Extracts hard				1990.		
HI	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						ø
FSST	Front sight tipped						Ø
RSTT	Rear sight tipped				à		
RSBR	Rear sight base raised						r 🔅
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket gracked or broken at proof		*			
3C-P	Blows cases at proof					
зев-р 👋	Barrel extension broken at proot					
3LP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××				
ESO-P	Fore-end shot off at proof				800.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	2				














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failur								-
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	1	1	1	1	-
	Sho Proof Rejected	ot	0	0	0	0	0	0	
1	Perce			Ŭ	v	÷	v	v	
	110000 0000000000 000	n [							]
	Test Rejection Perce		0	o O	0	0	0	0	
	Sin	8 <u> </u>	<u>*************************************</u>				1	1	7
	Target Rejecte	əd: 0 🎆			0	0	0	0	_
-	Perce								-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5	~~					
BBMA	BBL-to-bolt misalignment								1000
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🐰
BC	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
3 S	FC
.< דו	FCB
۲en	FD
ŋiŋ	FF
liams v. Remington	FFP
ر	FOS
	FPHR

FA	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken		•				1
FD	Follows-down		- 200.				
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe	··· ///					
FPHB	Firing pin hits bbl				88		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift				20 <b>0000</b>		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					1		1
ML	*******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Protective Order	
	SRIC
a la	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
len	SWH
nin	sww
iams v. Remington	TD
د.	ΤU
	TIAD

Subject to

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work	· · · ·				
ΤΟ	Tips down					
тυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				See	
HI	High			Mary III		
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				 2	
RSBR	Rear sight base raised					ľ
	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0	]
	Sho <b>Test</b> Rejecte Percer		0	0 0	0	0	0	0	]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				<b>F</b> - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA	FA.	Subject to Protective Order	
	a FB	×.	FA
TS FC		.< T	FCB
FC FC FCB	FCB	fen	FD
FC FC FC FC FC FC FC FC FD	· FCB	ŋir	FF
ns v. Remin	S. FCB FCB FD FD FD FF FF	gtor	FFP
ns v. Remingtor	v. Remingtor	<u>د</u>	FOS
Perming	<. Remington FCB FD FF FF FF FOS		FPHB

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		itte.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			110			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					á	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
X	ML
ā	MLH
ns	MRH
.< T	он
ams v. Remington	OR
ning	PH
gtor	PSI
L	PSM
	0000


ML	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hard	****			
OR	Over-indes				
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			à	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
X	SRIC
a la	SSOC
 S	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
د	τυ

Subject to

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~5					
хн	Extracts hard					100.	
HI	High						
LO	Low			~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1						



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				800.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					1
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor sterns shell					




FA FB	the second s	the second s	Subject to Protective Order	
ē FB	lams FC	FB FC FC FC FCB		FA
	J FC	FC FC FCB	ğ	FB
Y. FCB PD FD	fD FD		jnir	FF
Y. FCB FD FD FF	FD FF	ning FF	ytor	FFP
v. Remingtor	Remingtor	ningtor	ب	FOS
Remingtor	FD FF FF FFP FOS	nington FF FOS		FPHR

FA	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	-240.				
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				à	
FSR	Fires when safe is released					
FT	Follower tips				-	
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ž.	鍮
JM	Jumps magazin <del>e</del>					I.«
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
د	PSM


ML.	Magazine loose						]
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overindes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1100			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						P
SIC	Stems in chamber					á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in champer						]
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
то	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Seo.	
н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						Ĭ
FSTR	Front sight raised						
FSTL	Front sight loose		*		 		
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 <b>-</b> 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N N	FA.
iams v. Remington	FC
T	FCB
len	FD
in	FF
ytor	FFP
<u>ب</u>	FOS
	COUD

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin			<b>.</b>			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			~~			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge					â	
JM	Jumps magazin <del>e</del>						Ţ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
	ML	
a a a a a a a a a a a a a a a a a a a	MILH	
ns 🕬	MRH	
-	он	Ň
æms v. Remingtor	OR	
ŋiŋ	PH	
gtor	PSI	
L	PSM	


ML	Magazine loose				1
RALH	Magazine loads hard				1
MRH	Magazine temoves hard				1
он	Opens hard				1
OR	Overandes	àn.			
PH	Pulls hard				]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			500.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent	 			4
SI	Stems incline				P
SIC	Stems in chamber			à	1
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
ā s	SSOC
איי <u>א</u> ר צר	STC
<u>ج</u>	SWE
len	SWH
nin	sww
liams v. Remington	TD
<u>د</u>	TU
	TIME

Subject to

SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh wont work				
ΤΟ	Tips down				
τυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right		 		╡.
DG	Doesn't Group		 		4
FSST	Front sight tipped				1
RSTT	Rear sight tipped			2	
RSBR	Rear sight base raised		 		1~
FSTR	Front sight raised		 		
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
	1				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1

din.














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0	]
	Sho <b>Test</b> Rejecte Percer		0	0 0	0	0	0	0	]
	Sho Target Rejecte Percei	t d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				<b>F</b> - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA.	Subject to Protective Order	
	Tar FB		FA
TS FC		.< TI	FCB
FC FC FCB	FCB	len	FD
FC FC FCB FD FD	· FCB · D · FD · FD	jnir	FF
ns v. Reming	Y. FCB FCB FD FD FD FF FF	ytor	FFP
ns v. Remingtor	v. Remingtor	ب_	FOS
Remingtor	<. Remington FCB FD FF FF FF FOS		FPHB

FA.	Fires automatically							1
FB	Follower binds							1
FC	Fails to connect							1
FCB	Fore-end cracked or broken							1
FD	Follows-down		320.					1
FF	Fails to fire							1
FFP	Flat firing pin			<b>.</b>				
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~						
FPOH	Floor plate opens hard					XX		
FSR	Fires when safe is released							
FT	Follower tips		****					
GCSO	Gas cyl shot off		*****					
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							].
HPA	High pressure ammo							
HUR	Hard under rail							1
JCS	Jumps cartridge					à		
JM	Jumps magazin <del>e</del>						****	]~
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
a n	BALH
ams v.	MRH
ר. דד	он
len	OR
ŋiŋ	PH
. Remington	PSI
<u>د</u>	PSM
	PBOC


ML.	Magazine loose				]
	Magazine loads hard				
Carrier Carriere	Magazine removes hard				
он	Opens hand				
OR	Over-indes	- <b>1</b> 222.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			io.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			;	
SL	shaves lead				r
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order-	
	SRIC
Ē	SSOC
n ree	STC
 	SWE
ren	SWH
nin	sww
lams v. Remington	TD
L	TU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber	<i>.</i>				1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard		àn.			
sww	Safety ewitxh won't work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				ñe.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					ľ
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>ğ</u>	FB
S S S	FC
lams v. Remington	FCB
ien	FD
jnir	FF
ytor	FFP
د	FOS
	EDUB

FA.	Fires automatically					
FB	Follower binds					
FC 👘	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	- Arr.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips				·	
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge			5		
JM	Jumps magazin <del>e</del>					14
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose				]
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hant				
OR	Overindes	àre.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			;	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				]



Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard					
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				 â	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA	FA.	Subject to Protective Order	
	a FB	N.	FA ,
S FC		.< T	FCB
FC V. FCB	FCB	ferr	FD
FC FC FCB FD	· FCB · D · FD · FD	jnir	FF
ns v. Reming	Y. FCB FD FD FF	ytor	FFP
ns v. Remingtor	v. Remingtor	ت	FOS
Remington	<ul> <li>FCB</li> <li>FD</li> <li>FF</li> <li>FFP</li> <li>FOS</li> </ul>		FPHB

FA 🔬	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				XX	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		~~			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				and B.	
JCS	Jumps cartridge				ź	
JM	Jumps magazin <del>e</del>					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
X	ML
ā	MLH
ns	MRH
.< T	он
ams v. Remington	OR
ning	PH
gtor	PSI
L	PSM
	0000


ML.	Magazine loose					]
MLH	Magazine loads hard					
MRH	Magazine ternoves hard					
он	Opens hand	****				
OR	Over-indes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			ann. Millionn		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				See.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		~^			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					₽
SIC	Stems in chamber				â	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order-	
N.	SRIC
a n	SSOC
אייי <u>ה</u> גע	STC 🕺
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
L	τu
	7140

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		

(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
<u>B</u>	FB
ams v. Remington	FC
.< T	FCB
len	FD
nin	FF
ytor	FFP
ر	FOS
	EDHB

FA	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken		•				1
FD	Follows-down		- 200.				
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe	··· ///					
FPHB	Firing pin hits bbl				88		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift				20 <b>0000</b>		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose				1
MALH	Magazine lo <b>ads</b> hard				1
MRH	Magazine ternoves hard				1
он	Opens hard				1
OR	Over-indes	itte.			
PH	Pulls hard				]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder			teo.	
RS	Rim srem				
SBC	Stems bottom chambers	*			
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				].
SHI	Short indent				
SI	Stems incline				Ø
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
ā	SSOC
 ອີ	STC 🔅
T	SWE
ren	SWH
nin	sww
iams v. Remington	TD
د	τu
	7140

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	WIIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA 🦾	Fires automatically						
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		44				
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·					1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		****				
FT	Follower tips						]
GCSO	Gas cyl shot off			100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge		****			ž	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					]
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hant					]
OR	Overindes	àre.				]
РН	Pulls hard					]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					4
SI	Stems incline					P
SIC	Stems in chamber				á	
SL	shaves lead					1.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
ē	SSOC
ns ∾	STC
.< T	SWE
ien	SWH
liams v. Remington	sww
gto	TD
Ъ	TU
	TIAD

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard					
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				 â	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA FB FB FB		Subject to Protective Order	
	К ГСВ	Williams	FB
en FD		ŋiŋ	FF
ferming	ning FF	ytor	FFP
FD FF FF FF	ningtor	ت	FOS
ningtor	nington		COUD

FA.	Fires automatically					]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	itte.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				XX.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1165			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Þ
JCS	Jumps cartridge				,	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
la la	MLH
20 20	MRH
-	он
len	OR
ņir	PH
ams v. Remingtor	PSI
د	PSM


		 	_	_		 _	
ML	Magazine loose						
MLH	Magazine loads hard						
Mrh	Magazine removes hard	 ****					
он 👋	Opens hard						
OR	Overindes	240					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				See.		
RS	Rim srem						
SBC	Stems bottom chambers		****				
SBE	Stems bbl extension						
SCB	Stock cracked or broken			1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 - 1990 -			
SCX	Shell catches						
SHI	Short indent	****					Alter.
SI	Stems incline						
SIC	Stems in chamber	****			Ż		
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
Ē	SSOC
 ອີ	STC
	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	TU
	TIAD

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
n su	FC
lams v. Remington	FCB
٦en	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS
	FPHR

				•		 -
FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down		- 200.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin <del>e</del>					_~≈
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
ā	SSOC
ns 🐃	STC
	SWE
fen	SWH
ning	sww
lams v. Remington	TD
	TU
	TIAD

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	1
RSBR	Rear sight base raised					~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				1999 <b>-</b> 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 -	ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
3 S	FC
.< דו	FCB
۲en	FD
ŋiŋ	FF
liams v. Remington	FFP
ر	FOS
	FPHR

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		- Arr.				
FF	Fails to fire						1
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips			***			
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					200 <b>4</b>	
JCS	Jumps cartridge					;	
JM	Jumps magazin <del>e</del>						 1.3
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)				 		
MFOP	Magazine follower out of position						



Subject to Protective Order		
V	ML	
a la	MLH	
ns	MRH	
.< TI	он	
len	OR	
jing	PH	
ams v. Remingtor	PSI	
<u>ب</u>	PSM	


ML.	Magazine loose					1
MLH	Magazine loose Magazine loogs hard					1
MRH	Magazine removes hard					-
	Opens hand					
OR	Over-ndes					
РН	Pulls hard					1
PSI	Proof stamp illegible					1
PSM	Proof stamp missing					1
RBOC	Rings and bulges on case			2000. 		1
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				Sec.	1
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					1
SIC	Stems in chamber				à	
SL	shaves lead					 ]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber		****			



Protective Order	
W	SRIC
ā	SSOC
ר איני די	STC 🕺
-	SWE
ìen	SWH
jnir	sww
ams v. Remington	TD
<u>د</u>	ΤU
	100

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down		• •			
τu	Tips up					
TWP	Trigger won't pull			899 1997 - J.		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised				 	
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4
	1					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								













Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failur								-
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	1	1	1	1	-
	Sho Proof Rejected	ot	0	0	0	0	0	0	
1	Perce			Ŭ	v	÷	v	v	
	110000 0000000000 000	n [							]
	Test Rejection Perce		0	o O	0	0	0	0	
	Sin	8 <u> </u>	<u>*************************************</u>				1	1	7
	Target Rejecte	əd: 0 🎆			0	0	0	0	_
-	Perce								-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5	~~					
BBMA	BBL-to-bolt misalignment								1000
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🐰
BC	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine		****				
со	Cut-off						
CR	Cuts rim						
cs	Cases swell			• •			
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back	· •••					
DCS	Double click in safety switch					80x.	
DCT	Double click in trigger						
DCU	Doesn't close-up			*****			
DE	Doesn't eject			1165			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up					ž.	瀫
DS	Dead safe						I.«
хD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell		*				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
N III	FA
ğ	FB
S SC	FC
ams v. Remington	FCB
٩en	FD
jnir	FF
ytor	FFP
<u>ب</u>	FOS
	FPHR

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		- 200.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard				900.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge				â		
JM	Jumps magazin <del>e</del>					*****///	
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
د	PSM


ML.	Magazine loose							]
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overindes		àre.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					Dec.		
RS	Rim srem							
SBC	Stems bottom chambers				<b>.</b>			
SBE	Stems bbl extension			1.00				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							1
SIC	Stems in chamber					ä		
SL	shaves lead						*****	1.00
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							



Protective Order	
	SRIC
ā s	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
۲en	SWH
nin	sww
ams v. Remington	D
د.	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



					 	-
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
ВС-Р	Blows cases at proof					
вев-р 👋	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~		· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
W	FA
<b>B</b>	FB
าง 	FC
ר. ד	FCB
len	FD
iing	FF
lams v. Remington	FFP
-	FOS

	<i></i>						
FA	Fires automatically				1	1	1
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·					
FPOH	Floor plate opens hard				in.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off		8				
HBL	Heavy bolt lift			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
HMSC	Heading mismatch-steps on case						1
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge				;		
JM	Jumps magazin <del>e</del>						ľ.
oL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose				1
	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				
OR	Over-indes	322.			1
РН	Pulls hard				1
PSI	Proof stamp illegible				]
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				] .
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			2	
SL	shaves lead				1.00
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
V	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
len	SWH
nin	sww
iams v. Remington	TD
د.	ΤU

Subject to

SRIC	Specific rings in chamber						
8500	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · ·					
хн	Extracts hard						
HI	High			****			
LO	Low						
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			****				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 <b>0</b> -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim						]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA.	FA.	FA FB FC	Subject to Protective Order	
	a FB	FB FC	N.	FA
FC FC FCB	S FCB		len	FD
ns V. FCB FD	S. FCB Den FD	en FD	ing	
ns v. Reming	V. Reming	eming	ytor	
ns v. Remingtor	<ul> <li>FCB</li> <li>FD</li> <li>FD</li> <li>FF</li> <li>FF</li> <li>FF</li> <li>FF</li> <li>FF</li> </ul>	FD FF F	ب	FOS
s v. Reming	Y. Remington	Remington		

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to connect	 				
FCB	Fore-end cracked or broken	****				
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin		• •			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released	*****				
FT	Follower tips	****				
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1¢
JCS	Jumps cartridge	*****			a a	12
JM	Jumps magazin <del>e</del>					<u> </u>
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML.	Magazine loose					]
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					]
OR	Overandes					
PH	Pulls hard					]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · ·				
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					] .
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				á	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
a la	8506
n ''	STC 🛞
א דו	SWE
len	SWH
in	sww
ams v. Remington	TD
L	TU

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
стоб	Chamber torn or gouged				
СТР	Creepy trigger pull		ann. Millionn		
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			80x.	
DCT	Double click in trigger				
DCU	Doesn't close-up		s		
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				╡.
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				Þ
DLU	Doesn't lock-up			2	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




Subject to Protective Order	
N.	FA
a a a a a a a a a a a a a a a a a a a	FB
201 N	FC
TI	FCB
len	FD
ing	FF
llams v. Remington	FF FFP
ت	FOS

FA	Fires automatically					
FB	Follower binds					
1000 C	Fails to connect	×.				
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire	···				
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	**				
FPOH	Floor plate opens hard				XX.,	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					1
HUR	Hard under rail				and the	17
JCS	Jumps cartridge				á	12
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ā	MIH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Overandes	ása.				
PH	Pulls hard					1
PSI	Proof stamp illegible		• •			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				io.	1
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead					ľ
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					1
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
ā s	SSOC
ns	STC
T	SWE
ien	SWH
ŋiŋ	sww
liams v. Remington	TD
<u>ر</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC 💮	Stems top chamber						1
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		in.				
sww	Safety ewitxh won't work						]
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· ***					
хн	Extracts hard					889.	
HI	High						
LO	Low			1100			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						Þ
RSTT	Rear sight tipped					â	攭
RSBR	Rear sight base raised						I.«
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
co	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				Dec.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up	 				
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
<u>B</u>	FB
ams v. Remington	FC
.< T	FCB
len	FD
nin	FF
ytor	FFP
ر	FOS
	EDHB

FA	Fires automatically						
100000000 0000000 0000000	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		322.				
FF	Fails to fire						
FFP	Flat firing pin			- 			
FOS	Fires on safe	···· ////					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						ø
JCS	Jumps cartridge					á	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose				1
MLH	Magazine loads hard				
MRH	Magazine removes hard				1
он	Opens hard				
OR	Overandes	322.			
PH	Pulls hard				]
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				].
SHI	Short indent				1
SI	Stems incline				
SIC	Stems in chamber			a a	
SL	shaves lead				]~~
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
ams v. Remington	SWE
len	SWH
nin	sww
gto	TD
J	TU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					1
SWE	Safety switch works too easily					1
SWH	Safety switch works too hard					1
sww	Safety ewitxh work					1
TD	Tips down					1
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·				
хн	Extracts hard				in.	
н	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				ä	
RSBR	Rear sight base raised					 ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1						]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
ср 🚿	Case dented		****					
СН	Closes hard							
CLM	Can't laod magazine		Million					
со	Cut-off							
CR	Cuts rim							
cs	Cases swell				ito.			
стос	Chamber tom or gouged							
CTP	Creepy trigger pull					an .		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger		*****					
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round							
DFB	Doesn't feed back		****					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							17.4 -
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS 💮	Extractor sterns shell							
FA 📎	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				80			
FFP	Flat firing pin							
FOS	Fires on safe					an		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shet off					****///		
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case						ž	
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.	×						
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port							
SR 👹	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work					Alter .		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		***					
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard				···.			
н	High							
LO	Low							
LEFT	Left	<u> </u>					;	
RIGHT	Right							
DG	Doesn't Group		***					
FSST	Front sight tipped		***					
RSTT	Rear sight tipped							
RSBR	Rear sight base raised		1					
FSTR	Front sight raised							
FSTL	Front sight loose		-					



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded minconformity at larget							
			Million					
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				×			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					in the second		
BLSO-P	Barrei lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					*****		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							1 10%s
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							









