Summari	Total Test + Proof Failure	s 7543								
Summary	Total Rejected									
	Overall Reject Rate	. 9.31								
	Shot.		309	546	801	1166	29	1915	1	
	Proof Rejected	27	0	7	1	2	0	0	1	
	Percent	279 999 99222	0.0	1.3	0.1	0.2	0.0	0.0	_	
	- Shot	CONTRACTOR A	29 ※ 4	954 39	1110 136	1436 148	11 0	1595 157	J	
	Test Rejection Parcent		4 13.8	39 4.1	136 12.3	148 10.3	0.0	157 9.8		
	Shot.	CONTRACION STRACCO	1	125	285	1114	24	113	1	
	Target Rejected	: 0	0	1	0	0	0	5	Ŧ	
	Percent	: 00	0.0	0.8	0.0	0.0	0.0	4.4	_	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	70 0 s s	700 CDL	700 POLICE	MODEL 7		
						<u>.</u>				
АВ	Action binds									
BABS	Bulge at body shoulder									
BAC	Burr at chamber	5		10	· \$2 //	31//		ຼ 15		
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches	7		6	9	9		26		
BCOBS	Bolt catches on bolt stop			***	***					;
BCOF	Bolt catches on follower			3	2	4			ľ	Î
BC	Blows cases							l IIIII.	1	
BHR	Bolt hits receiver									
вня	Bolt plug hits safety switch								1	
BLOP	Bar lock or disconnector out of position					1			1	
BLSO	Barrel lug shot off								1	
вро	Bolt pulls out								1	******
BSSM	Bolt stems shell in magazine								1	
BWCD	Bolt won't carn down						1		1	
BWCFM	Bolt won't close over full magazine					2	1			
CD	Case dented						1		1	

	////////								
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
CH	Closes hard	4	3	5	32	8		1	
CLM	Can't load magazine			***		2]
co 🚿	Cut-off								1
CR 🔍	Cutstim]
cs	Cases swell				***]
CTOG	Chamber torn or gouged	10]
СТР	Creepy trigger pull]
CWSB	Cams wrong side of action bar				Arrest.				1
DBB	Doesn't blow back]
DCS	Double click in safety switch								1
DCT	Double click in trigger					ille ittere.			1
DCU	Doesn't close-up						dina.		1
DE	Doesn't eject				1	2000 2 000			1
DEL	Doesn't eject live round								1
DFB	Doesn't feed back								1
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up					*			1
DS	Dead safe			2	1	4		23	
DX	Doesn't extract		1		1	3			1
DXL	Doesn't extract live round								1
EDS	Extractor drops shell	1		1	5	16		2	1
ESB	Ejector sticks back					1			1
ESCR	Empty shell catches receiver								1
ESS	Extractor stems shell								1
FA	Fires automatically								1
FB	Follower binds								1



		1	I	I	I	1	1	1
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to pomect							
FCB	Fore-end cracked or broken							
FD	Fallows-down							
FF	Fails to fire				1			
FFP	Flat firing gift							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim				tim.			
FPO	Floor plate opens	10			7.	16		2
FPOH	Floor plate opens hard							3
FSR	Fires when safe is released							
FT	Follower tips	12			1	18		22
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift	1		1		10		<u>1</u>
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail				1	.,		2
JCS	Jumps cartridge			*****				
JM	Jumps magazine				2			
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							
		-						



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Mirh	Magazine removes hard							
он	Opens hard							
OR	Over-rides	3		3	1	22		14
PH 👋	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing			warman war				
RBOC	Rings and bulges on case				1			4
RDW	(Action) release doesn't work			1	eter.			
RIC	Rings in chamber				24	4		3
RIS	Ring in sholder				2			
RS	Rim srem	~~~~						
SBC	Stems bottom chambers				1	12	Allance.	
SBE	Stems bbl extension							<i>7.</i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1		3	1	12		1
SIC	Stems in chamber							4
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride					1		16
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber			1				3
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



ILE00090673

	11.1111.11.								
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
stc	Sterns top chamber								1
SWE	Safety switch works too easily	2			2	1			1
SWH 🛛	Salety switch works too hard				1			1	1
sww	Safety ewitxh won't work	1							1
TD	Tips down								1
TU	Tips up								1
TWP	Trigger won't pull								1
TWR	Trigger won't retract								
UNCN-T	Uncoded				4.			14]
ХН	Extracts hard					2			1
									1
HI	High						dina.		1
LO	Low								1
LEFT	Left								1
RIGHT	Right								1
DG	Doesn't Group			1				5	
FSST	Front sight tipped								
RSTT	Rear sight tipped			-		÷			1
RSBR	Rear sight base raised								
FSTR	Front sight raised								
FSTL	Front sight loose								
RSTL	Rear sight loose								1
MGPT-G	Missing parts at target								1
UNCN-G	Uncoded nonconformity at target								-
AI-P	Assembly incompleye at proof								-
BBB	Barrel bracket cracked or broken at proof								1




CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
8C-P	Blows cases at preof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown printer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				én			
-CB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof							
F-P	Fails to fire at proof	1				ilia tara.		
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
WSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof			7				
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	26			1	2 .		


math							totals	700 totais	New Gen totals]
	13	69		sa. 1112	127	95	7317	5914	1308	
	0	0	0	37	0	0	74	37	37	1
	0.0			33	0.0	0.0	1.0	0.6	2.8	
	12			1245	118	95	7469	14074	1363	
	0	0	0	//55	9	0	607	543	64	-
	0.0			4.4	7.6	0.0	8.1	3.9	4.7	
	18			77	108		934	1803	185	
	0	0	0	0	15	0	21	6	15	-
	0.0			0.0	13.9		2.2	0.3	8.1	_
	XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals	
				11	3		14		14	
							65	65		
							108			
							57	57		
							5	5		


								5		
					1		5 			
		I					2	2		
							<u> </u>			
	L			1	1	1	1	1	1	1


Subject to Protective Order Williams v. Remington


ILE00090676














Subject to Protective Order Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington




Subject to Protective Order Williams v. Remington



Subject to Protective Order - Williams v. Remington

Burr at chamber Closes hard Bolt binds/catches Follower tips	
Bolt binds/catches Follower tips	ł .
Follower tips	
	- 3
	. 🦓
Over-rides	edile.
Rings in chamber	
Floor plate opens	
Extractor drops shell	
Uncoded proof malfunctions	
Dead safe	8
Stems incline	
Heavy bolt lift	1.
Pierced primer at proof	
Rings and bulges on case	
	999999 66699
	ġ.
Can't load magazine	
Jumps magazine	
Ring in sholder	
Safety switch works too hard	
Extracts hard	
Ejector sticks back	
	ļ
Barrel lug shot off	
Bolt pulls out	
	Uncoded proof malfunctions Dead safe Stems incline Heavy bolt lift Stem over-ride Stems bottom chambers Chamber torn or gouged Pierced primer at proof Doesn't Group Bolt catches on follower Doesn't eject Doesn't eject Doesn't extract Rings and bulges on case Safety switch works too easily Stems in chamber Stems right side of chamber Bolt won't close over full magazine Can't load magazine Jumps magazine Ring in sholder Safety switch works too hard Extracts hard Ejector sticks back Fails to fire Floor plate opens hard Hard under tail (Action) release doesn't work Uncoded Fails to fire at proof Action binds Bulge at body shoulder Blat-to-bolt misalignment: Bolt catches on bolt stop Blows cases Bolt hits receiver Bolt plug hits safety switch Bartlock or disconnector out of position Bartel lug shot off





CR	Cuts rim	
CS	Cases swell	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	S
DBB	Doesn't blow back	- A
DCS		dille.
	Double click in safety switch	
	Double click in trigger	
	Doesn't close-up	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	2
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	Sec.
DLU	Doesn't lock-up	
DXL	Doesn't extract live round	
ESCR	Empty shell catches receiver	-
ESS	Extractor stems shell	
FA	Fires automatically	<i>.</i>
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	6
FD	Follows-down	ditta
FFP	Flat firing pin	Ë.
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FSR	Fires when safe is released	З ⁴
GCSO		
	Gas cyl shot off Heading mismatch-steps on case	
HMSC	Heading mismatchesteps on case	
HPA	High pressure ammo	
JCS	Jumps cartridge	
<u>10</u>	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (artimo)	
MFOP	Magazine follower out of position	
ML.	Magazine loose	
MLH	Magazine loads bard	
MRH	Magazine removes hard	
ОН	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RS	Rim srem	
SBE		
SCB	***************************************	
	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC 💥	Stretch marks on case	




SP	Stems port
SR	Shoulder rough
SRIC	Specific rings in chamber
SSOC	Surface scratches on case
STC	Stems top chamber
SWW	Safety ewitxh won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
HI	High
LO	Low
LEFT	Left
RIGHT	Right
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over strells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnattux stamp illegible on bbl
MSM-P	Magnaflux stamp missing on bbl
SCB-P	Stock cracked or broken at proof

Ø






A (7)	A stice birds	
AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Boll catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of posit	ìon
BLSO	Barrel lug shot off	1
BPO	Bolt pulls out	×
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	
<u></u> CH	Closes hard	
CLM	Can't load magazine	
co	Cut-off	- <u></u> 2
CR	Cuts rim	<u> </u>
CS	Cases swell	?
CTOG	Chamber torn or gouged	
CTP		
CWSB	Creepy trigger pull	
	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
	Double click in trigger	9999 1997
	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	<u> 889-688</u>
DFB	Doesn't feed back	<i>666666</i> 66
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	Mitta
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
FA	Fires automatically	
FB	Follower binds	******
FC	Fails to connect	
FCB	Fore-end cracked or broken	
<u>FD</u>		
	Follows-down	
FF	Fails to fire	
FFP	Flat fining pin	
FOS	Fires on safe	
FPHB 🛞	Firing pin hits 66	




FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	À
JO	Jars off	
LB	Light blow	•
MAH		
	Magazine assembles hard	88
	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	- 2
ML	Magazine loose	
MLH	Magazine loads hard	Ì
MRH	Magazine removes hard	
он	Opens hard)
OR	Over-rides	:
РН	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	Å.
RIC	Rings in chamber	\$\$-
RIS	Ring in sholder	
RS	Rim srem	S.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
<u>SHI</u>	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
SRIC	A CONTRACT OF A CONTRACT.	
SSOC	Surface scratches on case	
SSOC	Surface scratches on case Stems top chamber	
SSOC STC SWE	Surface scratches on case	




TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	l
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1







ESB-P	Ejector sticks back at proof	
EDS	Extractor drops shell	
AB	Action binds	
DX	Doesn't extract	
ESCR	Empty shell catches receiver	
CTOG	Chamber torn or gouged	
JM	Jumps magazine	
RIC	Rings in chamber	
OR	Over-rides	
UNCN-T	Uncoded	
PP_P	Pierced primer at proof	
UNCM-P	Uncoded proof malfunctions	ź
BABS	Bulge at body shoulder	ŝ.
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	8
BC	Blows cases	
BHR	Bolt hits receiver	20
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	1940
BLSO	Barrel lug shot off	Ľ.
BPO	Bolt pulls out	8
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	Ĩ
BWCFM	Bolt won't close over full magazine	
CD	Case dented	à
CH	Closes hard	
	Can't load magazine	
	Cut-off	
	Cuts rim	
CS	Cases swell	
CTP	Creepy trigger putt	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCS		
	Double click in trigger	
DE	Doesn't eject	ł
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
DFU	Doesn't feed up	1
DLO	Doesn't lock open (after last shell)	
	Doesn'i lock-up	ł
DS	Dead safe	1
DXL	Doesn't extract live round	1
ESB	Ejector sticks back	1
	Extractor Stems shell	ļ
	At the second se	1
FA 🕺 FB	Fires automatically Follower binds	




FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF	Fails to fire	
FFP	Flat firing pin	I
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	;
FT	Follower tips	ġ.
GCSO	Gas cyl shot off	63
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	83
HUR	Hard under rail	
JCS		
JO	Jumps cartridge Jars off	
<u>10</u> LB		No.
*************************	Light blow	
MAH	Magazine assembles hard	87
MCW	Magazine capacity wrong	8
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	22
ML	Magazine loose	1 ji
MLH	Magazine loads hard	
MRH	Magazine removes hard	5
ОН	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	8
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stents left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR .	Shoulder rough	
	Stems right side of chamber	
SRC		
SRIC 🛞	Specific rings in chamber Surface scratches on case	



STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TŲ	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
хн	Extracts hard	
HI	High	
LO	Low	Ś
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped 🧼	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	eréfére
BBB	Barrel bracket cracked or broken at proo	<u>f.</u>
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	×.
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
SCB-P	Stock cracked or broken at proof	






	T	1
HI	High	
AB	Action binds	
DE	Doesn't eject	
EDS	Extractor drops shell	
MCW	Magazine capacity wrong	
MRH	Magazine removes hard	
SOR	Stem over-ride	
LÖ	Low	
RSTL	Rear sight loose	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	È
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	88
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	. 4
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	ġ.
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	
СН	Closes hard	
CLM	Can't load magazine	5.
CO	Cut-off	
CR	Cuts rim	
CS	Cases swell	
CTOG	Chamber torn or gouged	•
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
	Doesn't lock-up	
rs.c		
DS	Dead safe	
DX	Doesn't extract	
DX DXL	Doesn't extract Doesn't extract live round	
DX DXL ESB	Doesn't extract Doesn't extract live round Ejector sticks back	
DX DXL ESB ESCR	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver	
DX DXL ESB ESCR ESS	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell	
DX DXL ESB ESCR ESS FA	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell Fires automatically	
DX DXL ESB ESCR ESS FA	Doesn't extract Doesn't extract live round Ejector sticks back Empty shell catches receiver Extractor steins shell	





		1
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF	Fails to fire	
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT	Follower tips	:
GCSO	Gas cyl shot off	à
HBL	Heavy bolt lift	6.9
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	da.
MAH	Magazine assembles hard	
MFA		
	Misfires (ammo)	
MFOP	Magazine follower out of position	÷.
ML	Magazine loose	
MLH	Magazine loads hard	eti ĝ
OH	Opens hard	
OR	Over-rides	2
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	Ş .
RBOC	Rings and bulges on case	•
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
	Specific rings in chamber	
	STUMPOO OORANNAA AA AAAA	
	Surface scratches on case Stems top chamber	



SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
LEFT	Left	å
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	33
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	166
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	

Al-P	Assembly incompleye at proof	ŝ.
BBB	Barrel bracket cracked or broken at proof	f
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	8
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	È.
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	ř
ESB-P	Ejector sticks back at proof	Ì
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl]
MSM-P	Magnaflux stamp missing on bbl]
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	1
UNCM-P	Uncoded proof malfunctions	1





Summary	Total Test + Proof F		1032						-
	Total Rej Overall Rejec	jected: t:Rate:	53 5.14						
		Shot: 34	8 69) 193	112	235			1
		ejected.	0	0	0	0	0	0	-
		Percent 0.3	and the second		0.0	0.0			_
		Shot 26		202	142	270			
	Test R	eje <mark>cted: 5</mark> Percent: 1.6		8 4.0	10 7.0	23 8.5	0	0	
	· · · · · · · · · · · · · · · · · · ·	Shot: 24		12	138	25	1		1
	Target R	lejected: 0		· · · · · · · · · · · · · · · · · · ·	0	0	0	0	Ŀ
		Percent: 0.0		0.0	9 .0	0.0			
CODE	MALFUNCTION INDEX	700 S	PS 700 S		700 SS	700 CDL	700 POLICE	MODEL 7	
	A - (*								-
AB	Action binds				· · · · · · · · · · · · · · · · · · ·				4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber	1		1					_
BBMA	BBL-to-bolt misalignment								
3B	Bolt binds/catches	1		2		3			
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								1
BC	Blows cases						ä		
BHR	Bolt hits receiver								ľ
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of pos	sition							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine				2		
CD	Case dented						
СН	Closes hand			3	1		
CLM	Can't load magazine						
со	Cut-off		áto.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back	· •••					
DCS	Double click in safety switch					teo.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					and the	
DLU	Doesn't lock-up					á	
DS	Dead safe				1		<u>I</u> ∾
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				1		
ESB	Ejector sticks back				1		
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA FA	Subject to Protective Order		
	N.	FA	į
	n su	FC	
J FC	.< T	FCB	-0
FC FC FCB	ren	FD	
FC FC FC FC FC FC FC FC FC FC	ninç		
ns v. Remin	ytor	FFP	
ns v. Remingtor	<u>د</u>	FOS	
Perming		FPHB	

			-	-				 _
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken		****					
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin			• •				
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~			4	<u>/////////////////////////////////////</u>		
FPOH	Floor plate opens hard						See.	
FSR	Fires when safe is released		****					
FT	Follower tips		****			4		
GCSO	Gas cyl shot off		******	1100				
HBL	Heavy bolt lift				~~~~			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo		****					
HUR	Hard under rail							ø
JCS	Jumps cartridge						12	
JM	Jumps magazin e				2			
OL	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order		
	ML	Magazine loo
Ē	MALH	Magazine loa
20 TS	MRH	Magazine (en
	он	Opens hard
ren	OR	Over-indes
ning	РН	Pulls hard
llams v. Remingtor	PSI	Proof stamp i
	PSM	Proof stamp i
	PROC	Disac and bu

								_
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard		****					
OR	Over-indes			3		8		
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder						1990.	
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
SHI	Short indent							
SI	Stems incline	1		2	1			Þ
SIC	Stems in chamber						à	瀫
SL	shaves lead							I.«
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							





SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top.enamber						1
SWE	Safety switch works too easily	2			1		1
SWH	Safety switch works too hard		àn.				
sww	Safety ewitxh won't work]
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
хн	Extracts hard					889.	
н	High						
LO	Low			1100			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					ž	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





Subject to Protective Order	
N.	AI-P
B	868
ns "	BC-P
א. דו	BEB-P
len	BLP-P
ams v. Remington	BLSO-P
ytor	BP-P
د	BC_D


1111 A 12										
AI-P	Assembly incompleye at proof]	
	Barrel bracket gracked or broken at proof									
BC-P	Blows cases at proof								1	
BEB-P	Barrel extension broken at proof								1	
BLP-P	Blanked primer at proof		325.							
BLSO-P	Barrel lug shot off at proof								1	
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof]	
FCB-P	Fore-end cracked at proof	~~~]	
FESO-P	Fore-end shot off at proof							ite.]	
FF-P	Fails to fire at proof	1]	
GCSO-P	Gas cylinder shot off at proof			****						
MSI-P	Magnaflux stamp illegible on bbl									
	Magnaflux stamp missing on bbl				4	388 1				
PP-P	Pierced primer at proof									
SCB-P	Stock cracked or broken at proof									
UNCM-P	Uncoded proof malfunctions			l		1				














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures	984							-
	Total Rejected:	96							
	Overall Reject Rate:	9.76							=
	Shot: Proof Rejected	326 0	80	52 0	117	75 0	0	5 0	
~	Proof Rejscied	0.0	. 0.0	0.0	0.9	0.0	U	0.0	
	Shot	299		126	198	72			1
	Test Rejected.	20	0	1	46	0	0	0	1
	Percent	67		0.8	23.2	0.0	1	1	٦
	Target Rejected:	26 0	<u> </u>	6 0	14 0	7	0	0	
	Percent:	0.0		\$ 0	0.0	0.0	5	ů.	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber	3			27	1100.101000			4
BBMA	BBL-to-bolt misalignment								-
BB	Bolt binds/catches	2			3				4
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower				1		- 1947 		1
BC	Blows cases	ļ							4
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off	<u> </u>							
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								


BWCFM	Bolt won't close over full magazine					1
CD	Case dented					1
СН	Closes hand			7		
CLM	Can't laod magazine					
со	Cut-off	áto.				
CR	Cuts rim]
cs	Cases swell					
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				à	
DCT	Double click in trigger					
DCU	Doesn't close-up				-	
DE	Doesn't eject		1	1		
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				-	
DS	Dead safe			1		 I.«
DX	Doesn't extract			1		
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor sterns shell					



Protective Order		
X	FA	Fires automa
Ē	FB	Follower bind
ns Tes	FC	Fails to com
lams v. Remingtor	FCB	Fore-end crait
ien	FD	Follows-down
jnir	FF	Fails to fire
gtor	FFP	Flat firing pin
	FOS	Fires on safe
	FPHB	Firing pin hits
	FPHI	Firing pin hits


Subject to

				 	 	 _
111111	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken		****			
FD	Follows-down		- 200.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	··· ////				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	2		2		
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips	11				
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift	1				
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ÿ
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
N.	ML
a n	BAILH
รา	MRH
TI	он
len	OR
ning	РН
ams v. Remingtor	PSI
	PSM
	PPOC


				-	-		-	 _
ML	Magazine loose							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hant		****					
OR	Over-rides	1	- 200.		1			
РН	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder						8ee.	
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			1100				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent							Ś
SI	Stems incline							
SIC	Stems in chamber						ž	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough					-		
SRC	Stems right side of chamber							



Protective Order	
	SRIC
a la	SSOC
iams v.	STC 🛞
<u>ج</u>	SWE
len	SWH
nin	sww
Remington	TD
<u>د</u>	ΤU

Subject to


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber]
SWE	Satety switch works too easily			1		
SWH	Safety switch works too hard		Att.			
sww	Safety ewitxh won't work					1
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull			1200 1997 - Maria Maria		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~		1		
хн	Extracts hard				870.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					_ ~~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





Al-P	Assembly incompleye at proof					
366	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		in.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			1200 1997 - Maria Maria		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	· · · · ·				
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions			1		


		Test Date:						
20033							totals	
L	0	16	10	160 18	<u>34</u>	40 0	905 19	
	U	0 0.0	U U	11.3	20	0.0	19 2.1	
[1	183	47	40	965]
	0	0	0	0 0.0	1 2.1	00	68 7.0	
[18	46		117	
	0	0	0	0 0.0	9 19.6	0	9 7.7	
	XR-100	7400	7500	7600	7615	Rimfire	totals	
F								
ŀ								
ŀ							30	
							5	
							1	
ļ								


ILE00090716











Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures Total Rejected:	62							-
	Overall Reject Rate:		-	1 10	100	101	1	1	5
	Shot: Proof Rejected		5	13 0	162 0	461 2	5	0	
	Percent	****************************	0.0	0.0	0.0	0.4	0.0	Ŷ	
	Shot	97		153	232	256]
	Test Rejected		0	0	20 8.6	18	D	0	
	Percent. Shot:	*#/3 6		0.0	45	7.0 18	1	1	1
	Target Rejected:			1 10 10	45 0	0	0	0	_
	Percent:			0 0	90	0.0			
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
	A - (1								
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber	1							
BBMA	BBL-to-bolt misalignment								 ;
BB	Bolt binds/catches				2				
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower						· · · · · · · · · · · · · · · · · · ·		
BC	Blows cases						· · · · · · · · · · · · · · · · · · ·		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	1							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out							<u> </u>	-
BSSM	Bolt stems shell in magazine	<u> </u>					<u> </u>	<u> </u>	
BWCD	Bolt won't cam down								

		1		1	1		1	1	1
	Bolt won't close over full magazine								
CD	Case dented								
СН	Closes hard				17				
CLM	Can't laod magazine					1			
со	Cut-off								
CR	Cuts rim								
cs	Cases swell								
стоб	Chamber tom or gouged	5 🥢	<u> ////</u>						
СТР	Creepy trigger pull				ann. Millionn				
CWSB	Carns wrong side of action bar								
DBB	Doesn't blow back	1 W.S.	l						
DCS	Double click in safety switch						5ao.		
DCT	Double click in trigger		*****						
DCU	Doesn't close-up		****						
DE	Doesn't eject								
DEL	Doesn't eject live round				1988) 1988)				
DFB	Doesn't feed back								
DFU	Doesn't feed up		****						
DLO	Doesn't lock open (after last shell)		****						Ø
DLU	Doesn't lock-up		****				ä		
DS	Dead safe					1			1
DX	Doesn't extract					1			
DXL	Doesn't extract live round								
EDS	Extractor drops shell				1	3			
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								




E FA	FA.	FA FB FC	Subject to Protective Order	
	B FB	an FB S FC	X	
FC FCB	S FCB		fen	FD
FC V. FCB FD	S FCB	en FD	jnin	
FC B FD FF	Y. FCB FD FD FF	fp FD FF	ytor	FFP
ns v. Remingto	V. Remingtor	fD FF FF FF FF		FOS
V. Remingtor	V. Remington	FD FF FF FF FOS		

FA	Fires automatically							1
FB	Follower binds							1
FC	Fails to connect							1
FCB	Fore-end cracked or broken							1
FD	Follows-down		322.					
FF	Fails to fire							
FFP	Flat firing pin			.				1
FOS	Fires on safe							
FPHB	Firing pin hits bbl				17. m. 1997 - Maria Mariana, 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997			1
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~				2		1
FPOH	Floor plate opens hard						Sec.	1
FSR	Fires when safe is released]
FT	Follower tips	1		****]
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift					1		1
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge						ż	
JM	Jumps magazin e							ľ
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							




Subject to Protective Order	
	ML
ē	MLH
ns '	MRH
TI	он
len	OR
ing	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine loose						
MLH	Magazine loads hard						1
MRH	Magazine temoves hard						1
он	Opens hand						
OR	Overandes	1					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	3			<i>)</i> 1		
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers		*		3		
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent						
SI	Stems incline						1 7
SIC	Stems in chamber					á	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride				1		
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




SRIC .			Subject to Protective Order	
	a stoc	and stoc	W	SRIC
STC SWE	SWE		len	SWH
ns v. Rem	R SWE	SWH	iing	sww
ns v. Reming	Reming	eming swu	itor	то
 SWE SWH SWW 	SWE SWH SWH SWW TD	SWH SWW SWW TD	<u>ب</u>	тυ


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard			2		
HI	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					┨.
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				2	纞
RSBR	Rear sight base raised					1
FSTR	Front sight raised					1
FSTL	Front sight loose	*				1
RSTL	Rear sight loose					 _
MGPT-G	Missing parts at target			 		
UNCN-G	Uncoded nonconformity at target					





Subject to Protective Order	
N.	AI-P
Ē	868
ns "	BC-P
א. דו	BEB-P
len	BLP-P
ams v. Remington	BLSO-P
ytor	BP-P
د	BC_D


AI-P	Assembly incompleye at proof			1]
368	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						1
BEB-P	Barrel extension broken at proof						1
3LP-P	Blanked primer at proof		day.				
BLSO-P	Barrel lug shot off at proof						 1
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~					
FESO-P	Fore-end shot off at proof					886.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl]
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions				2	1999 (A. 1997)	














Summary	Total Test + Pro	of Failures Rejected:	774 104							
		eject Rate:	13,44							
		Shot:	ššen. 52	59	2	162	121	4		ī
**	Proof	Rejected:	0	0	0	0	0	0	0	-
		Percent	0.0	0.0	0.0	0.0	0.0	0.0		_
		Shot			22	259	279			
	Test	Rejected: Percent:	6 11,8	0	6 	36 13.9	45 16.1	0	0	
		Shot:	3	5	16	21	26	1	1	1
	Target	Rejected:	0	<u> </u>		0	0	0	0	L
	74.901	Percent:	0.0	0.0	0.0	00	0.0			
CODE	MALFUNCTION IN	DEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds									_
BABS	Bulge at body shoulder									
BAC	Burr at chamber					1				
BBMA	BBL-to-bolt misalignment									
ЗB	Bolt binds/catches					4				
BCOBS	Bolt catches on bolt stop									2
BCOF	Bolt catches on follower				2	1				10000
BC	Blows cases							;		10.00
BHR	Bolt hits receiver									1
BHS	Bolt plug hits safety switch									-
BLOP	Bar lock or disconnector out of	of position								-
BLSO	Barrel lug shot off									-
BPO	Bolt pulls out									
BSSM	Bolt stems shell in magazine									-
BWCD	Bolt won't cam down								1	1

ILE00090734

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand				3	4		
CLM	Can't laód magazine					1		
со	Cut-off		- 200.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged	15						
СТР	Creepy trigger pull							
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch						586.	
DCT	Double click in trigger							
DCU	Doesn't close-up		-					
DE	Doesn't eject			2				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							Ø
DLU	Doesn't lock-up						ä	
DS	Dead safe							l.»
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1		1	3	7		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor sterns shell							




FA	FA.	Subject to Protective Order	
	₽ FB		FA
FC FC		.< דו	FCB
FC FC FCB	FCB	ìen	FD
FC FC FC FC FC FC FC FC FC FC	FCB	ning	FF
ns v. Remin	 FCB FCB FD FF 	gto	FFP
ns v. Remingto	V. Remingto		FOS
v. Remingtor	 FCB FD FD FF FF FF FOS 		FPHB

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down						
FF	Fails to fire			1			
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~			<i>)))</i> 5		
FPOH	Floor plate opens hard					XX	
FSR	Fires when safe is released						
FT	Follower tips			1	9		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift				4		
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo						
HUR	Hard under rail					200 4	P
JCS	Jumps cartridge					â	瀫
JM	Jumps magazin e						l
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
N.	ML	Magazine loo
Ē	MLH	Magazine loa
ns	MRH	Magazine <u>re</u> m
ج דו	он	Opens hard
ien	OR	Over-ndes
ŋiŋ	РН	Pulls hard
ams v. Remingtor	PSI	Proof stamp il
د	PSM	Proof stamp r
	RBOC	Rinos and but

		 					 _
ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hand						
OR	Overandes				12		
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	<u> ////</u>					
RBOC	Rings and bulges on case			1			
RDW	(Action) release doesn't work		1				
RIC	Rings in chamber			17	2		
RIS	Ring in sholder			2		100.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						ø
SIC	Stems in chamber					à	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




ILE00090737


SRIC	Specific rings in chamber]
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily				1		
SWH	Safety switch works too hard		itte.		1		
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					àc.	
HI	High						
LO	Low			1.00			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						1
RSTT	Rear sight tipped					2	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions					1999 B		


(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA.	FA FB FC	FA FB FC FC FCB	Subject to Protective Order	
	FC	FC FC FCB	Willia	FA.
Y. FCB P FD	en FD		ing	
Y. Remino	FD FF FF		jtor	
Y. Remingtor	FD FF F	ningtor	ب	FOS
Reming	FD FF FF FCS FOS	nington		соцо

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ā s	MALH
10 T 1000	MRH
	ОН
ren	OR
ning	PH
ams v. Remingtor	PSI
L	PSM
	1

ML	Magazine loose]
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-indes		in the second se				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				inn. Millionn		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					See.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			110			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						ø
SIC	Stems in chamber		****			;	
SL	shaves lead]~~
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
nin	sww
gtor	TD
<u>د</u>	TU
	TIME

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	

н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



					 	-
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
ВС-Р	Blows cases at proof					
вев-р 👋	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~		· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
X	FA
<u>ē</u>	FB
ams v. Remington	FC
<u>ج</u>	FCB
ien	FD
ning	FF
ytor	FFP
<u>د</u>	FOS
	ЕРНВ

FA.	Fires automatically					
FB	Follower binds					
FC 💮	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	Att.				
FF	Fails to fire					
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl			iter. 1997 - J.		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					Ś
HUR	Hard under rail					ø
JCS	Jumps cartridge				ž	
JM	Jumps magazin e					r~
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order		
X	ML	
	MILH	
 ອີ	MRH	
	он	Ŵ
fen	OR	
ning	PH	
ams v. Remington	PSI	
<u>د</u>	PSM	
	0000	


ML.	Magazine loose					1
MALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Over-indes	- 200.				
РН	Pulls hard					1
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
SCX	Shell catches					.
SHI	Short indent	 				<u>i</u>
SI	Stems incline					P
SIC	Stems in chamber				â	
SL	shaves lead					 ~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber	******				



Protective Order	
	SRIC
a la	SSOC
S S	STC 📎
ams v. Remington	SWE
len	SWH
nin	sww
gto	TD
J	TU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof Failu	res 583							-
	Total Reject								
	Overall Reject Re								-
		iot: 69	25	14	71	38		233]
	Proof Rejec		0	0	0	0	0	0	
	Perc		0.0	0.0	0.0	0.0	1	0.0	7
		101. 20 fed: 0	4	112	102 16	101 17	0	107 9]
	Test Reject		23.5	12.5	15.7	16.8	v	ş 8.4	
		iot:	1	16	31			9	1
	Target Rejec	ted: 0 🎆		000	0	0	0	0	1
	Perc	ent:		\$\$ 00	00			0.0	_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
			**********]
AB	Action binds								4
BABS	Bulge at body shoulder								
BAC	Burr at chamber			9	2				
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		****	1					
BCOBS	Bolt catches on bolt stop		****						
BCOF	Bolt catches on follower			1					
BC	Blows cases						ä		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch		-						1
BLOP	Bar lock or disconnector out of position	n							1
BLSO	Barrel lug shot off		-						
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine		-						1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	 3		3			
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				Sec.		
DCT	Double click in trigger						
DCN	Doesn't close-up		****				
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up				ź		
DS	Dead safe						ľ
DX	Doesn't extract	1					
DXL	Doesn't extract live round						
EDS	Extractor drops shell			2		2	
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver				-		
ESS	Extractor stems shell						




FA.	FA FB FC	FA FB FC FC FC FCB	Subject to Protective Order	
	ສ ຮ FC	FC FCB	Williar	FA FB
, FCB Den FD	en FD		in	FF
V. Reming	Perming		ytor	FFP
V. Remingtor	Remingtor	ningtor	-	FOS
e FD FD FF	Remington FD FFP FOS	nington		

FA	Fires automatically]
FB	Follower binds							1
FC	Fails to connect							
FCB	Fore-end cracked or broken		****					
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				800. 			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	~~~				<i></i>	1	
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips					2	6	
GCSO	Gas cyl shot off			1.64				
HBL	Heavy bolt lift			1	7			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							1
JCS	Jumps cartridge							
JM	Jumps magazin e							ľ
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							




Subject to Protective Order	
	ML
ā n	aal.H
20 C	MRH
TI	он
len	OR
jnir	PH
ams v. Remingtor	PSI
ت	PSM

ML 🥢	Magazine loose						
MALH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overandes	itte.					
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber			6			
RIS	Ring in sholder					teo.	
RS	Rim srem						
SBC	Stems bottom chambers			1	7		
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches].
SHI	Short indent						
SI	Stems incline		1				ø
SIC	Stems in chamber					á	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber		1				




Subject to Protective Order	
X	SRIC
ē	SSOC
n ree	STC
<u>ج</u> ٦٦	SWE
len	SWH
jini	sww
ams v. Remingtor	TD
<u>ب</u>	тυ


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work	· · · ·				
ΤΟ	Tips down					
тυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				<u> </u>	
HI	High		****	Maria III		
LO	Low					
LEFT	Left					
RIGHT	Right					4.
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				 2	撼
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					1
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					





AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			


-		Test Date:		/////			totals	
Ē		1. <i>.</i>	1	59	26		535	
L	0	<u> </u>	0	0	0	0	0	
				0.0	20		0.0	
· ſ	12			85	27 🥢		583	
_	0	0	0	85 24 28.2	3 MM	0	87	_
_	0.0				11.4		14.9	
	12			4	23		95	
	0 0.0	0	0	0 0.0	4 17.4	0	4 4.2	
	XR-100	7400	7500	7600	7615	Rimfire	totals	
							- 10000 ******	
					1		1	
Γ								
F							11	
F								
-								
F							1	
L								
							1	
F								1
F								┥
-								
F								4
Ļ								











Subject to Protective Order Williams v. Remington


Summary	Total Test + Pr		641						
		tal Rejected:	68						
	Overall	Reject Rate:	10.61						
		Shot:		31	60	44	65	6	152
	Proof	Rejected Percent	2 3.9	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0
		Shot		8	133	47	210	11	56
	Test	Rejected	14	0	1	4	23	0	6
		Percent:	40 0	0,0	0.8	8.5	11.0	0.0	10.7
		Shot:	1		42	6	18	11	5
	Target	Rejected: Percent:	0 0.0	· // / /	2.4	0 00	0 0.0	0 0.0	5 100.0
CODE	MALFUNCTION I	1	700 SPS	700 SPS \$8	700 BDL &	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber					2	2		
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches		3				3		
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							ä	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out	l of position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazin	e							
BWCD	Bolt won't cam down								
	1				1	1		1	

Subject to Protective Order Williams v. Remington

ILE00090782


Subject to Protective O	
der - V	
(illia ms	
v. Rem	
iington	

1770 m. 1886 1977	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	3					
CLM	Can't laod magazine						
со	Cut-off		itte.				
CR	Cuts rim]
cs	Cases swell						
стоб	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					ña.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up					1949 1949	
DS	Dead safe				2		
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell				2		
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA				Subject to Protective Order	
	₫ (FB		FB FC S FC FC FCB		FA .
FC FC FCB FD	· FCB PD FD	for FD		ning	FF
ns v. Remin	 FCB FCB FD FF 	FD FF	ning FF	ytor	FFP
ns v. Remingtor	 FCB FD FF FF FFP 	Remingtor	ningtor	<u>ر</u>	FOS
 FCB FD FF FF FFP 	 FCB FD FF FF FFP FOS 	FD FF FF FFP FOS	nington FFP FOS		EDHB

FA	Fires automatically								
FB	Follower binds								
FC	Fails to comment]
FCB	Fore-end cracked or broken								
FD	Follows-down		àte.						
FF	Fails to fire								
FFP	Flat firing pin			• •					
FOS	Fires on safe								
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens	8				3			
FPOH	Floor plate opens hard						à		
FSR	Fires when safe is released								
FT	Follower tips					2	-	2	
GCSO	Gas cyl shot off								
HBL	Heavy bolt lift					1			
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo								
HUR	Hard under rail				1				
JCS	Jumps cartridge						ž.		
JM	Jumps magazin e								I ~
JO	Jars off								
LB	Light blow								
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								



Subject to Protective Order	
	ML
ē	MLH
ns '	MRH
TI	он
len	OR
ing	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose							1
MLH	Magazine loads hard							1
MRH	Magazine removes hard							
он	Opens hand							
OR	Overandes				1			
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			ann. Millionn				
RDW	(Action) release doesn't work							
RIC	Rings in chamber			1 ***	<u> </u>			
RIS	Ring in sholder					Dec.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		~					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent	 						4
SI	Stems incline				6			Þ
SIC	Stems in chamber					à	4	
SL	shaves lead						****///	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order-	
V	SRIC
ā s	SSOC
ns 🐃	STC 🛞
ams v. Remington	SWE
len	SWH
nin	sww
ytor	TD
	ΤU


Subject to


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
хн	Extracts hard				Nev.		
HI	High						
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group	 	1			<i></i> 5	
FSST	Front sight tipped						17
RSTT	Rear sight tipped				à		
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





Al-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof		***			
BLP-P	Blanked primer at proof		- 100 A			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			5 a 6 33 55 55 a		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				8eo.	
FF-P	Fails to fire at proof		***			
GCSO-P	Gas cylinder shot off at proof		****			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl		***			
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	2			200 4	
					;	














Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof Total I Overall Rej	Rejected:	713 71 9.96						
		Shot:			158	28	93		257
	Proof	Rejected	0	0	7	0	0	0	0
		Percent	0.0		4.4	0.0	0.0		0.0
	T 4	Shot. Rejected:	7	4	169	45 2	116 15	0	129 31
	Test	Percent:	00	0.0	4.1	4.4	12.9	Ū	24.0
		Shot:		<u> </u>	16	25	10		16
	Target	Rejected:	0	<i></i>		00	0	0	0
		Percent:			0 .0	90	0.0		0.0
CODE	MALFUNCTION INDE	x	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
								585. 87 - 595.	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								6
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				3				
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases							â	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of	position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								

BWCFM	Bolt won't close over full magazine]
CD	Case dented							
СН	Closes hand		4	2			1	
CLM	Can't laod magazine							
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
стоб	Chamber tom or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch					XX.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject		1100					
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							ø
DLU	Doesn't lock-up					á		
DS	Dead safe							
DX	Doesn't extract				2			
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1			
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor sterns shell							




Subject to Protective Order	
N.	FA
<u>a</u>	FB
S L	
liams v. Remington	FCB FD
len	FD
jing	FF
ytor	FFP
ب	FOS

FA.	Fires automatically						
FB	Follower binds						
FC 💮	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		data.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~			<u>/////////////////////////////////////</u>		
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips				·		
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift				2		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					;	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)			 			
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML 🖉
<u>a</u>	MILH
 ສຸ	MRH 🛞
	он
fen	OR
ning	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM


ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hand							
OR	Overandes	itte.					2	
PH	Pulls hard							
PSI	Proof stamp illegible		.					
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			823 8889 (1995)			1	
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers				2			
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches].
SHI	Short indent							
SI	Stems incline				6			Ø
SIC	Stems in chamber					a a		
SL	shaves lead							l
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride						9	
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber						3	




Protective Order	
	SRIC
ā s	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
ren	SWH
nin	sww
ams v. Remington	D
د.	TU
	740


Subject to


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





AI-P	Assembly incompleye at proof					1
368	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof	- 420.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		.			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			1200. 1997 - June -		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				Stee.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof		7			
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Summary		Proof Failures otal Rejected: I Reject Rate:	922 84 9.11							•
	Proof	Shot: Rejected: Percent:	19	0 0.0	1 0 0.0	25 0 0.0	19 0 0.0	13 0 0.0	613 0 0.0]
	Test	Shot Rejected: Percent:	90.5 16 0 0,0	0.0	0.0 15 0	30 1 3.3	0.0 74 0 0.0	0.0	614 58 9.4]
	Target	Shot: Rejected: Percent:	0	0	0	3 0 00	6 0 0.0	0	57 0 0.0]
CODE	MALFUNCTION	INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds									
BABS	Bulge at body shoulder									
BAC	Burr at chamber								6	1
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches									1 /
BCOBS	Bolt catches on bolt stop									
BCOF	Bolt catches on follower									
BC	Blows cases							;		
BHR	Bolt hits receiver									1***
BHS	Bolt plug hits safety switch	1]
BLOP	Bar lock or disconnector o	ul of position								
BLSO	Barrel lug shot off									
BPO	Bolt pulls out									
BSSM	Bolt stems shell in magazi	ine								
BWCD	Bolt won't cam down									

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine	****					
со	Cut-off						
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull			888. 			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				500.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		1100				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up				3		
DS	Dead safe					16	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
	FA
<u>a</u>	FB
S No.	FC
.< T	FCB
fen	FD
ing	FF
ams v. Remingtor	FFP
ت_	FOS
	FPHB

							_
FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	··· ////					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			1			
FPOH	Floor plate opens hard				itte.	1	
FSR	Fires when safe is released						
FT	Follower tips					4	
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge				â		
JM	Jumps magazin e						ľ.«
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
a second	MILH
n ree	MRH
TI	он
len	OR
ams v. Remington	РН
ytor	PSI
ت	PSM
	1


ML	Magazine loose					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant	****				
OR	Overandes				5	
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case		1999 1999 - J.		3	
RDW	(Action) release doesn't work					
RIC	Rings in chamber				3	
RIS	Ring in sholder			1990.		
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				1	Ø
SIC	Stems in chamber			à		
SL	shaves lead				****///	
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride				7	
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Protective Order	
N.	SRIC
liams	SSOC
n s	STC
TI	SWE
ien	SWH
nin	sww
; v. Remington	TD
<u>ر</u>	TU
	TIMD


Subject to


SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard					1	
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard				500.		
HI	High						
LO	Low		~~				
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						P
RSTT	Rear sight tipped				à		
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





AI- <u>P</u>	Assembly incompleye at proof						
368	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
3LP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
3P-P	Blown primer at proof						
3S-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				58		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	- ××;					
ESO-P	Fore-end shot off at proof					889.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			1.0			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	19					















									_
Summary	Total Test + Proof Failure Total Rejected								-
	Overall Reject Rate								
	Shot			39		5		97]
N.	Proof Rejected		0	0	0	0	0	0	-
	Percen			0.0		0.0		0.0	-
	Shot Test Rejected		0	4	0	0	0	191 13	
	Test Rejected Percen		U U	0.0	v	0.0	U	6.8	
	Shot		<u></u>					18	1
	Target Rejected	1: 0 🎆	<i></i>		0	0	0	0	4
	Percen	t: 0.0						0.0	-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder			****					
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches	1							
BCOBS	Bolt catches on bolt stop]////
BCOF	Bolt catches on follower								
BC	Blows cases						à		
BHR	Bolt hits receiver								1 🦓
BHS	Bolt plug hits safety switch								1 🐰
BLOP	Bar lock or disconnector out of position]
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine]
BWCD	Bolt won't cam down	-			1			1	-1

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand	1	*****					
CLM	Can't laod magazine							
со	Cut-off							
CR	Cuts rim							
CS	Cases swell							
стоб	Chamber tom or gouged							
СТР	Creepy trigger pull				89.9 2011/2014			
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch					XX.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			1100				
DEL	Doesn't eject live round				20 0000			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							Ø
DLU	Doesn't lock-up					;		
DS	Dead safe						2	r.
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		**					




FA	FA.	FA FB FC	Subject to Protective Order	
	ē FB	B FB FC FC	N.	FA
FC V. FCB	S FCB		fen	FD
rs FC V. FCB FD	Y. FCB	en FD	jnir	FF
ns v. Reming	Y. FCB FD FF	FD FF	ytor	FFP
ns v. Remingtor	Y. Remingtor	FD FF FF FFP	ت	FOS
PD FD FF	Y. Remington	Remington		

FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		322.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	· · · · ·					1	
FPOH	Floor plate opens hard					teo.	1	
FSR	Fires when safe is released							
FT	Follower tips						5	
GCSO	Gas cyl shot off			110				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						2	ø
JCS	Jumps cartridge					á		
JM	Jumps magazin e							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							




Subject to Protective Order	
	ML
a la	MILH
n 1998	MRH
ams v. Remingtor	он
len	OR
nin	PH
gtor	PSI
<u>د</u>	PSM
	RBOC

ML	Magazine lööse]
MALH	Magazine loads hard							
MRH	Magazine ternoves hard							1
он	Opens hand							
OR	Over-indes	1	- 200.				1	
РН	Pulls hard							1
PSI	Proof stamp illegible							1
PSM	Proof stamp missing	··· ///						
RBOC	Rings and bulges on case				ан. 2010 - Сан. Сан. Сан. Сан. Сан. Сан. Сан. Сан.			
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder					in.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					;		
SL	shaves lead							ľ
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber]




Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU


SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull				888. 		
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·					
хн	Extracts hard					1990.	
HE	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						<u></u> _∝
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						





		8		1	E		1	ł
	Assembly incompleye at proof							
100000 000000	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof	÷						
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		- 200					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					Sec.		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
	Uncoded proof malfunctions	3						<i>8</i> i

. Ha















									_
Summary	Tota l Test + Proof Failu Total Reject								
	Overall Reject R								
	S Proof Repu	hot: 26 sted: 0	0	0	0	0	0	0]
	Perc			I	I			1	7
	Test Rejet	hot. [XedQ	0	0	0	0	0	0]
	Pere	xent:							_
	1000	hot: 0				0	0	0	
	Target Reject Perc				0	Ū	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds							1	4
BABS	Bulge at body shoulder								
BAC	Burr at chamber								4
BBMA	BBL-to-bolt misalignment		****						
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🗶
BC	Blows cases						;		
BHR	Bolt hits receiver] ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of positio	n							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down					1			1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	- Maria Maria - Antara - Antar	Subject to Protective Order	
	<u>ě</u> FB		FA
TS FC		א דו	FCB
FC FCB	FCB	len	FD
ns V. FCB FD	· P P P FD	jnir	FF
ns v. Remin	 FCB FCB FD FD FF 	ytor	FFP
ns v. Remingtor	Y. Remingtor	<u>ر</u>	FOS
Remingtor	 FCB FD FF FF FFP FOS 		EDHB

						_
FA	Fires automatically					
10000000 000000 0000000 0000000 00000000	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	··· ////				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				àte.	
FSR	Fires when safe is released					
FT	Follower tips		*			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				-	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


			1			 		_
	Magazine lõose							
BALH.	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Overandes		itte.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				58			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	~~~						
RIS	Ring in sholder					5ao.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension			~~				
SCB	Stock cracked or broken							
SCX	Shell catches].
SHI	Short indent]ø
SI	Stems incline							
SIC	Stems in chamber					ä		
SL	shaves lead							1.
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough						_	
SRC	Stems right side of chamber							



Protective Order	
V	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
len	SWH
nin	sww
iams v. Remington	TD
د.	ΤU


Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily	****			
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
TD	Tips down				
τυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			80.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
	1				




···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

dina.













Subject to Protective Order Williams v. Remington


									_
Summary	Total Test + Proof Fai Total Reje								
	Overall Reject I								_
		Shot: 53	37	14	80	54	1	558]
		icted: 2 rcent: 3.8	0.0	0 0.0	0 0.0	0 0.0	0 0.0	0 0.0	
	1886077 - 19880 (1886077 -	rcent 3.8 Shot	0.0 T	18	55	57	0.0	498	٦
		ected: Q	0	<u> </u>	1	7	0	490	L
		rœnt:		.11.1	1.8	12.3		8.0	
		Shot:	¥ <u>////</u>	2	2	4	13	8	
		ected: 0		0 0.0	0 90	0 0.0	0 0.0	0.0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
]
AB	Action binds		**						_
BABS	Bulge at body shoulder								_
BAC	Burr at chamber							<u> </u>	4
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches					2		6	
BCOBS	Bolt catches on bolt stop								4
BCOF	Bolt catches on follower								
BC	Blows cases						a		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of positi	on							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine							1
CD	Case dented							1
СН	Closes hand							1
CLM	Can't laod magazine							1
со	Cut-off		325.					
CR	Cuts rim							
CS	Cases swell							
стоб	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Carns wrong side of action bar							
DBB	Doesn't blow back	· · · · ·						
DCS	Double click in safety switch					900.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			1165				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							╡.
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							1
DLU	Doesn't lock-up					2		
DS	Dead safe			2			4	<u>``</u>
DX	Doesn't extract	Į						1
DXL	Doesn't extract live round							
EDS	Extractor drops shell				1			
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							




FA FB	FA FB FC FC FCB	FC FC FCB FD	Subject to Protective Order	
	< FC FCB	or FC S FCB D FD FD	William	
Reming	ning FF		ytor	FFP
Remingtor	ningtor	to FFP	-	FOS
Remington	nington FFP FOS	fFP FOS		

FA.	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken							
FD	Follows-down		àn.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	· ***			 1 🖉			
FPOH	Floor plate opens hard					XX.,	1	
FSR	Fires when safe is released							
FT	Follower tips						5	
GCSO	Gas cyl shot off			1166				
HBL	Heavy bolt lift				2///		3	
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							Ø
JCS	Jumps cartridge					ä		
JM	Jumps magazin e							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							



Subject to Protective Order	
	ML
ā	MILH
n see	MRH
	он
ìen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
ب_	PSM
	1


ML.	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-indes				1		6	
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			88.0 8880 (1990)				
RDW	(Action) release doesn't work							
RIC	Rings in chamber							
RIS	Ring in sholder					1990.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		1.64					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							Ø
SIC	Stems in chamber					à		
SL	shaves lead							r
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




Protective Order	
	SRIC
ā	SSOC
n ''	STC
	SWE
llams v. Remington	SWH
ning	sww
gto	TD
	ΤU
	TIME


Subject to


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	itte.				
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded				14	
ХН	Extracts hard			àc.		
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					ľ
RSTT	Rear sight tipped			 		
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					





AI-P	Assembly incompleye at proof						
368	Barrel bracket stacked or broken at proof						
3С-Р	Blows cases at proof						
ЗЕВ-Р	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		dan.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
3S-P	Barrel split at proof	··· ///	V IIII -				
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
ESO-P	Fore-end shot off at proof					8eo.	
F-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	2	***				














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FA	- 3 77, 332 - 1,224	- 3 77, 332 - 1,224	- 3 77, 332 - 1,224	- 3 77, 332 - 1,224	Subject to Protective Order	
	₩ ₩	B FB	A FB FC	PE FC FC FCB		FA
FC V. Ren FD	V. FCB PD FD	P FCB FD	PT FD		in	FF
ms V. Reming	V. Reming	FCB FD FD FF FF	eming		, to	FFP
ms v. Remingtor	V. Remingtor	FCB FD FD FF FF FF FFP	FD FD FF FF FFP	ningtor	د	FOS
Remingtor	v. Remington FCB	- FCB FD FD FF FF FFP FOS	FD FF F	FF FFP FOS		COUD

FA.	Fires automatically						1
FB	Follower binds						
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					889.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					and the	Ø
JCS	Jumps cartridge					ž	捡
JM	Jumps magazin e						ļ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
X	SRIC
a la	SSOC
n s	STC 📎
.S. TT	SWE
ien	SWH
nin	sww
ams v. Remington	TD
<u>د</u>	TU
	100

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	áto.				
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				ñe.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised			 		1~
FSTR	Front sight raised			 		
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target			 		4
	1					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

i de cara













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off	itte.				
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				See.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back	-				
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round	-				
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA FB FC FC FC FD FF FF FF FF FF FF	Subject to Protective Order	
S FCB	Williams	FA FB
		FCB
	ing	FD FF
	ytor	FFP
ningtor	<u>ب</u>	FOS
nington		EDUD


111100 10001111	Fires automatically					
FB	Follower binds					
FC 👘	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire	···				
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			8		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail				and the	
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ILE00090868

Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose					1
	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					
OR	Over-indes		322.			1
РН	Pulls hard					1
PSI	Proof stamp illegible]
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · ·				
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches] .
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				2	
SL	shaves lead					1.00
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
ā s	SSOC
ns	STC
T	SWE
ien	SWH
ŋiŋ	sww
liams v. Remington	TD
<u>ر</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · ·					
хн	Extracts hard					8a.	
HI	High						
LO	Low			~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped				 		P
RSTT	Rear sight tipped				 	à	
RSBR	Rear sight base raised						Ĭ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	<u> </u>						




···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

(in the second sec














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



Subject to Protective Order	
	FA
<u>a</u>	FB
3 S	FC
.< דו	FCB
۲en	FD
ŋiŋ	FF
liams v. Remington	FFP
ر	FOS
	FPHR

FA	Fires automatically				
FB	Follower binds				1
FC	Fails to connect				
FCB	Fore-end cracked or broken				
FD	Follows-down	- teres.			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl		8		
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens		· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				Ś
HUR	Hard under rail				Ø
JCS	Jumps cartridge			á	
JM	Jumps magazin e				
OL	Jars off				
⊾B	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order - Williams v. Remington	
	ML
la la	MLH
S No.	MRH
-	он
len	OR
ņir	PH
ytor	PSI
د	PSM

		 	_	_		 _	
ML	Magazine loose						
MLH	Magazine loads hard						
Mrh	Magazine removes hard	 ****					
он 👋	Opens hard	****					
OR	Overindes	240					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				See.		
RS	Rim srem						
SBC	Stems bottom chambers		****				
SBE	Stems bbl extension						
SCB	Stock cracked or broken			1990 (M			
SCX	Shell catches						
SHI	Short indent	****					Alter.
SI	Stems incline						
SIC	Stems in chamber	****			Ż		
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




ILE00090881

Protective Order	
W	SRIC
ā	SSOC
ר איני אר	STC 🕺
-	SWE
ìen	SWH
jnir	sww
ams v. Remington	TD
<u>د</u>	ΤU
	100


Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down		• •			
τu	Tips up					
TWP	Trigger won't pull			899 1997 - J.		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised				 	
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4
	1					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions					1999 B		

dina.














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




E FA	FA FB	FA FB FC	Subject to Protective Order	
	P FB	ams FC	N.	FA
FC V. FCB	FCB		ien	FD
FC FCB FD FD	S FCB	en FD	nin	FF
ns v. Remin	V. FCB FD FD FD FF	fD FD FF	ytor	FFP
FC FCB FD FF	 FCB FD FD FF FFP 	FD FD FF FF FF FFP	<u>د</u>	FOS
Perming	S. FCB FD FD FF FF FF FF FOS FOS	FD FF FF FFP FOS		

FA 🦾	Fires automatically						
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		44				
FF	Fails to fire	· · · · · · · · · · · · · · · · · · ·					1
FFP	Flat firing pin						1
FOS	Fires on safe						1
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		****				
FT	Follower tips]
GCSO	Gas cyl shot off			100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge		****			ž	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
Ē	MLH
ns '	MRH
TI	он 👋
len	OR
jing	PH
ams v. Remingtor	PSI
-	PSM


ML	Magazine loose]
MILH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens.hand				
OR	Overandes	àre.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder				
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			á	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
Willia	SRIC .
ams v. Remington	STC
.< TI	SWE
fen	SWH
jnir	SWW
, tor	TD
<u>ر</u>	ΤU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve			1999 - 1997 -	Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA FB	the second s	the second s	Subject to Protective Order	
ē FB	lams FC	FB FC FC FC FCB		FA
	J FC	FC FC FCB	ğ	FB
Y. FCB PD FD	fD FD		jnir	FF
Y. FCB FD FD FF	FD FF	ning FF	ytor	FFP
v. Remingtor	Remingtor	ningtor	ب	FOS
Remingtor	FD FF FF FFP FOS	nington FF FOS		FPHR


FA.	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down	- 200.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard			900.		
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge			â		
JM	Jumps magazin e				*****///	
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ILE00090904

Subject to Protective Order	
	ML
la la	MLH
S No.	MRH
-	он
len	OR
ņir	PH
ams v. Remingtor	PSI
د	PSM


ML	Magazine loose				1
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hard				
OR	Overindes	itte.			
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			XX	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches				
SHI	Short indent				
SI	Stems incline			1999 - 1997 -	ø
SIC	Stems in chamber			ź	
SL	shaves lead				l
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
Ē	SSOC
 ອີ	STC
	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	TU
	TIAD

Subject to

SRIC	Specific rings in champer					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	**				
хн	Extracts hard					
HI	High		***			
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group			 		
FSST	Front sight tipped					P
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised			 		ľ
FSTR	Front sight raised			 		
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					1



						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA	FA FB	FA FB FC	Subject to Protective Order	
	a FB	B FB FC FC		FA
FC FCB	.> т		len	FD
FC FCB FCB FD		FD FD	ing	FF
FCB FCB FD FD FF	. FCB FD FD FF	fD FD FF	jtor	FFP
TS V. Remingtor	7. Remingtor	FD FF F		FOS
P FD FF	FCB FCB FD FF FOS	FD FF FF FOS		

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				8ee.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					Ś
HUR	Hard under rail					Ø
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					1
MALH	Magazine lo ads hard					1
MRH	Magazine removes hard					1
он	Opens hard					
OR	Overandes		itte.			
РН	Pulls hard					1
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				Sec.]
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken]
SCX	Shell catches].
SHI	Short indent					
SI	Stems incline					Þ
SIC	Stems in chamber				á	
SL	shaves lead					1~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
X	SRIC
Ē	SSOC
ns 🐄	STC 🛞
ams v. Remington	SWE
len	SWH
jnir	sww
gtoj	TD
Э	ΤU

Subject to


SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	áto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						Xeo.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions								













Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
lan .	FB
n s s	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA	Fires automatically					
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	ása.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				â	瀫
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ă L	MLH
S S S	MRH
.< T	он
len	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM


ML	Magazine lõose					
MALH	Magazine loads hard					
MRH	Magazine removes hard		****			
он	Opens hard					
OR	Over-indes		340.			
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· ***				
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		*****			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					Í
SI	Stems incline					Ø
SIC	Stems in chamber				,	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
lian .	8500
า <u>ง</u> ร	STC
.S. TT	SWE
len	SWH
nin	sww
lams v. Remington	TD
<u>د</u>	τu
	TIME


Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
τυ	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	4
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose		*				
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1						




						 	-
AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
ВС-Р	Blows cases at proof						
вев-р 👋	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		- 200.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	~~~			· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof					See.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************			
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA FB FC FC FC FD FF FF FF FF FF FF	Subject to Protective Order	
S FCB	Williams	FA FB
		FCB
	ing	FD FF
	ytor	FFP
ningtor	ت.	FOS
nington		EDUD

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect		****			
FCB	Fore-end cracked or broken		****			
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released		*****			
FT	Follower tips		******			
GCSO	Gas cyl shot off		*****			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				;	
JM	Jumps magazin e					
OL	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




SRIC SSOD STC SWE SWH SWH SWW TD TU	Subject to Protective Order	
ams v. Remingtor	W	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW TD TU	n s	STC 📎
emington TU	א דו	SWE
nington 단	len	SWH
	ing	sww
TU TU	jtor	ат
	-	TU

						_
SRIC	Specific rings in chamber]
8500	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				See.	
HI	High		****			
LO	Low		~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					l.»
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine		****			
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	~~~				
DCS	Double click in safety switch				360.	
DCT	Double click in trigger					
DCU	Doesn't close-up		*			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				1999 - 1997 -	ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
<u>a</u>	FB
3 S	FC
liams v. Remington	FCB
fen	FD
ņir	FF
ytor	FFP
L	FOS
	COLLO

ner de la companya d La companya de la comp						
FA	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down		- 200.			
FF	Fails to fire					1
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released				i ilian.	1
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					1
HMSC	Heading mismatch-steps on case					1
HPA	High pressure ammo					
HUR	Hard under rail				2000 (
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					P ¢
JO	Jars off					1
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					1
MFOP	Magazine follower out of position					1



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
Willia	SRIC .
ams v. Remington	STC
.< TI	SWE
fen	SWH
jnir	sww
, tor	TD
<u>ر</u>	ΤU

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard	- 240a				
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				XX.,	
HI	High					
LO	Low		1.0			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				ä	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	FA FB FC	Subject to Protective Order	
ā FB	FB FC	W	FA
	TS FC	B	
т		len	FD
	FD FD	ing	
Y FCB FD FD FF	fD FD FF	itor	
A Remingtor	FD FF F		FOS
eming	FD FF FF FOS		

FA Fires automatically FB Follower binds FC Fails to connect FCB Fore-end pracked or broken FD Follows-down				1	_
FB Follower binds FC Fails to connect FCB Fore-end cracked or broken				1	_
FB Follower binds FC Fails to connect FCB Fore-end cracked or broken					1
FC Fails to connect FCB Fore-end cracked or broken		 E			 _
FCB Fore-end cracked or broken				 	_
					 _
FD Follows-down					
FF Fails to fire			 		
FFP Flat firing pin					
FOS Fires on safe					
FPHB Firing pin hits bbl			800. 		
FPHI Firing pin hits inside rim					
FPO Floor plate opens]
FPOH Floor plate opens hard				Sec.	1
FSR Fires when safe is released]
FT Follower tips					
GCSO Gas cyl shot off]
HBL Heavy bolt lift					1
HMSC Heading mismatch-steps on cas	e				1
HPA High pressure ammo					
HUR Hard under rail					
JCS Jumps cartridge				ä	
JM Jumps magazine					1
JO Jars off					1
LB Light blow					1
MAH Magazine assembles hard					1
MCW Magazine capacity wrong					
MFA Misfires (ammo)					1
MFOP Magazine follower out of position	n				1



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose					
MILH	Magazine loads hard					
MRH	Magazine ternoves hard					
он	Opens hard					
OR	Over-indes	àn.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			88.0 8889 - Maria		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				á	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
B	SSOC
n s	STC
ТП	SWE
len	SWH
jnir	sww
llams v. Remington	TD
L	τu

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			ann. Millionn		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High			s		
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					4
RSTT	Rear sight tipped				ä	
RSBR	Rear sight base raised					_ _~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.














									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
B	FB
ມ ເ	FC
<u>ج</u>	FCB
ferr	FD
ing	FF
lams v. Remington	FFP
ب_	FOS

FA 💦	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			·····		
FPOH	Floor plate opens hard]
FSR	Fires when safe is released					
FT	Follower tips]
GCSO	Gas cyl shot off		110			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail]#
JCS	Jumps cartridge				ä	
JM	Jumps magazin e]%
O	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose					1		1
ML	******					 		
MRH	Magazine loads hard Magazine removes hard							
ОН	Opens hant							
OR	Over-ndes							
РН								
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· •••						
RIS	Ring in sholder					500.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
scx	Shell catches							
вні	Short indent							
SI	Stems incline							ø
SIC	Stems in chamber					8		
SL	shaves lead							1
SLC	Stems left side of chamber							1
SMOC	Stretch marks on case							1
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							1
1	1	8	1	1	ł	1	1	3



Protective Order	
Willia	SRIC .
ams v. Remington	STC
.< TI	SWE
fen	SWH
jnir	SWW
, tor	TD
<u>ر</u>	ΤU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	áto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				




···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
стоб	Chamber torn or gouged				
СТР	Creepy trigger pull		ann. Millionn		
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			80x.	
DCT	Double click in trigger				
DCU	Doesn't close-up		s		
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				╡.
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				Þ
DLU	Doesn't lock-up			2	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




FA			Subject to Protective Order	
	₫ FB	FB FC FC	N.	FA
FC S FC FCB	S FCB		len	FD
TS V. FCB FD	S. FCB	en FD	jnir	FF
FC FCB FD FF	Y. Reming	fD FD FF	ytor	FFP
ns v. Remingtor	 FCB FD FD FF FF FFP 	FD FF F	<u>ر</u>	FOS
V. Remingtor	Y. Remington	Remington		

FA.	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	àn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			8		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				in.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					l.«
O	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong]
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML Magazine loads hard Imagazine loads hard Imagazine loads hard MLH Magazine loads hard Imagazine loads hard Imagazine loads hard OH Opens fiad Imagazine loads Imagazine loads OH Opens fiad Imagazine loads Imagazine loads OR Overindes Imagazine loads Imagazine loads PH Pulls hard Imagazine loads Imagazine loads PSI Proof stamp missing Imagazine loads Imagazine loads PSM Proof stamp missing Imagazine loads Imagazine loads RBOC Rings and bulges on case Imagazine loads Imagazine loads RDW (Action) release doesn't work Imagazine loads Imagazine loads RIC Ring in sholder Imagazine loads Imagazine loads RIS Ring in sholder Imagazine loads Imagazine loads SBE Stems boton chambers Imagazine loads Imagazine loads SEC Stems boton chambers Imagazine loads Imagazine loads SCB Stock cracked or broken Imagazine loads Imagazine loads <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>							
MLH Magazine loads hard Image: I					 	 	 -
MRH Magazine removes hard Image: Constraint of the second se	ML	Magazine lööse					
OH Opens hard Image: Constraint of the second	MLH	Magazine loads hard					
OR Oversides Image: Constraint of the second s	MRH	Magazine removes hard					
PH Pulls hard Image: Constraint of the second	он	Opens hant					
PSI Proof stamp illegible	OR	Overandes					
PSM Proof stamp missing Image: Constraint of the second seco	РН						
Proof startig missing	PSI						
RBOC Rings and bulges of case	PSM	Proof stamp missing					
RIC Rings in chamber Image: Section of the section	RBOC	Rings and bulges on case					
RIS Ring in sholder Image: Section of the section	RDW	(Action) release doesn't work					
RS Rim srem Image: Constraint of the state of th	RIC	Rings in chamber	**				
RS Rin serie Comparison	RIS	Ring in sholder				See.	
SBE Stems bbl extension Image: Stems bbl extension Image: Stems bbl extension SCB Stock cracked or broken Image: Stems bbl extension Image: Stems bbl extension SCB Stock cracked or broken Image: Stems bbl extension Image: Stems bbl extension SCB Stock cracked or broken Image: Stems bbl extension Image: Stems bbl extension Image: Stems bbl extension SCX Shell catches Image: Stems bbl extension Image: Stems bbl extensin Image: Stems bbl extension	RS	Rim srem					
SCBStock cracked or brokenImage: SCBStock cracked or brokenSCXShell catchesImage: SCBImage: SCBImage: SCBSHIShort indentImage: SCBImage: SCBImage: SCBSIStems inclineImage: SCBImage: SCBImage: SCBSICStems in chamberImage: SCBImage: SCBImage: SCBSLshaves leadImage: SCBImage: SCBImage: SCBSMOCStretch marks on caseImage: SCBImage: SCBImage: SCBSORStem over-rideImage: SCBImage: SCBImage: SCB	SBC	Stems bottom chambers					
SCX Shell catches Image: Constraint of the second sec	SBE	Stems bbl extension					
SHI Short indent Image: Constraint of the state	SCB	Stock cracked or broken					
SI Stems incline Image: Stems in chamber SIC Stems in chamber Image: Stems in chamber SL shaves lead Image: Stems in chamber SLC Stems left side of chamber Image: Stems in chamber SMOC Stretch marks on case Image: Stem over-ride SOR Stem over-ride Image: Stem over-ride	SCX	Shell catches					
SIC Stems in chamber Image: Construction of the construction of t	SHI	Short indent		****			Ø
SL shaves lead Image: Shares lead <t< td=""><td>SI</td><td>Stems incline</td><td></td><td></td><td></td><td></td><td>Ø</td></t<>	SI	Stems incline					Ø
SLC Stems left side of chamber Image: Constraint of the side of chamber Image: Constraint of the side of chamber Image: Constraint of the side of chamber SMOC Stretch marks on case Image: Constraint of the side of chamber Image: Constraint of the side	SIC	Stems in chamber				12	
SMOC Stretch marks on case Image: Constraint of the stretch marks on case SOR Stem over-ride Image: Constraint of the stretch marks on case	SL	shaves lead					l
SOR Stem over-ride	SLC	Stems left side of chamber					
	SMOC	Stretch marks on case					
SP Stems port	SOR	Stem over-ride					
	SP	Stems port					
SR Shoulder rough	SR	Shoulder rough					
SRC Stems right side of chamber	SRC	Stems right side of chamber					



Protective Order		
V	SRIC	
ā	8500	
n S S	STC	
.< 	SWE	¥.
liams v. Remington	SWH	
nin	sww	
gto	TD	
د	ΤU	
	TIME	

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	àte.				
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				Sec.	
HI	High					
LO	Low		~			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					_ ~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	itte.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				à		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA FA	Subject to Protective Order		
	N.	FA	į
	n su	FC	
S FC	T	FCB	-0
FC FC FCB	ren	FD	
FC FC FC FC FC FC FC FC FC	ninç		
ns v. Remin	ytor	FFP	
ns v. Remingtor	<u>د</u>	FOS	
Perming		FPHB	

FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect		****			
FCB	Fore-end cracked or broken					
FD	Follows-down		340.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released		*****			
FT	Follower tips		*****			
GCSO	Gas cyl shot off		*****			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo		****			
HUR	Hard under rail					Ø
JCS	Jumps cartridge		****		1. K.	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.		ML MLH MRH <	Subject to Protective Order	
	P MLH	MRH	N.	ML
MRH S OH	П ОН		len	OR
	. ОН Фл	OR OR	ing	РН
ля V. Петing	л он ок Рн	OR PH	ytor	PSI
MRH H O R H Ø P P Ø	<u>он о рн ря</u> . Remingtor	CR PH PSI PSI	ب	PSM
Remington	Remington			PPOC

ML	Magazine loose						
MALH	Magazine loads hard						
MRH	Magazine <i>t</i> ernoves hard						
он	Opens hard						
OR	Over-rides						
РН	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			800. 			
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				Dec.		
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		~~~				
SCB	Stock cracked or broken						
scx	Shell catches						Ι.
SHI	Short indent						ø
SI	Stems incline						ø
SIC	Stems in chamber				;		
SL	shaves lead					*****	
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




Protective Order	
N.	SRIC
a a	SSOC
ns ····	STC
	SWE
lams v. Remington	SWH
ŋiŋ	sww
gtor	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
хн	Extracts hard					See.	

н	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	1		***				



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1














									_
Summary	Total Test + Proof Failure Total Rejected								
	Overall Reject Rate								
		¢	0	0	0	0	0	0]
	Sho Test Rejecte Percer		0	0 0	0	0	0	0]
	Sho Target Rejecte Percei	t. [] d: 0	0	0	0	0	0	0]
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
				F - 2000 - 1					
AB	Action binds								_
BABS	Bulge at body shoulder		2						_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								▎▓
BLOP	Bar lock or disconnector out of position								~
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off		200				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~					
DCS	Double click in safety switch					1990.	
DCT	Double click in trigger						
DCU	Doesn't close-up				Min.		
DE	Doesn't eject			100			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						Ś
DLO	Doesn't lock open (after last shell)					200 4	ÿ
DLU	Doesn't lock-up					ź	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA FB	the second s	the second s	Subject to Protective Order	
ē FB	lams FC	FB FC FC FC FCB		FA
	J FC	FC FC FCB	ğ	FB
Y. FCB PD FD	fD FD		jnir	FF
Y. FCB FD FD FF	FD FF	ning FF	ytor	FFP
v. Remingtor	Remingtor	ningtor	ب	FOS
Remingtor	FD FF FF FFP FOS	nington FF FOS		FPHR

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down	- 200.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard			900.		
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge			ž.		
JM	Jumps magazin e				*****///	
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine loose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Overandes	itte.]
РН	Pulls hard					1
PSI	Proof stamp illegible		.]
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			58		
RDW	(Action) release doesn't work					
RIC	Rings in chamber]
RIS	Ring in sholder				Sec.]
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken]
SCX	Shell catches].
SHI	Short indent					
SI	Stems incline					Jø
SIC	Stems in chamber				á	
SL	shaves lead]~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a la	SSOC
iams v.	STC 🛞
<u>ج</u>	SWE
len	SWH
nin	sww
Remington	TD
<u>د</u>	ΤU

Subject to

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					See.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof	1					1
368	Barrel bracket gracked or broken at proof						
3C-P	Blows cases at proof						
зев-р 🚿	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		ása.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				:		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· ***					
ESO-P	Fore-end shot off at proof					8eo.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			10			
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***				














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




						_
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch					
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~			
DEL	Doesn't eject live round			×0,000		
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	 			and the	P
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract				 	
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
X	FA
lan .	FB
n s s	FC
ר. דו	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

				_			 _
FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		340.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard						
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off		******	1.62			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						
JCS	Jumps cartridge		*****			a a	
JM	Jumps magazin e						<u>r</u> ∝
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position]



Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose]
MALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				5a.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		110			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					4
SI	Stems incline					P
SIC	Stems in chamber				;	
SL	shaves lead					1.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
la la	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
ams v. Remington	SWH
nin	sww
gtor	TD
د	τυ
	-

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
ΤΟ	Tips down					
тυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard					
HI	High		****			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					 ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose	****				
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB FC FCB	FB FC	Subject to Protective Order	
FCB	v. Remington	Williams	FA FB
	FD FF FF FOS	<u>ج</u>	FCB
	for FFP FOS	ing	FF
j FF	FOS	jtor	FFP
ningtor		-	FOS

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down	- Arr.				1
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			12		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				200 4	Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					 L.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order		
V	ML	
a T	BALH	
ns 🕬	MRH	
.< T	он	Ŵ
ren	OR	
ninç	PH	
ams v. Remingtor	PSI	
<u>د</u>	PSM	
	0000	


ML.	Magazine loose						1
MLH	Magazine loads hard						1
MRH	Magazine temoves hard]
ОН	Opens hard						
OR	Over-ndes	itte.					
PH	Pulls hard]
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder				500.		
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		1100				
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						4
SI	Stems incline						P
SIC	Stems in chamber				ä		
SL	shaves lead					*****	
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
la la	SSOC
S S	STC
<u>ج</u>	SWE
ren	SWH
nin	sww
iams v. Remington	TD
د	ΤU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
со	Cut-off	interes.				
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				100.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	ľ
DLU	Doesn't lock-up				à	
DS	Dead safe			 		ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB FC FC FCB	FA FA FB FC FC <th>Subject to Protective Order</th> <th></th>	Subject to Protective Order	
S FCB	v. Remington	Williams	FA FB FC
	FD FF FF FOS	? דו	FCB
	FFP FOS	ling	FF
FF	FOS	Itor	FFP
ingtor		-	FOS

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						
FCB	Fore-end cracked of broken						
FD	Follows-down		àre.				
FF	Fails to fire						
FFP	Flat firing pin			.			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			~~			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						1
JCS	Jumps cartridge					â	
JM	Jumps magazin e						Ţ
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
B	MLH
n 1998	MRH
TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
-	PSM


ML.	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			89.0 2011/2011		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder				XX.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				;	
SL	shaves lead					_~~;
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port		****			
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
ā	SSOC
ns 🐃	STC
	SWE
fen	SWH
ning	sww
lams v. Remington	TD
	TU
	TIAD

Subject to

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		200			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				Sec.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				â	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine		illin:					
00	Cut-off							
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull					allen.		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				a			
DCT	Double click in trigger							
DCU	Doesn't close-up		****					
DE	Doesn't eject							
DEL	Doesn't eject live round					·***////		
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS 💮	Extractor sterns shell							
FA 📎	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				80			
FFP	Flat firing pin							
FOS	Fires on safe					an		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shet off					****///		
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case						ž	
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.							
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port							
SR 👹	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work					Alter .		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		***					
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard				···.			
н	High							
LO	Low							
LEFT	Left	<u> </u>					;	
RIGHT	Right							
DG	Doesn't Group		***					
FSST	Front sight tipped		***					
RSTT	Rear sight tipped							
RSBR	Rear sight base raised		1					
FSTR	Front sight raised							
FSTL	Front sight loose		-					





ILE00091062


CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded minconformity at larget							
			Million					
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				×			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					in the second		
BLSO-P	Barrei lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					*****		
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							1 10%s
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							

















Subject to Protective Order - Williams v. Remington