CD

СН

СНАВ

CLM

co

CR

cs

Case dented

Closes hard

Cut-off

Cuts rim

Cases swell

Carrier hits action bar

Can't laod magazine

Н
Н
Ħ
0
0
0
Ø
N
S
g
∞

Summary		oof Failures al Rejected: Reject Rate:	8119 370 4 .56									
		Shot:	452	161	457	27		24	233	142	3907	
<i>1111</i>	Proof	Rejected:	0	0	1	Q	0	0	0	0	1	
		Percent:	0.0	0.0	0.2	0.0		0.0	0.0	0.0	0.0	
		Shot:	598	115	497	24		67	231	92	3907	
****	Test	Rejected:	220	29	8	0	0	10	5	35	20	
		Percent	36.8	25.2	1.6	0.0		14.9	2.2	38.0	0.5	
		Shot	0		10 0	10	0	226 0	0	0	0	
	Target	Rejected: Percent	· · · · · · · · · · · · · · · · · · ·	0	8 0.0	0.0	U	0.0	0	U	Ü	
	1	* ************************************	1187 Super	1187	1167	1100	1100	1100	1100	1100	870	
CODE	DE MALFUNCTION INDEX		Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	
		***		<i>111111</i>			w.					
ιB	Action binds		* ***********************************		2						3	
\SFB	Action spring follower binds		A A			I		*				
BABS	Bulge at body shoulder		~				***** 28		300m.			
BAC	Burr at chamber			200000			***					
					 	8 888888	-0000					
3B	Bolt binds/catches										ž so	
BCOE	Bolt catches on ejector					200000	2000	3888./3388	<i>*</i>	**************************************		
BC	Blows cases						100					
BLOP	Bar lock or disconnector out	of position	1						<i></i>		2	
SCO	Barrel support came out											
CBS-F	Shells catch on bbl support-f							27.00				
BS-L	Shells catch on bbl support-le	oading										
oc .	Carrier catches on shells,ma	-	5								2	
	1	~		 	1							

Н
\Box
H
Ħ
0
0
0
Ø
N
S
S
S

Year.								,	,	
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga
стов	Chamber torn or gouged									
СТР	Creepy trigger pull			1						
©WSB	Cams wrong side of action bar			-						
DBB	Doesn't blow back	16	1	1			1	1	2	
DCS	Double stick in safety switch	50.		1						
DCT	Double click in Ingger			***************************************						
DCU	Doesn't close-up			***************************************		***************************************	-			-
DE	Doesn't eject	7				***************************************	-		1	-
DEL	Doesn't eject live round									
DFU	Doesn't feed up	29		1	10000	***************************************	***************************************			
DLO	Doesn't lock open (after last shell)	10								
DLU	Doesn't lock-up						3	1		
DS	Dead safe	*								
DSM	Drops shell-magazine	7	1							
DTL	Doesn't trip latch	2								
DX	Doesn't extract	1								
DXL	Doesn't extract live round			4 4 4 4 4 4 4 4 4	77908					
EDS	Extractor drops shell			***************************************				1 🐰	7	
ESB	Ejector sticks back			***************************************						
ESS	Extractor stems shell			1			-			
FA	Fires automatically									//////
FB	Follower binds								1,000	-4000
FC	Fails to connect			4 4 4 4 4 4 4						2000
FCB	Fore-end cracked or broken			***************************************						
FD	Follows-down			1						
FF	Fails to fire	1		1 1 1 1						1
FFM	Fails to feed from magazine	8	1	***************************************			5		1	3
FFP	Flat firing pin			-						
FOS	Fires on safe			***************************************						
FSR	Fires when safe is released									

	ł	
t	ŧ	
	1	
C)	
C)	
C)	
U)	
N)	
σ	`	
-	J	
C	2	

		1187 Super	1187	1187	1100	1100	1100	1100	1100	870
CODE	MALFUNCTION INDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
GCSO	Gas cyl-shot off		Lieuwee	***************************************						-
GRSO 🥼	Guide ring shot off		***************************************							2
HPA	High pressure ammo									
HUE	Hard under extractor	9								
ILOP 💮	Int. lateb out of position	S 50.							1	
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									
ILSP	Int. latch spring out of position			ļ						
JL	Jumps latch	17	21					1	1	
ìo	Jars off				77700					
LB	Light blow									
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong	2		1				20.		
MFA	Misfires (ammo)		111111111111111111111111111111111111111							
MFOP	Magazine follower out of position									
MLH	Magazine loads hard			1	***************************************			1		<u> </u>
ОН	Opens hard				700					
PH	Pulls hard									
PSI	Proof stamp illegible									
PSM	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	3					2		***	
RIC	Rings in chamber									
SBC	Stems bottom chambers	68	-	1					2	
SBCL	Shell binds carrier latch									
SBE	Stems bbl extension									
SCB	Stock cracked or broken									6
scx	Shell catches									
SHI	Short indent									
SIC	Stems in chamber		2							


	ı
t	1
	1
C)
C)
C)
u	,
٨)
δ	١.
-	J
╘	1


CODE	MALFUNCTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
W0000	MALI ONO HOW INDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
SL	shaves lead									
SLC	Stems left side of chamber	25							10	
SMOC	Stretch marks on case									
SRC	Stems right side of chamber								8	
SRIC	Specific rings in chamber	2								
ssc	shell stems carrier									
STC	Sterns top chamber		₂₀₀ 2	2			2		2	
SWE	Safety switch works too sasily			<u> </u>						
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work				Mar.					
TD	Tips down									
TU	Tips up	4444					***			
TWP	Trigger won't pull	**				.				
TWR	Trigger won't retract			M 2						
UNCN-T	Uncoded	2	1		Š.				*****	
XH	Extracts hard									ž 2
XHB	Extractor hits bbl				7798					
HI	High									
LO	Low									
LEFT	Left									
RIGHT	Right								110000	
DG	Doesn't Group									2464
FSST	Front sight tipped									
RSTT	Rear sight tipped									
RSBR	Rear sight base raised									
FSTR	Front sight raised									
FSTL	Front sight loose									
RSTL	Rear sight loose									
MGPT-G	Missing parts at target									


L	1	
L	i	
-	1	
C)	
C)	
C)	
U)	
١)	
σ	١	
•	J	

ann-	SEAL FUNIATION INDEV	1187 Super	1187	1187	1100	1100	1100	1100	1100	870
CODE	MALFUNCTION INDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga
UNCN-G	Uncoded nonconformity at target			***************************************		***************************************				
Ai⊹P	Assembly incompleye at proof			***************************************						
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof			***************************************		***************************************				
BLP-P	Blanked primer at proof									
BP-P	Blown primeral proof			***************************************						
BS-P	Barrel split at proof			ļ						
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof			1	1000					
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof						Sec.			
FF-P	Fails to fire at proof	*		1						1
GCSO-P	Gas cylinder shot off at proof		***********							
GRSO-P	Guide ring shot off at proof									
MCSO-P	Magazine cap shot off at proof				***********					ž 2.
MSI-P	Magnaflux stamp illegible on bbl				77000					
MSM-P	Magnaflux stamp missing on bbl			***************************************		***				
PP-P	Pierced primer at proof			e : : : : : : : : : : : : : : : : : : :						
SCB-P	Stock cracked or broken at proof			***************************************						
UNCM-P	Uncoded proof malfunctions			1		-		,		

					Month:				
								Auto	Pump
							totai	Total	Total
113	<i>7</i> 37		1203		567		8023	1496	5960
o 💥	0	O	<i>∞</i> ,6	0	0	0	8	1	7
0.0	0.0		0.5		0.0		0.100	0.067	0.117
113	737		1203		527		8111	1624	5960
0	1	0		0	3	0	332	307	22
0.0	0.1		0.1		9.6	Go.	4.09	18.90	0.37
	***************************************				347	.57	650	246	0
0	0	0	Ø	0	30	0	30	0 00	#DIV/0!
				<u> </u>	8,6	0.0	4.62	0.00	
870	870 20Ga	870 light	870 SM	SP10	870	Ø/U /	total	Auto	Pump
16Ga		weight		*******	Police			Total	Total
	1		1		1		12		- 5
	'		'		' ~~~	20000	- 333	6	
							0	0	0
						1790)	0	0	0
							0	0	0
							0	0	O
							0	0	ō
							0	0	0
							3	1	2
							0	0	0
							0	0	0
							0	0	0
							7	5	2
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0
							0	0	0









																40								
															Á									
	ا ـ ـ ـ	******	1			********	***********	************	**********		*******							***	<u>.</u>	*********				
	Pump Total	0		O	O	Ö	0	0	0	0	0	ø	0	1	9	0	Ō	0	0	0	භ	0		
	Auto Totai	0		0	0	0	0	0	0	0	0	0	0			0	0	0	0	0	0	0		
	total	0		0	0	0	0	0	0	D	0	0	0	2	0	0	0	0	0	0	9	0		
	O/O						3	400																
	870 Políce																							
	SP10																							
	870 SM																				9			
	870 light weight																							
	870 20Ga	333		Mar.				10.00000 pp.																
S. 1880.	870 16Ga	***************************************																						

Gallery Top Faults for Pump Shotguns - Current month through:











Gallery Top Faults for Autoloading Shotguns - Current month through:


₩8/13/06












FFP	Flat firing pin		
FOS	Fires on safe		
FSR	Fires when safe is released		\neg
GCSO	Gas cyl shot off		
	High pressure ammo		
HUE	Hard under extractor		
ILOP	Int. latch out of position		
ILRM	Int. latch ret. Missing		
ILSB	Int. latch stud broken		
ILSP	Int. latch spring out of position		
JL	Jumps latch		
JO	Jars off		
LB			
	Light blow		
MCSO	Magazine cap shot off		
MCW	Magazine capacity wrong	3	000000
MFA	Misfires (ammo)		
MFOP	Magazine follower out of position	9995	
MLH	Magazine loads hard	- 100	
ОН	Opens hard	30000	
PH	Pulls hard	<u> </u>	
PSI	Proof stamp illegible		
PSM	Proof stamp missing		
RBOC	Rings and bulges on case		
RIC	Rings in chamber	1000000	
SBC	Stems bottom chambers		esisse
SBCL	Shell binds carrier latch		35
SBE	Stems bbl extension		
SCX	Shell catches	**	
SHI	Short indent		533
SIC	Stems in chamber	Sa.	
SL	shaves lead		
SLC	Stems left side of chamber		
SMOC	Stretch marks on case		8
SRC	Stems right side of chamber	Maria.	
SRIC	Specific rings in chamber		
SSC	shell stems carrier		
STC	Stems top chamber		•••••
SWE	Safety switch works too easily		
SWH	Safety switch works too hard		
SWW	Safety ewitzh won't work		
TD	Tips down		
TU	Tips up		
TWP	Trigger won't pull		*********
TWR	Trigger won't retract	***************************************	
UNCN-T			
***************************************	Uncoded Extracts hard		
XH	Extractor hits bol		
XHB	Extractor dita dei		
1.11 .53	N. (1. (1. (1. (1. (1. (1. (1. (1. (1. (1		
	High		
LO 🚳	Low		
	Left		






SBC	Stems bottom chambers	·····
JL.		
SLC	Jumps latte	
	Stems left side of chamber	
DBB	Doesn't blow back	
DFU	Doesn't feed up	
FFM	Fails to feed from magazine	
EDS	Extractor drops shell	
HUE	Hard under extractor	
SRC	Stems right side of chamber	
STC	Stems top chamber	
AB	Action binds	
DE	Doesn't eject	
DSM	Drops shell-magazine	
DLO	Doesn't lock open (after last shell)	
RDW	(Action) release doesn't work	
UNCN-T	Uncoded	2000
DTL.		
MCW	Magazine capacity wrong	
MLH	Magazine loads hard	>
SIC	Stems in chamber	•
SRIC	Specific rings in chamber	3
BLOP	Bar lock or disconnector out of position	- 33
CC	Carrier catches on shells,mag,receiver	
DLU	Doesn't lock-up	
DX	Doesn't extract	
FF		
	Fails to fire	
ILOP	Int. latch out of position	*******
SSC	shell stems carrier	,6000
FF-P	Fails to fire at proof	
ASFB	Action spring follower binds	- 200
BABS	Bulge at body shoulder	<u> </u>
BAC	Burr at chamber	
BB	Bolt binds/catches	- 15
BCOE	Bolt catches on ejector	ţ.
BC	Blows cases	,
BSCO	Barrel support came out	
CBS-F	Shells catch on bbl support-feeding	
CBS-L	Shells catch on bbl support-loading	
CD	Case dented	
СН	Closes hard	
CHAB	Carrier hits action bar	
CLM	Can't laod magazine	
CO	Cut-off	
CR	Cuts fim	
CS	Cases swell	
********************	Chamber torn or gouged	
CTOG	Creany trianger selff	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
	Double click in safety switch	
HICT SS	Double click in trigger	
DCT	Doesn't close-up	



DEL	Doesn't eject live round	
DS	Dead safe	
DXL	Doesn't extract live round	
ESB	Ejector sticks back	
ESS	Extractor stems shell	
FA	Fires automatically	
FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
FFP	Flat firing pin	
FOS	Fires on safe	
FSR	Fires when safe is released	
GCSO	Gas cyl shot off	
GRSO	Guide ring shot off	
HPA	High pressure ammo	
ILRM	Int. latch ret. Missing	
ILSB	Int. latch stud broken	
ILSP	Int. latch spring out of position	
JO	Jars off	
LB	Light blow	
MCSO	Magazine cap shot off	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
OH	Opens hard	444
PH	Pulls hard	Sec
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RIC	Rings in chamber	- 100 M
SBCL	Shell binds carrier latch	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	-
SCX	Shell catches	
SHI	Short indent	
SL	shaves lead	
SMOC	Stretch marks on case	***************************************
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
XH	Extracts hard	
XHB	Extractor hits bis	
H	High	
LO	Low	
	Left	
	Right	
DG	Doesn't Group	
PG ((())	Maceut Granh (IIII)	




HI	Lliab		
LO	High		
	Low		
AB	Action binds		
ASFB	Action spring follower binds		
BABS	Bulge at body shoulder		
BAC	Burr at chamber		
BB	Bolt binds/catches	***************	
BCOE	Bolt catches on ejector		
BC	Blows cases		
BLOP	Bar lock or disconnector out of	f positior	1
BSCO	Barrel support came out		
CBS-F	Shells catch on bbl support-fe	eding	
CBS-L	Shells catch on bbl support-loa	ading	•
CC	Carrier catches on shells,mag		
CD	Case dented		***************************************
CH	Closes hard		2000
CHAB	Carrier hits action bar		
CLM	Can't laod magazine		
CO	Cut-off	<u> </u>	888
CR	Cuts rim	2000) 2000)	56.
CS	Cases swell		
CTOG	Chamber torn or gouged	200000	
CTP	Crashy trianger will	- 100000000	
	Creepy trigger pull		
CWSB	Cams wrong side of action bar	19990	
DBB	Doesn't blow back		565
DCS	Double click in safety switch		<u> </u>
DCT	Double click in trigger		
DCU	Doesn't close-up		10000
DE	Doesn't eject		
DEL	Doesn't eject live round	Maria.	
DFU	Doesn't feed up		
DLO	poosititeed up	100.000,000,000,000	
		nell)	
DLU	Doesn't lock open (after last sl	nell)	
		nell)	
DLU DS	Doesn't lock open (after last si Doesn't lock-up Dead safe	nell)	
DLU DS DSM	Doesn't lock open (after last sl Doesn't lock-up Dead safe Drops shell-magazine	nell)	× · · · · · · · · · · · · · · · · · · ·
DLU DS DSM DTL	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch	nell)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
DLU DS DSM DTL DX	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract	nell)	
DLU DS DSM DTL DX DXL	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract	nell)	
DLU DS DSM DTL DX DXL EDS	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell	nell)	
DLU DS DSM DTL DX DXL EDS ESB	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back	nell)	
DLU DS DSM DTL DX DXL EDS ESB	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA	Doesn't lock open (after last si Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect Fore-end cracked or broken	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC FCB	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect Fore-end cracked or broken Follows-down	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC FCB FD	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect Fore-end cracked or broken Follows-down Fails to fire	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC FCB FFB	Doesn't lock open (after last significance) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect Fore-end cracked or broken Follows-down Fails to free Falls to feed from magazine	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC FCB FD	Doesn't lock open (after last significant lock-up) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Falls to feed from magazine First firing pins	nell)	
DLU DS DSM DTL DX DXL EDS ESB ESS FA FB FC FCB FFB	Doesn't lock open (after last significance) Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically Follower binds Falls to connect Fore-end cracked or broken Follows-down Fails to free Falls to feed from magazine	nell)	



Gas cyl s Guide rin High pres Hard und nt. latch nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Magazine Magazine Magazine	g shot of sure an er extra out of p ret. Mis stud bro spring of tch w e cap she capaci (arnmo) e follower	nmo ctor osition sing oken out of p	ng		4440444	
High pres Hard und nt. latch nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Magazine Magazine Magazine	er extra out of p ret. Mis stud bro spring o tch e cap sh e capaci (arnmo) e followe	nmo ctor osition sing oken out of p	ng			
Hard und nt. latch nt. latch nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Magazine Magazine Magazine Magazine Magazine Magazine	er extra out of p ret. Mis stud bro spring o tch e cap she capaci (arnmo) e followe	ctor osition sing oken out of p ot off	ng			
nt. latch nt. latch nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Magazine Magazine Magazine	out of p ret. Mis stud bro spring o teh e cap she capaci (arnro)	osition sing oken out of p ot off ty wron	ng			
nt. latch nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Misfires Magazine Magazine	ret. Mis stud bro spring o tch we cap sh e capaci (ammo) e followe	sing oken out of p ot off ty wron	ng			
nt. latch nt. latch Jumps la Jars off Light blow Magazine Magazine Misfires Magazine Magazine Magazine	stud bro spring of tch we cap she e capaci (ammo)	oken out of p ot off ty wron	ng			
nt. latch Jumps la Jars off Light blow Magazine Magazine Magazine Magazine	spring of tch v cap she capaci (arnmo)	ot off ty wron	ng			
Jumps la Jars off Light blow Magazine Magazine Magazine Magazine	v e cap sh e capaci (ammo) e followe	ot off ty wron	ng			
Jars off Light blow Magazine Magazine Misfires Magazine Magazine	w e cap sh e capaci (ammo) e followe	ty wror	***************************************	ion		
Light blow Magazine Magazine Misfires Magazine Magazine	cap she capaci (ammo) follower	ty wror	***************************************	ion		
Magazine Magazine Misfires Magazine Magazine	cap she capaci (ammo) follower	ty wror	***************************************	ion		
Magazine Misfires Magazine Magazine	e capaci (ammo) e followe	ty wror	***************************************	ion		
Misfires Magazine Magazine	(ammo) e followe		***************************************	ion		
Magazine Magazine	followe			ion		
Magazine	follower loads l	er out o		ion		
	loads I		of posit			
Opens ha		hard				0000
	ard				6 (S)	
Pulls har					ee.	
Proof sta	mp illeg	ible		į.		
Proof sta	mp mis:	sing		.83		-
Rings an	d bulges	on ca	se			, i
(Action) r	elease o	doesn't	work			88
Rings in	chambe	r				
			S	1313		
Shell bin	ds camie	er latch				<u>aniil</u>
Stems bl	ol extens	sion	.483			Či.
Stock cra	cked or	broker	n sees	<i>litera delli</i>		
Shell cat	ches					
Short ind	ent		aliana katalon da kata	***************************************		-33
Stems in	chambe	er 🦠				
shaves le	ad	2.1	778			
Stems le	ft side o	fcham	ber	. 566		
Stretch n	narks or	case		Barrer.		35
Stems rig	ht side	of char	nber		Sistem	
				9986		
shell ster	ns carri	er		***************************************		***********
Stems to	p cham	ber 🦠				
Safety sv	vitch wo	rks too	easily			
Safety sv	vitch wo	rks too	hard			
				ilio»		
		illian.				
	9366		Steeler.			
Triager v	on't pul	1	*****		**********	***********
Trigger v	on't reti	act		***************		

		in a		**********		************
Extractor	hits bb			***************************************		
Left	iiin.					
	40000	5.				
***************************************	quor					
	man naman naman naman nama)	***************************************			
	Proof sta Rings and Action) re Rings in Stems both Stems both Stock crassing Shell cat Short ind Stems in Shaves le Stems le Stems le Stems rig Specific shell ster Stems to Safety sy Safety sy Saf	Proof stamp missings and bulges Action) release of Rings in chambe Stems bottom of Shell binds came Stock cracked or Shell catches Short indent Stems in chambe shaves lead Stems left side of Shell stems in chambe shaves lead Stems left side of Stems right side of Shell stems care shell stems top chamber shell s	Action) release doesn't Rings in chamber Stems bottom chamber Shell binds camer latch Stems bbl extension Stock cracked or brokel Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber right side of chamber stems right side of chamber stems top chamber Stems top chamber Safety switch works too Safety switch works too Safety ewitsh won't wor Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard Extractor hits bbl Left Right	Proof stamp missing Rings and bulges on case Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds camer latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Stems top ch	Proof stamp missing Rings and bulges on case Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds camer latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitzh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard Extractor hits bbl Left Right Doesn't Group	Proof stamp missing Rings and bulges on case Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds camer latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems left side of chamber Stems right side of chamber Stems right side of chamber Stems top chamber Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitch works too hard Tips up Trigger won't retract Uncoded Extracts hard Extractor hits bbt Left Right Doesn't Group



	////	******												
Summ	any	Total		Proof Failures	1077									
	<i>3300</i>	333	∓¢	tal Rejected:	102	2								
			Overall	Reject Rate:	9.47	7								
				Shot:	<u>4</u> 8	14	20	11		24		39	364	113
	*******	Proof	### 3	Rejected	0	0	0	0	0	0	0	0	0	0
	***************************************			Percent	100	0.0	0.0	0.0		0.0		0.0	0.0	0.0
				Shot:	‱ <u>1</u> 28	20				56		27	364	113
		Test	**	Rejected	57	. 0	0	O	0	10	0	12	4	0
		,		Shot: Rejected Percent Shot Rejected Percent	57 44:5	466666666				17.9		44.4	1.1	0.0
				Shot:		1.8888	18888	1700000	An.					
		Target		Rejected:	0	<i></i> 0		90	0	0	0	0	0	0
		9		Percent:		0	0	0	0					

			900007 - 666000	800	20093800 000	866600 11740000	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		100000	1 % 899	7 m		
АВ	Action binds					**** ********************************				1	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									Ź	
вв	Bolt binds/catches							199994			
BCOE	Bolt catches on ejector										f A
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									1	
BSCO	Barrel support came out							A			
CBS-F	Shells catch on bbl support-feeding							Anna			
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver	1									
CD	Case dented										_
сн	Closes hard										

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
CHAB	Carrier hits action bar	iii									
CLM	Can't land magazine		···								
со	Cut-off										
CR	Cuts rim			Žito.							
cs	Cases swell	***************************************									
стов	Chamber torn or gouged	-				dia.					
CTP	Creepy trigger pull	á									
CWSB	Cams wrong side of action bar										
DBB	Doesn't blow back	4					1				
DCS	Double click in safety switch		`.						*		
DCT	Double click in trigger									×	
DCU	Doesn't close-up										
DE	Doesn't eject	2									
DEL	Doesn't eject live round						7.65			£ .	
DFU	Doesn't feed up										
DLO	Doesn't lock open (after last shell)	4									Ž – j
DLU	Doesn't lock-up								1.00		
DS	Dead safe										
DSM	Drops shell-magazine	5									*****
DTL	Doesn't trip latch	1									
DX	Doesn't extract										
DXL	Doesn't extract live round										
EDS	Extractor drops shell								5		
ESB	Ejector sticks back										
ESS	Extractor stems shell										


CODE	MALFÜNCTIÓN INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
FA	Fires autometically										
FB	Follower binds										
FC	Fails to connect										
FCB	Fore-end cracked or broken			288000							
FD	Follows-down										
FF	Fails to fire					- Aire					
FFM	Fails to feed from magazine	6 ,					5				
FFP	Flat firing pin	4									
FOS	Fires on safe										
FSR	Fires when safe is released								*		
GCSO	Gas cyl shot off					700					
GRSO	Guide ring shot off										
HPA	High pressure ammo										
HUE	Hard under extractor	8					11000 11000			ř.	
ILOP	Int. latch out of position							****			
ILRM	Int. latch ret. Missing										
ILSB	Int. latch stud broken										
ILSP	Int. latch spring out of position									*****	
JL	Jumps latch	5									****
JO	Jars off										
LB	Light blow										
MCSO	Magazine cap shot off										
MCW	Magazine capacity wrong										
MFA	Misfires (ammo)						-				
MFOP	Magazine follower out of position						-				

CODE	MALFUNCTIÓN INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
MLH	Magazine leads hard										
ОН	Opens hard										
PH	Pulls hard										
PSI	Proof stamp illegible			Žito.							
PSM	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	1 ;					. 2				
RIC	Rings in chamber	4									
SBC	Stems bottom chambers	20					*				
SBCL	Shell binds carrier latch		,						*		
SBE	Stems bbl extension									×	
SCB	Stock cracked or broken									2	
SCX	Shell catches										
SHI	Short indent						11 (M)				
sic	Stems in chamber										
SL	shaves lead										
SLC	Stems left side of chamber	2							5		
SMOC	Stretch marks on case									****	
SRC	Stems right side of chamber								2		****
SRIC	Specific rings in chamber										
SSC	shell stems carrier	1									
STC	Stems top chamber						2				
SWE	Safety switch works too easily										
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
TD	Tips down	Mar.									
TU	Tips up										
TWP	Trigger won't pult										
TWR	Trigger won't retract			Alleno.				***************************************			
UNCN-T	Uncoded										
ХH	Extracts hard					dien					
XHB	Extractor hits bbl										
		4									
Н	High										
LO	Low		·						*		
LEFT	Left					****					
RIGHT	Right										
DG	Doesn't Group					***************************************					
FSST	Front sight tipped						****			ř.	
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised								7.64		
FSTL	Front sight loose									3.888	
RSTL	Rear sight loose										****
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
AI-P	Assembly incompleye at proof			1			***************************************				
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof										


SCHAE C	}	
0))	
Ω -		
2011] }	
V. □	֭֡֝֝֜֝֜֜֝֓֓֓֓֓֓֜֜֜֜֜֟֜֓֓֓֓֓֓֓֓֜֜֜֜֟֓֓֓֓֜֜֜֓֓֡֓֡֓֜֜֡֓֡֓֡֓֡֡֡֡֓	
v. neilligioil	· · · · · · · · · · · · · · · · · · ·	


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof						-				
BS-P	Barrel split at proof						-	***************************************			
DLOS-P	Doesn't lock over shells at proof			Žillon.			***************************************	A			
ESB-P	Ejector sticks back at proof.	***************************************									
FCB-P	Fore-end cracked at proof					dia	-				
FESO-P	Fore-end shot off at proof	.;									
FF-P	Fails to fire at proof	*									
GCSO-P	Gas cylinder shot off at proof						*				
GRSO-P	Guide ring shot off at proof		*						*		
MCSO-P	Magazine cap shot off at proof					***				SS:	
MSI-P	Magnaflux stamp illegible on bbl										
MSM-P	Magnaflux stamp missing on bbl										
PP-P	Pierced primer at proof						7-88X			ž.	
SCB-P	Stock cracked or broken at proof						-				
UNCM-P	Uncoded proof malfunctions						- Landsconnect				





Subject to Protective Order - Williams v. Remington













	2000000													
Sumi	mary	Total	Test + F	Proof Failures	1059	7								
			Tt	otal Rejected: l Reject Rate:	7	7								
		20000	CACTOR	Reject Rate:	0.66	î								
		Proof		Shot: Rejected Percent Shat Rejected Percent	25	66		10				31	814	
	*******	Proof		Rejected	0	0	0	0	0	0	0	0	0	0
				Percent		0.0	,	0.0				0.0	0.0	
				Shot.	4	43	<i>\$</i>	10		-			814	
		Test	* *	Rejected	0 0.0		0	O	0	0	0	0	1	0
				Shat. Rejected Percent:	0.0	14.0		.0.0					0.1	
				Shot: [<i>\$00000</i>	000000	7.					
		Target		Rejected:	0	O		0	0	0	0	0	0	0
				Percent:	á	0	0	0	0					

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000	1 8 28	¥ 28		
АВ	Action binds					88				*************************************	
ASFB	Action spring follower binds				,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									á	
вв	Bolt binds/catches							1999/			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding							ALIAN AND AND AND AND AND AND AND AND AND A			
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver									1	
CD	Case dented										
СН	Closes hard										

	//////////////////////////////////////										_
PSM.	Proof stamp mussing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	10									
RIC	Rings in chamber						-				
SBC	Stems bottom chambers						***************************************				
SBCL	Shell binds carrier latch			- 3845							
SBE	Stems bbl extension				illon.						
SCB	Stock cracked or broken										
SCX	Shell catches										
SHI	Short indent	Á									
SIC	Stems in chamber						***				
SL	shaves lead		2000					500.			
SLC	Stems left side of chamber					1,388.					
SMOC	Stretch marks on case										
SRC	Stems right side of chamber									11/2/2	
SRIC	Specific rings in chamber								*		
SSC	shell stems carrier						-				
STC	Stems top chamber										
SWE	Safety switch works too easily							2000			
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										***
TD	Tips down]
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded		1								
хн	Extracts hard						***************************************				

				,						-	
XHB	Extractor hits bibl										
										_	
HI	High	200									
LO	Low										
LEFT	Left		2								
RIGHT	Right										
DG	Doesn't Group			200000000000000000000000000000000000000	Oo.						
FSST	Front sight tipped	17%									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	Ž.									
FSTR	Front sight raised										
FSTL	Front sight loose		2000				ic.				
RSTL	Rear sight loose							···			
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								11/00		
						•		·		, 280.	
AI-P	Assembly incompleye at proof										ā.
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2004				;
BLP-P	Blanked primer at proof										Ž
BP-P	Blown primer at proof										
BS-P	Barrel split at proof]	
DLOS-P	Doesn't lock over shells at proof									1	
ESB-P	Ejector sticks back at proof										200
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


	20000000													
Summ	ary	Total	Test + Pro	oof Failures	1016)								
			Tota	al Rejected:	37	•								
			Overall F	Reject Rate:	3.64	ļ.								
		Proof		Shot: Rejected Percent. Shot: Rejected Percent.	14	36		3			13	24	619	
	********	Proof		Rejected	0	0	0	0	0	0	0	0	1	0
				Percent.	0.0	0.0	,	0.0			0.0	0.0	0.2	
				Shat	Sec. 14	12	<i></i>	14			16	50	619	
		Test	**	Rejected	7.1	. 200	0	O	0	0	0	17	3	0
				Percent: Shot: Rejected:	7.4	2 16.7	0	.0.0			0.0	34.0	0.5	
				Shot:			10000	100000	Ar.					
		Target		Rejected:	0	0		0	0	0	0	o	0	0
				Percent:	2		0	0						
	_				440=	11 11 11 11 11 11 11 11 11 11 11 11 11	200000	10/2000	20001000	22.000				

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///		200000		¥ 286		
АВ	Action binds					88				*************************************	
ASFB	Action spring follower binds								Â		illion.
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							19900			
BCOE	Bolt catches on ejector								******		
вс	Blows cases			1							
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

X
Ý

PSM /	Proof stamp massing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	200		***************************************					1	
RIC	Rings in chamber									
SBC	Stems bottom chambers	1		***						
SBCL	Shell binds carrier latch			:8a.						
SBE	Stems bbl extension				Store.					
SCB	Stock cracked or broken	***							1	
scx	Shell catches									
SHI	Short indent	- A								
SIC	Stems in chamber									
SL	shaves lead		200					550.		
SLC	Stems left side of chamber					7.488		3		
SMOC	Stretch marks on case									
SRC	Stems right side of chamber							6 🥢		
SRIC	Specific rings in chamber					,				
SSC	shell stems carrier									
STC	Stems top chamber							2		
SWE	Safety switch works too easily							200		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									






Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

	20000000												
Summa	ary	Total	Test + Proof Failures	1011									
			Total Rejected:	17									
		##	Overall Reject Rate:										
			Shot:	<u></u> 10	7	166	3			88	14	575	
	******	Proof	Rejected	0	0	0	0	0	0	0	0	0	0
	*********		Shot: Rejected Percent Shat: Rejected	0.0	0.0	0.0	0.0			0.0	0.0	0.0	
			Sh ạ t.			116			11	87	15	575	
		Test	Rejected	0	0	#	O	0	0	0	6	1	Ð
			Percent		0	4 3.4			0.0	0.0	40.0	0.2	
			Shot:		1.00000	1888		Ar.					
		Target	Rejected	: 0	O	o	0	0	0	0	0	0	0
			Percent.		0	0	0	0					


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds			1		×				***	
ASFB	Action spring follower binds				,,,						- Albania
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							19900			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver			-							
CD	Case dented										
сн	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	- - 222								
CR	Guts rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			2000						
СТР	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	- 13								
DBB	Doesn't blow back			1						
DCS	Double click in safety switch	Ä								
DCT	Double click in trigger									
DCU	Doesn't close-up		2000							
DE	Doesn't eject								10.0	
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				11/02
DLO	Doesn't lock open (after last shell)					·			ř	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell							1		
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect								
FCB	Fore-end cracked or broken:								
FCB FD	Follows-down	20							
FF	Fails to fire								
FFM	Fails to feed from magazine							1	
FFP	Flat firing pin								
FOS	Fires on safe			On.					
FSR	Fires when safe is released	1.8							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off								
HPA	High pressure ammo								
HUE	Hard under extractor		20,000				<u> </u>		
ILOP	Int. latch out of position				*****			teo.	
ILRM	Int. latch ret. Missing			***************************************			***************************************		
ILSB	Int. latch stud broken								11/2/2
ILSP	Int. latch spring out of position							8	
JL	Jumps latch						1		
JO	Jars off								
LB	Light blow						2004		
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulis hard								
PSI	Proof stamp illegible								

XHB.	Extractor hits bibl									
					_					
HI	High	200							· Carrier Control of C	
LO	Low					-				
LEFT	Left									
RIGHT	Right								-	
DG	Doesn't Group			iio.		-				
FSST	Front sight tipped	***								
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	Á								
FSTR	Front sight raised									
FSTL	Front sight loose		2000							
RSTL	Rear sight loose								-	
MGPT-G	Missing parts at target			****	**************************************					
UNCN-G	Uncoded nonconformity at target							Mar		
									. 200	
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof					-				
BEB-P	Barrel extension broken at proof						2000			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									3
BS-P	Barrel split at proof] 👑	
DLOS-P	Doesn't lock over shells at proof					-			- **	
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof					1				





Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington


Summa	Total Rejecte Overall Reject Rat	d: 0									
	Sho Proof Rejecte Percei	d 0	0	0	0	0	0	0	0	0	0
	Test Rejecte Pergel	rt	0	0	0	0	0	0	0	0	0
	Target Rejecte Percei	d: 0	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
										00.	

CODE	MALFUNCTION INDEX	Super Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
					3000	. 445.					
AB	Action binds				******	×				***	
ASFB	Action spring follower binds										2000
BABS	Bulge at body shoulder									ř	
BAC	Burr at chamber									Á	
BB	Bolt binds/catches							1999			
BCOE	Bolt catches on ejector						-				
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									, ,	
BSCO	Barrel support carne out						***************************************	***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading						-				
G	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

Fails to connect										
Fore-end cracked or broken:										
Follows-down	200									
Fails to fire										
Fails to feed from magazine										
Flat firing pin			2000							
				Za.						
Fires when safe is released	1.8									
Gas cyl shot off										
Guide ring shot off										
High pressure ammo						***				
Hard under extractor		20,46								
Int. latch out of position					. 48%.				Here.	
Int. latch ret. Missing				*****						
Int. latch stud broken										1111111
Int. latch spring out of position					·	****			S.	
Jumps latch								2888337		
Jars off										* 4
Light blow								2000	400000000	
Magazine cap shot off									*****	
Magazine capacity wrong										
Misfires (ammo)										
Magazine follower cut of position										
Magazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	Fore-end cracked or broken: Follows-down Fails to fire: Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to fire Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to:free: Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or bisken: Follows-dowit Fails to fire Fails to freed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down fails to free Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch string out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free from magazine Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down fails to fife Fails to feed front/magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Cuide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Falls to free Falls to freed front magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard

PSM.	Proof stamp mussing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	200							
RIC	Rings in chamber								
SBC	Stems bottom chambers		200						
SBCL	Shell binds carrier latch			388.					
SBE	Shell binds carriectatch Stems bbl extension				War.				
SCB	Stock cracked or broken								
SCX	Shell catches								
SHI	Short indent	Ä							
SIC	Stems in chamber								
SL	shaves lead		2000				Sey.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11000
SRIC	Specific rings in chamber							8	
ssc	shell stems carrier								
STC	Stems top chamber								
SWE	Safety switch works too easily						*****		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BSCO

CBS-F

CBS-L

CC

CD

СН

Barrel support came out

Case dented

Closes hard

Shells catch on bbl support-feeding

Shells catch on bbl support-loading


Carrier catches on shells,mag,receiver

Summary	To	roof Failures tal Rejected: Reject Rate:	0 0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat Rejected Percent	Ø	ø	0	a	0	0	0	O	σ	0
	Target	Shat: Rejected: Percent:	0	0	0	Q	0	0 ****	0	o	0	0
CODE	MALFUNCTION I	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds						(%) (%)					
ASFB	Action spring follower binds	;				,,						
BABS	Bulge at body shoulder						:					
BAC	Burr at chamber										Á	
BB	Bolt binds/catches								1000			
BCOE	Bolt catches on ejector											
вс	Blows cases											
BLOP	Bar lock or disconnector ou	t of position										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									***************************************
co	Cut-off	344								
CR	Cuts.rim									
cs	Cases swell		*							
стос	Chamber torn or gouged			3000						
CTP	Creepy trigger pull				War.					***************************************
CWSB	Cams wrong side of action bar	***								***************************************
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		20,44					\$\$\$.		
DE	Doesn't eject					2,445.				***************************************
DEL	Doesn't eject live round				***************************************					
DFU	Doesn't feed up									<i>1100</i> 2
DLO	Doesn't lock open (after last shell)					·			8	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							******		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

			 ,						
FC	Fails to connect		***************************************						
FCB	Fore-end cracked or broken:								
FD	Follows-down	30.							
FF	Fails to:fire								
FFM	Fails to feed from magazine								
FFP	Flat firing pin		- ASS.						
FOS	Fires on safe			lin.					
FSR	Fires when safe is released	- 14							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off								
HPA	High pressure ammo				<u></u>	***			
HUE	Hard under extractor						eo.		
ILOP	Int. latch out of position				2,488.				
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken				***************************************				
ILSP	Int. latch spring out of position							¥	
JL	Jumps latch								
JO	Jars off								
LB	Light blow						3334		
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
ОН	Opens hard								
PH	Pulls hard								
PSI	Proof stamp illegible		***************************************						

XHB.	Extractor hits bibl										
HI	High	200				***************************************					
LO 👋	Low					-	The state of the s				
LEFT	Left		200			***************************************					
RIGHT	Right					***************************************					
DG	Doesn't Group				₩.						
FSST	Front sight tipped	***									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										
FSTL	Front sight loose							200.			
RSTL	Rear sight loose								La		
MGPT-G	Missing parts at target							*****			-
UNCN-G	Uncoded nonconformity at target									Mar	
						·					. 200
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof									*	
BEB-P	Barrel extension broken at proof							33038			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof			-							*****
BS-P	Barrel split at proof			#		***************************************					
DLOS-P	Doesn't lock over shells at proof										**
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof			4							-
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

		4									
Summa		al Test + Proof Failu Total Reject Overall Reject Ra	ted: 19								
	Buss	SI	not: 3 13	38	189			132	8	665	
	Proo	f Rejec		0	1 0	0	0	0	0	0	0
		SI f Rejec Perc	ent 0.0	0.0	0.5			0.0	0.0	0.0	
			hot		283			128		665	
	Test	Rejec	ted 0	A (1)	4 0	0	0	5	0	5	0
		Rejec Perg	ted 0 ant	4	14			3.9		0.8	
		SI	got:		10	.A	226				
	Targe	et Rejec	ted: 0	0	0 0	0	0	0	0	0	0
	9	Perc	ent:		0 .0		0.0				
CODE	MAL	FUNCTION INDEX	1187	1187	1187 1100	1100	1100	1100	1100	870	870

			900007 - 66690	800	20093550 500	866600 11740000	00000000				
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		100000	1 8 88	<i>3</i>		
AB	Action binds			1		**** ********************************				1	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber										
вв	Bolt binds/catches							1909/			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position									1	
BSCO	Barrel support came out							***************************************			
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										


CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back						1			
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100	
DEL	Doesn't eject live round									
DFU	Doesn't feed up			1						
DLO	Doesn't lock open (after last shell)					·				
DLU	Doesn't lock-up						1			
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell						1			
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- - 24								
FF 💮	Fails to fire									
FFM	Fails to feed from magazine		***						1	
FFP	Flat firing pin			200.						
FOS	Fires on safe				Um.					
FSR	Fires when safe is released	114								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off								1	
HPA	High pressure ammo			·			ä			
HUE	Hard under extractor						*	500.		
ILOP	Int. latch out of position					2,445.				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									<i>-</i>
ILSP	Int. latch spring out of position					*			bbu	
JL	Jumps latch						33		<u></u>	
JO	Jars off									8 4
LB	Light blow							*****		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong			1						
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard			1			1			
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									
PH	Pulls hard									

PSM	Proof stamp massing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	200							
RIC	Rings in chamber								
SBC	Stems boftom chambers								
SBCL	Shell binds carrier latch			2000					
SBE	Stems bbl extension				On.				
SCB	Stock cracked or broken	779						1	
SCX	Shell catches								
SHI	Short indent								
SIC	Stems in chamber		2			 ***			
SL	shaves lead						200.		
SLC	Stems left side of chamber							La	
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								<i>11000</i>
SRIC	Specific rings in chamber							<u> </u>	
SSC	shell stems carrier								
STC	Stems top chamber		2						8 4
SWE	Safety switch works too easily						******		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								

				,						-
XHB.	Extractor hits bibl									
										_
HI	High									
LO	Low									
LEFT	Left									
RIGHT	Right									
DG	Doesn't Group				Mar.					
FSST	Front sight tipped	***								
RSTT	Rear sight tipped	,								
RSBR	Rear sight base raised						***			
FSTR	Front sight raised									
FSTL	Front sight loose							80.		
RSTL	Rear sight loose					1.665				
MGPT-G	Missing parts at target									
UNCN-G	Uncoded nonconformity at target								11000	
			_			:				_
AI-P	Assembly incompleye at proof									
BC-P	Blows cases at proof								*	
BEB-P	Barrel extension broken at proof							2000		F
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									 ***
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof			1						





Subject to Protective Order - Williams v. Remington






Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


	100000000000000000000000000000000000000	***********												
Summa	any	Total T		of Failures	1390)								
			Total	Rejected:	113	}								
			Overall Re	ject Rate:	8.13	!								
	ary			Shot:	211								517	
	********	Proof		Rejected	0 0.0	0	0	0	0	0	0	0	0	0
				Shot: Rejected Percent Shat: Rejected Percent:	0.0								0.0	
				Shot	293	40							517	
		Test		Rejected	93 31.7	17	0	0	0	0	0	0	3	0
				Percent.	31.7	17 42.5	0						0.6	
						1.88888	1888		dec.					
		Target		Rejected:	0	O	>>> 0	0	0	0	0	О	0	0
				Percent:	á	0	0	Q		7. mar.				


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000	1 8 28	× 2000		
AB	Action binds	4				88				***	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									Ź	
вв	Bolt binds/catches							19992			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position	1								,.	
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding							ALIAN AND AND AND AND AND AND AND AND AND A			
CBS-L	Shells catch on bbl support-loading			-							
CC	Carrier catches on shells,mag,receiver									1	
CD	Case dented								·		
сн	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				Za.					
CWSB	Cams wrong side of action bar	118								
DBB	Doesn't blow back	15	2007 g							
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		77.43					<u> </u>		
DE	Doesn't eject	3								
DEL	Doesn't eject live round									
DFU	Doesn't feed up	14				***************************************				11/02
DLO	Doesn't lock open (after last shell)	1							8	
DLU	Doesn't lock-up									
DS	Dead safe									4
DSM	Drops shell-magazine							2004		
DTL	Doesn't trip latch	1								
DX	Doesn't extract	1								
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

1 300	1									
FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	300								
FF 👋	Fails to fire	3								
FFM	Fails to feed from magazine		1,							
FFP	Flat firing pin			388.						
FOS	Fires on safe				Zza.					
FSR	Fires when safe is released	1.0								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off	- A							1	
HPA	High pressure ammo									
HUE	Hard under extractor		1004				*	89.		
ILOP	Int. latch out of position					. 25%.				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken					*****				Mar
ILSP	Int. latch spring out of position					Í			Š.	
JL	Jumps latch	10	15							
JO	Jars off									Ž
LB	Light blow							2000 P		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong	1								
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible									

PSM.	Proof stamp mussing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	2		***************************************						
RIC	Rings in chamber			***************************************						
SBC	Stems bottom chambers	22	200	-						
SBCL	Shell binds carrier latch			::::::::::::::::::::::::::::::::::::::						
SBE	Stems bbl extension				lin.					
SCB	Stock cracked or broken	**3							1	
SCX	Shell catches	,								
SHI	Short indent	- A								
SIC	Stems in chamber									
SL	shaves lead		77.00							
SLC	Stems left side of chamber	13				2,555				
SMOC	Stretch marks on case								***************************************	
SRC	Stems right side of chamber									
SRIC	Specific rings in chamber	2				:			ř	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							2006		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded	2								
хн	Extracts hard									





Subject to Protective Order - Williams v. Remington












Subject to Protective Order - Williams v. Remington

	//////////												
Summ	ary	Total	Test <u>+ P</u> roof Failures	1259									
			Total Rejected: Overall Reject Rate:	75									
			Overall Reject Rate:	5.96									
		Proof	Shot: Rejected Percent. Shot Rejected	3131		82					26	353	
	*******	Proof	Rejected	0	<i>0</i>	0	0	0	0	0	0	0	0
			Percent:	0.0	***	0.0					0.0	0.0	
			Sh o t.	359 ± 159		.98						353	
		Test	Rejected	69 43:4	0	9	. 0	0	0	0	0	3	0
			Shot: Rejected Percent: Shot: Rejected: Percent:	43:4	Ø	0 00						0.8	
			Shut: Rejected:		1.00000	0 10		Ac.					
		Target		0	O	o	00000094	Q	0	0	0	0	0
			Percent:	4	0	0 0.0	0	,	2000				
	•			440-	0.000 20000	O460	F07793553	30000000 100	90.000	E		1	1

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000		2000				
АВ	Action binds					×				300-1	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							19900			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver	4									
CD	Case dented										
СН	Closes hard										


			,						
FC:	Fails to connect								
FCB	Fore-end cracked or broken:								
FD	Follows-down	20							
FF	Fails to fire								
FFM	Fails to feed from magazine	2						1	
FFP	Flat firing pin		- 1885.						
FOS	Fires on safe			War.					
FSR	Fires when safe is released	***							
GCSO	Gas cyl shot off								
GRSO	Guide ring shot off	- A							
HPA	High pressure ammo				×	*			
HUE	Hard under extractor	1					500.		
ILOP	Int. latch out of position				2,445.				
ILRM	Int. latch ret. Missing								
ILSB	Int. latch stud broken								11000
ILSP	Int. latch spring out of position				;			X	
JL	Jumps latch	2							
JO	Jars off								
LB	Light blow						2000		
MCSO	Magazine cap shot off								
MCW	Magazine capacity wrong	1							
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
MLH	Magazine loads hard								
он	Opens hard								
PH	Pulis hard								
PSI	Proof stamp illegible								





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington

Summ	ary Total	Test + Proof Failures Total Rejected: Overall Reject Rate:	0								
	Prenf	Shot: Rejected Percent.	0	0 0	0	0	0	0	0	0	0
	200	Shot: Rejected Percent: Shot Rejected Percent:	i i	B B	0	0	0	0	0	0	0
	Target	Shpt: Rejected: Percent.		0 0	Ø	0	0	0	o	0	0
CODE	8461 211	NOTION INDEV	1187	888 F	1100	1100	14660	1100	1100	870	870

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000		200000		8 28ss		
AB	Action binds				******	88				***	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder										
BAC	Burr at chamber										
вв	Bolt binds/catches							19966			
BCOE	Bolt catches on ejector								444		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR	Cuts.rim									
cs	Cases swell		*							
стос	Chamber torn ör gouged			ille.						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back									
DCS	Double click in safety switch	- A								
DCT	Double click in trigger									
DCU	Doesn't close-up		2000				*	800.		
DE	Doesn't eject									
DEL	Doesn't eject live round							*****		
DFU	Doesn't feed up								<i>Ma</i>	
DLO	Doesn't lock open (after last shell)					,				
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BABS

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Bulge at body shoulder

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches


Summa	To	Proof Fallures Stal Rejected: Reject Rate:	0									
	Proof	Rejected Percent	0	. 0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent: _	0	8	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	0	0	0	0	O	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds			_			**************************************					
ASFB	Action spring follower bind:	s										W.Co.

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	- - 24 2.								
CR	Guts rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			2000						
СТР	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	- 13								
DBB	Doesn't blow back									
DCS	Double click in safety switch	Ä								
DCT	Double click in trigger									
DCU	Doesn't close-up		2000							
DE	Doesn't eject					7,000			10.0	
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				<i>200</i> 2
DLO	Doesn't lock open (after last shell)								ř	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC:

Fails to connect





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		+ Proof Failures Total Rejected: erall Reject Rate:	0 0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent.	0	Ø	Ö	0	0	0	0	o	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTI	ON INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
						-2000					4	
АВ	Action binds											
ASFB	Action spring follower t	oinds				,						
BABS	Bulge at body shoulder	ſ									ř	
BAC	Burr at chamber											
вв	Bolt binds/catches				-				1999/			
BCOE	Bolt catches on ejector	•										
вс	Blows cases											
BLOP	Bar lock or disconnecte	or out of position							***************************************			
BSCO	Barrel support came or				-							
CBS-F	Shells catch on bbl sup	pport-feeding										
CBS-L	Shells catch on bbl sup											
	1				1			1				

CC

CD

СН


Carrier catches on shells,mag,receiver

Case dented

Closes hard

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,			Š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

0000 T0000000										
Proof stamp missing										
Rings and bulges on case										
(Action) release doesn't work	200									
Rings in chamber										
Stems bottom chambers		200								
Shell dings carrierjatch ::::::::::::::::::::::::::::::::::::			:8a.							
				Wee.						
Stock cracked or broken	114									
Shell catches										
Short indent	4									
Stems in chamber		**								
shaves lead								eo.		
Stems left side of chamber							V. 300000			
Stretch marks on case				******				****		
Stems right side of chamber										<i>M</i>
Specific rings in chamber								33333333	×	
shell stems carrier										
Stems top chamber										
Safety switch works too easily									(990000)	
Safety switch works too hard									*****	
Safety ewitxh won't work										
Tips down										
Tips up										
Trigger won't pull										
Trigger won't retract										
Uncoded										
Extracts hard										
	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tripger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in thamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't retract Uncoded	Rings and budges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't pull Trigger won't retract Uncoded	Rings and buildes on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber Stems lead Stems left side of chamber Stems right side of chamber Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Steps witch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems lead Stems left side of chamber Stems in chamber Stems in ght side of chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems lead Stems left side of chamber Stems left side of chamber Stems to case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety switch works too hard Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrière latch Stems bil extension Shell catches Short indent Stems in chamber Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stems right side of chamber Stems in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitch work work Tips down Tinger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work (Rings in chamber Stems bottom chambers Stems bill chamber Stems in example stems on the stems of the stems of the stems on the stems on the stems on the stems on the stems of the stems on the stems of th





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington

Summ	ary Total Tes Ov	t + Proof Fallures Total Rejected: rerall Reject Rate:	0 0									
	Proof	Shot: Rejected Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent:	0	Ø	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	Q	0	0	0	0	0	0
CODE	MALFUNCT	TION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
							.,488.			× 2000		

CODE	MALFUNCTION INDEX	Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///		200000	% <i>#</i>	¥ 23		
АВ	Action binds					*****				*** *********************************	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder									Name	
BAC	Burr at chamber									Ź	
вв	Bolt binds/catches						-	19000			
BCOE	Bolt catches on ejector										
вс	Blows cases						-				
BLOP	Bar lock or disconnector out of position						-				
BSCO	Barrel support carne out						***************************************				
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading						***************************************				
CC	Carrier catches on shells,mag,receiver						-				
CD	Case dented						-		·		
СН	Closes hard										

1 30	P									
FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	344								
FF 🦎	Fails to fire									
FFM	Fails to feed from magazine									
FFP	Flat firing pin			388.						
FOS	Fires on safe				an.					
FSR	Fires when safe is released	*1%								
GCSO	Gas cyl shot off	,								
GRSO	Guide ring shot off									
HPA	High pressure ammo			·			ä			
HUE	Hard under extractor		10000				*	Xv.		
ILOP	Int. latch out of position					77				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									11000
ILSP	Int. latch spring out of position					*			ð.	
JL	Jumps latch									
JO	Jars off									3 4
LB	Light blow							2000 P		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulls hard									
PSI	Proof stamp illegible							· ·		













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

BABS

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Bulge at body shoulder

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Burr at chamber

Blows cases

Case dented

Closes hard


Bolt binds/catches

Summa		+ Proof Failures Total Rejected: erall Reject Rate:	0									
	Proof	Shot: Rejected Percent.	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent.	8	Ø	0	0	0	0	0	o	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	o	0	0
CODE	MALFUNCTI	ON INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds					- 200						
ASFB	Action spring follower to	binds				***						More

•			,							
Carrier hits action bar										
Can't laod magazine										
Cut-off	· 00									
Suts rim										
Cases swell		2								
Chamber torn ör:gøuged										
Greepy Ingger pull				Wa.						
Carrio fireing dide of delicit but	***				,					
Doesn't blow back										
Double click in safety switch	4									
Double click in trigger		m // // // // // // // // // // // // //								
Doesn't close-up								800.		
Doesn't eject								- ///////////	La	
Doesn't eject live round				***************************************				****		
Doesn't feed up										11/2/2
Doesn't lock open (after last shell)									Š	
Doesn't lock-up										
Dead safe										
Drops shell-magazine								2,000	00000000	
Doesn't trip latch									*****	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Cut-off Citis rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't eject Coesn't eject Coesn't eject live round Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't extract Coesn't extract	Carl't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't hock-up Coesn't rip latch Coesn't extract Coesn't extr	Cut-off Cut	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't extract Coesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Cires automatically	Carlt laod magazine Cut-off Cut-off Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't extract Coesn't extract Coesn't extract Coesn't extract Coesn't extract live round Coesn't extract shell	Can't laod magazine Cut-off Cut-off Cases swell Chamber forn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Coesn't close-up Coesn't eject Coesn't feed up Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't tip latch Coesn't trip latch Coesn't extract live round Castractor drops shell Coesn't extract stems shell Coesn't extract stems shell Coesn't extract Coesn't extract stems shell Coesn't extract stems shell Coesn't extract stems shell Coesn't extractor stems shell	Can't laod magazine Cut-off Duts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't close-up Coesn't eject Coesn't eject live round Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't lock-up Coesn't trip latch Coesn't trip latch Coesn't extract Coesn't	Can't laod magazine Cut-off Cuts nim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Coesn't blow back Couble click in safety switch Coesn't close-up Coesn't eject Coesn't feed up Coesn't feed up Coesn't lock open (after last shell) Coesn't lock-up Coesn't lock-up Coesn't lock open (after last shell) Coesn't pack Coesn't pack Coesn't pack Coesn't pack Coesn't lock-up Coesn't lock-up Coesn't lock open (after last shell) Coesn't pack C	Can't laod magazine Cut-off Cases swell Chamber torn or gouged Creepy trigger pull Coms wrong side of action bar Coesn't blow back Couble click in safety switch Couble click in trigger Coesn't close-up Coesn't eject Coesn't eject Coesn't eject live round Coesn't lock-up Coesn't lo	Can't laod magazine Dut-off Data run Da

PSM /	Proof stamp mussing			***************************************						
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	260								
RIC	Rings in chamber									
SBC	Stems bottom chambers		200							
SBCL	Shell binds carrier latch			- Ass.						
SBE	Stems bbl extension				Øw.					
SCB	Stock cracked or broken	- 13								
SCX	Shell catches									
SHI	Short indent	<u></u>								
SIC	Stems in chamber									
SL	shaves lead						ä 38			
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber									11000
SRIC	Specific rings in chamber					8.555 8.555			×	
SSC	shell stems carrier									
STC	Stems top chamber									
SWE	Safety switch works too easily							2000		
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard			-						





Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


Summa		+ Proof Failures Total Rejected: rall Reject Rate:	0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent:	8	0	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	O	0	0
CODE	MALFUNCTIO	ON INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
								20000	(S) (S)	8 255 - 2558	ww.	
AB	Action binds					***************************************	<u> </u>			******	***	
ASFB	Action spring follower b	inds				,						Mari
							l '	\$40000 T	100000000000000000000000000000000000000	-868	Ø	48000




CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR	Cuts.rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	1.8								
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		77.43					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				1100
DLO	Doesn't lock open (after last shell)								×	
DLU	Doesn't lock-up									
DS	Dead safe									× 4
DSM	Drops shell-magazine							2004		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

PSM.	Proof stamp mussing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	300.							
RIC 🤻	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch			2000					
SBE	Stems bbl extension				Zo.				
SCB	Stock cracked or broken	119							
scx	Shell catches								
SHI	Short indent								
SIC	Stems in chamber								
SL	shaves lead		33.65				eo.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11000
SRIC	Specific rings in chamber							Š.	
SSC	shell stems carrier								
STC	Stems top chamber								2
SWE	Safety switch works too easily						300		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								***************************************
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								

				,						-	
XHB.	Extractor hits bibl										
										_	
HI	High										
LO	LOW						The state of the s				
LEFT	Left										
RIGHT	Right			- Sa.							
DG	Doesn't Group				Store.						
FSST	Front sight tipped	7%									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised										
FSTR	Front sight raised										
FSTL	Front sight loose		3000					io.			
RSTL	Rear sight loose								4		
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target										
						:				_	
AI-P	Assembly incompleye at proof								Á]	g E
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							***************************************			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof]	3
BS-P	Barrel split at proof]	1
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										***
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

CC

CD

СН

Carrier catches on shells,mag,receiver


Case dented


Closes hard

Summary	To	roof Failures tal Rejected: Reject Rate:	0 0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0	0	0	0	0	0	o	0	0
CODE	MALFUNCTION	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
	1					2000	· · · · · · · · · · · · · · · · · · ·				500	
AB	Action binds									779000		ļ
ASFB	Action spring follower bind:	8										1
BABS	Bulge at body shoulder										ř.	
BAC	Burr at chamber										4	
ВВ	Bolt binds/catches										- 40	
BCOE	Bolt catches on ejector											
вс	Blows cases				-							
BLOP	Bar lock or disconnector or	ıt of position						-			,,	
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl support	-feeding										
CBS-L	Shells catch on bbl support	-loading										
1	1				1			1				

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	200								
CR 🤲	Cuts.rim									
cs	Cases swell		300							
стос	Chamber torn or gouged									
СТР	Creepy trigger pull									
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back									
DCS	Double click in safely switch			*						
DCT	Double click in trigger		**							
DCU	Doesn't close-up		77.00					<u> </u>		
DE	Doesn't eject				- 2000.					
DEL	Doesn't eject live round				***************************************			*****		
DFU	Doesn't feed up					*******				Miles
DLO	Doesn't lock open (after last shell)								8	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2008		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

FC	Fails to connect									
FCB	Fore-end cracked or broken:									
FD	Follows-down	- 24 4								
FF 👋	Fails to:fire									
FFM	Fails to feed from magazine		***							
FFP	Flat firing pin			200.						
FOS	Fires on safe				On.					
FSR	Fires when safe is released	***								
GCSO	Gas cyl shot off									
GRSO	Guide ring shot off									
HPA	High pressure ammo									
HUE	Hard under extractor		2000				.	90.		
ILOP	Int. latch out of position					. 488.				
ILRM	Int. latch ret. Missing									
ILSB	Int. latch stud broken									Miller
ILSP	Int. latch spring out of position					·			ř	
JL	Jumps latch									
JO	Jars off									
LB	Light blow							2000		
MCSO	Magazine cap shot off									
MCW	Magazine capacity wrong									
MFA	Misfires (ammo)									
MFOP	Magazine follower out of position									
MLH	Magazine loads hard									
ОН	Opens hard									
PH	Pulis hard									
PSI	Proof stamp illegible									





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding


Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Summary		est + Proof Failures Total Rejected: Overall Reject Rate:	0 0									
	Proof	Shot: Rejected Percent:	0	. 0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Pergant.	0	8	0	0	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	0	0	0	0	О	0	0
CODE	MALFUN	CTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
											* ***********************************	
AB	Action binds											
ASFB	Action spring follow				1							
BABS	Bulge at body shou	nuei						×.		*****	3	

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	- - 222								
CR	Guts rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			2000						
СТР	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	- 13								
DBB	Doesn't blow back									
DCS	Double click in safety switch	Ä								
DCT	Double click in trigger									
DCU	Doesn't close-up		2000							
DE	Doesn't eject					7,000			10.0	
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				<i>200</i> 2
DLO	Doesn't lock open (after last shell)								ř	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							2000		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

















Subject to Protective Order - Williams v. Remington


Summary	77.007 (90.000) 100.000 (100.000) 100.000 (100.000) 100.000 (100.000) 100.000 (100.000) 100.000 (100.000)	Proof Failures	0									
		otal Rejected: III Reject Rate:	0									
4 2007	Overa	10000 1000000	.50.	1			1	I	1		ı	
W	Preof	Shot: Rejected	0	. 0	0	0	0	0	0	0	0	
		Percent.										
		Shat.			in.							
	Test	Rejected Pergent:	0	0	0	0	0	0	0	o	0	O
		Shot:		- 2000 2000			<u> </u>				I	
	Target	Rejected:	0	0	0	0	0	0	0	О	0	0
		Percent:										
CODE	MALFUNCTION	I INDEY	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870
CODE	MALI ONCTION	V IIVDEX	Mag	12Ga	20Ga	12Ga	16Ga	20Ga	28Ga	410Ga	12Ga	16Ga
						3//3				¥ //****		
АВ	Action binds					********						
ASFB	Action spring follower bin	ıds						/###/		- 2		<i>***</i>
BABS	Bulge at body shoulder						:					
BAC	Burr at chamber										1	
BB	Bolt binds/catches											
BCOE	Bolt catches on ejector									444		
BC	Blows cases											
BLOP	Bar lock or disconnector	out of position										
BSCO	Barrel support came out											
CBS-F	Shells catch on bbl suppo	ort-feeding										
CBS-L	Shells catch on bbl suppo	ort-loading										
cc	Carrier catches on shells	,mag,receiver										
CD	Case dented											
СН	Closes hard								***************************************			

1										
CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,			Š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

Proof stamp missing										
Rings and bulges on case										
(Action) release doesn't work	W.,									
Rings in chamber										
Stems bottom chambers		*								
Shell binds carrier latch		· ·	ille.							
				On.						
Stock clacked of plakell //////	779									
Shell catches										
Short indent										
Stems in chamber							8			
shaves lead		2000					Ž 20	ie.		
Stems left side of chamber					. 488.					
Stretch marks on case				***************************************						
Stems right side of chamber										11/2/2
Specific rings in chamber					·			20000	ř	
shell stems carrier										
Stems top chamber										
Safety switch works too easily								2,000		
Safety switch works too hard									*****	
Safety ewitxh won't work										
Tips down										
Tips up										
Trigger won't pull										
Trigger won't retract										
Uncoded										
Extracts hard										
	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't retract Uncoded	Rings and budges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't pull Trigger won't retract Uncoded	Rings and buildes on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber Shell side of chamber Stems lead Stems left side of chamber Stems right side of chamber Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Steft sywitch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems lead Stems left side of chamber Stems in chamber Stems in ght side of chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems lead Stems left side of chamber Stems left side of chamber Stems to case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety switch works too hard Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrière latch Stems bil extension Shell catches Short indent Stems in chamber Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stems in chamber Shell stems carrier Stems to p chamber Safety switch works too easily Safety switch works too hard Safety ewitch works too hard Safety ewitch works too hard Tips up Trigger won't pull Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work (Rings in chamber Stems bottom chambers Stems bill chamber Stems in example stems on the stems of the stems of the stems on the stems on the stems on the stems on the stems of the stems on the stems of th

				 			 			_	
XHB	Extractor hits bibl										
HI	High	***				***************************************					
LO 🤻	Low					-					
LEFT	Left		1			***************************************					
RIGHT	Right					-					
DG	Doesn't Group			⊗oo.							
FSST	Front sight tipped	118									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	<u></u>									
FSTR	Front sight raised										
FSTL	Front sight loose		200				500.				
RSTL	Rear sight loose				2,388						
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								Mar		
					·	**************************************		Ť			
AI-P	Assembly incompleye at proof										į.
ВС-Р	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2004				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										j
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof									***	
ESB-P	Ejector sticks back at proof									-	
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof					-					





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

4/2											
Summa	ıry Total Test Ov€	+ Proof Failures Total Rejected: trall Reject Rate:	0 0								
	Proof	Shot: Rejected Percent	0	0 (0	0	0	0	0	0	0
	Test	Shot. Rejected Percent:	0	9		0	0	0	0	0	0
	Target	Shot: Rejected: Percent:	0	0 () 0	0	0 //***	0	0	0	0
CODE	DDE MALFUNCTION INDEX		i Sineri	1187 11 12Ga 28	Sa 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
	1					7 1998		<u> </u>	× 2000		

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20 Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3///	. 255.	200000	(% 800	Ø 2888.		
АВ	Action binds				*******	88				****	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					·					
BAC	Burr at chamber									i	
вв	Bolt binds/catches							1999			
BCOE	Bolt catches on ejector								400		ľ
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding							***************************************			
CBS-L	Shells catch on bbl support-loading										
cc	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

PSM.	Proof stamp mussing					-			
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber								
SBC	Stems bottom chambers		2						
SBCL	Shell binds carrier latch								
SBE	Stems bbl extension			On.		-			
SCB	Stock cracked or broken	113			,				
SCX	Shell catches								
SHI	Short indent	Å.							
SIC	Stems in chamber					***			
SL	shaves lead		200				Sec		
SLC	Stems left side of chamber				, , , , , ,				
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								
SRIC	Specific rings in chamber								
ssc	shell stems carrier					-			_
STC	Stems top chamber								4
SWE	Safety switch works too easily					***************************************	2000		#
SWH	Safety switch works too hard								4
sww	Safety ewitxh won't work								┛,
TD	Tips down								_
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard					-			
XH	Extracts hard								





Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		20000		W 2000		
AB	Action binds					88				****	
ASFB	Action spring follower binds										
BABS	Bulge at body shoulder									*	
BAC	Burr at chamber										
вв	Bolt binds/catches							1,500%			
BCOE	Bolt catches on ejector								400		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100-	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,			Š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

2000000										
Fails to connect										
Fore-end cracked or broken:										
Follows-down										
Fails to fire										
Fails to feed from magazine										
Flat firing pin			38							
				Soc.						
Fires when safe is released	***									
Gas cyl shot off										
Guide ring shot off										
High pressure ammo							*			
Hard under extractor		10000						80.		
Int. latch out of position					1.488					
Int. latch ret. Missing				***************************************				*****		
Int. latch stud broken										<i>#</i>
Int. latch spring out of position						***			*	
Jumps latch										
Jars off										2
Light blow								2,000		
Magazine cap shot off									*****	
Magazine capacity wrong										*****
Misfires (ammo)										
Magazine follower out of position										
Magazine loads hard										
Opens hard										
Pulis hard										
Proof stamp illegible										
	Fore-end cracked or broken: Follows-down Fails to fire: Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails-te-fire Fails-to-free Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-fire Fails-to-feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to free from magazine Fails to freed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine follower out of position Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to fleed from magazine Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-dowin Fails to freed from magazine Fails to feed from magazine Flat firing pin Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to feed from magazine Fails to feed from magazine Fires on safe Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jumps latch Jars off Light blow Magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Falls to free Falls to freed from magazine Filat firing pin Fires on safe Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch ret. Missing Int. latch stud broken Int. latch spring out of position Jamps latch Jars off Light blow Magazine capacity wrong Misfires (ammo) Magazine loads hard Opens hard Pulls hard	Fore-end cracked or broken: Follows-down Fails to freed from magazine Fails to freed from magazine Fails to freed from magazine First friend pin Fires on safe Fires on safe Fires when safe is released Gas cyl shot off Guide ring shot off High pressure ammo Hard under extractor Int. latch out of position Int. latch stud broken Int. latch stud broken Int. latch stud broken Int. latch spring out of position Int. latch magazine cap shot off Magazine capacity wrong Misfires (ammo) Magazine follower out of position M

PSM.	Proof stamp mussing					-			
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber								
SBC	Stems bottom chambers		2						
SBCL	Shell binds carrier latch								
SBE	Stems bbl extension			On.		-			
SCB	Stock cracked or broken	113			,				
SCX	Shell catches								
SHI	Short indent	Å.							
SIC	Stems in chamber					***			
SL	shaves lead		200				Sec		
SLC	Stems left side of chamber				, , , , , ,				
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								
SRIC	Specific rings in chamber								
ssc	shell stems carrier					-			_
STC	Stems top chamber								
SWE	Safety switch works too easily					***************************************	2000		#
SWH	Safety switch works too hard								4
sww	Safety ewitxh won't work								┛,
TD	Tips down								_
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard					-			
XH	Extracts hard								





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

BSCO

CBS-F

CBS-L

CC

CD

СН

Barrel support came out

Case dented

Closes hard

Shells catch on bbl support-feeding

Shells catch on bbl support-loading


Carrier catches on shells,mag,receiver


Summar	70	roof Failures tal Rejected: Reject Rate:	0									
9	Proof	Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat: Rejected Percent:	9	Ø	70	o	0	0	0	0	0	0
	Target	Shat: Rejected: Percent:	0	0	0	O	0	0	0	О	0	0
CODE	MALFUNCTION I	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds											
ASFB	Action spring follower binds	6										Mari
BABS	Bulge at body shoulder											
BAC	Burr at chamber											
вв	Bolt binds/catches								1968			
BCOE	Bolt catches on ejector							-		444		
вс	Blows cases											
BLOP	Bar lock or disconnector ou	rt of position									,,	

Carrier hits action bar										
Can't laod magazine										
Cut-off	344									
Guts rim										
Cases swell		*								
Chamber torn or gouged		· ·	ille.							
				War.						
Cams wrong side of action bar										
Doesn't blow back										
Double click in safety switch										
Double click in trigger							8			
Doesn't close-up		10000						500.		
Doesn't eject					2,445.					
Doesn't eject live round										
Doesn't feed up										<i>300</i> 2
Doesn't lock open (after last shell)					·			2000	ř	
Doesn't lock-up										
Dead safe									.00000	
Drops shell-magazine								2000		
Doesn't trip latch									**************************************	
Doesn't extract										
Doesn't extract live round										
Extractor drops shell										
Ejector sticks back										
Extractor stems shell										
Fires automatically										
Follower binds										
	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts.rier Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts-rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts nim Cases swell Chamber torn of gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't fock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't trip latch Doesn't extract Doesn't extract Doesn't trip latch Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't sylve round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't laod magazine Cut-off Cuts rim Cases swell Chamber forn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't ject live round Doesn't feed up Doesn't fock open (after last shell) Doesn't lock-up Dead safe Drops shell-magazine Doesn't trip latch Doesn't stract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Can't land magazine Cut-off Gits rim Cases Swell Chamber forn orgouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't trip latch Doesn't trip latch Doesn't extract live round Extractor drops shell Ejector sticks back Extractor stems shell Fires automatically	Carl laod migsgzine Cut-off Güts-rim Cases swell Chamber torn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject Doesn't eject live round Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't lock-up Doesn't stract Doesn't skract D

PSM.	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	341								
RIC	Rings in chamber									
SBC	Stems bottom chambers		200							
SBCL	Shell binds carrier latch			3000						
SBE	Stems bbl extension				Wee.					
SCB	Stock cracked or broken	· · · · ·								
SCX	Shell catches									
SHI	Short indent									
SIC	Stems in chamber		**			3.65				
SL	shaves lead						800.			
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber								Mar	
SRIC	Specific rings in chamber							ř		
SSC	shell stems carrier									
STC	Stems top chamber								4	
SWE	Safety switch works too easily						2000			
SWH	Safety switch works too hard									
sww	Safety ewitxh won't work									
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract									
UNCN-T	Uncoded									
хн	Extracts hard									

,		_		,						,
XHB	Extractor hits bibl									
							 			-
HI	High									
LO	Low									
LEFT	Left		1 22.							
RIGHT	Right									
DG	Doesn't Group				ilio.					
FSST	Front sight tipped									
RSTT	Rear sight tipped									
RSBR	Rear sight base raised	Á								
FSTR	Front sight raised									
FSTL	Front sight loose						50c.			
RSTL	Rear sight loose									
MGPT-G	Missing parts at target				*****					
UNCN-G	Uncoded nonconformity at target			***************************************					<i>2002</i>	
						**************************************		<u> </u>		- 20
AI-P	Assembly incompleye at proof							Á		
BC-P	Blows cases at proof									
BEB-P	Barrel extension broken at proof						2000			
BLP-P	Blanked primer at proof									
BP-P	Blown primer at proof									
BS-P	Barrel split at proof									
DLOS-P	Doesn't lock over shells at proof									
ESB-P	Ejector sticks back at proof									
FCB-P	Fore-end cracked at proof									
FESO-P	Fore-end shot off at proof									
FF-P	Fails to fire at proof									













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

ВВ

вс

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

Bolt binds/catches

Blows cases

Case dented

Closes hard

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver

Summa	To	roof Failures tal Rejected: Reject Rate:	0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat. Rejected Percent:	0	Ø	0	0	0	0	0	0	0	0
	Target	Strot: Rejected: Percent:	0	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION I	NDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
4.5					Attended to the second		1998				Xa.	
AB	Action binds					77000				1 1		
ASFB	Action spring follower binds	8					**********					1000
BABS	Bulge at body shoulder											
BAC	Burr at chamber										á	

CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
CO	Cut-off	- War							
CR 🦎	Cuts.rim								
cs	Cases swell								
стос	Chamber torn or gouged								
CTP	Creepy trigger pull	*********		Was.					
CWSB	Cams wrong side of action bar	***							
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		1000			*	89.		
DE	Doesn't eject				1,46%				
DEL	Doesn't eject live round								
DFU	Doesn't feed up								11000
DLO	Doesn't lock open (after last shell)				·			S.	
DLU	Doesn't lock-up								
DS	Dead safe								
DSM	Drops shell-magazine						2004 <u>\$</u>		
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

Total Rejected:

0


0

1										
CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,			Š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

PSM.	Proof stamp mussing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	200							
RIC	Rings in chamber								
SBC	Stems bottom chambers		200						
SBCL	Shell binds carrier latch			388.					
SBE	Shell binds carriectatch Stems bbl extension				War.				
SCB	Stock cracked or broken								
SCX	Shell catches								
SHI	Short indent	Ä							
SIC	Stems in chamber								
SL	shaves lead		2000				Sey.		
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								11000
SRIC	Specific rings in chamber							8	
ssc	shell stems carrier								
STC	Stems top chamber								
SWE	Safety switch works too easily						*****		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								

			,								-	
Extractor hits bibl												
											_	
High	20											
LOW												
Right												
Doesn't Group			200000000000000000000000000000000000000	ilio.								
Front sight tipped	***											
Rear sight tipped												
Rear sight base raised	- A											
Front sight raised												
Front sight loose		2000		PARTICIPAL PROPERTY AND ADDRESS OF THE PARTICIPAL PROPERT			8 2	Sto.				
Rear sight loose				2000.					terr.			
Missing parts at target				******				****	*****************			
Uncoded nonconformity at target										Mar		
											_ 28	
Assembly incompleye at proof]	į
Blows cases at proof												
Barrel extension broken at proof								2000				
Blanked primer at proof									*****			Ž
Blown primer at proof										*****		
Barrel split at proof]	
Doesn't lock over shells at proof] ***	
Ejector sticks back at proof												
Fore-end cracked at proof												
Fore-end shot off at proof												
Fails to fire at proof												
	High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tipped Rear sight tipped Rear sight loose Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bid High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bibl High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bibl High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bbl High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tipped Rear sight loose Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target Blows cases at proof Barrel extension broken at proof Blown primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bibl High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bbl High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight raised Front sight raised Front sight loose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Blarrel extension broken at proof Blown primer at proof Brore-end cracked at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bibl High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tipped Rear sight tose Rear sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Blanked primer at proof Blown primer at proof Blown primer at proof Barrel extension broken at proof Blown primer at proof Barrel spit at proof Barrel spit at proof Barrel spit at proof Bearrel s	Extractor hits bibl High Löw Left Right Doesn't Group Front sight tipped Rear sight lipped Rear sight base raised Front sight raised Front sight raised Front sight raised Left Front sight raised Front sight loose Rear sight lo	Extractor hits bibl High Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight tipped Rear sight tose Front sight loose Rear sight loose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blows cases at proof Blarrel extension broken at proof Blarrel extension broken at proof Blarrel pit at proof Doesn't look over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bibl High Löw Left Right Doesn't Group Front sight lipped Rear sight tipped Rear sight lose Rear sight lose Missing parts at target Uncoded nonconformity at target Assembly incompleye at proof Blanked primer at proof Blanked primer at proof Blanked primer at proof Blanked primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end cracked at proof Fore-end shot off at proof	Extractor hits bbil High DoesnT Group Left Right DoesnT Group Front sight tipped Rear sight tipped Rear sight tose Rear sight loose Blows cases at proof Blows cases at proof Blows cases at proof Blarrel extension broken at proof Blanked primer at proof Blanked primer at proof BoesnT look over shells at proof Ejector sticks back at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof





Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington

'999												
Summary		Test + Proof Failures Total Rejected: Overall Reject Rate:	0									
	Proof	Shot: Rejected Percent: Shot	0	0	0	0	0	0	0	0	0	0
	Test	Shat Rejected Percent:		0	0	0	0	0	0	0	0	0
	Target	Shot:	0	0	333F	0	0	0	0	0	0	0
CODE	MALFU	NCTION INDEX	1187 Super	1187 1262	1187 20Ga	1100 120a	.1100 16Ga	1100	1100	1100	870 12Ga	870 16Ga

CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					2000	. 25%.	200000		¥ 28		
AB	Action binds					88				***	
ASFB	Action spring follower binds				,,,						illion.
BABS	Bulge at body shoulder										
BAC	Burr at chamber									Á	
вв	Bolt binds/catches							1900			
BCOE	Bolt catches on ejector								****		
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support carne out										
CBS-F	Shells catch on bbl support-feeding										
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
СН	Closes hard										

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR	Cuts.rim									
cs	Cases swell		200							
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar	1.8								
DBB	Doesn't blow back									
DCS	Double click in safety switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		77.43					<u> </u>		
DE	Doesn't eject									
DEL	Doesn't eject live round									
DFU	Doesn't feed up					***************************************				1100
DLO	Doesn't lock open (after last shell)								×	
DLU	Doesn't lock-up									
DS	Dead safe									× 4
DSM	Drops shell-magazine							2004		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									














Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


Summ	Tı Overal	Proof Failures otal Rejected: I Reject Rate:	0									
	Proof	Shot: Rejected Percent	0	0	0	0	0	0	0	0	0	0
	Test	Shat Rejected Percent:	8	0	0	0	0	0	0	0	0	0
	Target	Stat: Rejected: Percent.	0	0	0	0	0	0	0	0	0	0
CODE	MALFUNCTION	INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds											
ASFB	Action spring follower bind	ls										



CHAB	Carrier hits action bar								
CLM	Can't laod magazine								
co	Cut-off	36.							
CR 🤲	Cuts rim								
cs	Cases swell								
стос	Chamber torn or gouged								
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar	1.8							
DBB	Doesn't blow back								
DCS	Double click in safety switch								
DCT	Double click in trigger								
DCU	Doesn't close-up		1004			*	89.		
DE	Doesn't eject								
DEL	Doesn't eject live round								
DFU	Doesn't feed up								11/02
DLO	Doesn't lock open (after last shell)				·			š	
DLU	Doesn't lock-up								
DS	Dead safe								× 4
DSM	Drops shell-magazine								
DTL	Doesn't trip latch								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESS	Extractor stems shell								
FA	Fires automatically								
FB	Follower binds								

PSM_	Proof stamp missing									
RBOC	Rings and bulges on case									
RDW	(Action) release doesn't work	30.								
RIC	Rings in chamber									
SBC	Stems bottom chambers									
SBCL	Shell binds carrier latch		<u> </u>							
SBE	Stems bbl extension				Zo.					
SCB	Stock cracked or broken	179				,				
SCX	Shell catches									
SHI	Short indent	<u></u>								
SIC	Stems in chamber						***			
SL	shaves lead							Xv.		
SLC	Stems left side of chamber									
SMOC	Stretch marks on case									
SRC	Stems right side of chamber								11/2/2	
SRIC	Specific rings in chamber									
SSC	shell stems carrier									╽,
STC	Stems top chamber								Ø	
SWE	Safety switch works too easily							33038		#
SWH	Safety switch works too hard									1
sww	Safety ewitxh won't work								******	_ ```
TD	Tips down									
TU	Tips up									
TWP	Trigger won't pull									
TWR	Trigger won't retract			***************************************						
UNCN-T	Uncoded									
хн	Extracts hard			-						






Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Total Test + Proof Failures


0

FΒ

Follower binds

				 							_
XHB.	Extractor hits bibl										
											_
HI	High	20									
LO 🦠	LOW										
LEFT	Left										
RIGHT	Right										
DG	Doesn't Group			ilio.							
FSST	Front sight tipped	***			,						
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	Å.									
FSTR	Front sight raised										
FSTL	Front sight loose		77					<u> </u>			
RSTL	Rear sight loose				7788				teo.		
MGPT-G	Missing parts at target				**************************************						
UNCN-G	Uncoded nonconformity at target									1	
					,	•					. 280
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2004 <u>\$</u>			
BLP-P	Blanked primer at proof								2000		
BP-P	Blown primer at proof]
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										- "
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										-
FF-P	Fails to fire at proof						***************************************				













Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

вс

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

Blows cases

Case dented

Closes hard

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading


Carrier catches on shells,mag,receiver


Summary	Total Test + Proof Failures Total Rejected Overall Reject Rate	: 0									
	Shot. Proof Rejected Percent	0	. 0	0	0	0	0	0	0	0	0
	Shat. Test R ejected Pergant	0	0	***	0	0	0	0	0	σ	0
	Start Target Rejected Percent	: 0	0	0	O .	0	0	0	o	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds										
ASFB	Action spring follower binds										10000
BABS	Bulge at body shoulder									, No.	
BAC	Burr at chamber						-			Ź	
вв	Bolt binds/catches		<u> </u>					19968			
BCOE	Bolt catches on ejector										

- 200	****									
CONTRACT CONTRACT	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	344								
CR **	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			.:200.						
CTP	Creepy trigger pull				War.					
CWSB	Cams wrong side of action bar	***								
DBB	Doesn't blow back	,								
DCS	Double click in safety switch			*						
DCT	Double click in trigger					×	ä			
DCU	Doesn't close-up		10000					500.		
DE	Doesn't eject					1,448				
DEL	Doesn't eject live round					22				
DFU	Doesn't feed up									11000
DLO	Doesn't lock open (after last shell)					;			ř.	
DLU	Doesn't lock-up									
DS	Dead safe									2
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

//////////////////////////////////////											_
Proof stamp missing											
Rings and bulges on case											
(Action) release doesn't work	10		***************************************								
Rings in chamber						-					
Stems bottom chambers			***								
Shell binds carrier latch			3866.								
				Zzo.							
Stock cracked or broken											
Shell catches											
Short indent	Á										
Stems in chamber											
shaves lead		2006						800.			
Stems left side of chamber				2000.	1,388.	A000000 0					
Stretch marks on case					**************************************			*****			
Stems right side of chamber					***************************************					<i>M</i>	
Specific rings in chamber								35355665	×		
shell stems carrier											
Stems top chamber										Ø	
Safety switch works too easily								2000			
Safety switch works too hard									*****		
Safety ewitxh won't work											
Tips down] (
Tips up											
Trigger won't pull											-
Trigger won't retract											
Uncoded											
Extracts hard											
	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and budges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and butges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier latch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Trips up Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier tatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too land Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier fatch Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh won't work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work Rings in chamber Stems boftom chambers Shell binds carrier latch Stems boll extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Specific rings in chamber shell stems carrier Stems top chamber Stems doesn't work too easily Safety switch works too hard Safety ewitch works too hard Safety ewitch work work Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bufges on case (Action) release doesn't work Rings in chamber Stems bottom chambers Shell binds carrier fatch Stems bottom chambers Shell binds carrier fatch Stems bot extension Stock cracked or broken Shell catches Short indent Stems in chamber Shaves lead Stems left side of chamber Stretch marks on case Stretch marks on case Stems right side of chamber Specific rings in chamber Shell stems carrier Stems top chamber Safety switch works too easily Safety switch works too hard Safety switch works too hard Safety work work too hard Tips up Trigger won't pull Trigger won't retract Uncoded	Rings and bulges on case (Action) release doesn't work fitings in citiariber Stems bottom critimibers Shell binds carrier latch Stems bbl extension Slock cracked or broken Shell catches Short indent Stems in chamber Sheves lead Stems left side of chamber Stretch marks on case Stems right side of chamber Stretch marks on case Stems right side of chamber Stretch side in chamber Specific rings in chamber Stems to

				 			 			_	
XHB	Extractor hits bibl										
HI	High	***				***************************************					
LO 🤻	Low					-					
LEFT	Left		1			***************************************					
RIGHT	Right					-					
DG	Doesn't Group			⊗oo.							
FSST	Front sight tipped	118									
RSTT	Rear sight tipped										
RSBR	Rear sight base raised	<u></u>									
FSTR	Front sight raised										
FSTL	Front sight loose		200				500.				
RSTL	Rear sight loose				2,388						
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target								Mar		
					·	**************************************		Ť		. 200	
AI-P	Assembly incompleye at proof										į.
ВС-Р	Blows cases at proof										
BEB-P	Barrel extension broken at proof						2004				
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										j
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof									-	
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof					-					





Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington


Summ		est + Proof Failures Total Rejected:										
		Overall Reject Rate:										
		Shot: Rejected	illion.									
	Proof	Shot: Rejected Percent Shot:	0	0	0	0	0	0	0	0	0	0
		Sh o t:	*		75.4							
	Test	Rejected Percent:	0	0	ø	0	0	0	0	О	0	0
		Shot:			333F		Ar.					
	Target	Rejected: Percent:	0	0	0	0	0		0	O	0	0
CODE	MALEUN	CTION INDEX	1187 Super	1187	1187	1100	1100	1100	1100	1100	870	870

			900007 - 666000	2000	20093300 500	986689 TV8888					
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
					3000		100000	1 % 899	<i>3</i>		
АВ	Action binds					*****				**** ********************************	
ASFB	Action spring follower binds				,,,						
BABS	Bulge at body shoulder					,					
BAC	Burr at chamber										
вв	Bolt binds/catches							199994			
BCOE	Bolt catches on ejector										
вс	Blows cases										
BLOP	Bar lock or disconnector out of position										
BSCO	Barrel support came out							A			
CBS-F	Shells catch on bbl support-feeding							Anna			
CBS-L	Shells catch on bbl support-loading										
CC	Carrier catches on shells,mag,receiver										
CD	Case dented										
сн	Closes hard										

· · · · · · · · · · · · · · · · · · ·										
ails to connect										
Fore-end cracked or broken:										
Follows-down	W									
ails to fire										
ails to feed from magazine		***								
Flat firing pin			200.							
				War.						
Fires when safe is released // // // // // // // // // // // // //										
Gas cyl shot off										
Guide ring shot off										
ligh pressure ammo		**								
Hard under extractor		20000					.	200.		
nt. latch out of position					. 488.				·	
nt. latch ret. Missing				***************************************						
nt. latch stud broken										<i>2000</i>
nt. latch spring out of position					·			2000	ř	
lumps latch										
lars off									1000000	
ight blow								2,000		
Aagazine cap shot off									2000 E	
Magazine capacity wrong										
Aisfires (ammo)										
Magazine follower out of position										
Aagazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lires on safe lires when safe is released las cyl shot off luide ring shot off ligh pressure ammo lard under extractor lit. latch out of position lit. latch stud broken lit. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lighen hard lites hard	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lines on safe lines when safe is released lines cyl shot off ligh pressure ammo lard under extractor litt. latch out of position litt. latch stud broken litt. latch stud broken litt. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lipens hard lulls hard	ore-end cracked or broken: ollows-down alls to fire alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard unlis hard	ore-end cracked or brisken: ollows-down aits to fire aits to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine loads hard upens hard ulls hard	ore-end cracked or broken; ollows-down alls to fire alls to fire alls to reed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine capacity wrong lagazine follower out of position lagazine loads hard ippens hard ulls hard	ore-end cracked or broken: collows-down altisto feed from magazine altisting pin ares on safe ares when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor at latch out of position at latch ret. Missing at latch stud broken at latch spring out of position ares off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard pens hard uits hard	ore-end cracked or broken: ollows-down alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo and under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch as off ight blow lagazine capacity wrong lagazine capacity wrong lagazine loads hard uits hard	ore-end cracked or broken: collows-down dits to fire dits to feed from magazine lat firing pin lines on safe lines when safe is released las cyl shot off ligh pressure ammo land under extractor lat. latch out of position lat. latch stud broken lat. latch stud broken lat. latch spring out of position lat. latch spring out of position lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine loads hard lagazine day lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard	ore-end cracked or broken: ollows-down alls to freed from magazine lat firing pin iries on safe iries when safe is released ass cyl shot off uide ring shot off igh pressure ammo and under extractor at. latch out of position at. latch spring out of position are soff in the spring out of position it. latch spring out of position it. latch assorting out of position it. latch capacity wrong lagazine capacity wrong lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine down and la	ore-end crapked or broken: ollows-down alls to freed from magazine lat firing pin iriss on safe iriss when safe is released as cyl shot off uide ring shot off uide r

PSM.	Proof stamp mussing					-			
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber								
SBC	Stems bottom chambers		2						
SBCL	Shell binds carrier latch								
SBE	Stems bbl extension			On.		-			
SCB	Stock cracked or broken	113			,				
SCX	Shell catches								
SHI	Short indent	Å.							
SIC	Stems in chamber					***			
SL	shaves lead		200				Sec		
SLC	Stems left side of chamber				, , , , , ,				
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								
SRIC	Specific rings in chamber								
ssc	shell stems carrier					-			_
STC	Stems top chamber								4
SWE	Safety switch works too easily					***************************************	2000		#
SWH	Safety switch works too hard								4
sww	Safety ewitxh won't work								┛,
TD	Tips down								_
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard					-			
XH	Extracts hard								

















Subject to Protective Order - Williams v. Remington

BAC

BCOE

BLOP

BSCO

CBS-F

CBS-L

CC

CD

СН

ВВ

вс

Burr at chamber

Blows cases

Case dented

Closes hard

Bolt binds/catches

Bolt catches on ejector

Barrel support came out

Bar lock or disconnector out of position

Shells catch on bbl support-feeding

Shells catch on bbl support-loading

Carrier catches on shells,mag,receiver


Summ		est + Proof Failures Total Rejected: Overall Reject Rate:	0 0									
	Proof	Shot: Rejected Percent:	0	0	0	0	0	0	0	0	0	0
	Test	Shat Rejected Percent	9	9	0	0	0	0	0	0	o	0
	Target	Shat: Rejected: Percent.	0	0	0	0	0	0	0	O	0	0
CODE	MALFUN	CTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
AB	Action binds				Andrews Andrew							
ASFB	Action spring follow	ver binds			-							Maria
BABS	Bulge at body shou	ılder					:					

CHAB	Carrier hits action bar									
CLM	Can't laod magazine									***************************************
co	Cut-off	- Marie								
CR	Guts rim									
cs	Cases swell									
стос	Chamber torn or gouged			2000						
CTP	Creepy trigger pull				On.					
CWSB	Cams wrong side of action bar									
DBB	Doesn't blow back									
DCS	Double click in safely switch									
DCT	Double click in trigger									
DCU	Doesn't close-up		77.43					<u> </u>		***************************************
DE	Doesn't eject								101.	
DEL	Doesn't eject live round				***************************************					
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					·			Š.	
DLU	Doesn't lock-up									
DS	Dead safe									3 4
DSM	Drops shell-magazine									
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

· · · · · · · · · · · · · · · · · · ·										
ails to connect										
Fore-end cracked or broken:										
Follows-down	W									
ails to fire										
ails to feed from magazine		***								
Flat firing pin			200.							
				War.						
Fires when safe is released // // // // // // // // // // // // //										
Gas cyl shot off										
Guide ring shot off										
ligh pressure ammo		**								
Hard under extractor		20000					.	200.		
nt. latch out of position					. 488.				·	
nt. latch ret. Missing				***************************************						
nt. latch stud broken										<i>2000</i>
nt. latch spring out of position					·			2000	ř	
lumps latch										
lars off									1000000	
ight blow								2,000		
Aagazine cap shot off									2000 E	
Magazine capacity wrong										
Aisfires (ammo)										
Magazine follower out of position										
Aagazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lires on safe lires when safe is released las cyl shot off luide ring shot off ligh pressure ammo lard under extractor lit. latch out of position lit. latch stud broken lit. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lighen hard lites hard	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lines on safe lines when safe is released lines cyl shot off ligh pressure ammo lard under extractor litt. latch out of position litt. latch stud broken litt. latch stud broken litt. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lipens hard lulls hard	ore-end cracked or broken: ollows-down alls to fire alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard unlis hard	ore-end cracked or brisken: ollows-down aits to fire aits to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine loads hard upens hard ulls hard	ore-end cracked or broken; ollows-down alls to fire alls to fire alls to reed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine capacity wrong lagazine follower out of position lagazine loads hard ippens hard ulls hard	ore-end cracked or broken: collows-down altisto feed from magazine altisting pin ares on safe ares when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor at latch out of position at latch ret. Missing at latch stud broken at latch spring out of position ares off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard pens hard uits hard	ore-end cracked or broken: ollows-down alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo and under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch as off ight blow lagazine capacity wrong lagazine capacity wrong lagazine loads hard uits hard	ore-end cracked or broken: collows-down dits to fire dits to feed from magazine lat firing pin lines on safe lines when safe is released las cyl shot off ligh pressure ammo land under extractor lat. latch out of position lat. latch stud broken lat. latch stud broken lat. latch spring out of position lat. latch spring out of position lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine loads hard lagazine day lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard	ore-end cracked or broken: ollows-down alls to freed from magazine lat firing pin iries on safe iries when safe is released ass cyl shot off uide ring shot off igh pressure ammo and under extractor at. latch out of position at. latch spring out of position are soff in the spring out of position it. latch spring out of position it. latch assorting out of position it. latch capacity wrong lagazine capacity wrong lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine down and la	ore-end crapked or broken: ollows-down alls to freed from magazine lat firing pin iriss on safe iriss when safe is released as cyl shot off uide ring shot off uide r

			 ,						
PSM	Proof stamp massing								
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work	- 344							
RIC	Rings in chamber								
SBC	Stems bottom chambers								
SBCL	Shell binds carrier latch								
SBE	Stems bbl extension			Was.					
SCB	Stock cracked or broken	***							
SCX	Shell catches								
SHI	Short indent	<u></u>							
SIC	Stems in chamber					***			
SL	shaves lead						ev.		
SLC	Stems left side of chamber				1.488			·	
SMOC	Stretch marks on case								
SRC	Stems right side of chamber								1000
SRIC	Specific rings in chamber							ř.	
SSC	shell stems carrier								
STC	Stems top chamber								
SWE	Safety switch works too easily						2000		
SWH	Safety switch works too hard								
sww	Safety ewitxh won't work								
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded								
хн	Extracts hard								
TWP TWR UNCN-T	Trigger won't pull Trigger won't retract Uncoded								





Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

Summary

Total Test + Proof Failures

Total Rejected:


0


0

1										
CHAB	Carrier hits action bar									
CLM	Can't laod magazine									
co	Cut-off	260								
CR	Cuts.rim									
cs	Cases swell									
стос	Chamber torn or gouged			300						
CTP	Creepy trigger pull				Ore.					
CWSB	Cams wrong side of action bar	- 1%								
DBB	Doesn't blow back									
DCS	Double click in safety switch			<u> </u>						
DCT	Double click in trigger									
DCU	Doesn't close-up		779					<u> </u>		
DE	Doesn't eject								100.	
DEL	Doesn't eject live round									
DFU	Doesn't feed up									
DLO	Doesn't lock open (after last shell)					,			Š	
DLU	Doesn't lock-up									
DS	Dead safe									
DSM	Drops shell-magazine							*****		
DTL	Doesn't trip latch									
DX	Doesn't extract									
DXL	Doesn't extract live round									
EDS	Extractor drops shell									
ESB	Ejector sticks back									
ESS	Extractor stems shell									
FA	Fires automatically									
FB	Follower binds									

/											
PSM_	Proof stamp missing										
RBOC	Rings and bulges on case										
RDW	(Action) release doesn't work	34.									
RIC	Rings in chamber										
SBC	Stems bottom chambers										
SBCL	Shell binds carrier latch			:8a.							
SBE	Stems bbl extension				War.						
SCB	Stock cracked or broken	***									
SCX	Shell catches										
SHI	Short indent	- A									
SIC	Stems in chamber										
SL	shaves lead		200					ev.			
SLC	Stems left side of chamber					1.488					
SMOC	Stretch marks on case										
SRC	Stems right side of chamber									<i>11100</i>	
SRIC	Specific rings in chamber								ř		
SSC	shell stems carrier										
STC	Stems top chamber										
SWE	Safety switch works too easily							2000			
SWH	Safety switch works too hard										
sww	Safety ewitxh won't work										***
TD	Tips down										
TU	Tips up										
TWP	Trigger won't pull										
TWR	Trigger won't retract										
UNCN-T	Uncoded										
хн	Extracts hard										

	///////////////////////////////////////												_	
XHB	Extractor hits bibl													
													_	
HI	High							***************************************						
LO	Low							-						
LEFT	Left							-						
RIGHT	Right			: ::::::::::::::::::::::::::::::::::::				-						
DG	Doesn't Group				Oo.			***************************************						
FSST	Front sight tipped	***			100000			***************************************	***************************************					
RSTT	Rear sight tipped													
RSBR	Rear sight base raised	Ź												
FSTR	Front sight raised													
FSTL	Front sight loose		779							80.				
RSTL	Rear sight loose													
MGPT-G	Missing parts at target				****		.							
UNCN-G	Uncoded nonconformity at target					1000						<i>#</i>		
				_			:	**************************************			<u> </u>		_ 200	
AI-P	Assembly incompleye at proof]	ĝ.
BC-P	Blows cases at proof													:
BEB-P	Barrel extension broken at proof									2000				
BLP-P	Blanked primer at proof													
BP-P	Blown primer at proof]	
BS-P	Barrel split at proof]	
DLOS-P	Doesn't lock over shells at proof													
ESB-P	Ejector sticks back at proof													
FCB-P	Fore-end cracked at proof													
FESO-P	Fore-end shot off at proof													
FF-P	Fails to fire at proof													





Subject to Protective Order - Williams v. Remington










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

Summa	Total Rejecti Overall Reject Ra	ed: 0									
	Proof Reject Perce	ent	0	0	0	0	0	0	0	0	0
	Test Reject Perg	ent:	Ø	0	0	0	0	0	0	0	0
	Target Reject Perce	ed: 0 ent:		0	0	0	0	0	o	0	0
CODE	MALFUNCTION INDEX	1187 Super Mag	1187 12Ga	1187 20Ga	1100 12Ga	1100 16Ga	1100 20Ga	1100 28Ga	1100 410Ga	870 12Ga	870 16Ga
АВ	Action binds										




CHAB

Carrier hits action bar

· · · · · · · · · · · · · · · · · · ·										
ails to connect										
Fore-end cracked or broken:										
Follows-down	W									
ails to fire										
ails to feed from magazine		***								
Flat firing pin			200.							
				War.						
Fires when safe is released // // // // // // // // // // // // //										
Gas cyl shot off										
Guide ring shot off										
ligh pressure ammo		**								
Hard under extractor		2000					.	200.		
nt. latch out of position					. 488.				·	
nt. latch ret. Missing				***************************************						
nt. latch stud broken										<i>2000</i>
nt. latch spring out of position					·			2000	ř	
lumps latch										
lars off									1000000	
ight blow								2,000		
Aagazine cap shot off									2000 E	
Magazine capacity wrong										
Aisfires (ammo)										
Magazine follower out of position										
Aagazine loads hard										
Opens hard										
Pulls hard										
Proof stamp illegible										
	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lires on safe lires when safe is released las cyl shot off luide ring shot off ligh pressure ammo lard under extractor lit. latch out of position lit. latch stud broken lit. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lighen hard lites hard	ore-end cracked or broken: collows-down alls to fire alls to feed from magazine lat firing pin lines on safe lines when safe is released lines cyl shot off ligh pressure ammo lard under extractor litt. latch out of position litt. latch stud broken litt. latch stud broken litt. latch spring out of position lumps latch lars off light blow lagazine cap shot off lagazine capacity wrong lisfires (ammo) lagazine loads hard lipens hard lulls hard	ore-end cracked or broken: ollows-down alls to fire alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard unlis hard	ore-end cracked or brisken: ollows-down aits to fire aits to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine cap shot off lagazine capacity wrong lagazine loads hard upens hard ulls hard	ore-end cracked or broken; ollows-down alls to fire alls to fire alls to reed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor it. latch out of position it. latch stud broken it. latch spring out of position umps latch ars off ight blow lagazine capacity wrong lagazine follower out of position lagazine loads hard ippens hard ulls hard	ore-end cracked or broken: collows-down altisto feed from magazine altisting pin ares on safe ares when safe is released as cyl shot off uide ring shot off igh pressure ammo ard under extractor at latch out of position at latch ret. Missing at latch stud broken at latch spring out of position ares off ight blow lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard pens hard uits hard	ore-end cracked or broken: ollows-down alls to feed from magazine lat firing pin ires on safe ires when safe is released as cyl shot off uide ring shot off igh pressure ammo and under extractor it. latch out of position it. latch stud broken it. latch stud broken it. latch spring out of position umps latch as off ight blow lagazine capacity wrong lagazine capacity wrong lagazine loads hard uits hard	ore-end cracked or broken: collows-down dits to fire dits to feed from magazine lat firing pin lines on safe lines when safe is released las cyl shot off ligh pressure ammo land under extractor lat. latch out of position lat. latch stud broken lat. latch stud broken lat. latch spring out of position lat. latch spring out of position lagazine cap shot off lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine loads hard lagazine day lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard lagazine day lagazine loads hard lagazine loads hard lagazine day lagazine loads hard	ore-end cracked or broken: ollows-down alls to freed from magazine lat firing pin iries on safe iries when safe is released ass cyl shot off uide ring shot off igh pressure ammo and under extractor at. latch out of position at. latch spring out of position are soff in the spring out of position it. latch spring out of position it. latch assorting out of position it. latch capacity wrong lagazine capacity wrong lagazine capacity wrong lagazine follower out of position lagazine loads hard lagazine loads hard lagazine loads hard lagazine down and la	ore-end crapked or broken: ollows-down alls to freed from magazine lat firing pin iriss on safe iriss when safe is released as cyl shot off uide ring shot off uide r

	//////////////////////////////////////										_
XHB.	Extractor hits:bbil										
				•			,				_
HI 🐰	High										
LO 🤻	Low										
LEFT	Left										
RIGHT	Right			- St							
DG	Doesn't Group				Steen.						
FSST	Front sight tipped	*16									
RSTT	Rear sight tipped	,									
RSBR	Rear sight base raised	<i>i</i>									
FSTR	Front sight raised					***					
FSTL	Front sight loose		200					So.			
RSTL	Rear sight loose										
MGPT-G	Missing parts at target										
UNCN-G	Uncoded nonconformity at target									Mar	
						·····			<u>.</u>		_
AI-P	Assembly incompleye at proof										
BC-P	Blows cases at proof										
BEB-P	Barrel extension broken at proof							2000			
BLP-P	Blanked primer at proof										
BP-P	Blown primer at proof										
BS-P	Barrel split at proof										
DLOS-P	Doesn't lock over shells at proof										
ESB-P	Ejector sticks back at proof										
FCB-P	Fore-end cracked at proof										
FESO-P	Fore-end shot off at proof										
FF-P	Fails to fire at proof										





Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington