Н
H
Ħ
0
0
μ
0
∞
S
∞
N

Su		est + Proof Failures Total Rejected: Overall Reject Rate:	5961 502 8.42						
	Proof	Shot:	3046	205	157	1334	11	141	19
	Proof	Shot: [Rejected:	3	0	3	3	0	0	0
		Percent Sher [0.1	0.0	1.9	0.2	0.0	0.0	0.0
	7est	Shot [2115	151	464	1581	489	165	
	Test	Rejected:	147	22	4 6	128	18	4	0
		Rejected: Percent: Shel: [Rejected: Parcent: Shot: [Rejected:	7.0	14.6	9.9	8.1	3.7	2.4	
		Shot:	125	5	35	97		162	
	Target	950000000000000000000000000000000000000	0	.000000 386 199900	>>> O	0	0	42	0
	3	Percent:	0.0	0.0	0.0	0.0		25.9	

	<u> </u>	586000	33333 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX					
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
		1,000		/ /////	k			
AB	Action binds			////			30ec.	
BABS	Bulge at body shoulder			1				
BAC	Burr at chamber	34	6	8		9		
BBMA	BBL-to-bolt misalignment			**			- 3000	
BB	Bolt binds/catches	22	4	16	19	6		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower					4	1	
BC	Blows cases							
BHR	Bolt hits receiver						***	
BHS	Bolt plug hits safety switch							1444
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							
BWCFM	Bolt won't close over full magazine	5	1		8			
CD	Case dented							

ŀ		ı	
	-	ŧ	
į	=	İ	
()	
r		1	
l		1	
()	
(X)	
Ć	3	١	
ĺ	X)	
ĺ	á	١	

	XXXXXXXXX							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
сн сі	loses hard	5	4	4	48			
CLM Ca	an't load magazine				1			
co çı	ut-off							
CR Ci	uuts rim							
CS Ca	ases swell							
CTOG CI	hamber torn or goug ed							
CTP Cr	reepy trigger pull							
CWSB Ca	ams wrong side of action bar				86a.			
DBB Do	oesn't blow back							
DCS Do	ouble click in safety switch	****	***		***************************************	*		
DCT Do	ouble click in trigger							
DCU Da	oesn't close-up		,,				Žillion.	
DE Do	oesn't eject	2					1	y.
DEL DO	oesn't eject live round							
DFB Do	oesn't feed back				4444			
DFU Do	oesn't feed up							
DLO Do	oesn't lock open (after last shell)					;		
DLU Do	oesn't lock-up					Ÿ		
DS De	ead safe	1			2		488	
DX De	oesn't extract	2		1				
DXL Do	oesn't extract live round							
EDS Ex	xtractor drops shell	1		2	7		2	
ESB Ej	jector sticks back	1						
ESCR Er	mpty shell catches receiver							
ESS Ex	xtractor stems shell							
FA Fir	ires automatically							
FB Fo	ollower binds							

۱	4	ı	
L	TT \$700		
ĺ	-		
(ŧ	
¢	_	١	
ŀ	_1	L	
(]	ŧ	
ĺ	χ	١	
(7	ŀ	
ĺ	λ	Þ	
J			

***************************************	//////////////////////////////////////							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Fallows-down							
FF	Fails to fire			1				
FFP	Flat firing pin	"						
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim				Št			
FPO	Floor plate opens	14			6.	1		
FPOH	Floor plate opens hard					*		
FSR	Fires when safe is released	***		/////				
FT	Follower tips		,,		3		Žillion.	
GCSO	Gas cyl shot off							y.
HBL	Heavy bolt lift	3		4	/ /8//			
HMSC	Heading mismatch-steps on case				**************************************			
HPA	High pressure ammo							
HUR	Hard under rail	15				,		
JCS	Jumps cartridge					9		
JM	Jumps magazine	4			1	2	400	
10	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong				***************************************			
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							

Н	
H	
Ŧ	
0	
0	
\mathbf{H}	
0	
∞	
S	
∞	
ĹЛ	

755577				_			
MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Magazine removes hard							
Opens hard							
Over-rides	16		2				
Pulls hard							
Proof stamp illegible	""						
Proof stamp missing							
Rings and bulges on case							
(Action) release doesn't work				Št			
Rings in chamber	4	7	3	3.			
Ring in sholder	*****			3	*		
Rim srem	- 20		/////				
Stems bottom chambers			<i>333</i>				
Stems bbl extension							· /-
Stock cracked or broken			***	7 ////		////	l War
Shell catches				*****			
Short indent							
Stems incline	1		2				
Stems in chamber				1	97	10000	
shaves lead							
Stems left side of chamber							
Stretch marks on case							
Stem over-ride	8		2	6			
Stems port							
Shoulder rough							
Stems right side of chamber							
Specific rings in chamber							
Surface scratches on case							
	Malfunction index Magazine removes hard Opens hard Over-rides Proof stamp slegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems port Shoulder rough Stems right side of chamber Stems right side of chamber Stems right side of chamber	MALFUNCTION INDEX Magazine removes hard Opens fixed Over-vides 16 Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Ring in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems port Shoulder rough Stems right side of chamber MALFUNCTION INDEX 700 SPS SS Magazine removes hard Opens hard Over-rides 16 Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stems port Shoulder rough Stems right side of chamber Specific rings in chamber	Malazine removes hard Dens hard	Magazine removes hard Opens hard Opens hard Over-ridges 16 2 Rulls hard Proof stamp sillégible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Ring rem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chamber Stems lad ches Short indent Stems left side of chamber Stems left side of chamber Stems port Stems port Stems port Stems port Stems port Stems port Stems right side of chamber Specific rings in chamber	MALFUNCTION INDEX 700 SPS 700 SPS 700 SPS ADL & ADL 700 SS 700 CDL Magazire removes herd Dens, hard Dens, hard Dever-races 16 2 2 2 2 2 2 2 2 2 2 2 2 2	MALFUNCTION INDEX 700 SPS SS 700 BDL & ADL T00 SPS ADL & ADL 700 SPS ADL 700 SS ADL 700 SPS ADL 700 SPS ADL 700 SPS ADL 700 SPS ADL 700 SS ADL	

Н
H
Ħ
Ō
0
H
0
ω
S
ω
<u>a</u>

	/////////							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
src	Stems top chamber							
SWE	Safety switch works too easily.	1						
SWH	Safety switch works too hard	****::::						
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull	***						
TWR	Trigger won't retract				Sa			
UNCN-T	Uncoded				4			
хн	Extracts hard	8 8		# # //	2	*		

Н	High		,,					
LO	Low							
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group				***		42	//////
FSST	Front sight tipped							
RSTT	Rear sight tipped					3		
RSBR	Rear sight base raised				-		444	
FSTR	Front sight raised				****			
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
Al-P	Assembly incompleye at proof							
ввв	Barrel bracket cracked or broken at proof							

Ł	_	ı	
•		i	
ļ		i	
١	_	!	
۰	_	,)	
Ĺ	_	•	
	_	>	
`	Y	Ś	
ć	3	١	
i	X	j	
		J	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				dec.			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof			<i>2</i>		Ška		
FF-P	Fails to fire at proof	***						
GCSO-P	Gas cylinder shot off at proof		,-					
MSI-P	Magnaflux stamp illegible on bbl				###			,
MSM-P	Magnaflux stamp missing on bbl			****	<i>2.</i> /////			7 Marc
PP-P	Pierced primer at proof			1	*****			
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	3		2	3	5		

Н
Η
T
0
ō
\vdash
0
∞
9
œ
ω

						totals	700 totals	New Gen totals
406	132		390	197	13	6051	5319	719
a	3	0.	///// 2	0	0	14	9	5
0.0	23	0	2 0,5	0.0	0.0	0.2	0.2	0.7
	190	27 - 28 - 28 - 28 - 28 - 28	I 312 ·		13	5947	9779	639
35	5 -33333	0	//19	5	1	430	400	29
10.6	2.6	000000000	19 6.1	3.6	7.7	7.2	4.1	4.5
330		100000	9 ~~~	180	######################################	944	1763	189
0	0	0 ***	0 0.0	#6 8.9	0	58	42	16
0.0			0.0	8.9	Ö	6.1	2.4	8.5

XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals
							200000	
			2	4		6		6
					///			
4						70	70	
				**************************************		*********		
						67	67	
							****	2000000
						1	1	444


							_	
						14	14	


															.							
	-	1	1	1	1			T	Ι	Т	r si			Marin.	i i		I					Γ
totals								ო			2	-	6						1			
totals	89	*				**							1				e	3	14	4		
totals	68	-				Į		n			2	51	¢.				m	3	15	•		
Rimfire					***										***************************************	ana.			20000000			
7615																			-			
7600												****	6									
7500																						
7400								(r)			2											
888a	328					+													2			


												400 400			in Sistem							
													2000									
totals				3												2						
totais		*********	***************************************	*	***************************************		************	*******	IZ		100	10		15	*********	2	***************************************	 **********	••••••••••••••••••••••••••••••••••••••	***************************************	 	-
totals	-			4	***************************************				l z		e	ę		15		6						
Rimfire	***																					
7615					*****																	
7600				3												2						
7500																						
7400						÷																
XR-160																						


																	Ottore	** ***								
															***	eilill.				•						
			ı					1	7			 				ikeae e										
_ω														1000												
totals														ilian.				8				2				
					***************************************		***********					1999						******				*********				
si																										
totais			20						₩ %	6-3					888		3	۳				16				
					***************************************		**********						2000			**********		******								
totals			\$						Į,	m							3					18				
ţo														8												
				••••••														***************************************								
Rimfire									ecilii.																	
 LE.	******	**********		**********	ś											*********	*********	**********	*******	*********	***********	*********	**********	*************************	*******	
2				.00																						
7615										\$ 																
 					:	330. 3333		****		*								***************************************								
00																										
7600			receş																			2				
						negg Steve		*																		
7500	9999																									
7				geereri Staa	14.4.4 A A A																					
 .8888	2000 8000 8000	1000 1666	46.5			¢.			<u> </u>																	
7400					1.00																					
			1																							
B																										
XR-100																										
 		<u> </u>	<u> </u>					<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>									<u> </u>			


											Šeka.	nilli											
totals									•	3	9		2					Į					
totais		•					1	11				42											
totals		•						1	4	2	9	42	2					•	***************************************				
Rimfire	***************************************	***********		*******							 **********	**********	***********	***********	***********	*********	*********	***********	**********	***********	*******	************	**********
7615			- 3						4	8	9		2					1					
7600																							
7500																							
2400				***************************************															***************************************				
XR-168																							











CH	Closes hard
BAC	Burr at chamber
BB	Bolt binds/catches
FPO	Floor plate opens
RIC	Rings in chamber
SOR	Stem over-ride
HUR	Hard under rail
OR	Over-rides
DG	Doesn't Group
EDS	Extractor drops shell
BWCFM	Bolt won't close over full magazine
UNCM-P	Uncoded proof malfunctions
HBL	Heavy bolt lift
JM	
FT	Jumps magazine
	Follower tips
RIS	Ring in sholder
SI	Stems incline
DE	Doesn't eject
DS	Dead safe
DX	Doesn't extract
XH	Extracts hard
BCOF	Bolt catches on follower
CTOG	Chamber torn or gouged
FF	Fails to fire
SIC	Stems in chamber
UNCN-T	Uncoded
PP-P	Pierced primer at proof
AB	Action binds
BABS	Bulge at body shoulder
BBMA	BBL-to-bolt misalignment
BCOBS	Bolt catches on bolt stop
BC	Blows cases
BHR	Bolt hits receiver
BHS	
BLOP	Bolt plug hits safety switch
H- H	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
CD	Case dented
CLM	Can't load magazine
CO	Cut-off
CR	Cuts rim
CS &	Cases swell
CTP 💮	Creepy.trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double slick in trigger
DCU	Doesn't close-up
DEL	Doesn't eet live round
PLL XXXX	Indeput elegatuse toning



DFB	IDecorational back
	Doesn't feed back
DFU DLO	Doesn't feed up
DLU	Doesn't lock open (after last shell)
	Doesn't lock-up
DXL	Doesn't extract live round
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
FCB	Fore-end cracked or broken
FD	Follows-down
FFP	Flat firing pin
FOS	Fires on safe
FPHB	Firing pin hits bbl
FPHI	Firing pin hits inside rim
FPOH	Floor plate opens hard
FSR	Fires when safe is released
GCSO	Gas cyl shot off
HMSC	Heading mismatch-steps on case
HPA	High pressure ammo
JCS	Jumps cartridge
JO	Jars off
LB	Light blow
MAH	Magazine assembles trarts
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine loose
MLH	Magazine loads hard
MRH	Magazine removes hard
ОН	Opens hard
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RBOC	Rings and bulges on case
RDW	(Action) release doesn't work
RS	Rim srem
SBC	Stems bottom chambers
SBE	Stems bbl extension
SCB	Qtnote opportunitation on
SCX	Shell catches
SHI	Shell catches Short indent
SL	shaves lead
SLC	Steins left side of chamber
SMOC	
SP	Stretch marks on case
	Stems.port
SR	Shoulder rough
SRC	Stems right side of chamber
SRIC	Specific rings in chamber



r	***************************************
ssoc	Surface scratches on case
STC	Stems top chamber
SWE	Safety switch works too easily
SWH	Safety switch works too hard
sww	Safety ewitxh won't work
סד	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
HI	High
LO	Low
LEFT	Left
RIGHT	Right
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
Al-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
ESB-P	Ejector sticks back at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnatias stamp flegible on bbl
MSM-P	Magnaflux stamp missing on bbl
SCB-P	Stock cracked or broken at proof
OOD-1	Lessessitatored outbishbaltsar binoi



8/13/2006

DBB	Doesn't blow back	7
ESB-P	Ejector sticks back at proof	-
DCU	Doesn't close-up	-
AB	Action binds	-
BABS	Bulge at body shoulder	-
BAC		
BBMA	Burr at chamber BBL-to-bolt misalignment	-

BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	_
BCOF	Bolt catches on follower	
BC	Blows cases	4,
BHR	Bolt hits receiver	_3
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	7
BWCFM	Bolt won't close over full magazine	
CD	Case dented	-
CH	Closes hard	
CLM	Can't load magazine	7
CO	Cut-off	
CR	Cuts rim	
CS	Cases swell	7
CTOG	Chamber forn or gouged	100
CTP		5.
CWSB	Creepy trigger pull Cams wrong side of action bar	₩.
*************		4
DCS	Double click in safety switch	4
DCT	Double click in trigger	
DE.	Doesn't eject	
DEL	Doesn't eject live round	4
DFB	Doesn't feed back	4
DFU	Doesn't feed up	╛
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	٦
ESB	Ejector sticks back	7
ESCR	Empty shell catches receiver	_
ESS	Extractor stems shell	
FA	Fires automatically	
FB	Follower binds	-
FC	Fails to connect	
FCB	Fore-end cracked or broken	-
FD	Follows-down	-
	Falls to fire	-
FFP S		-
FFP FOS	Flat firing pin	_
FUS SSS	Fires on safe	- 1



FPHB	Firing pin hits bbl	7
FPHI	Firing pin hits inside rim	4
FPO	Floor plate opens	-
FPOH		4
FSR	Floor plate opens hard	1
FT	Fires when safe is released	┨
<u> </u>	Follower tips	4
GCSO	Gas cyl shot off	-
HBL	Heavy bolt lift	į
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	- 483
HUR	Hard under rail	diam.
JCS	Jumps cartridge	
JM	Jumps magazine	
10	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	2000
MLH	Magazine loads hard	
MRH	Magazine removes hard	
ОН	Opens hard	Ì,
OR	Over-rides	
PH	Pulls hard	
PSI	Proof stamp illegible	2,488
PSM	Proof stamp missing],
RBOC	Rings and bulges on case	&
RDW	(Action) release doesn't work	
RIC	Rings in chamber	8
RIS	Ring in sholder	ř.
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Sterns bbl extension	
SCB	Stock cracked or broken	1
SCX	Shell catches	1
SHI	Short indent	1
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	1
SMOC	Stretch marks on case	
SOR	Stem over-ride	
SP	Stems port	
SR	Shoulds: rough	1
SRC	Stems right side of chamber	1
SRIC	Specific rings in chamber	1
SSOC	Surface scratches on case	
STC	Stems top chamber	1
SWE S	Safety switch works too easily	
SWH		
OVVIT 🛞	Safety switch works too hard	J
***	papago, "886888»	



SWW	Safety ewitxh won't work	1
TD	Tips down	1
TU	Tips up	1
TWP	Trigger won't pull	1
TWR	Trigger won't retract	1
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	Á
DG	Doesn't Group	S.
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	8
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	À
UNCN-G	Uncoded nonconformity at target	

AI-P	Assembly incompleye at proof	ľ
BBB	Barrel bracket cracked or broken at proof	Ô
BC-P	Blows cases at proof	90
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	
	(6)00000007	



FF	Fails to fire
AB	Action binds
JM	Jumps magazine
SOR	Stem over-ride
ESB-P	Ejector sticks back at proof
DE	Doesn't eject
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC BC	Blows cases
BHR	Bolt hits receiver
BHS	
BLOP	Bolt plug hits safety switch Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	
BWCD	Bolt stems shell in magazine Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
CH	Closes hard
CLM	Can't load magazine
<u>co</u>	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Chamber forn or gouged
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Pounic ouck in midder, accommodate
DCU	Doesn't close-up
DEL	Doesn't eject live found
DFB	Doesn't feed back
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DLU	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
DXL	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shalt catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC 🦠	Fails to connect
FCB	Fore-end cracked or broken
FD 🛞	Follows-down
	2000

FFP	Flat firing pin	7
FOS	Fires on safe	-
FPHB	Firing pin hits bbl	┥
FPHI		-
FPO	Firing pin hits inside rim	
	Floor plate opens	-{
FPOH FSR	Floor plate opens hard	
********************	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	- 4
HBL	Heavy bolt lift	-
HMSC	Heading mismatch-steps on case	3000
HPA	High pressure ammo	
HUR	Hard under rail	-
JCS	Jumps cartridge	
<u>10</u>	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard]
OH	Opens hard	Band.
OR	Over-rides	
РН	Pulls hard	
PSI	Proof stamp illegible	1 .
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	1
RIS	Ring in sholder	1
RS	Rim srem	1
SBC	Sterns bottom chambers	-
SBE	Stems bbl extension	-
SCB	Stock cracked of broken	1
SCX	Shell catches	-
SHI	Short indent	-
SI	Stems incline	-
SIC	Stems in chamber	-
SL	shaves lead	1
SLC	Stems left side of chamber	-
SMOC		-
	Stretch marks on case	
SP SR	Stems port	-
	Shoulder rough	-
SRC	Stems right side of chamber	4
SRIC	Specific rings in chamber	1
SSOC	Surface scratches on case	-
	Stems top shamber	
SWE	Safety switch works too easily	
SWH 🛞	Safety switch works too hard]
388	000000. 9000000°	

SWW	Safety ewitxh won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
UNCN-T	Uncoded
XH	Extracts hard

HI	High
LO	Low
LEFT	Left
RIGHT	Right
DG	Doesn't Group
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target

AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracked or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shells at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at preof
FF-P	Fails to fire at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnaflux stamp illegible on bbl
MSM-P	Magnaflux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
UNCM-P	Uncoded proof malfunctions
	Tarrana - Science Inguinitario (1985)



RIGHT	Right	1
AB	Action binds	1
HI	High	1
LO	Low	1
FSST	Front sight tipped	ł
EDS	Extractor drops shell	1
RSTL	Rear sight loose	ł
BABS	Bulge at body shoulder	ł
BAC		ł
	Burr at chamber	ł
BBMA	BBL-to-bolt misalignment	ł
BB	Bolt binds/catches	1
BCOBS	Bolt catches on bolt stop	ŀ
BCOF	Bolt catches on follower	ľ
BC	Blows cases	l
BHR	Bolt hits receiver	ļ
BHS	Bolt plug hits safety switch	ľ
BLOP	Bar lock or disconnector out of position	ŀ
BLSO	Barrel lug shot off	ľ
BPO	Bolt pulls out	1
BSSM	Bolt stems shell in magazine	1
BWCD	Bolt won't carn down	İ
BWCFM	Bolt won't close over full magazine	ŀ
CD	Case dented	ľ
CH CH	Closes hard	į
CLM	Can't load magazine	ľ
CO	Cut-off	ſ
CR	Cuts rim	l
CS	Cases swell	į
CTOG	Chamber torn or gouged	ŀ
CTP	Creepy trigger pull	ĺ
CWSB		ŀ
DBB	Cams wrong side of action bar	ł
DCS	Doesn't blow back	ł
	Double click in safety switch	ł
DCT	Double click in trigger	ł
DCU	Doesn't close-up	l
DE	Doesn't eject	l
DEL	Doesn't eject live round	
DFB	Doesn't feed back	l
DFU	Doesn't feed up	l
DLO	Doesn't look open (after last shell)	
DLU	Doesn't lock-up	Ì
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	١
ESB	Ejector sticks back	l
ESCR	Empty shell datches receiver	l
ESS	Extractor stems shell	l
FA ,	Fires automatically	l
FB Ø	Follower binds	
	Fails to connect	
		l
してひ 淡然	Fore-end cracked or broken	Ĺ

IFD	Follows-down	1
FF	Fails to fire	1
FFP	Flat firing pin	ł
FOS	Fires on safe	-
FPHB		-
	Firing pin hits bbl	ł
FPHI	Firing pin hits inside rim	1
FPO	Floor plate opens	ł
FPOH	Floor plate opens hard	4
FSR	Fires when safe is released	1
FT	Follower tips	4
GCSO	Gas cyl shot off	١,
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	1000
HPA	High pressure ammo	
HUR	Hard under rail	ļ.,
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	
LB	Light blow	1
МАН	Magazine assembles hard	30
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	1
ML.	Magazine loose	350
MLH	Magazine loads hard	
MRH	Magazine removes hard	966
OH	Opens hard	
OR OR	Over-rides	ŝ.
PH	Pulls hard	
IPSI	200000000000000000000000000000000000000	
	Proof stamp illegible	8.
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
(SHI	Short indent	
SI	Stems incline	
SIC	Sterns in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stem.over-ride	
SP .	Stems port	
SR &	Shoulder rough	
	Stems right side of chamber	
SRIC	Specific rings in chamber	
	Cobsoure miles receitanner	l

SSOC	Surface scratches on case		
STC	Stems top chamber		
SWE	Safety switch works too easily		
SWH	Safety switch works too hard		
SWW	Safety ewitxh won't work		
TD	Tips down		
TU	Tips up		
TWP	Trigger won't pull		
TWR	Trigger won't retract		
UNCN-T	Uncoded		
XH	Extracts hard		
LEFT	Left		
DG	Doesn't Group		
RSTT	Rear sight tipped		
RSBR	Rear sight base raised	33.	
FSTR	Front sight raised	488	
FSTL	Front sight loose		
MGPT-G	Missing parts at target		
UNCN-G	Uncoded nonconformity at target		
***************************************			Á
Al-P	Assembly incompleye at proof		
BBB	Barrel bracket cracked or broken	at proo	
BC-P	Blows cases at proof	1000	
BEB-P	Barrel extension broken at proof		कर्म्
BLP-P	Blanked primer at proof		50.0
BLSO-P	Barrel lug shot off at proof		

BP-P		70	
BP-P BS-P	Blown primer at proof	····	(000) (000) (000)
	Blown primer at proof Barrel split at proof	76 50.	
BS-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof		
BS-P DLOS-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof		
BS-P DLOS-P ESB-P FCB-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof		
BS-P DLOS-P ESB-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof		
BS-P DLOS-P ESB-P FCB-P FESO-P FF-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof		
BS-P DLOS-P ESB-P FCB-P FESO-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof		
BS-P DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		
BS-P DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P MSI-P MSM-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl Magnaflux stamp missing on bbl		
BS-P DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P MSI-P	Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		



		48 3 3.									
Sumi	nary	Total	Test + Pro	oof Failures	339						
			Tota	al Rejected:	8						
			Overall I	al Rejected: Reject Rate:	2.36						
				Shot:	81	3		2	5	40	4
		Proof		Rejected	1	0	0	0	0	0	0
				Rejected Percent, Shot	1.2			0.0	0.0	0.0	0.0
				Shot	83	<i></i>	113			28	
		Test		Rejected:	G	7	O	0	0	Đ	0
				Shot. Reje pted: Pergent:	0.0	7 12.1	0.0			0.0	
				SPOL.		₹ //A *//	1000011	4.		28	
		Target		Rejected:	0	0 0,0	0 .0	0	0	0	0
		J		Percent:		0.0	0.0	7///84///88///		0.0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			***********			***	X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************		*****			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases						2	
BHR	Bolt hits receiver		****					
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		****					
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine		***************************************				
CD	Case dented		***************************************				
СН	Closes hard		***************************************				
CLM	Can't load magazine		*				
со	Cut-off		830.				
CR	Cuts rim		₩				
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***	<u> </u>				
DCS	Double click in safety switch					880.	
DCT	Double click in trigger		-		****		
DCU	Doesn't close-up		1100	***************************************			
DE	Doesn't eject		400	***			
DEL	Doesn't eject live round				2000		
DFB	Doesn't feed back						
DFU	Doesn't feed up		-				
DLO	Doesn't lock open (after last shell)		1100			*****	
DLU	Doesn't lock-up						** //**
DS	Dead safe						14///
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell		м				

Fires automatically

FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end gracked of broken							
FD	Follows-down		\$46.					
FF	Fails to fire		<i>*************************************</i>					
FFP	Flat firing pin							
FOS	Fires on safe	***						
FPHB	Firing pin hits bbl				* ***********************************			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***						
FPOH	Floor plate opens hard					Sto.		
FSR	Fires when safe is released				****			
FT	Follower tips						×	
GCSO	Gas cyl shot off			//&				
HBL	Heavy bolt lift				100			
HMSC	Heading mismatch-steps on case							di
HPA	High pressure ammo							
HUR	Hard under rail					*****		
JCS	Jumps cartridge					;		
JM	Jumps magazin e							
JO	Jars off							3
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


ML.

Magazine loose

5556665557 1-2556565655							
Specific rin gs in chamber							
Surface scratches on case							
Stems top.etismber							
Safety switch works too easily		on and a second					
Safety switch works too hard		dece.					
Safety ewitxh won't work		W					
Tips down							
Tips up							
Trigger won't pull							
Trigger won't retract							
Uncoded		//////////////////////////////////////			<i>M</i> ////		
Extracts hard						5co.	
		-		****			
High			******	.			*** ******
Low			***				
Left				**************************************			
Right		***************************************					
Doesn't Group		-					
Front sight tipped		***************************************				**************************************	
Rear sight tipped		***************************************				;	
Rear sight base raised		-					
Front sight raised		and the same of th					
Front sight loose		***************************************					
Rear sight loose		***************************************					
Missing parts at target							
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on asse Stems top etiamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scraticities on case Stems top shamber Safety switch works too easily Safety switch works foo hard Safety switch work Tips down Tips up Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top etiamber Safety switch works too easily Safety switch works foo haid Safety ewitch work foo haid Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too bard Safety ewitch works Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target

Н
H
H
Ō
0
ᆫ
0
∞
J
Н
ĹΠ.


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		što.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				11/1/11		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***		****			
GCSO-P	Gas cylinder shot off at proof		***************************************	*********	.			
MSI-P	Magnaflux stamp illegible on bbl		***************************************	172				
MSM-P	Magnaflux stamp missing on bbl		-		100000			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	1					2000	
·				·	·	·		94680000 - 7949888000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000										
Summa	ary	Total	Test + Pro	oof Failures	0						
			Tota	al Rejected:	0						
			Overall R	al Rejected: Reject Rate:							
		Proof		Shot Rejected Percent Shot Rejected Percent	Militari.						
		Proof		Rejected.	0	0	0	0	0	0	0
				Percent	0	2000.					
				Shot.		₩₩#					
		Test	* ***	Reje cted :	а	0	O	0	0	Đ	0
				Percent:		0					
				Shot: Rejected:	.8888	¥	1 78888	<i>4</i> .			
		Target			0	9	ø	0	0	0	0
		-		Percent:	<i></i>						

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD


Bolt won't close over full magazine

Case dented

FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to comment	es.	***************************************					
FCB	Fore-end gracked of broken		**************************************					
FD	Folfows-down		244.					
FF	Fails to fire		W					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					<i>#</i>		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips							
GCSO	Gas cyl shot off		*******	1189				
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case		-					
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge						,	
JM	Jumps magazine		naantinaante					
JO	Jars off		ann ann ann ann ann ann ann ann ann ann					
LB	Light blow							
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low						
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof		-					
BLP-P	Blanked primer at proof		dece.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*			
ESB-P	Ejector sticks back at proof	I	I ////					
FCB-P	Fore-end cracked at proof		//////////////////////////////////////		***	11/11		
FESO-P	Fore-end shot off at proof						500.	
FF-P	Fails to fire at proof				- "W //			
GCSO-P	Gas cylinder shot off at proof			*******				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl		-		******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				2006	
			•	•	•		;	














Subject to Protective Order - Williams v. Remington

	100000000										
Summ	ary			of Failures							
Summ			Total	Rejected: eject Rate:	96						
8 88 87	****		Overall Re	eject Rate:	11.65						
				Shot:	288	94	38	192		33	5
	**********	Proof		Rejected	\$\$\$\$\$\$\$ #	0	0	1	0	0	0
				Percent: Shot	0.3	0.0	0.0	0.5		0.0	0.0
				Shot	75	79.	73	117	190	72	
		Test		Rejected:	11.	0	9	38	3	1	0
		,		Shot: Rejeçted; Percent:	11. 14.7	0.0	9 .12.3	32.5	1.6	1.4	
				SPOL	11	2	`````````3	7		72	
		Target		Rejected:	0 333	9/	0	0	0	14	0
				Percent:	0. Q	0.0	0 .0	0		19.4	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*******			***	X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber	5	***************************************	1	1			
BBMA	BBL-to-bolt misalignment		***************************************		****			
ВВ	Bolt binds/catches		***************************************	2	6	3/		
BCOBS	Bolt catches on bolt stop		The services					
BCOF	Bolt catches on follower		***************************************				1	
ВС	Blows cases						,	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							

ŀ	4	
L	-	
l	기 기 기	
(0	
Ć	0	
ŀ	_	
)	
(α	
•	J	
ĺ	ú	
ţ	Л	

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand				19			
CLM	Can't laod magazine		-					
СО	Cut-off							
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	· · · · //						
CTP	Creepy trigger pull				***			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***						
DCS	Double click in safety switch		***			***	560.	
DCT	Double click in trigger				***			
DCU	Doesn't close-up			***************************************				
DE	Doesn't eject							
DEL	Doesn't eject live round				******			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)		***************************************				****	
DLU	Doesn't lock-up						*	**
DS	Dead safe				1			***//
DX	Doesn't extract	1						
DXL	Doesn't extract live round							
EDS	Extractor drops shell				4			
ESB	Ejector sticks back		MARKET 1					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

FA.

Fires automatically


ML	Magazine loose						
MALH	Magazine loads hard						
MRH	Magazine removes hard	.,.					
ОН	Opens hard						
OR	Over-indes	1	žto.	1			
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	- ".					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	. 449		2	5		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			170			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ž.	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride			1			
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						


SRIC	Specific rings in chamber		***************************************				
8500	Surface scratches on case		***************************************				
STC	Stems top chamber		-				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		dece.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	****					
хн	Extracts hard					Sec.	
			-	<i>III</i>	****		
HI	High		***************************************				
LO	Low		***************************************	100			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group					14	
FSST	Front sight tipped		***************************************			**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised		***************************************				******
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			-				


AI-P	Assembly incompleye at proof		ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD				
868	Barrel bracket cracked or broken at proof		***************************************				
BC-P	Blows cases at proof		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$45.				
BLSO-P	Barrel lug shot off at proof		W				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				*		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	1%			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	1	-		1	*****	


XR-100	7400	7500	7600	7615	Rimfire	totals
					*:00	


						7
						11
						1











Subject to Protective Order - Williams v. Remington

	۲	1
	t	ŧ
		1
	C)
	C	•
	F	
	C	
۱	α)
	_	J
	r	
	ø	١.

	1000000	***************************************									
Summ	any	Total		Proof Failures)					
			. T	otal Rejected:	103	•					
			Overa	otal Rejected: Il Reject Rate:	8.52	?					
		Proof		Shot: Rejected: Percent: Shot: Rejected: Percent:	450	12	42	411		19	3
	******	Proof	98F 9	Rejected	80000000 a	0	3	0	0	0	0
	***************************************			Percent. Shot	0 0.0	0.0	7.1	0.0		0.0	0.0
				Shot.	177	14	91	631		10	
		Test	š.	Shot. Reje sted :	10	-88800 ∩ -88800	δ δ	41	0	3	0
				Percent:	5.6	0 0. ¢	. 8.8	6.5		30.0	
				Shot:	7	*	8	. 19		7	
		Target		Rejected:	0 💥		, O	0 0.0	0	0	0
				Percent:	0.0	9	0.0	0.0		0.0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		renewa to the second					
BAC	Burr at chamber	4	***************************************	4				
BBMA	BBL-to-bolt misalignment		And the second s		*****			
ВВ	Bolt binds/catches	1	***************************************		5	10000		
BCOBS	Bolt catches on bolt stop		***				3.00	
BCOF	Bolt catches on follower		100000000000000000000000000000000000000				****	
ВС	Blows cases		-				;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch		110					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		****					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine	2			3			
CD	Case dented		***************************************					
СН	Closes hard	1	***************************************		15			
CLM	Can't laod magazine		National Property and Property					
со	Cut-off		\$45.					
CR	Cuts rim		***					
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***				<i>11/1</i> /11		
DCS	Double click in safety switch						Sax.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		***************************************	***			1	
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up						ž.	
DS	Dead safe				1			*****
DX	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		2		2	
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

FA.

Fires automatically

ML	Magazine loose						
BALH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-indes	1	žito.	1			
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	• • •					
RBOC	Rings and bulges on case				Militar.		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***		1	1		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			****			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline	1				***************************************	
SIC	Stems in chamber				1	ž	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride			1	6		
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						


pecific rings in chamber furface scratches on case sterns top chamber safety switch works too easily afety switch works too hard							
terns top chamber afety switch works too easily							
atety switch works too easily							


afety switch works too hard							
		žec.					
afety ewitxh www.it.t work		<i></i>					
ips down							
ïps up							
rigger won't pull							
rigger won't retract							
Incoded	***			1	11/10		
xtracts hard						Sec.	


ligh							itan
ow			****				
eft				**************************************			
tight							
oesn't Group						0000000	
ront sight tipped						****	
tear sight tipped						á	
tear sight base raised							
ront sight raised							
ront sight loose							
tear sight loose							
lissing parts at target							
Incoded nonconformity at target							
	ps down ps up igger won't pull igger won't retract incoded ktracts hard igh ow eft ight oesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose issing parts at target	ps down ps up igger won't pull igger won't retract incoded ktracts hard igh bw eft ight cesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose ear sight loose eissing parts at target	ps down ps up igger won't pull igger won't retract incoded ktracts hard igh bw eft ight pesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose issing parts at target	ps down ps up igger won't pull igger won't retract incoded ktracts hard igh bw eft ight pesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose	ps down ps up rigger won't pull rigger won't retract ncoded 1 ktracts hard igh ow eft right pesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight raised ront sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose ear sight loose	ps down ps up rigger won't pull rigger won't retract ncoded 1 Atracts hard 1 out off gh out out out out out out out out out ou	ps down ps up igger won't pull igger won't retract ncoded 1 Atracts hard igh ow off ight pesn't Group ront sight tipped ear sight tipped ear sight tipped ear sight tose raised ront sight loose ear sight loose


	ł .	I					
eye at proof cked pr broken at proof							
rsken at proof							
proof		day.					
at proof		W					
oof							
1/00/9997 I	···						
shells at proof							
cat proof							
at proof					<i>#</i>		
at proof						Seo.	
of		***************************************		****			
off at proof		***********					
illegible on bbl		410444					
missing on bbl		***************************************		**************************************			
proof		**********	1				
proken at proof		-					
lfunctions		***************************************	2			*****	
	cked or broken at proof pof proof proof at proof shells at proof at proof at proof at proof at proof off at proof conditions at proof off at proof conditions	prof proof	proof proof	proof proof	proof proof	origination at proof pro	prof proof at proof shells at proof


				20000007 - 000	1999. 199	dodo, postolete
XR-100	7400	7500	7600	7615	Rimfire	totals
					**********	//////
			1			1
4						12
						6











Subject to Protective Order - Williams v. Remington

	-		
L	-	ŧ	
l	-	ı	
¢	_)	
	_		
-	X		
	_		
	J		
ĺ	ĭ	١	

	1000000000									
Summa	ary		Test + Proof Failure							
Summ			Total Rejected	f: 85						
			Overall Reject Rate	e: 8.70						
			Shot Rejecte	516		43	189	4		6
	*********	Proof	Rejecte	1 0	0	0	0	0	0	0
	***************************************		Shot Rejisoter Percer Shot Rejepter Percer	t 0.0	.2000	0.0	0.0	0.0		0.0
			Sho	369	<i>3008</i>	73	184	135		
		Test	Rejepte	1 46	0	8	12	12	0	0
			Shoi Rejepter Percen			8 .11.0	6. <i>5</i>	8.9		
			Shor	. 18	1000	`````` 6	18			
		Target	Rejecte		9 //	Ø	0	0	0	0
		3	Percen		9	0.0	0 00			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			********				>>	
AB	Action binds							
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber	17	***************************************	3	1	9		
BBMA	BBL-to-bolt misalignment		and the same of th		7700			
ВВ	Bolt binds/catches	4	and the same of th	1	2			
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		of the same of the				*****	
ВС	Blows cases		Palatetala				;	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					
BHS	Bolt plug hits safety switch		The state of the s					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out		**************************************					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		-					

BWCFM	Bolt won't close over full magazine	2					
CD	Case dented						
СН	Closes hard				1		
CLM	Can't laod magazine						
co	Cut-off		što.				
CR	Cuts rim		<i></i>				
cs	Cases swell						
CTOG	Chamber tom or gouged	• • •					
CTP	Creepy trigger pull				*** *********************************		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 44					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***************************************			
DE	Doesn't eject			***			
DEL	Doesn't eject live round				1918		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					á	
DS	Dead safe						
XD	Doesn't extract			1			
DXL	Doesn't extract live round						
EDS	Extractor drops shell			1			
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked of broken							
FD	Folfows-down		áss.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	3			1			
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released				***			
FT	Follower tips			***************************************	1			
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift	1			1			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail	11						
JCS	Jumps cartridge						Ä	**
JM	Jumps magazin e	1				2		- 4///
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


									_
ML	Magazine logse								
MLH	Magazine loads hard								
MRH	Magazine removes hard								1
ОН	Opens hard								1
OR	Over-ndes	7	doo.						1
PH	Pulls hard		<i>-</i>						1
PSI	Proof stamp illegible								1
PSM	Proof stamp missing								1
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber	***	//////////////////////////////////////		***	Ma			1
RIS	Ring in sholder				3		Sec.		1
RS	Rim srem			11/11/1	****				1
SBC	Stems bottom chambers							::::::::::::::::::::::::::::::::::::::	
SBE	Stems bbl extension			***					
SCB	Stock cracked or broken				**************************************				1
scx	Shell catches								1
SHI	Short indent								
SI	Stems incline			2			***************************************		
SIC	Stems in chamber						8		
SL	shaves lead							******	ľ
SLC	Stems left side of chamber								1
SMOC	Stretch marks on case								1
SOR	Stem over-ride								1
SP	Stems port								
SR	Shoulder rough								1
SRC	Stems right side of chamber								1
•	•		•	•	•	•	•		-


SRIC	Specific rin gs i n chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE 🤻	Safety switch works too essily							
SWH	Safety switch works too hard		den.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	1 ***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard				2		Sec.	


HI	High		***************************************					***
LO	Low			***				
LEFT	Left				******			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		1				200 j	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


IALD #	*	1	1		1		
AI-P	Assembly incompleye at proof						
868	Barrel bracket tracked or broken at proof		***************************************				
BC-P	Blows cases at proof		**********				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***				ilean.
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		-		*****		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			******	
							300000 (6000000)














Subject to Protective Order - Williams v. Remington

Summary	Total	Test + Proof Failures	924						
		Total Rejected: Overall Reject Rate:	55						
		Overall Reject Rate:	5.95						
	Proof	Shot: Rejected:	683		3	126			
Ť.	Proof	Rejected	0	0	0	2	0	0	0
		Percent		800	0.0	1.6			
		Shot.	521	<i>.</i>	11	111	164		
	Test	Shot. Reje cted :	30 5.8	0	O	10	3	0	0
		Shot: Resiscted: Percent: Shot: Rejested: Percent:	30 5,8	0	0.0	9.0	1.8		
		Shot:	39	3000	1888	. 7			
	Target	Rejected:	0 ::::::		Q	/////////O	0	0	0
	.	Percent:	0. Q	6	Û	0 0.0			


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			********		1 ************************************		X	
AB	Action binds						<i>i</i>	
BABS	Bulge at body shoulder		-					
BAC	Burr at chamber	1						
BBMA	BBL-to-bolt misalignment				*****		2000	
ВВ	Bolt binds/catches	3				3		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases						8	
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


-	55 000 00000000000000000000000000000000							
BWCFM	Bolt won't close over full magazine	1	***************************************					
CD	Case dented	-						
СН	Closes hard	1	1000		8			
CLM	Can't laod magazine							
со	Cut-off		data.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull				**************************************			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back				***	11/1/11		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger	-	11000		****			
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject	7-		***				
DEL	Doesn't eject live round				*****			
DFB	Doesn't feed back							
DFU	Doesn't feed up	*******	***************************************					
DLO	Doesn't lock open (after last shell)		**************************************				2000	
DLU	Doesn't lock-up						,	
DS	Dead safe		MATERIAL PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDR					***************************************
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************		1			
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-					


ML	Magazine logse						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard		***************************************				
OR	Overandes	3	ása.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber				1		
RIS	Ring in sholder					Sec.	
RS	Rim srem		***		****		
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension			· **			
SCB	Stock cracked or broken		-		**************************************		
SCX	Shell catches		-				
SHI	Short indent						
SI	Stems incline		***************************************			******	
SIC	Stems in chamber		***************************************			8	
SL	shaves lead						******
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride	7	***				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						


SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low						
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		-				
BC-P	Blows cases at proof	.,.					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$20.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	****					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof			1///	*** //		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		***************************************	//20			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions				2	*****	














Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000	1933 33 33.									
Summa	ary			Proof Failures							
Summa			T	otal Rejected:	17						
			Overa	otal Rejected: Il Reject Rate:	4.70						
		Proof		\$hot:	479		15	134		48	
	***************************************	Proof	### B	Rejected:	0	0	0	0	0	0	0
				Shot: Rejected: Percent Shot:	0 0.0	200a.	0.0	0.0		0.0	
		<i></i>		Shot.	223	300F	44	55			
		Test	*	Reje cted :	8	0	s 4	1	0	Ð	0
		, 55.		Reje cted: Percent:	3,6	0	4 9.1	1.8			
				€ SHOL	22	7 2000	4	5			
		Target		Rejected:	0 ///	9	Ø.0	0 90	0	O O	0
		901		Percent:	O.Q		0.0	0.0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			*******				580.	
AB	Action binds		***************************************		***			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************	1 22	1			
BBMA	BBL-to-bolt misalignment		***************************************		****			
ВВ	Bolt binds/catches	4	***************************************	4				
BCOBS	Bolt catches on bolt stop		The second secon			.,		
BCOF	Bolt catches on follower		**************************************				****	
ВС	Blows cases							
BHR	Bolt hits receiver		-					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		O-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							

۱	4	
i	T 00	
ŀ	_	
Ľ	-1	
Ę)	
ĺ)	
ŀ	_	
•	>	
	$\bar{\alpha}$	
١	Ľ	
١	J	
ĺ	700	
I	ú	

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		250.				
CR	Cuts rim		₩				
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					Sax.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***//			
DE	Doesn't eject			***			
DEL	Doesn't eject live round				1000000		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					ž.	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically		A					
FB	Follower binds							
FC	Fails to comect	,.						
FCB	Fore-end gracked or broken							
FD	Follows-down		\$20.					
FF	Fails to fire		- XX					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					<i>)</i>		
FPOH	Floor plate opens hard						Seo.	
FSR	Fires when safe is released		***************************************		**** //			
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	1184				
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge		1				×	
JM	Jumps magazin e							
10	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow							
MAH	Magazine assembles hard		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

ML,

MLH

MRH


Magazine loose

Magazine loads hard

Magazine removes hard


								_
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		\$45.					
sww	Safety ewitxh wont work							1
TD	Tips down							
TU	Tips up	• • •						
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	<i>200</i>		
XH	Extracts hard						Sec.	
HI	High		***************************************					
LO	Low		***************************************	****				
LEFT	Left				1918			
RIGHT	Right		***************************************					
DG	Doesn't Group							
FSST	Front sight tipped						**************************************	
RSTT	Rear sight tipped		1				***	
RSBR	Rear sight base raised							J.~
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
							_	
								-


Al-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof		-				
BLP-P	Blanked primer at proof		dece.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				*		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////		***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		-		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		-		******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************			2004	














Subject to Protective Order - Williams v. Remington

	777997777	200 00 000								
Summa	ary		Test + Proof Failures							
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
			\$hot:							
		Proof	Shot: Rejected: Percent: Shot: Rejected:	0	0	0	0	0	0	0
			Shot		₩ <i>₩</i>					
		Test	Shot: Rejected: Percent: Shot: Rejected: Percent: Shot:	o.	0	O	0	0	0	0
			- Spot:	.33333	¥	1988	Δ.			
		Target	Rejected: Percent:	0	0	O	0	0	0	ō

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*********			***	X	
AB	Action binds		**********	<i>/////</i>	**			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************		*****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop		The services			.,		
BCOF	Bolt catches on follower		***************************************				*****	
ВС	Blows cases						,	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							


Bolt won't close over full magazine								
Case dented								
Closes hand								
Can't laod magazine								
Cut-off		žto.						
Cuts rim								
Cases swell								
Chamber tom or gouged								
Creepy trigger pull								
Cams wrong side of action bar	00000000							
Doesn't blow back					<i>2</i> ////			
Double click in safety switch						Sto.		
Double click in trigger								
Doesn't close-up								
Doesn't eject			· **					
Doesn't eject live round				**************************************				
Doesn't feed back						2000000		
Doesn't feed up						20000000		
Doesn't lock open (after last shell)						**************************************		
Doesn't lock-up						ž		
Dead safe							******	
Doesn't extract								
Doesn't extract live round								
Extractor drops shell								
Ejector sticks back		_						
Empty shell catches receiver								
Extractor stems shell								
	Case dented Closes hard Can't lacid magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Dead safe Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't laed magazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Dead safe Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Ean't laod magazine Cuts-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't laced magazine Cuts-off Cuts nim Cases swell Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock-up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't extract ive round	Case dented Closes hard Can't lacid magazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject live round Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't eyer lock-up Doesn't eyer lock open (after last shell) Doesn't lock-up Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't Jadd rijagazine Cut-off Cuts rim Cases swell Chamber torn or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject live round Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't lock-up Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented Closes hard Can't laed megazine Cut-off Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't extract live round	Case dented Closes hard Cases savel Cuts rim Cases swell Chamber tom or gouged Creepy trigger puil Carns wrong side of action bar Doesn't blow back Double click in safety switch Double click in trigger Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed up Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Doesn't lock-up Doesn't eloct ive round Doesn't sed up Doesn't sed up Doesn't sed up Doesn't sed up Doesn't sed up Doesn't sed very Doesn't sed up Doesn't sed very Doesn't

ML	Magazine loose							
BALH	Magazine loads hard		***************************************					
MRH	Magazine removes hard	,.						
ОН	Opens hard		***************************************					
OR	Overandes		dus.					
PH	Pulls hard		- A.					
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	*****			***	*		
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers			***************************************				::::::::::::::::::::::::::::::::::::::
SBE	Stems bbl extension		-	779				
SCB	Stock cracked or broken				*****			
SCX	Shell catches		7			******		
SHI	Short indent]
SI	Stems incline						****	
SIC	Stems in chamber						,	
SL	shaves lead		***************************************					
SLC	Stems left side of chamber							
SMOC	Stretch marks on case		-					
SOR	Stem over-ride		***************************************					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rin gs in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	ika.				
SWW	Safety ewitxh won't work	***				
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull			***		
TWR	Trigger won't retract					
UNCN-T	Uncoded			***		
XH	Extracts hard				5ec.	

HI	High	***************************************				
LO	Low	400	/%			
LEFT	Left			100000		
RIGHT	Right	***************************************				
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				;	
RSBR	Rear sight base raised					****
FSTR	Front sight raised	***************************************				
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					

	4000000001 T1110000000							
AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		ika.					
BLSO-P	Barrel lug shot off at proof		***					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>1</i> ////////////////////////////////////		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof			<i>3///</i> 3	****			
GCSO-P	Gas cylinder shot off at proof			*********	.			
MSI-P	Magnaflux stamp illegible on bbl		1	· · ·				
MSM-P	Magnaflux stamp missing on bbl				******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						*****	
	·						;	0.800 (0.0000)




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000000000000000000000000000000000								
Summ	ary Totel	Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
<u>'</u>	Proof	Shot. Rejected: Percent: Shot. Rejected: Peicent:	*						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent	W 1998	×					
		Shot.	Boo. 1888	<i>¥</i>					
	Test	Rejected:	a.	0	O	o	0	Đ	0
		Rejected: Percent: Shot: Rejected:	46606066	0					
		Shot:		- 2000 P	**************************************	A .			
	Target		0 🧱	# 9	O C	0	0	0	0
	_	Percent:	0	0	O	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				>>	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		7788			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						370.00	
вс	Blows cases		-				;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down		on the same of the					

۲	ı
-	i
٠.	
•	1
)
C	>
Ē	
_	
)
α)
α)
c	>
Ξ	j

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
СО	Cut-off	den.					
CR	Cuts rim						
CS	Cases swell						
стов	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	//////////////////////////////////////		***	<i>M</i> ////		
DCS	Double click in safety switch					38s.	
DCT	Double click in trigger			***			
DCU	Doesn't close-up			.			
DE	Doesn't eject		***				WW 2000
DEL	Doesn't eject live round	annian in the same of the same		· · · · · · · · · · · · · · · · · · ·		3///	
DFB	Doesn't feed back				***//		
DFU	Doesn't feed up	annan na					
DLO	Doesn't lock open (after last shell)					****	
DLU	Doesn't lock-up					;	
DS	Dead safe						*****
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back	-					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically		***					
FB FC	Follower binds		***************************************					
FC	Fails to connect		***************************************					
FCB	Fore-end cracked or broken		Managara anakar					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl				ites. ##/////www.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***						
FPOH	Floor plate opens hard					Sec.		
FSR	Fires when safe is released		***					
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		-	***				
HBL	Heavy bolt lift		-		*******			
HMSC	Heading mismatch-steps on case		-] .
HPA	High pressure ammo		***********					
HUR	Hard under rail		***************************************			2000		
JCS	Jumps cartridge					ź		
JM	Jumps magazin e		***************************************				*****	1000
JO	Jars off		************					
LB	Light blow							
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
	<u> </u>							-

ML	Magazine loose						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard						
OR	Over-ndes		\$46.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···.					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	****			***		
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension		*************	***			
SCB	Stock cracked or broken				*******		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber		***************************************			á	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		************				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SRC	Stems right side of chamber		33444				

SRIC	Specific rings in chamber								
8800	Surface scratches on case								
STC	Stems top chamber								
SWE	Safety switch works too easily								
SWH	Safety switch works too hard		data.						
SWW	Safety ewitxh work		W						
TD	Tips down								
TU	Tips up								
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/11			
XH	Extracts hard						Sec.		
			***************************************	1///	****				
HI	High		***					ilean.	
LO	Low			***					
LEFT	Left				*****				
RIGHT	Right								
DG	Doesn't Group		-						
FSST	Front sight tipped		***************************************				****		
RSTT	Rear sight tipped		***************************************				ž.		
RSBR	Rear sight base raised							***************************************	ľ
FSTR	Front sight raised								
FSTL	Front sight loose		***************************************						
RSTL	Rear sight loose		***************************************						
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target								
	·	-	•	•					•

۲	1
t	1
- - -	1
C)
C)
۲	1
C)
O	3
0	9
H	
E	

AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof						
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					250.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*************				
MSI-P	Magnaflux stamp illegible on bbl		-	***			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 3000	
						;	














Subject to Protective Order - Williams v. Remington

ŀ	_	ı	
l		ŧ	
ĺ	-	İ	
()	
¢	Ξ)	
(Ξ)	
	X		
(χ	١	
İ	_	1	
	ĭ		

	//////////										
Summ	any	Total		of Failures	1326						
			Tota	l Rejected:	138						
			Overall R	leject Rate:	10.41						
				Shot: { Rejected: Percent:	549	96	16	280	2	1	1
	*******	Proof		Rejected	1	0	0	0	0	0	0
				Percent;	0.2	0.0	0.0	0.0	0.0	0.0	0.0
				Shot.	Sec. 667	<i>3003</i>	59	483		55	
		Test		Rejected:	42	000 15 0000	Sec. 17	26	0	Ð	0
				Percent:	6.3	15	.28.8	5.4		0.0	
				Shot:	28	7 2000	3	41		55	
		Target		Rejected:	0 ///	0	0	0 0.0	0	28	0
		3 -		Percent:	0 Q	2000/	<i>∞∞a</i> o ∘	0.0		50.9	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*********				380.	
AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		renewa to the second	***************************************				
BAC	Burr at chamber	7	6		6			
BBMA	BBL-to-bolt misalignment		And the second s		****			
вв	Bolt binds/catches	10	4	9	6			
BCOBS	Bolt catches on bolt stop		1000			.,		
BCOF	Bolt catches on follower						******	
вс	Blows cases						,	
BHR	Bolt hits receiver		***************************************					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

l	-
İ	⊣
İ	- - - 기
ĺ	\circ
į	
l	_
	0
ĺ	∞
ĺ	∞
i	=
	٥


BWCFM	Bolt won't close over full magazine		1		5			
CD	Case dented							
СН	Closes hand	3	4	4	5			
CLM	Can't laod magazine				1			
со	Cut-off		\$20.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull				*** *********************************			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back		//////////////////////////////////////			11/10		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger				1 1 1 1			
DCU	Doesn't close-up			****				
DE	Doesn't eject	1		***				
DEL	Doesn't eject live round				1			
DFB	Doesn't feed back					1000		
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up		***************************************					
DS	Dead safe	1						
DX	Doesn't extract	1						
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1		1				
ESB	Ejector sticks back	1						
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							


	42000000000							
FA	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked or broken							
FD	Follows-down		\$10.					
FF	Fails to fire		<i></i>					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	1			1	*		
FPOH	Floor plate opens hard		***************************************				Sec.	
FSR	Fires when safe is released			1///	***		<i>I</i>	
FT	Follower tips							
GCSO	Gas cyl shot off			7.99				
HBL	Heavy bolt lift	2		2	**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						200 B	
JCS	Jumps cartridge						ž.	
JM	Jumps magazin e				1			.****
10	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


	// / / / / / / / / / / / / / / / / / /	,	1					
ML	Magazine lööse		-					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		Antonia					
ОН	Opens hard		***************************************					
OR	Overandes	3	244.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	2	//////////////////////////////////////		***	11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************		****			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		*******	1189				
SCB	Stock cracked or broken				*****			
SCX	Shell catches		-					
SHI	Short indent							
SI	Stems incline		***************************************				*****	
SIC	Stems in chamber		****				j	
SL	shaves lead		Managara					
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		And Andreas					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		an endered					


SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber	,.						
SWE	Safety switch works too easily	1.						
SWH	Safety switch works too hard		žec.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	<i>11/1</i> 0		
XH	Extracts hard	8		1			Sec.	
				11/11/16	***			
HI	High							
LO	Low			***				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group						28	
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						8	
RSBR	Rear sight base raised							****
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		*******				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions	1	***************************************			2000	
		·				 - 2	0000 //XXXVI














Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000	999Wa.								
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected: Overall Reject Rate:	0						
			Shot. Rejected: Percent: Shot. Rejected: Percent:	Essa.						
	1	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	<i>a</i>	860					
			Shot.	Karan Karan						
	1	Test "	Shot. Reje cted: Pelcent:	a	0	O	0	0	Đ	0
			Percent:	a	0					
			Shiot: Rejected:	l 3338	2007		<i>A</i> .			
	1	Target		0 ///	99	70	0	0	Đ	0
		-	Percent:	0	0	Ü	0			
					77177777					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

Bolt won't close over full magazine


	998888691							
FA	Fires automatically							
FB	Follower binds		***************************************					
FC	Fails to connect	,.						
FCB	Fore-end cracked or broken							
FD	Folfows-down		dus.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	11/1/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			11/11/1	****			
FT	Follower tips							
GCSO	Gas cyl shot off			7.00				
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		1				×	
JM	Jumps magazin e							***************************************
JO	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow							
MAH	Magazine assembles hard		***					
MCW	Magazine capacity wrong		Name of the last o					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

ML	Magazine lööse						
MLH	Magazine loads hard						
MRH	Magazine removes hard	22	·				
ОН	Opens hard		******				
OR	Over-rides						
PH	Pulls hard		.				
PSI	Proof stamp illegible						
PSM	Proof stamp missing	**					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· ***					
RIS	Ring in sholder					250.	
RS	Rim srem		***************************************		****		
SBC	Stems bottom chambers		************				
SBE	Stems bbl extension		-	***			
SCB	Stock cracked or broken		-		**************************************		
SCX	Shell catches		-				
SHI	Short indent		***********				
SI	Stems incline		H-100			*****	
SIC	Stems in chamber					ž.	
SL	shaves lead		***************************************				*****
SLC	Stems left side of chamber		***********				
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		***				
SP	Stems port						
SR	Shoulder rough		-				
SRC	Stems right side of chamber						

	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	1				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					

Н
H
T T
0
0
\vdash
0
∞
∞
Ü
LTI.

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	BarreLextension broken at proof.							
BLP-P	Blanked primer at proof		žva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1						
FESO-P	Fore-end shot off at proof						00v.	
FF-P	Fails to fire at proof		***		****			
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl			***				
MSM-P	Magnaflux stamp missing on bbl		-					
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				2000	
	<u> </u>	·-		·-	·-	·-		2000000 20000000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

ILE00108842

	20000000000000000000000000000000000000	999.								
Summa	any T	otai Te	st + Proof Failures	0						
			Total Rejected:	0						
		o	Total Rejected: verall Reject Rate:							
			Shot Rejected Percent Shot Rejected Percent	* ***********************************						
	Pro	of	Rejected:	0	0	0	0	0	0	0
		of	Percent	g.						
			Shot.	.	9000F					
	Tes	st 🤲	Reje çted :	$oldsymbol{Q}$	0	O	0	0	0	0
			Percent:	a	0					
			Shot. Rejected: Percent: Shot. Rejected:	.88999 8 F	30000	l 18888	4.			
	Tai	get	Rejected:	0	0	O	0	0	0	0
		•	Percent:			- 2000 i				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
	12		1 ************************************				380.v	
AB	Action binds			1///	- 11			
BABS	Bulge at body shoulder			***************************************				
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				7988			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						***	
ВС	Blows cases						į.	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


Ì	4	
l	7	
	Ŧ	
)	
ŧ	O	
l	_	
)	
	χ	
	χ	
ı	4	
ĺ	ú	

BWCFM	Bolt won't dose over full magazine						
CD	Case dented						
ĊН	Closes hard		***************************************				
CLM	Can't laod magazine		V				
co	Cut-off		Seco.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	****					
DCS	Double click in safety switch					Siau.	
DCT	Double click in trigger		***************************************				
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	***			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					****	
DLU	Doesn't lock-up					18	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell						
ESB	Ejector sticks back		***************************************				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						
DLU DS DX DXL EDS ESB ESCR	Doesn't lock-up Dead safe Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver					**	

ML.

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
			-		***		<i>I</i>	
HI	High							
LO	Low			**				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•	•		

AI-P	Assembly incompleye at proof					
868	Barrel bracket cracked or broken at proof	***************************************				
BC-P	Blows cases at proof	 ***************************************				
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof	žva.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				00v.	
FF-P	Fails to fire at proof	***		*****		
GCSO-P	Gas cylinder shot off at proof	***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***			
MSM-P	Magnaflux stamp missing on bbl			100000		
PP-P	Pierced primer at proof	-				
SCB-P	Stock cracked or broken at proof	***************************************				
UNCM-P	Uncoded proof malfunctions	· ·			****	














Subject to Protective Order - Williams v. Remington

	//////////	89 3 30.								
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
			Shot: Rejected: Percent: Shot: Rejected; Percent:	.						
	***	Proof	Rejected:	0	0	0	0	0	0	0
		er 🗼	Percent		800.					
			Shot.	1800 - LO						
		Test "	Shot. Reje sted : Percent:	o.	0	O	0	0	Ð	0
			Percent:	o.	0					
			Shiot: Rejected:		11/11/		<i>A</i> .			
		Target		0 ////	9/	ø	0	0	0	0
		-	Percent:	0	Q	e	0			
				1 12,22,22	2232223	4 32733333 S	***************************************			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***************************************				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine							
со	Cut-off		što.					
CR	Cuts rim		<i></i>					
cs	Cases swell							
CTOG	Chamber tom or gouged	***.						
CTP	Creepy trigger pull				*** *********************************			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch					Sec.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			198				
DEL	Doesn't eject live round				*****			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up					8		
DS	Dead safe						- 407	ľ
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

ML	Magazine loose							
BALH	Magazine loads hard		***************************************					
MRH	Magazine removes hard	,.						
ОН	Opens hard		***************************************					
OR	Overandes		dus.					
PH	Pulls hard		- A.					
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	*****			***	**		
RIS	Ring in sholder						Sec.	
RS	Rim srem							
SBC	Stems bottom chambers			***************************************				::::::::::::::::::::::::::::::::::::::
SBE	Stems bbl extension		-	77%				
SCB	Stock cracked or broken				*****			
SCX	Shell catches		7			******		
SHI	Short indent]
SI	Stems incline						****	
SIC	Stems in chamber						;	
SL	shaves lead		***************************************					
SLC	Stems left side of chamber							
SMOC	Stretch marks on case		-					
SOR	Stem over-ride		***************************************					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber	 ***************************************				
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	\$20.				
sww	Safety ewitxh won't work	- XX				
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded			***		
XH	Extracts hard				Seo.	
		***************************************		****		
HI	High	***************************************				
LO	Low	***************************************	1184			
LEFT	Left			**************************************		
RIGHT	Right	***************************************				
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped	1			×	
RSBR	Rear sight base raised					
FSTR	Front sight raised	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose					
RSTL	Rear sight loose	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target	-				

Н
H
T T
0
0
H
0
∞
∞
Úī
S

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		**************************************					
BLP-P	Blanked primer at proof		344.					
BLSO-P	Barrel lug shot off at proof		W					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		-					
GCSO-P	Gas cylinder shot off at proof			**********	.			
MSI-P	Magnaflux stamp illegible on bbl		*******	179				
MSM-P	Magnaflux stamp missing on bbl				******			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-				****	
	·	_	_		_	_		2,000,000 (0.000,000)




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	990a.								
Summ	any T	otai Test	+ Proof Failures	0						
		WW i	Total Rejected:	0						
		Ove	+ Proof Failures Total Rejected: erall Reject Rate:							
	Pro	oof	Shot: Rejected Percent Shot Rejected: Percent:	\$\$\$\$.						
	Pro	oof	Rejected:	0	0	0	0	0	0	0
			Percent	<i>u</i> .	900c.					
			Shot:		<i>1000</i> 7					
	Te:	st	Reje cted :	Q	0	O	0	0	0	0
			Percent:		0					
			SHOT.	.83333	8 <i>38888</i> -	100000	Δ.			
	Tai	rget	Rejected:	0 🎆	9	O	0	0	O	0
		-	Percent:	0	Ġ.	¢	0			
_				*******	222322	1777 1783	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds				- 4			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		*****			
вв	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower		200				*****	
вс	Blows cases							
BHR	Bolt hits receiver		110					
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down		1100					

BWCFM

CD

СН

Bolt won't close over full magazine


Case dented

Closes hapt

	20000000						_
FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect	a.c.					
FCB	Fore-end gracked or broken						
FD	Follows-down		\$45.				
FF	Fails to fire		***				
FFP	Flat firing pin						
FOS	Fires on safe	· · · · //					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Stor.	
FSR	Fires when safe is released				***		
FT	Follower tips		***************************************				
GCSO	Gas cyl shot off		***************************************	***			
HBL	Heavy bolt lift				19.000 m		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*****	
JCS	Jumps cartridge					ž.	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow		***************************************				
MAH	Magazine assembles hard		***************************************				
MCW	Magazine capacity wrong		Name of the last o				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target					_		
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					

AI-P	Assembly incompleye at proof					
868	Barrel bracket cracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof.					
BLP-P	Blanked primer at proof	data.				
BLSO-P	Barrel lug shot off at proof	200				
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof			***		
FESO-P	Fore-end shot off at proof				Sec.	
FF-P	Fails to fire at proof				Allino.	
GCSO-P	Gas cylinder shot off at proof			3 000000000000000000000000000000000000		
MSI-P	Magnaflux stamp illegible on bbl		***			
MSM-P	Magnaflux stamp missing on bbl			******		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions				*****	
					;	4888 (ARRA














Subject to Protective Order - Williams v. Remington

20000000									
Summary		Proof Failures	0						
		Total Rejected:	0						
	Overa	Total Rejected: all Reject Rate:							
	Proof	Shot: E Rejected Percent Shot: E Rejected Percent:	West.						
	Proof	Shot: [Rejected:	o o	0	0	0	0	0	0
***************************************		Percent	<i>o</i>	Soc.					
		Shot (I	800F					
	Test	Reje cted :	Q	0	O	0	0	0	0
		Percent:	o.	0					
		SHOL	.2000 3 81	#####	788888	4.			
	Target	Rejected:	0 ////	<i>9</i>	Ø	0	0	0	0
	J	Percent:	0	O	¢,	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		****					


	20000000								_
BWCFM	Bolt won't close over full magazine								
CD	Case dented								1
СН	Closes hard								1
CLM	Can't laod magazine								1
со	Cut-off		\$t0.						1
CR	Cuts rim		<i>-</i>						1
CS	Cases swell]
CTOG	Chamber tom or gouged	· · · · //							
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	***				200			
DCS	Double click in safety switch						Sec.		
DCT	Double click in trigger				*** //				
DCU	Doesn't close-up								
DE	Doesn't eject			/%					
DEL	Doesn't eject live round				**************************************				
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)								
DLU	Doesn't lock-up						ž.		1
DS	Dead safe							***///	ľ
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								

FA.

Fires automatically

/						
ML	Magazine logse					
MLH	Magazine loads hard	***************************************				
MRH	Magazine removes hard	 ***************************************				
ОН	Opens hard	***************************************				
OR	Overandes	ása.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Sec.	
RS	Rim srem	***		****		
SBC	Stems bottom chambers	***************************************				
SBE	Stems bbl extension		***			
SCB	Stock cracked or broken	-		**************************************		
SCX	Shell catches	-				
SHI	Short indent					
SI	Stems incline	***************************************			******	
SIC	Stems in chamber	***************************************			ž.	
SL	shaves lead					*******
SLC	Stems left side of chamber	***************************************				
SMOC	Stretch marks on case					
SOR	Stem over-ride	***************************************				
SP	Stems port	***************************************				
SR	Shoulder rough					
SRC	Stems right side of chamber	Participation of the Control of the				

AI-P	Assembly incompleye at proof		***************************************					
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof		on and a second					
BLP-P	Blanked primer at proof		dece.					
BLSO-P	Barrel lug shot off at proof		W					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////			11/1/11		
FESO-P	Fore-end shot off at proof						550.	
FF-P	Fails to fire at proof				***			
GCSO-P	Gas cylinder shot off at proof	-	-		.			· · · · · · · · · · · · · · · · · · ·
MSI-P	Magnaflux stamp illegible on bbl			777				
MSM-P	Magnaflux stamp missing on bbl				****			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		and the same of th					
UNCM-P	Uncoded proof malfunctions		-				2006	
	•	•	•	•		•	;	














Subject to Protective Order - Williams v. Remington

Summa	ary Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot Rejected Percent Shot Rejected Percent	.						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent;	<i>o</i>	200					
		Shot:	. I	1000F					
	Test	Reje cted :	o,	0	O	0	0	Đ	0
		Percent:		0					
		Shjot. ∤ Rejected:	.8883	7 2000	1 78888	A .			
	Targe		0	o	ø	0	0	0	0
	-	Percent:		<i>.</i>					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

H	ı
Ŀ	i
Ļ	-
-	1
_)
Ξ	•
•	
•	•
ì	í
	í
C	•
C	•
α)
α)
α)
C)

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		250.				
CR	Cuts rim		₩				
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					Sax.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***//			
DE	Doesn't eject			***			
DEL	Doesn't eject live round				1000000		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up						
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA.

Fires automatically

ML

MRH


Magazine loose

Magazine loads hard

Magazine removes hard

SRIC	Specific rings in chamber							
850C	Surface scratches on case		**************************************					
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily		**************************************					
SWH	Safety switch works too hard		244.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	<i>M</i> /w		
хн	Extracts hard						Sec.	
			***************************************		****			
HI	High							
LO	Low		*******	1189				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group		**********					
FSST	Front sight tipped		***************************************				*****	
RSTT	Rear sight tipped		Andrew Control				8	
RSBR	Rear sight base raised		-					*****
FSTR	Front sight raised							
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		- Sec.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***						
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof	-	-					
GCSO-P	Gas cylinder shot off at proof				.			
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl				*****			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-				****	
	·			_		<u> </u>		2000000 000000000000000000000000000000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	<u>k. </u>								
Summa	ary To	tal Test + P	roof Failures	0						
		Tc	ital Rejected:	0						
		To Overali	tal Rejected: Reject Rate:							
	Pro	of .	\$hot:	× I						
	Pro	of	Rejected	0	0	0	0	0	0	0
			Percent:	0	doos.					
			Shot.		WWF					
	Tes	t i i i	Reje cted :	Q.	0	O	0	0	Đ	0
		3	Rejected: Percent: Shot: Rejected:	Q.	0					
			Shot.	200 4 7		700000	Δ.			
	Targ	get .	Rejected:	0 🧼		ŧ,	0	0	0	0
	`	•	Percent:	0	<i>•</i>	0	0			
					20110000	1/////	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


		Ī		
l		ŧ		
ŀ				
,	-	٠		
٠		•		
Ĺ)		
H	_	1		
,		•		
٠	-	•		
	X)		
Ļ	ſ	֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜		
Ć)		
		1		
L	ź	j	_	

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	 ***************************************					
CLM	Can't laod magazine						
со	Cut-off	\$45.					
CR	Cuts rim	***					
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull			ites. ##/////www.			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				1000		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger	***************************************					
DCU	Doesn't close-up	***************************************					
DE	Doesn't eject	4.00	***				
DEL	Doesn't eject live round			*******			
DFB	Doesn't feed back	***************************************					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					******	
DLU	Doesn't lock-up					ž.	
DS	Dead safe						*******
DX	Doesn't extract	A					
DXL	Doesn't extract live round	***************************************					
EDS	Extractor drops shell	***************************************					
ESB	Ejector sticks back	***************************************					
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell	-					

									_
FA	Fires automatically								
FB	Follower binds								1
FC	Fails to comect								
FCB	Fore-end cracked or broken								
FD	Follows-down		data.						1
FF	Fails to fire		- XX						1
FFP	Flat firing pin								1
FOS	Fires on safe								
FPHB	Firing pin hits bbl				*				
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens	***				1000			
FPOH	Floor plate opens hard						Sec.		
FSR	Fires when safe is released		***************************************		****				
FT	Follower tips		*************						
GCSO	Gas cyl shot off		-	1%					
HBL	Heavy bolt lift		-		**************************************				
HMSC	Heading mismatch-steps on case		-] ,
HPA	High pressure ammo								
HUR	Hard under rail		***************************************				*****		ľ
JCS	Jumps cartridge		****				;		
JM	Jumps magazin e		***************************************					***///]***
70	Jars off								
LB	Light blow		***************************************						
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong		***************************************						
MFA	Misfires (ammo)		***************************************						
MFOP	Magazine follower out of position		and the same of th						

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case		***************************************				
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SWE	Safety switch works too easily		V				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up	· · · · ///					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			11/1/11		
хн	Extracts hard					Sto.	
			44440444				
HI	High						
LO	Low		***************************************				
LEFT	Left			**************************************			
RIGHT	Right		***************************************				
DG	Doesn't Group		***************************************				
FSST	Front sight tipped		***************************************			*****	
RSTT	Rear sight tipped		A.			ž.	
RSBR	Rear sight base raised						****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-	•	•			•

	\$1888\$P\$^^^^\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\						
AI-P	Assembly incompleye at proof		***************************************				
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		**************************************				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	···					
DLOS-P	Doesn't lock over shells at proof				ites. ##/////www.		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof	Anna	************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	100			
MSM-P	Magnaflux stamp missing on bbl		***************************************		*******		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
							2000000 20000000














Subject to Protective Order - Williams v. Remington

	///////////////	26.000 M									
Summ	any	Total	Test + Proof F	ailures	()					
			Total Re	ejected:	(9					
			Test + Proof F Tötal Re Overall Rejed	ct Rate:							
			,	28655555							
	*******	Proof	# # # # # # # # # # # # # # # # # # #	Rejected.	3300000000000	0	0	0	0	0	0
				⊬ercenτ,	o	2000.					
				Shot.	8550.	L88888F					
		Test	· · · · · · · · · · · · · · · · · · ·	Reje cted :	Q.	0	O	0	0	Đ	0
				Shot: Reje cted : Percent: Shot: Rejected:	G	0					
			**	Shot:	.200	8 8 7 - 2000	1000000	4.			
		Target	F	Rejected:	0 💥		Ø	0	0	0	0
		Ū		Percent:	0		O	0			
					******	- ///////////	11111111	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

۱	4	
L	-	
Ĺ	_ ਜੁ ⊇	
(0	
ζ	_	
ŀ	_	
)	
C	α	
ţ	٥	
ŀ	л Л	
ţ	Л	

BWCFM	Bolt won't close over full magazine						
CD	Case dented		***************************************				
СН	Closes hard		***************************************				
CLM	Can't laod magazine						
со	Cut-off		âsa.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull				***		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger				****		
DCU	Doesn't close-up		***************************************		.		
DE	Doesn't eject		***************************************	***			
DEL	Doesn't eject live round		SATISFACE OF THE PARTY OF THE P		1000000		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			*****	
DLU	Doesn't lock-up					ž.	
DS	Dead safe						*****
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back		**************************************				
ESCR	Empty shell catches receiver		***************************************				
ESS	Extractor stems shell						

	20000000							
FA	Fires automatically							1
FB	Follower binds							1
FC	Fails to comment		***************************************					1
FCB	Fore-end gracked of broken							
FD	Folfows-down		\$45.]
FF	Fails to fire		***]
FFP	Flat firing pin							
FOS	Fires on safe	···.						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***						
FPOH	Floor plate opens hard					***	550.	
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off		400	· · ·				
HBL	Heavy bolt lift				1000000			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge						ž.	
JM	Jumps magazine							ľ
JO	Jars off		A					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		Name of the last o					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

SRIC


SSOC

Specific rings in chamber

Surface scratches on case

Н
H
卢
9
9
<u> </u>
80
8
ĭ
Ō


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>1</i> ////////////////////////////////////		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof	-	-					
GCSO-P	Gas cylinder shot off at proof				.			
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl		-		100000			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				300%	
								0.000,007 20,000,007














Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000	% .								
Summa	ary To	tai Test	+ Proof Failures	0						
			Total Rejected:	0						
		Ove	t Proof Failures Total Rejected: rall Reject Rate:							
	Pro	of	Shot: Rejected: Percent: Shot: Rejected: Percent:	*						
	Pro	of 🥟	Rejected	0	0	0	0	0	0	0
			Percent:	o .	šta.					
			Shot		888F					
	Tes	t ***	Reje çled .	G.	0	O	0	0	Ð	0
			Shot. Rejedied: Percent: Shot:	a	0					
			Shot:	-8888 \$		1988	<i>A</i> .			
	Targ	get	Rejected:	0	9	O	0	0	D	0
	`	•	Percent:		///////					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********				X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		Photo the same of					
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				3700	
ВС	Blows cases		Palatetenate				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**********					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
CH	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		što.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber torn or gouged	· · · · ·					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***///			*** *********************************
DE	Doesn't eject			1760			
DEL	Doesn't eject live round				******		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2004 8	
DLU	Doesn't lock-up					8	W. //////
DS	Dead safe						***///
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA FB Fires automatically

Follower binds

ML	Magazine logse		***************************************					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard	.	***********					
ОН	Opens hard		***************************************					
OR	Overandes							
PH	Pulls hard		.					
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				* ***********************************			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	· · · · ·	<u> </u>					
RIS	Ring in sholder						Sax.	
RS	Rim srem		***************************************		****/			
SBC	Stems bottom chambers		***********	***				
SBE	Stems bbl extension		400	1%				
SCB	Stock cracked or broken		***************************************		200			
SCX	Shell catches		-					
SHI	Short indent		***************************************					
SI	Stems incline		**************************************				*****	
SIC	Stems in chamber		***************************************				ž.	
SL	shaves lead		***************************************					****
SLC	Stems left side of chamber		***************************************					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		***************************************					
SP	Stems port		***************************************					
SR	Shoulder rough							
SRC	Stems right side of chamber		-			_		


SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		što.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up	· · · · //						
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***				<i>2</i> /////		
XH	Extracts hard						500.	
HI	High							
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						á	
RSBR	Rear sight base raised							***//
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							

ന	1000
е О	
-	
C	
- 675	97
	Ŷ
	¢.
).
:::::::::::::::::::::::::::::::::::::::	332
liams \	
W	
□ □	
:	
U2	
_	
. ~	
Remingt	
U.	
(D)	
$\tilde{\Xi}$	
\supset	
₹.	
, 	
4	
\overline{a}	
≍	

vening to the second					
340.					
	.				

			1000		
				5ec.	

*	***				
***************************************		***************************************			




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000									
Summa	ary	Total	Test + Proof Failures							
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejepted: Percent:							
		Proof	Rejected:	0	0	0	0	0	0	0
			Percent,	o .	žisto.					
			Shot	K	8888F					
		Test	Reje cted :	Q	0	o	0	0	Đ	0
			Shot. Reje pted: Percent: Shot: Rejected:	Q.	0					
			Shot:	3888349		I *****	Δ.			
		Target	Rejected:	0	O.	Ø	0	0	0	0
		-	Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

Bolt won't close over full magazine

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Overandes		žec.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	14					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder					Sec.	
RS	Rim srem		1		****		
SBC	Stems bottom chambers		***************************************		.		
SBE	Stems bbl extension		1	***			
SCB	Stock cracked or broken				*****		
SCX	Shell catches						
SHI	Short indent		†				
SI	Stems incline		***************************************			*****	
SIC	Stems in chamber					ž.	
SL	shaves lead						******
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		1				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC


Specific rin**gs** in chamber

1/2/2/2 24/2/2/2	1	1	į.	i .	į.		1	1	1
SSOC	Surface scratches on case								1
STC	Stems top.chamber								
SWE	Safety switch works too easily								
SWH	Safety switch works too hard		\$10.						
sww	Safety ewitxh work								
TD	Tips down								1
TU	Tips up								
TWP	Trigger won't pull				*				
TWR	Trigger won't retract								
UNCN-T	Uncoded					<i>1</i> ////////////////////////////////////			
XH	Extracts hard						Stv.		

HI	High								
LO	Low			1%					
LEFT	Left				100000				
RIGHT	Right] ,
DG	Doesn't Group								
FSST	Front sight tipped						*****		M
RSTT	Rear sight tipped						;		
RSBR	Rear sight base raised]****
FSTR	Front sight raised								
FSTL	Front sight loose								
RSTL	Rear sight loose								
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target								
									-

Н	
H	
ŏ	
01	
O	
$\bar{\infty}$	
Ø	
4	
ω	


	//////////////////////////////////////						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		iva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl			***			
MSM-P	Magnaflux stamp missing on bbl		-				
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions					2000	
						 - ;	0000 (0000)














Subject to Protective Order - Williams v. Remington

Н	
F F	
8	
ĭ	
0	
Ω	
9	
<u>ნ</u>	

	//////////										
Summa	ary		Test + Proc		0						
			Total	Rejected:	0						
			Total Overall Re	ject Rate:							
		Proof .		Shot:		-					
		Proof		Rejected.	0	0	0	0	0	0	0
				Shot: { Rejected: Percent: Shot: {	0	\$66.					
				Shot.	· · · · · · · · · · · · · · · · · · ·	₩					
		Test		Shot. [Reje sted :	Q	0	O	0	0	Đ	0
				Percent: Shot: [0					
				SHOL	<i>3000</i>	k	1 78888	Δ.			
		Target		Rejected:	0 🎆	<i></i> 9//	Ů,	0	0	Đ	0
		_		Percent:	0	9	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			***********			***	X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************		*****			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************					
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases						2	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		****					
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down							

۱	4	
۲	1000	
ī	_	
ľ		
C	2	
7	=	
٠)	
ì	_	
H	_	
H	_	
	2	
- -	S C L	
 	1000	
 	1000	
 	S C L	

BWCFM Bolt wor't clase over full magazine CD Case dented CH Closes hard CLM Can't Leol magazine CC Cotic-bit CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Carns wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round DXL Doesn't extract live round	
CH Closes hard CLM Can't ladd magazine CO Cit-off CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Carns wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock open (after last shell) DS Dead safe DX Doesn't lock-up DS Dead safe DX Doesn't extract	
CLM Can't ladd magazine CO Cit-aff CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Carns wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock-up DLO Doesn't lock-up DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
CO Cit-diff CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock-up DS Dead safe DX Doesn't extract	
CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock-up DS Dead safe DX Doesn't eject live round	
CS Cases swell CTOG Chamber torn or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't feed up DLO Doesn't look open (after last shell) DLU Doesn't look-up DS Dead safe DX Doesn't extract	
CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	22
DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	5
DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DLU Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract	
DS Dead safe DX Doesn't extract	
DX Doesn't extract	
DXL Doesn't extract live round	
EDS Extractor drops shell	
ESB Ejector sticks back	
ESCR Empty shell catches receiver	
ESS Extractor stems shell	


FA	Fires automatically							
FB FC	Follower binds							
FC	Fails to connect							
FCB	Fore-end gracked of broken							
FD	Follows-down		što.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***	//////		***	1000		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released				****			
FT	Follower tips							
GCSO	Gas cyl shot off			7.00				WW 1000
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge							
JM	Jumps magazin e							*******
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
1011 01	magazine follower out of position				<u> </u>		1	

ML.

Magazine loose

SRIC	Specific rings in chamber						
8500	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
SWW	Safety ewitxh work		<i></i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	. 449					
хн	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low			****			
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					å	
RSBR	Rear sight base raised						***//
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	•		•				

Al-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof	V ********	áto.				
BLSO-P	Barrel lug shot off at proof		<i>-</i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof			11/11/16	*** //		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl				: W. W.		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summa	ary Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot: Rejected: Percent: Shot: Rejected: Percent:	less. I						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent	0	des.					
	į.	Shot:	₿‱ T	9900F					
	Test	Reje cted :	a	0	O	0	0	O	0
		Shot. Reje sted: Peicent: Shot. It Rejected:		0					
		Shot:	.3333	7 2000	1 700000	4.			
	Targe	t Rejected:	0 ///	9	Ü	//////O	0	0	0
	•	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		****					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		****					

	200000000000000000000000000000000000000								_
BWCFM	Bolt won't close over full magazine								
CD	Case dented								1
СН	Closes hard								1
CLM	Can't laod magazine								1
со	Cut-off		\$to.						1
CR	Cuts rim		<i>-</i>						1
CS	Cases swell]
CTOG	Chamber tom or gouged								
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	***				<i>2</i> /////			
DCS	Double click in safety switch						Siau.		
DCT	Double click in trigger								
DCU	Doesn't close-up								
DE	Doesn't eject			/%					
DEL	Doesn't eject live round				*******				
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)						**************************************		ľ
DLU	Doesn't lock-up						18		
DS	Dead safe							*******	ľ
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								

FA.

Fires automatically


ML.

Magazine loose

SRIC	Specific rin gs in chamber						
350C	Surface scratches on case		Per la constante de la constan				
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up	· · · · //					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	****					
XH	Extracts hard					Sec.	

HI	High	Anna	***************************************		.		
LO	Low		4.00	***			
LEFT	Left				1900 B		
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					2000	
RSTT	Rear sight tipped		1			8	
RSBR	Rear sight base raised						
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose						
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		ranning and a second				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		· · · · · · · · · · · · · · · · · · ·		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2000	
		·				 - 2	














Subject to Protective Order - Williams v. Remington

/////////	010000100100000000000000000000000000000								
Summary		Proof Failures	0						
		otal Rejected:	0						
	Overa	lotal Rejected: ill Reject Rate:							
	Proof	Shot: [Rejected Percent Shot: [Rejected: Percent:	Sec.						
	Proof	Rejected.	0	0	0	0	0	0	0
		Percent		Soc.					
		Shot.	I						
	Test	Reje cted :	Q	0	O	0	0	0	0
		Rejepted: Peicent: Stiot: [g.	0					
		COMMOL.	- 300000 8 5	####F	100000	۸.			
	Target	Rejected:	0	9	Ü	0	0	0	0
	-	Percent:			<i>- 2</i>				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
СО	Cut-off		áss.				
CR	Cuts rim		<i></i>				
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull				in a second		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					55c.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up						
DE	Doesn't eject			1995			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2774	
DLU	Doesn't lock-up						**
DS	Dead safe						***//
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down		âss.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	• • •				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	- " " " " " " " " " " " " " " " " " " "				
FPOH	Floor plate opens hard				Seo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1918		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML.

Magazine loose

SRIC	Specific rin gs i n chamber						
8500	Surface scratches on case		***************************************				
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily		ranning and a second				
SWH	Safety switch works too hard		\$40.				
sww	Safety ewifxh wont work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	*****					
XH	Extracts hard					Sec.	
HI	High		***************************************				
LO	Low		***************************************	/**			
LEFT	Left		***************************************		**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						ľ
FSTR	Front sight raised		ann ann ann ann ann ann ann ann ann ann				
FSTL	Front sight loose						
RSTL	Rear sight loose		***************************************				
MGPT-G	Missing parts at target		**************************************				
UNCN-G	Uncoded nonconformity at target		***************************************				

AI-P	Assembly incompleye at proof		A					
868	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	···						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof					<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		***************************************		· ************************************			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				****	
							ž	0.000 (0.0000)




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000	198 8 84.								
Summ	any	Total	Test + Proof Failures	0						
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejected: Percent:							
	***************************************	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	0	Sto.					
			Shot:	[
		Test	Reje cted :	a .	0	O	0	0	Đ	0
			Percent:	o i	0					
			Shot: Rejected:		3000	I ™	<i>A</i> .			
		Target		0 3333	<i>9</i>	O	0	0	O	0
		_	Percent:	0	0	Ü	0			
					7.7.1.2.2.2.2	32233333				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

	26622004								_
BWCFM	Bolt won't close over full magazine								
CD	Case dented								1
СН	Closes hard								
CLM	Can't laod magazine								
со	Cut-off		\$t0.						
CR	Cuts rim		<i>-</i>						
CS	Cases swell								1
CTOG	Chamber tom or gouged								
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	***				1000			
DCS	Double click in safety switch						800.		
DCT	Double click in trigger								
DCU	Doesn't close-up								
DE	Doesn't eject			· **					
DEL	Doesn't eject live round				**************************************				
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)						*****		
DLU	Doesn't lock-up						į		
DS	Dead safe							*******	ľ
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								

FA.


Fires automatically

	200000000000000000000000000000000000000						
SRIC	Specific rings in chamber		-				
SSOC	Surface scratches on case		***************************************				
STC	Stems top chamber		-				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		deca.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up	· · ·					
TWP	Trigger won't pull				*		
TWR	Trigger won't retract						
UNCN-T	Uncoded						
XH	Extracts hard					Sec.	

HI	High		**************************************				
LO	Low		***************************************	***			
LEFT	Left		**************************************		×4		
RIGHT	Right		****				
DG	Doesn't Group		***************************************				
FSST	Front sight tipped		110011111111111111111111111111111111111			*****	
RSTT	Rear sight tipped		**************************************			ž.	
RSBR	Rear sight base raised		naatti näätti näätti näätti näätti näätti näätti näätti näätti näätti näätti näätti näätti näätti näätti näät				
FSTR	Front sight raised		arranarra				
FSTL	Front sight loose		visional trans				
RSTL	Rear sight loose		***************************************				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target		***************************************				

۱		
L	+	
ŀ	1	
_)	
C		
۲		
C		
0		
V		
U		
L	<u> </u>	

AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		Managara analy				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	****					
FESO-P	Fore-end shot off at proof					Stor.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%			
MSM-P	Magnaflux stamp missing on bbl		***************************************		*******		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			*****	
						- ;	88886 - X888868














Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejected: Peicent:	T						
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	9	Soc.					
			Shot.	€ ∞ T	888F					
		Test	Reje cted :	G.	0	O	0	0	0	0
			Shot. Reje cted: Percent: Shot: Rejected:	a.	0					
			Shot:		3000	1 78888	A .			
		Target	Rejected:	0 300	9	O	0	0	0	0
		-	Percent:	0	9	Ü	0			


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		****					

	7000 0000000 0000000 0000000 00000000 0000	,	-			 	
ML	Magazine lööse		****				
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard						
ОН	Opens hard		***************************************				
OR	Over-indes		800.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				200 200 200 200 200 200 200 200 200 200		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Dec.	
RS	Rim srem		-				
SBC	Stems bottom chambers		-				
SBE	Stems bbl extension		***************************************	1199			
SCB	Stock cracked or broken						
SCX	Shell catches		***************************************				
SHI	Short indent						
SI	Stems incline		Hanning			2004	
SIC	Stems in chamber		-			á	
SL	shaves lead		***************************************				
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		-				
SOR	Stem over-ride		***************************************				
SP	Stems port		-				
SR	Shoulder rough						
SRC	Stems right side of chamber						

Surface scratches on case								
	:							1
Stems top chamber								1
Safety switch works too easily								1
Safety switch works too hard		šta.						1
Safety ewitxh won't work								1
Tips down								1
uho nh								
Trigger won't pull				800. 800.				
Frigger won't retract								
Jncoded	***			***				
Extracts hard						5a.		
				- 400				
High			***	88000 B0000				
_OW			****					
_eft								
Right								
Doesn't Group						2000		
Front sight tipped						2000 F		
Rear sight tipped						â		
Rear sight base raised							*******	ľ
Front sight raised								
Front sight loose								
Rear sight loose								
Missing parts at target								
Incoded nonconformity at target								
後8 16 1 T T T T T T T T T T T T T T T T T	afety switch works foo hard afety ewitxh work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft cight oesn't Group ront sight tipped tear sight tipped tear sight base raised ront sight loose lissing parts at target	afety switch works too hard afety ewitxh want work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft cight oesn't Group ront sight tipped tear sight base raised ront sight loose lear sight loose lear sight loose lissing parts at target	afety switch works too hard afety ewitxh want work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft clight loesn't Group ront sight tipped lear sight base raised ront sight loose lear sight loose lear sight loose lissing parts at target	afety switch works too hard afety ewitxh work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft ight oesn't Group ront sight tipped rear sight base raised ront sight raised ront sight loose lear sight loose lear sight loose lear sight loose lear sight loose lear sight loose lear sight loose lear sight loose lear sight loose	afety switch works too hard afety ewitxh work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft ight oesn't Group ront sight tipped ear sight base raised ront sight loose ear sight loose lissing parts at target	afety switch works foo haid afety ewitxh work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard igh ow eft ight oesn't Group ront sight tipped ear sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose lissing parts at target	afety switch works too hard afety ewitxh work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft sight oean't Group ront sight tipped ear sight base raised ront sight loose ear sight loose ear sight loose lissing parts at target	afety switch works foo hard afety ewitch work ips down ips up rigger won't pull rigger won't retract incoded xtracts hard ligh ow eft ight oosen't Group ront sight tipped ear sight base raised ront sight loose ear sight loose lissing parts at target

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$46.				
BLSO-P	Barrel lug shot off at proof		<i>*************************************</i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · ///					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					800.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof	Anna					
MSI-P	Magnaflux stamp illegible on bbl			1%			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					****	
						 ;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	10000000										
Summ	ary	Total	Test + Pro	oof Failures	0						
			Tota	al Rejected: Reject Rate:	0						
			Overall F	Reject Rate:							
				Shot: Rejected Percent	.						
	*******	Proof		Rejected	0	0	0	0	0	0	0
	***************************************	WY A		Percent,	0						
				Shot	8860 i	<i>30009</i>					
		Test	* **** ****	Shot. Reje cted :	G	0	O	0	0	Đ	0
				Percent:		0					
				3390E	.000	<i>* 2000</i>	1 78888	<i>A</i> .			
		Target		Rejected:	0	*	Ç	0	0	0	0
				Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			*********		1 ************************************	***	33.v	
AB	Action binds		-					
BABS	Bulge at body shoulder	Control	vening the same of	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				77.00			
вв	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***					
BCOF	Bolt catches on follower						2000	
BC	Blows cases						3	
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

100000000000000000000000000000000000000	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand							
CLM	Can't laod magazine							
co	Cut-off		\$40.					
CR	Cuts rim		<i></i>					
cs	Cases swell							
CTOG	Chamber torn or gouged	***						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***			***	<i>11/1</i> 0		
DCS	Double click in safety switch						Sau.	
DCT	Double click in trigger				***			
DCU	Doesn't close-up							
DE	Doesn't eject			***				
DEL	Doesn't eject live round				**************************************			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up						8	
DS	Dead safe							***************************************
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
					•			


	2343500 CC								
FA	Fires automatically								1
FB	Follower binds		***************************************						1
FC	Fails to comect								1
FCB	Fore-end dracked of broken		-						1
FD	Follows-down		što.						1
FF	Fails to fire								1
FFP	Flat firing pin								1
FOS	Fires on safe	···.							1
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens					11/1/11			1
FPOH	Floor plate opens hard						Sec.]
FSR	Fires when safe is released		***		****				
FT	Follower tips		***************************************						
GCSO	Gas cyl shot off			***					
HBL	Heavy bolt lift		-						1
HMSC	Heading mismatch-steps on case		-] .
HPA	High pressure ammo]@
HUR	Hard under rail						*****		
JCS	Jumps cartridge		************				ž.		
JM	Jumps magazin e		***************************************					***///]**
70	Jars off		***************************************						
LB	Light blow		***************************************						
MAH	Magazine assembles hard		***************************************						
MCW	Magazine capacity wrong		***************************************						
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position		-						1

ML.

Magazine loose

	\$2555555°							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard	\$46.						
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull			**************************************				
TWR	Trigger won't retract							
UNCN-T	Uncoded							
XH	Extracts hard				***	55c.		
HI	High		***					
LO	Low		/**					
LEFT	Left			2000				
RIGHT	Right] /////
DG	Doesn't Group							
FSST	Front sight tipped					*****		
RSTT	Rear sight tipped					ž.		
RSBR	Rear sight base raised						***///] *****
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
	<u> </u>							_

AI-P	Assembly incompleye at proof		B. T. T. T. T. T. T. T. T. T. T. T. T. T.				
868	Barrel bracket cracked or broken at proof		***************************************				
BC-P	Blows cases at proof		**************************************				
BEB-P	Barrel extension broken at proof		**************************************				
BLP-P	Blanked primer at proof		data.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				ites. ##/////www.		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1.400					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		*********	***************************************			
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		**************************************		*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions					*****	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

<i>I</i> k									
Summary	Total Test	+ Proof Failures	0						
		Total Rejected:	0						
Summary	Ove.	Total Rejected: rall Reject Rate:							
-		Shot: Rejected: Percent Shot: Rejected: Rejected: Percent:	80.						
***	Proof	Shot: E Rejected	0	0	0	0	0	0	0
		Rejected: Percent: Shor :	9 19900000000000	Sa.					
		Shot (a 18 88						
	Test	Shot: [Reje pted ; Percent:	Q.	0	O	0	0	O O	0
		Percent:	g.	0					
		Shot: Rejected:		2000	700000	4.			
	Target		0 💥	9	Ø	0	0	0	0
	· ·	Percent:	0	ø	Ċ	0			
	7			212222					_

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD

Bolt won't close over full magazine

Case dented

FA	Fires automatically		***************************************				
FB	Follower binds		***************************************				
FC	Fails to connect		***********				
FCB	Fore-end gracked of broken		***************************************				
FD	Follows-down						
FF	Fails to fire		₩				
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Sax.	
FSR	Fires when safe is released		***************************************				
FT	Follower tips		***********	***//			****
GCSO	Gas cyl shot off		400	***			
HBL	Heavy bolt lift				1000000		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		***************************************				
HUR	Hard under rail		Hannis			*****	
JCS	Jumps cartridge		***************************************			ž.	
JM	Jumps magazin e						******
70	Jars off		aria				
LB	Light blow		***************************************				
MAH	Magazine assembles hard		***************************************				
MCW	Magazine capacity wrong		***************************************				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position		-				

ML,


MLH


Magazine loose

Magazine loads hard

SRIC	Specific rings in chamber		-					
850C	Surface scratches on case		**************************************					
STC	Stems top.chamber		**************************************					
SWE	Safety switch works too easily		on and a second					
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work		W					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded		//////////////////////////////////////		***	1000		
хн	Extracts hard						Sec.	
			***************************************		***			
HI	High		***					
LO	Low		*******	***				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				2006	
RSTT	Rear sight tipped		***************************************				į.	
RSBR	Rear sight base raised		MARKATA AND AND AND AND AND AND AND AND AND AN					
FSTR	Front sight raised							
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			-					
		1			<u> </u>		1	

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		**************************************				
BLP-P	Blanked primer at proof		- Sec.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				***************************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		*************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	***			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***********				
UNCM-P	Uncoded proof malfunctions					**************************************	
						- ;	88888 - 181 3 8888














Subject to Protective Order Williams v. Remington

	7/200007/2004000	9990.									
Summ	ary	Total	Test + Proc	of Failures	0						
			Total	Rejected:	0						
Summ			Test + Proc Total Overall Re	ject Rate:							
	,			Shot:	o						
	ı	Proof		Rejected:	0	0	0	0	0	0	0
				Percent,		200a					
				Shot	Barrer .						
	7	Test 🦷	*	Reje cted :	Q	0	0	0	0	Đ	0
				Shot Rejepted: Percent: Shot: Rejected:		0					
				Shot:		Y	1998	<i>A</i> .			
	7	Target		Rejected:	0	9	O	0	0	O	0
		-		Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds			<i></i>				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				*****		3////	
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		-					
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM


Bolt won't close over full magazine

FA	Fires automatically					
FB	Follower bin ds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Folfows-down		šta.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FP0	Floor plate opens	***				
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			*******		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				**************************************	
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

d.								
ML	Magazine lööse							
MALH	Magazine loads hard		***************************************					
MRH	Magazine removes hard	a.	***************************************					
ОН	Opens.hard							
OR	Overandes		Seco.					
PH	Pulls hard		- A.					
PSI	Proof stamp illegible							
PSM	Proof stamp missing	···						
RBOC	Rings and bulges on case				**************************************			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>M</i>		
RIS	Ring in sholder						5to.	
RS	Rim srem			<i>#</i>	****			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		***************************************	***				
SCB	Stock cracked or broken				*****			
scx	Shell catches							
SHI	Short indent		***************************************					
SI	Stems incline						****	
SIC	Stems in chamber		A.				ž.	
SL	shaves lead							
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		što.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up	· · · · //						
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***				<i>2</i> /////		
XH	Extracts hard						500.	
HI	High							
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						á	
RSBR	Rear sight base raised							***//
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof			.			
BS-P	Barrel split at proof	- " <i>(</i>					
DLOS-P	Doesn't lock over shells at proof				*** *********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof		****			550.	
FF-P	Fails to fire at proof				***		
GCSO-P	Gas cylinder shot off at proof			***************************************			
MSI-P	Magnaflux stamp illegible on bbl		Andrews Andrew				
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			*****	
						ž	



Subject to Protective Order - Williams v. Remington








Subject to Protective Order Williams v. Remington





Subject to Protective Order - Williams v. Remington

	///////////////	26.000 M									
Summ	any	Total	Test + Proof F	ailures	()					
			Total Re	ejected:	(9					
			Test + Proof F Tötal Re Overall Rejed	ct Rate:							
			,	28655555							
	*******	Proof	# # # # # # # # # # # # # # # # # # #	Rejected.	3300000000000	0	0	0	0	0	0
				⊬ercenτ,	o	2000.					
				Shot.	8550.	L88888F					
		Test	· · · · · · · · · · · · · · · · · · ·	Reje cted :	Q.	0	O	0	0	Đ	0
				Shot: Reje cted : Percent: Shot: Rejected:	G	0					
			**	Shot:	.200	8 8 7 - 2000	1000000	4.			
		Target	F	Rejected:	0 💥		Ø	0	0	0	0
		Ū		Percent:	0		O	0			
					******	- ///////////	11111111	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************				<i>****</i>	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		šta.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged	• • •					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					88.	
DCT	Double click in trigger						
DCU	Doesn't close-up						****
DE	Doesn't eject			178			
DEL	Doesn't eject live round				*******		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					***************************************	
DLU	Doesn't lock-up					*	
DS	Dead safe						
XD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA	Fires automatically							
FB	Follower bin ds							
FC	Fails to comect							
FCB	Fore-end cracked or broken							
FD	Follows-down		áss.					
FF	Fails to fire		<i></i>					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				Militar.			
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	. 443						
FPOH	Floor plate opens hard					8ec.		
FSR	Fires when safe is released							
FT	Follower tips			***************************************			*** *********************************	
GCSO	Gas cyl shot off			178				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge					-8		
JM	Jumps magazine						*****	ľ
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

,	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX							
SRIC	Specific rings in chamber	-						
SSOC	Surface scratches on case							
STC	Stems top.etiamber							
SWE 🤻	Safety switch works too easily							
SWH	Safety switch works too hard		days.					
SWW	Safety ewitxh work							
TD	Tips down	1						
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded		//////////////////////////////////////		***	1000		
XH	Extracts hard	-					Sec.	


HI	High			******	3 000000000000000000000000000000000000			
LO	Low			***				
LEFT	Left	***			*****			
RIGHT	Right		-					
DG	Doesn't Group	***************************************						
FSST	Front sight tipped	***************************************	***************************************				*****	
RSTT	Rear sight tipped						;	
RSBR	Rear sight base raised							
FSTR	Front sight raised	****						
FSTL	Front sight loose							
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target		***************************************					
UNCN-G	Uncoded nonconformity at target	-	-					

AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		Managara anaka					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	100				Ži iz		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		4.00	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				2004	
	·	·-	·-		·-			200000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	1000000									
Sumn	nary	Total	Test + Proof Failure							
			Total Rejected Overall Reject Rate	l: 0						
			Overall Reject Rate);						
		Prøof	Shot Rejected Percen Shot Rejected Percen							
	***********	Proof	Rejected	1 0	0	0	0	0	0	0
			Percen	d G	Va					
			Shot		888					
		Test	Reje çte c	g G t:	0	O	0	0	Đ	0
			Shai Reje de i Peicen Shot Rejected	1	0					
			Shot	F	####	1999	Δ.			
		Target		t: 0 🎆	9	Ø	0	0	0	0
			Percen	t: 0	•	O	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********		**		X	
AB	Action binds		***************************************					
BABS	Bulge at body shoulder		** Andrews and **					* **
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		3////	
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		and the same of th				7777	
ВС	Blows cases		onio esta de la compansa del compansa de la compansa del compansa de la compansa				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					
BHS	Bolt plug hits safety switch		The state of the s					
BLOP	Bar lock or disconnector out of position		**************************************					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down		-					

BWCFM

CD

СН

CLM CO

CR

CS

CTOG

CWSB

CTP

DBB

DCS

DCT

DCU

DE

Bolt won't close over full magazine

Case dented

Closes hard Can't laod magazine

Cut-off

Cuts rim

Cases swell

Chamber tom or gouged

Cams wrong side of action bar

Double click in safety switch

Creepy trigger pull

Doesn't blow back

Doesn't close-up

Doesn't eject

Double click in trigger


FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		žec.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FP0	Floor plate opens	. 443					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			****			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					***************************************	
JCS	Jumps cartridge					*	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

ML,

Magazine loose

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						500.	
			***************************************		***			
HI	High							
LO	Low		*******	***				
LEFT	Left		-		**************************************			
RIGHT	Right		-					
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					


AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof						
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					250.	
FF-P	Fails to fire at proof		***************************************		****		
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	***			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 3000	
						;	














Subject to Protective Order - Williams v. Remington

	77,950,000,000	######################################										
Summa	ary	Fota!	Test + Proof F	ailures		0						
		2002	Total Re	iected:		0						
Summa			Total Rej Overall Rejec	t Rate:								
		43.37	R R R	Shot:								
		Proof	Æ	ejected.	0	· · · · · · · · · · · · · · · · · · ·	0	0	0	0	0	0
				ercent.	o r		Wo					
				Shot.		100	9999					
		Test	R	eje olod :	Q		0	0	0	0	Đ	0
				Shot: eje sted: Percent: Shot: ejected:	******			0				
				Shot:		200	20000	1 78888	<i>A</i> .			
		Target	R	eječted:	0		19	¢	0	O	0	0
		-	J	Percent:	Á							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Çase dented							
CH	Closes hard							
CLM	Can't laod magazine		látes:					
co	Cut-off							
CR	Cuts rim							
cs	Cases swell			1				
стос	Chamber tom or gouged							
CTP	Creepy trigger pull		I /////			Mar.		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back						* 20	
DCS	Double click in safety switch							
DCT	Double click in trigger							
DCU	Doesn't close-up				77.			*** ###
DE	Doesn't eject		***************************************		10.			
DEL	Doesn't eject live round					***///		
DFB	Doesn't feed back		100					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							***
DLU	Doesn't lock-up							***
DS	Dead safe							
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver		-					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ES8	Extractor stems shelt							
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect		<i>i</i>					
FCB	Fore-end cracked or broken			Δ.				
FD	Follows-down							
FF	Fails to fire				3			
FFP	Flat firing pin							
FOS	Fires on safe					Willian.		
FPHB	Firing pin hits bbl				*** *********************************			
FPHI	Firing pin hits inside rim		**********				*	
FPO	Floor plate opens		***************************************					
FPOH	Floor plate opens hard							
FSR	Fires when safe is released		-		****			
FT	Follower tips							
GCSO	Gas cyl shot off					***************************************		
HBL	Heavy bolt lift		***************************************					
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							***
HUR	Hard under rail							***
JCS	Jumps cartridge		***************************************					
JM	Jumps magazine		***************************************					
JO	Jars off		***************************************					
LB	Light blow							
MAH	Magazine assembles hard		-					
MCW	Magazine capacity wrong							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
MFA	Misfires (ammo)		***************************************							
MFOP	Magazine follower out of position.		***************************************							
ML	Magazine bose		-							
MLH	Magazine loads hard									
MRH	Magazine removés hard									
он	Opens hard									
OR	Over-rides									
PH	Pulls hard									
PSI	Proof stamp illegible					Miller.				
PSM	Proof stamp missing									
RBOC	Rings and bulges on case			1 ///	******		200			
RDW	(Action) release doesn't work		***************************************							
RIC	Rings in chamber		***************************************							
RIS	Ring in sholder		***************************************					***		
RS	Rim srem		A							
SBC	Stems bottom chambers		***			*****				
SBE	Stems bbl extension		***							
SCB	Stock cracked or broken		***************************************							
SCX	Shell catches		***************************************					** ***		
SHI	Short indent		- Control of the Cont							
SI	Stems incline		***************************************							
SIC	Stems in chamber		***							
SL	shaves lead		**************************************							
SLC	Stems left side of chamber		*****							
SMOC	Stretch marks on case									
SOR	Stem over-ride		-							

ΙL	
EC	
0:	
LE0010	
90	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port		***************************************					
SR	Shoulder raugh		***************************************					
SRC	Stems right side of chamber		***************************************					
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case			Δ.				
STC	Stems top chamber							
SWE	Safety switch works too easily				&x			
SWH	Safety switch works too hard							
SWW	Safety ewitxh won't work					William.		
TD	Tips down				*** *********************************			
TU	Tips up						* **.	
TWP	Trigger won't pull							
TWR	Trigger won't retract	-	***************************************					200
UNCN-T	Uncoded		-		****			
XH	Extracts hard				-			

HI	High	***************************************	*************					
LO	Low		1					
LEFT	Left							***
RIGHT	Right							***
DG	Doesn't Group		***************************************					
FSST	Front sight tipped		H-100					
RSTT	Rear sight tipped		**************************************					
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose		***************************************					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
RSTL	Rear sight lööse		HILDRIGHT					
MGPT-G	Missing parts at target		******					
UNCN-G	Uncoded nonconformity at target		handelenine					
AI-P	Assembly incompleye at proof			Δ.				
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof			- 12 m	&xx			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					Marian.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof						*	
BS-P	Barrel split at proof		++++++++++++++++++++++++++++++++++++++					
DLOS-P	Doesn't lock over shells at proof		**************************************					
ESB-P	Ejector sticks back at proof		***************************************		*****			
FCB-P	Fore-end cracked at proof		arranarra de la constanta de l					
FESO-P	Fore-end shot off at proof		vision to the second			***************************************		
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		Managara				;	
MSI-P	Magnaflux stamp illegible on bbl		***************************************					
MSM-P	Magnaflux stamp missing on bbl		-					****
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		-			_		



Subject to Protective Order - Williams v. Remington

