Н
H
鬥
0
0
H
H
H
9
S
0

nmary To	Overall Reject		3349 292 8.72							
Proc		Shot:	1335	109		123	794	9	92	18
Proc	of Re	Shot: lected:	2	0	•	3	1	0	0	0
	Pi L Ro	ercent	0.1	0.0		2.4	0.1	0.0	0.0	0.0
Tes		Shot [704	151		350	932	325	110	
Tes	t Rej	ected:	67	∌ 7		25	91	15	4	0
****	* * * * * * * * * * * * * * * * * * *	nconi	9.5	4.6		7.1	9.8	4.6	3.6	
		Shot: [36	- 6	da.	28	44		107	
Targ	ret 🖼	ected:	0	///00		0	0	0	14	0
	p ₍	ercent:	0.0	0.0		0.0	0.0		13.1	

CODE	MALFUNCTION INDEX	700 S PS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
		1900			k			
AB	Action binds						20ec	
BABS	Bulge at body shoulder							
BAC	Burr at chamber	26		8	2	9		
BBMA	BBL-to-bolt misalignment			***				
BB	Bolt binds/catches	5		3	13	3		
BCOBS	Bolt catches on bolt stop					*****		
BCOF	Bolt catches on follower					Į.	1	
BC	Blows cases							
BHR	Bolt hits receiver				***************************************			
BHS	Bolt plug hits safety switch							****
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
вро	Boit pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't carn down							
BWCFM	Bolt won't close over full magazine	4			3			
CD	Case dented							

Н	
H	
H H	
Ö	
Ō	
Ï	
\vdash	
11	
119	
H	

	(40000).							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
СН	Closes hard	1			35			
CLM	Can't load magazine							
co	Cut-off							
CR	Cuts fim							
cs	Cases swell							
стов	Chamber torn or gouged			٠.				
СТР	Creepy trigger pull	***						
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch	***************************************				*		
DCT	Double click in trigger	***						
DCU	Doesn't close-up		.,				Military.	
DE	Doesn't eject						1	y.
DEL	Doesn't eject live round							
DFB	Doesn't feed back				988			
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up					Ÿ		
DS	Dead safe				2		400	
DX	Doesn't extract	1		1				
DXL	Doesn't extract live round							
EDS	Extractor drops shell			1	6		2	
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							

۲	ł
t	ŧ
<u> </u>	
C)
)
H	1
H	1
H	1
V)
O	`
N)

	//////////////////////////////////////							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to pomect							
FCB	Fore-end cracked or broken				***************************************			
FD	Fallows-down				***************************************			
FF	Fails to fire			1	40000000			
FFP	Flat firing pin				***			
FOS	Fires on safe			٠.				
FPHB	Firing pin hits bbl	777			37 FARRAMAN			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	/33/			-5	4		
FPOH	Floor plate opens hard	*****				28.		
FSR	Fires when safe is released			/////				
FT	Follower tips		,,		3		Žillion.	
GCSO	Gas cyl shot off							y.
HBL	Heavy bolt lift	1		2	3			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo				***			
HUR	Hard under rail	15			10 THE RESIDENCE OF THE	.,		
JCS	Jumps cartridge				***************************************	Ÿ		
JM	Jumps magazine	1			50 mm	2	***	
10	Jars off				***************************************			
LB	Light blow				-			
MAH	Magazine assembles hard				-			
MCW	Magazine capacity wrong				***************************************			
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							

Ì	_	ı	
l	-	ŧ	
İ	_	İ	
(Ξ)	
(Ξ)	
l	-	1	
ŀ	_	1	
İ	_	1	
ŧ	٤)	
	3		
ĺ	ź	j	

	///88/4/							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MIRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-riides	9		2				
PH	Pulls hard							
PSI	Proof stamp:#legible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case	· · · · · · · · · · · · · · · · · · ·						
RDW	(Action) release doesn't work				Št			
RIC	Rings in chamber		7	3	6			
RIS	Ring in sholder	****			3	*		
RS	Rim srem							
SBC	Stems bottom chambers		,,	<i>1111</i> 11.			Žillion.	
SBE	Stems bbl extension			***///				y.
SCB	Stock cracked or broken							
scx	Shell catches				****			
SHI	Short indent							
SI	Stems incline	1		2				
SIC	Stems in chamber				1	۶		
SL	shaves lead						400	
SLC	Stems left side of chamber							
ѕмос	Stretch marks on case							
SOR	Stem over-ride			2	6			
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							

Н
H
0
0
\mathbf{H}
H
H
Ø
S
Δ

	//////////	_	_	_	_		_	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
src	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down	***	2					
TU	Tips up							
TWP	Trigger won't pull	***						
TWR	Trigger won't retract				de			
UNCN-T	Uncoded				4.			
хн	Extracts hard			<i>7</i> ////////////////////////////////////	2			
		***				- 10mm		
Н	High						állac.	
LO	Low							v.
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group						14	
FSST	Front sight tipped					,,		
RSTT	Rear sight tipped					*		
RSBR	Rear sight base raised			10000	***************************************		400	
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target			4				
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							

۲	ł	
t	1	
ŀ	1	
C)	
C)	
۲	1	
H	1	
H	1	
U	0	
O	1	
Ľ		

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at preof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof	3000.						
BLSO-P	Barrel lug shot off at proof	**************************************						
BP-P	Blown primer at proof	"	×.					
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				en.			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof				****	%		
FF-P	Fails to fire at proof	***						
GCSO-P	Gas cylinder shot off at proof		,,					
MSI-P	Magnaflux stamp illegible on bbl			***************************************				
MSM-P	Magnaflux stamp missing on bbl				7 / / / / / / / / / / / / / / / / / / /			7 11000
PP-P	Pierced primer at proof			1	100000			
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	2		2	1			

Н	
H	
H	
0	
0	
H	
H	
H	
Ø	
ത	
O)	

986 .v	75000007							
		es.					700	New Gen
- 333333°						totals	totals	totals
366	132		215	114	13	3320	2846	461
Ø	3	0.	2.	0	0	11	6	5
0.0	2.3	0	2. 0.9	0.0	0.0	0.3	0.2	1.1
309	∤‱ 185 <i>‰</i>	3 1 37 3333 3	88812 /1374 0 ****	l 85	13	3338	5972	444
 35	5 🚿	0	- 8	4	1	262	244	17
11.3	2.7	799990000	8 4.6	47	7.7	7.8	4.1	3.8
309			· 1,0000000 Z	80	1 000000000000000000000000000000000000	612	1188	82
 0	0	0	0 0.0	5 // 5	0	19	14	5
 0.0			0.0	6.3	0	3.1	1.2	6.1

XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals
						l	-880000A	
			2	3		5		- 5
					**			
4					7000	49	49	
					7007	7/480		
				***************************************		24	24	


				***************************************		1	1	
				¥	9.00	***************************************		
					4000	**************************************		
					9.000			
					-			
						7	7	


	7	1	1	1	l	I				I	7	T s		ete.	SSS		1						I
totals									ęs,			2				S ilon			-				
totals	64					*	***************************************	**********									2	2	11		 	***************************************	
toťals	64					-	***************************************		£			2		<u> </u>	************	***************************************	2	2	 12		 		
Rimfire																							
7615									ari Leikir							***************************************			(
7600								*															
7500																							
2400									(r)			2											
888a	328	-				-													2				


																Šoc.	7.										
													į							*							
															Soc		. 6	estili	200 8888.								
totals				ю									P Sec			47.5			7								
											40					ilion.											
<u> </u>																											
totals				***					o o	488) 46.		•		9	2000		15		673								
	<u></u>						**********					300	2700							**********			ļ				
totals	-			4					an.			3		\$ 2			15		2								
22								100																			
<u>a</u>						25.00																					
Rimfire	₩.																										
	***************************************	*******		*******	- (i)					A. (3)		********		*******	***********	*********	*******		********	*********	******	**********		************	******	***************************************	
7615				138				inneg Bisson			8																
^-					70.	28				*																	
									i.																		
7600				ea			Sec.												2								
				800. 80000																							
7500		550000	100000																								
75						interes.																					
.2008			***			¢:							<u> </u>														
7400			2000		1,1964																						
801																											
XR-100																											
	J	L	<u> </u>	<u> </u>		L		<u></u>	<u></u>	<u></u>	<u> </u>		<u></u>	<u></u>		<u> </u>	L	<u> </u>	<u> </u>			L	<u></u>	L			Ĺ


																		Steeler Steeler									
													4000			nititi											
				l					1	<u> </u>	1				844. 8783	Nov.	l		1								
<u>s</u>																											
totals																		D.				1					
							**********	*********				1908						**********									
totais			17						16	<u></u>							₆₀					80					
fot			-						-	*	estille.						,,,	,				*					
					***************************************			3		5.				3000 1000	555	**********						*********					
totals			-						9	m							m					6					


<u>.</u> 2																											
Rimfire																											
······	**********	**********	***************************************	*******								**********		***********		********	********	***************************************	************	**********	***********	*********	**********	***************************************	******	***************************************	
7615				100				den den																			
1					750a.	THE STATE OF THE S				*																	
									333																		
7600		:					N. C.															***					
			6 800 0	334				*																			
۰			***																								
7500							8																				
	ଂବର୍ଷ୍ଣ					÷																					
7400				h																							
1		``																									
100000									···········					ļ													
XR-168				f																							
Ľ																											












ILE00111975

Gallery Top Faults for 7615's - Current Month through:



CH	Closes hard
BAC	Burr at chamber
BB	Bolt binds/catches
RIC	Rings in chamber
DG	Doesn't Group
EDS	Extractor drops shell
SOR	Stem over-ride
BWCFM	Bolt won't close over full magazine
UNCM-P	Uncoded proof malfunctions
FPO	Floor plate opens
HBL	Heavy bolt lift
HUR	Hard under rail
OR	Over-rides
DS	Dead safe
FT	Follower tips
BCOF	Bolt catches on follower
CTOG	
DE	Chamber torn or gouged
	Doesn't eject
DX FF	Doesn't extract
	Fails to fire
SI	Stems incline
SIC	Stems in chamber
UNCN-T	Uncoded
PP-P	Pierced primer at proof
AB	Action binds
BABS	Bulge at body shoulde
BBMA	BBL-to-bolt misalignment
BCOBS	Bolt catches on bolt stop
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
CD	Case dented
CLM	Can't load magazine
CO	Cut-off
CR	Cuterim
CS	Cases swell
CTP	Cases swell Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB ®	Doesn't blow back
DCS 8	Double click in safety switch
DCT	Double click in trigger
DCU	Doesn't close-up
DEL	
DFB	Doesn't eject live round Doesn't feed back
DFU	Doesn't feed up
DLO	
DLU XXXX	Doesn't lock open (after last shell)



DLU	Doesn't lock-up	
DXL	Doesn't extract live round	
ESB	Ejector sticks back	
ESCR	Empty shell catches received	ver
ESS	Extractor stems shell	
FA	Fires automatically	***************************************
FB	Follower binds	
FC	Fails to connect	3
FCB	Fore-end cracked or broke	en 🌋
FD	Follows-down	
FFP	Flat firing pin	A9999
FOS	Fires on safe	SSSSS.
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPOH	Floor plate opens hard	***************************************
FSR	Fires when safe is release	A 3000000000000000000000000000000000000
GCSO		u
HMSC	Gas cyl shot off	
	Heading mismatch-steps of	on case
HPA IOO	High pressure ammo	
JCS	Jumps cartridge	
JM	Jumps magazine	
JO	Jars off	8888 <u>8888</u>
LB	Light blow	ananana anan
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of p	osition
ML	Magazine loose	*******
MLH	Magazine loads hard	
MRH	Magazine removes hard	X-1
OH	Opens hard	
PH	Opens hard Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	· (4)
RDW	(Action) release doesn't wo	
RIS	Ring in sholder	
RS	Rim srem	***************************************
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	me	
SL &	shaves lead	***************************************
	Stamp left side of chembs	~
SMOC	Stems left side of chambe	J
	Stretch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamb	er
SRIC	Specific rings in chamber	
ssoc	Surface scratches on case	



STC	Stems top chamber	1
SWE	Safety switch works too easily	1
SWH	Safety switch works too hard	1
SWW	Safety ewitxh won't work	1
TD	Tips down	1
TU	Tips up	1
TWP	Trigger won't pull	3
TWR	Trigger won't retract	
XH	Extracts hard	
HI	High	•
LO	Low	1.
LEFT	Left	
RIGHT	Right	×
FSST	Front sight tipped	1
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	1
FSTR	Front sight raised	
FSTL	Front sight loose	×
RSTL	Rear sight loose	1
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	1
		k
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	1
BLP-P	Blanked primer at proof	1
BLSO-P	Barrel lug shot off at proof	1
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	1
DLOS-P	Doesn't lock over shells at proof	1
ESB-P	Ejector sticks back at proof	1
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at proof	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnattux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
SCB-P	Stock gracked or broken at proof	1





DBB	Doesn't blow back	7
ESB-P	Ejector sticks back at proof	-
DCU	Doesn't close-up	-
AB	Action binds	-
BABS	Bulge at body shoulder	-
BAC		
BBMA	Burr at chamber BBL-to-bolt misalignment	-

BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	_
BCOF	Bolt catches on follower	
BC	Blows cases	4,
BHR	Bolt hits receiver	_3
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	7
BWCFM	Bolt won't close over full magazine	
CD	Case dented	-
CH	Closes hard	
CLM	Can't load magazine	7
CO	Cut-off	
CR	Cuts rim	
CS	Cases swell	7
CTOG	Chamber forn or gouged	100
CTP		5.
CWSB	Creepy trigger pull Cams wrong side of action bar	₩.
*************		4
DCS	Double click in safety switch	4
DCT	Double click in trigger	
DE.	Doesn't eject	
DEL	Doesn't eject live round	4
DFB	Doesn't feed back	4
DFU	Doesn't feed up	╛
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	٦
ESB	Ejector sticks back	7
ESCR	Empty shell catches receiver	_
ESS	Extractor stems shell	
FA	Fires automatically	
FB	Follower binds	-
FC	Fails to connect	
FCB	Fore-end cracked or broken	-
FD	Follows-down	-
	Falls to fire	-
FFP S		-
FFP FOS	Flat firing pin	_
FUS SSS	Fires on safe	- 1



FPHB	Firing pin hits bbl	1
FPHI	Firing pin hits inside rim	1
FPO	Floor plate opens	1
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	ł
FT	Follower tips	ĺ
GCSO	Gas cyl shot off	ł
HBL		ł
	Heavy bolt lift	ł
HMSC	Heading mismatch-steps on case	i i
HPA	High pressure ammo	
HUR	Hard under rail	door
JCS	Jumps cartridge	
JM	Jumps magazine	
<u>10</u>	Jars off	
LB	Light blow	0353533
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	4.000
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
ОН	Opens hard	8
OR	Over-rides	1
PΗ	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or proken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead Stems left side of chamber	
SLC		
SMOC	Stretch marks on case	
SOR	Stern over-ride	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC	Surface scratches on case	
STC	Stems top chamber	
SWE 🖇	Safety switch works too easily	
SWH 🐰	Safety switch works too hard	
133		

SWW	Safety ewitxh won't work	
TD	Tips down	ĺ
TU	Tips up	ĺ
TWP	Trigger won't pull	ĺ
TWR	Trigger won't retract	
UNCN-T	Uncoded	l
XH	Extracts hard	l
Manuanuanuanuanuan	na haadaan ka ka ka ka ka ka ka ka ka ka ka ka ka 	l
HI	High	l
LO	Low	l
LEFT	Left	l
RIGHT	Right	1000
DG	Doesn't Group	
FSST	Front sight tipped	l
RSTT	Rear sight tipped	l
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	è
UNCN-G	Uncoded nonconformity at target	

AI-P	Assembly incompleye at proof	Š
BBB	Barrel bracket cracked or broken at proof	ô
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at propt	
BLP-P	Blanked primer at proof	١.
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	S.
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	
L		



	Tex -1 2	٦				
FF	Fails to fire	4				
JM	Jumps magazine	1				
ESB-P	jector sticks back at proof					
AB	Action binds	1				
SOR	Stern over-ride	1				
BABS	Bulge at body shoulder					
BAC	Burr at chamber					
BBMA	BBL-to-bolt misalignment					
BB	Bolt binds/catches	1				
BCOBS	Bolt catches on bolt stop	1				
BCOF	Bolt catches on follower	1				
BC	Blows cases	1				
BHR	Bolt hits receiver	1				
BHS	Bolt plug hits safety switch	1				
BLOP	Bar lock or disconnector out of position	1				
BLSO	Barrel lug shot off	1				
BPO	Bolt pulls out	l				
BSSM	Bolt stems shell in magazine	ĺ				
BWCD	Bolt won't cam down	1				
BWCFM	Bolt won't close over full magazine	ł,				
CD (4)	Case dented	ł				
CH	Closes hard	ł				
CLM		ĺ				
	Can't load magazine	Į.				
<u>co</u>	7000000	ľ				
CR	Cuts rim	ľ				
CS	Cases swell	1				
CTOG	Chamber torn or gouged	ŀ				
CTP	Creepy trigger pull	l				
CWSB	Cams wrong side of action bar	l				
DBB	Doesn't blow back	l				
DCS	Double click in safety switch	Ì				
DCT	Double click in trigger	l				
DCU	Doesn't close-up	l				
DE	Doesn't eject	1				
DEL	Doesn't eject live found	1				
DFB	Doesn't feed back	1				
DFU	Doesn't feed up	1				
DLO	Doesn't lock open (after last shell)	1				
DLU	Doesn't lock-up	1				
DS	Dead safe	1				
DX	Doesn't extract	ł				
DXL	Doesn't extract live round	ł				
EDS	Extractor drops shell	ł				
ESB	Ejector sticks back	ł				
ESCR		ł				
*********************	Empty shall catches receiver	ł				
ESS	Extractor stems shell	ł				
FA	Fires automatically	1				
FB	Follower binds	ļ				
FC 🦸	Fails to connect	l				
FCB	Fore-end cracked or broken					
FD 🛞	#Follows-down	١				



FFP	Flat firing pin	1
FOS	Fires on safe	ł
FPHB	Firing pin hits bbl	ł
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	ł
FPOH		ľ
FSR	Floor plate opens hard Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	é
HMSC	Heading mismatch-steps on case	- 8
HPA		33350
HUR	High pressure ammo Hard under rail	
JCS	Jumps cartridge	
JO	Jars off	6818888
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	400
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
OH	Opens hard	
OR	Over-rides	
PH	Pulls hard	. 4
PSI	Proof stamp illegible	à.
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Sterns bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulder raugh	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC	Surface scratches on case	
STC /	Stems top shamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
<u> </u>	A. A. A. A. A. A. A. A. A. A. A. A. A. A	

SWW	Safety ewitxh won't work	1
TD	Tips down	1
TU	Tips up	1
TWP	Trigger won't pull	1
TWR	Trigger won't retract	1
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	Á
DG	Doesn't Group	S.
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	8
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	À
UNCN-G	Uncoded nonconformity at target	

AI-P	Assembly incompleye at proof	ľ
BBB	Barrel bracket cracked or broken at proof	Ô
BC-P	Blows cases at proof	90
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	
	(6)000000000000000000000000000000000000	



Н	High	
AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
ВВМА	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP		
	Bar lock or disconnector out of position	1
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	5000555
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	<u> </u>
СН	Closes hard	*
CLM	Can't load magazine	
co	Cut-off Signature Control Cut-off	
CR	Cuts rim	
CS	Cases swell	
CTOG	Chamber torn or gouged	
CTP C	Creepy trigger pull	
CWSB	Cams wrong side of action bar	de la companya de la
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DE	Doesn't eject	3000000
DEL	Doesn't eject live round	
DFB	Doesn't feed back	111111
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
	Entropter of a sea ob all	***************************************
ESS	Extractor stems shell	
FA	Fires automatically	
FB Fo	Follower binds	***********
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	
FF 🧳	Fails to fire	
FFP	Flat firing pin	
FOS 🎇	Fires on safe	
988	55555 AVAVAV	



FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR		
	Fires when safe is released	
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	á
HUR	Hard under rail	Asse.
JCS	Jumps cartridge	
JM	Jumps magazine	settini.
10	Jars off	
LB	Light blow	فأخرج والمراورين
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	des.
MLH	Magazine loads hard	
MRH	Magazine removes hard	<u>.</u>
ОН	Opens hard	
OR	Over-rides	855
PH	Pulls hard	
PSI	Proof stamp illegible	40000
PSM	Proof stamp missing	
RBOC	Diago and hulana an ana	8
	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	8
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Sterns bbl extension	
SCB	Stock cracked of broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	shaves lead: Stems left side of chamber	
SMOC	Stretch marks on case	
SOR	Stern over-ride	
SP	Stems port	
SR	Shouldsr rough	
SRC	Stems right side of chamber	
SRIC		
	Specific rings in chamber	
SSOC	Surface scratches on case	
STC	Stems top chamber	
SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
1999)	50000°	

SWW	Safety ewitxh won't work	1
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	J
UNCN-T	Uncoded	ĺ
хн	Extracts hard	ĺ
**************************************	na haadaan ka ka ka ka ka ka ka ka ka ka ka ka ka 	ĺ
LO	Low	ĺ
LEFT	Left	ĺ
RIGHT	Right	ĺ
DG	Doesn't Group	i
FSST	Front sight tipped	
RSTT	Rear sight tipped	ĺ
RSBR	Rear sight base raised	ĺ
FSTR	Front sight raised	1000
FSTL	Front sight loose	
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	ĺ
UNCN-G	Uncoded nonconformity at target	à
***************************************	A A A A A A A A A A	
AI-P	Assembly incompleye at proof	
ввв	Barrel bracket cracked or broken at proof	ř
BC-P	Blows cases at proof	Ô
BEB-P	Barrel extension broken at proof	100
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	Į.
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	ř
FCB-P	Fore-end cracked at proof	l
FESO-P	Fore-end shot off at preof	l
FF-P	Fails to fire at proof	ĺ
GCSO-P	Gas cylinder shot off at proof	ĺ
MSI-P	Magnaflux stamp illegible on bbl	ĺ
MSM-P	Magnaflux stamp missing on bbl	l
PP-P	Pierced primer at proof	l
SCB-P	Stock cracked or broken at proof	l
UNCM-P	Uncoded proof malfunctions	l



Ì		ı	
١		ŧ	
	•		
ı	-	I	
ć	Ξ	١	
١	Ξ	1	
ļ	_	,	
ı	_	1	
ľ	_	•	
ŀ	_	1	
ŧ	۷)	
ĺ	X)	
ŧ	ĭ	ı	

	77,000	**************************************									
Summ	any	Total		Proof Failures							
			To	stal Rejected:	8						
			Overal	otal Rejected: Reject Rate:	2.36						
				Shot: Rejected:	81	3		2	5	40	4
	***************************************	Proof		Rejected	1	0	0	0	0	0	0
				Percent: Shot	1.2	0.0		0.0	0.0	0.0	0.0
				Shot.	83	58	113			28	
		Test	Y (Reje cted :	Q.	7	₀₀₀ 0	0	0	0	0
			2	Shot: Rejected: Percent: Shot: Rejected: Percent:	0.0	7 12.1	0.0.0			0.0	
				SHOL.		24 4 000	11			28	
		Target		Rejected:	0	9 //	Ø	0	0	0	0
		5		Percent:		0.0	2 .0			0.0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*********				**	
AB	Action binds		***************************************	<i>111</i> 2				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************	1.55				
BBMA	BBL-to-bolt misalignment		***************************************		****		3////	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop		The second secon			.,		
BCOF	Bolt catches on follower		**************************************				7777	
ВС	Blows cases						į.	
BHR	Bolt hits receiver		- Control of the Cont					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		O-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							


۱		ŧ	
ĺ	_	ŧ	
	-	ı	
ľ	Ξ)	
į	=	Ĺ	
١	-	•	
ŀ		1	
	_		
ŀ	-	-	
į	٤)	
ı	\ ()	

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't load magazine						
co	Cut-off		\$46.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged	· · · · //					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				***		
DCS	Double click in safety switch					550.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***************************************			
DE	Doesn't eject						
DEL	Doesn't eject live round		hard		70000		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2004 8	
DLU	Doesn't lock-up					8	
DS	Dead safe						***//
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell		***********				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

À							
ML	Magazine lööse		A				
MLH	Magazine lo ads hard		***************************************				
MRH	Magazine removes hard		440044100				
ОН	Opens hard		MANAGEMAN				
OR	Over-rides						
PH	Pulls hard		.				
PSI	Proof stamp illegible						
PSM	Proof stamp missing	· · · · · · · · · · · · · · · · · · ·					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber		7				
RIS	Ring in sholder					Stv.	
RS	Rim srem		***************************************		***		
SBC	Stems bottom chambers		***************************************	***************************************			
SBE	Stems bbl extension		450445044				
SCB	Stock cracked or broken		***************************************		× × × × × × × × × × × × × × × × × × ×		
SCX	Shell catches		***************************************				
SHI	Short indent		***************************************				
SI	Stems incline		1133A113A1			******	
SIC	Stems in chamber		***************************************			ž.	
SL	shaves lead						
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		4400441000				
SP	Stems port						
SR	Shoulder rough		***************************************				
SRC	Stems right side of chamber						


	000000000						
SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top.chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard		\$10.				
SWW	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull				*		
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			***		
XH	Extracts hard					Sec.	

HI	High			*******	.		
LO	Low			***			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						














Subject to Protective Order - Williams v. Remington

Summa	ary Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot Rejected Percent Shot Rejected Percent	.						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent;	<i>o</i>	200					
		Shot:	. I	1000F					
	Test	Reje cted :	o,	0	O	0	0	Đ	0
		Percent:		0					
		Shjot. ∤ Rejected:	.8883	7 2000	1 78888	A .			
	Targe		0	o	ø	0	0	0	0
	-	Percent:		<i>//////</i>					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


BWCFM	Bolt won't class over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine							
СО	Cut-off		áss.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	***						
CTP	Creepy trigger pull				300. 300//////			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back				***			
DCS	Double click in safety switch					Sec.		
DCT	Double click in trigger				****			
DCU	Doesn't close-up						iii ii	
DE	Doesn't eject			***				
DEL	Doesn't eject live round				**************************************			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					****		ľ
DLU	Doesn't lock-up					***		
DS	Dead safe						*******	ľ
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell					 		

ML.


Magazine loose

								_
SRIC	Specific rings in chamber]
SSOC	Surface scratches on case							1
STC	Stems top chamber							1
SWE	Safety switch works too easily							1
SWH	Safety switch works too hard	Sec.						1
sww	Safety ewitxh work							1
TD	Tips down]
TU	Tips up							1
TWP	Trigger won't pull			** **********************************				1
TWR	Trigger won't retract							1
UNCN-T	Uncoded			***	<i>M</i> ////			1
хн	Extracts hard					Soc.		1
		1	2000	***				1
HI	High		***************************************					1
LO	Low		***				***	1
LEFT	Left			4000				1
RIGHT	Right				***//			1
DG	Doesn't Group							
FSST	Front sight tipped					*****		17
RSTT	Rear sight tipped							
RSBR	Rear sight base raised						*****	1**
FSTR	Front sight raised	1						1
FSTL	Front sight loose							1
RSTL	Rear sight loose]
MGPT-G	Missing parts at target							1
UNCN-G	Uncoded nonconformity at target							1
								1
		 						-

77988							
Al-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$45.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof		***			500.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		400	100			
MSM-P	Magnaflux stamp missing on bbl				******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		-				
						;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	2000	000000000000000000000000000000000000000									
Summ	any	Total T		oof Failures	824						
		**************************************	Tota	al Rejected: Reject Rate:	96						
					11.65						
				Shot:	288	94	38	192		33	5
	***************************************	Proof		Rejected:	8888888 8 0.	0	0	1	0	0	0
		Proof		Percent: Shot:	0.3	0.0	0.0	0.5		0.0	0.0
				Shot.	75	79.	73	117	190	72	
		Test		Rejected:	11	0	9	38	3	1	0
				Percent:	11 14.7	0,0	9 .12.3	32.5	1.6	1.4	
				Shot: Rejected:	11		300003	. 7		72	
		Target		Rejected:	0 💥	.9 //	0	0	0	14	0
		3		Percent:	0.0	0.0	Q .0	0 00		19.4	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*******				3 80-	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		rendere andre	***************************************				
BAC	Burr at chamber	5	***************************************	1	1			
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		on the state of th	2	6	3		
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				1	
ВС	Blows cases		- Contraction of the Contraction				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		on the same of the					


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	· ·			19		
CLM	Can't laod magazine						
со	Cut-off		žw.				
CR	Cuts rim						
cs	Cases swell						
стоб	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					8ec.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up			***************************************			*
DE	Doesn't eject			1995			
DEL	Doesn't eject live round				× (1)		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up					-8	
DS	Dead safe				1		
DX	Doesn't extract	1					
DXL	Doesn't extract live round						
EDS	Extractor drops shell				4		
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically						
FB	Follower binds		NATIONAL DESIGNATION OF THE PROPERTY OF THE PR				
FC	Fails to coanect		************				
FCB	Fore-end cracked of broken		MANAGEMAN				
FD	Follows-down						
FF	Fails to fire		- A.				
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		***************************************		*** //		
FT	Follower tips		***********		1		
GCSO	Gas cyl shot off		450445044	****			
HBL	Heavy bolt lift		SATISFACE OF THE PARTY OF THE P	2	1		
HMSC	Heading mismatch-steps on case		***************************************				
HPA	High pressure ammo		***************************************				
HUR	Hard under rail	4	11000			*****	
JCS	Jumps cartridge		***************************************			8	
JM	Jumps magazin e						
JO	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
LB	Light blow		4440044400				
MAH	Magazine assembles hard		*************				
MCW	Magazine capacity wrong		-				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						


AI-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof		A.				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1.400					
FESO-P	Fore-end shot off at proof					500.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		4.00	133			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions	1			1	****	
						;	


XR-100	7400	7500	7600	7615	Rimfire	totals


						<i></i>
						7
						11
						1











Subject to Protective Order - Williams v. Remington

۲	1	
t	-	
	1	
C)	
C	•	
۲	•	
۲	_	
_	5	
Ĭ	Ś	
ı	`	

	20000000										
Summ	ary			roof Failures	120	09					
			To	tal Rejected:	10	03					
				tal Rejected: Reject Rate:		52					
				Shot: Rejected:	450	12	42	411		19	3
	*******	Proof		Rejected:	0	0	3	0	0	0	0
				Percent	0 0.0	990 - 2000e. L	7.1	0.0		0.0	0.0
				Shot.	300 177	14	91	631		10	
		Test		Reje cted :	10	0	_{∞.} δ	41	0	3	0
			***	Shot: Rejected Percent Shot Rejected: Percent: Shot	10 5.6	0 0: 0	. 8.8	6. <i>5</i>		30.0	
				SOM OL.	1 3	808 k - 8808	`````8	19		7	
		Target		Rejected:	0 🛞	•	Ø Ø.0	0 0 0	0	0	0
		y		Percent:	0.0		0.0	0.0		0.0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*******		1 ************************************			
AB	Action binds		***************************************	<i>111</i> 20000000000000000000000000000000000	***			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber	4	***************************************	4				
BBMA	BBL-to-bolt misalignment		***************************************		777			
ВВ	Bolt binds/catches	1	***************************************		5			
BCOBS	Bolt catches on bolt stop		The second secon			.,		
BCOF	Bolt catches on follower		**************************************				****	
ВС	Blows cases						:	
BHR	Bolt hits receiver		-					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		O-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine	2	h-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		3		
CD	Case dented		***				
СН	Closes hand	. 1	11000		15		
CLM	Can't laod magazine		-				
со	Cut-off		350.				
CR	Cuts rim		.				
CS	Cases swell						
CTOG	Chamber torn or gouged	· · · · //					
CTP	Creepy trigger pull				*		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************				
DCU	Doesn't close-up		**************************************	***//			
DE	Doesn't eject		***************************************	, · · ·		1	
DEL	Doesn't eject live round		A		140		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up		***************************************				
DLO	Doesn't lock open (after last shell)		**************************************			*****	
DLU	Doesn't lock-up		***************************************			ž.	
DS	Dead safe		Management		1		******
DX	Doesn't extract		***************************************				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell				2	2	
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						_
ESS	Extractor stems shell						

	•							
FA,	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked of broken							
FD	Follows-down		što.					
FF	Fails to fire		<i></i>	1				
FFP	Flat firing pin							
FOS	Fires on safe	· · · · ///						
FPHB	Firing pin hits bbl				800. 800////2000.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				4	<i>**</i>		
FPOH	Floor plate opens hard					***	Sec.	
FSR	Fires when safe is released			<i>##</i>	***			
FT	Follower tips				1			
GCSO	Gas cyl shot off			1788				
HBL	Heavy bolt lift				1			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						ž	
JM	Jumps magazin e							*****
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

· **	···········	,	1					
ML	Magazine lööse							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Overandes	1	žes.	1				
PH	Pulls hard		<i>-</i>					
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***		1	1			
RIS	Ring in sholder						Sec.	
RS	Rim srem				****			
SBC	Stems bottom chambers			*******				*** ******
SBE	Stems bbl extension			2.3				
SCB	Stock cracked or broken				**************************************			
scx	Shell catches							
SHI	Short indent							
SI	Stems incline	1					**************************************	
SIC	Stems in chamber				1		,	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride			1	6			
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber					_		


SRIC	Specific rings in chamber						
850C	Surface scratches on case		Per la constante de la constan				
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up	· · · · ///					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			1		
XH	Extracts hard					Sec.	


HI	High	Anna	***************************************		.		
LO	Low		4.00	***			
LEFT	Left				1900 B		
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped		1			ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose						
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						


	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof				ites. ##/////www.		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof	-	***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		410444				
MSM-P	Magnaflux stamp missing on bbl		***************************************		*******		
PP-P	Pierced primer at proof		***************************************	1			
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************	2		****	


	(0)000000000000000000000000000000000000	6.				
	Test Date:		Miles.			totals
88	55	7 2000	24	26	13	1143
0	3	0	1 ////	0	0	7
0.0	5.5		4.2	0.0	0.0	0.6
138	75	4000	46	7	13	1202
22	5	0	3	0	// # //	93
15.9	6.7		6.5	0.a	7.7	7.7
138			(A)	<i>\$100</i>		186
0	0	0	0	3	0	3
0.0				42.9		1.6
					<i>69</i>	8 - 300000


XR-100	7400	7500	7600	7615	Rimfire	totals
					***************************************	/////
			1			1
4						12
						6











Subject to Protective Order - Williams v. Remington

ILE00112036

Summa	ary Totel	Test + Proof Failures	977						
		Total Rejected:	85						
		Total Rejected: Overall Reject Rate:	8.70						
	Proof	Shot: [Rejected:	516		43	189	4		6
	Proof .	Rejected	0	0	0	0	0	0	0
		Percent	0 0.0	840.	0.0	0.0	0.0		0.0
		Shot (369		73	184	135		
	Test	Reje cted :	46	0	8	12	12	Đ	0
		Shot: [Rejected: Percent Shot: [Rejected: Percent:	46 12,5		8 .11.0	6. <i>5</i>	8.9		
		(C) (2) 91.71.	10 00000p		∕‱6	. 18			
	Target	Rejected:	0	Q	Ø.0	0 0 0	0	0	0
	g	Percent:	0.0		0. 0	0.0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		rendere andre					
BAC	Burr at chamber	17	***************************************	3	1	9		
BBMA	BBL-to-bolt misalignment		and the same of th		****		2000	
ВВ	Bolt binds/catches	4	and the same of th	1	2			
BCOBS	Bolt catches on bolt stop		**************************************			.,		
BCOF	Bolt catches on follower		of the same of the					
ВС	Blows cases		Panarata na ta					
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		The state of the s					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		o none transmission of the contract of the con					
BSSM	Bolt stems shell in magazine		an transmission					
BWCD	Bolt won't cam down		-					

BWCFM

Bolt won't close over full magazine

CD	Case dented								
СН	Closes hard				1				
CLM	Can't laod magazine								
со	Cut-off		day.						
CR	Cuts rim		- A.						
CS	Cases swell								
CTOG	Chamber tom or gouged	174							
CTP	Creepy trigger pull								
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back	***				200			
DCS	Double click in safety switch						Sec.		
DCT	Double click in trigger		***		*** //				
DCU	Doesn't close-up		***************************************	***************************************					
DE	Doesn't eject		***************************************	***					
DEL	Doesn't eject live round		-		*******				
DFB	Doesn't feed back		***************************************						
DFU	Doesn't feed up		***************************************						
DLO	Doesn't lock open (after last shell)		Y danage and a second				*****		
DLU	Doesn't lock-up		Andress				18		
DS	Dead safe		MARKET STATE OF THE STATE OF TH					****	ľ
DX	Doesn't extract		***************************************	1					
DXL	Doesn't extract live round		***************************************						
EDS	Extractor drops shell		***************************************	1					
ESB	Ejector sticks back		***************************************						
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell		-						


2


Magazine loose							
Magazine loads hard		Per la constante de la constan					
Magazine removes hard		***************************************					
Opens.hard							
Over-indes	7	\$20.					
Pulls hard							
Proof stamp illegible							
Proof stamp missing							
Rings and bulges on case				*			
(Action) release doesn't work							
Rings in chamber	***			***	11/1/11		
Ring in sholder				3		Sec.	
Rim srem				*** //			
Stems bottom chambers							
Stems bbl extension			***				
Stock cracked or broken				**************************************			
Shell catches							
Short indent		***************************************					
Stems incline		***************************************	2			*****	
Stems in chamber		-				,	
shaves lead							
Stems left side of chamber							
Stretch marks on case		***************************************					
Stem over-ride							
Stems port							
Shoulder rough							
Stems right side of chamber		-					
	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems hard en case Short indent Stems in chamber stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine laadshard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stams in chamber Stems in chamber Stems lead Stems left side of chamber Stems port Stems port Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems inchamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine leimoves hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems soline Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber stems in chamber Stems soline Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads hard Magazine tempoves fraird Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rins sem Stems bottom chambers Stems bott version Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stem sort Stem sort Stem sort Stem over-ride Stems port Shoulder rough	Magazine toads hard Magazine demoves hard Over-rides 7 Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Ring in sholder Stems bottom chambers Stems bottom chambers Stems botl extension Stock cracked or broken Shell catches Short indent Stems in chamber stams incline Stems in chamber stams let side of chamber Stems let side of chamber Stems let side of chamber Stems work-ride Stem sport Stems port Stems port Stems port Stems port


SRIC	Specific rings in chamber							
8500	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		što.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			***	11/10		
хн	Extracts hard				2		Sau.	


HI	High							3800
LO	Low			***				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						*****	
RSTT	Rear sight tipped						8	
RSBR	Rear sight base raised							****
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
				•	•			


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$45.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		-			****	
						;	














Subject to Protective Order - Williams v. Remington

	7779977770	46.000 M								
Summa	any	Total	Test + Proof Failures	0						
			Total Rejected:	0						
Summa			Total Rejected: Overall Reject Rate:							
		Proof	Shot Rejected: Percent: Shot Rejected: Peicent:	io.						
		Proof	Rejected:	0	0	0	0	0	0	0
			Percent;	о к — — — — —	tta.					
			Shot:	l	9000F					
		Test	Reje șted :	Q	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	а		0				
			Shot:		2000	1 788888				
		Target	Rejected:	0 ////	9	O O	0	0	0	0
		•	Percent:	0	9	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		****					

BWCFM

Bolt won't close over full magazine


	000000000							
SRIC	Specific rin gs in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Satety switch works too easily		***************************************					
SWH	Safety switch works too hard		dus.					
SWW	Safety ewitxh work		- A.					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	11/11		
XH	Extracts hard						5to.	
			***************************************		***			
HI	High			*******	.			
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right		***************************************					
DG	Doesn't Group		***************************************					
FSST	Front sight tipped		***************************************				200 4	
RSTT	Rear sight tipped		-				į.	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							

AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof		***************************************				
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		\$40.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				*** *********************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	****					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof		*************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		***************************************			2004)	
·	<u> </u>	·		·	·	- 3	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	7779977									
Summ	any	Fotal	Test + Proof Failures							
			Total Rejected	: 0						
			Total Rejected Overall Reject Rate	:						
		Proof	Shot: Rejected Percent Shot: Rejected Percent	Allina.						
		Proof	Rejected	0	0	0	0	0	0	0
	77444		Percent		200					
			Shot:	l.	######					
		Test	Reje ¢lød	a	0	0	0	0	Đ	0
			Shot: Reje sted Percent Shot:	: ****	0					
			SHOT.		? <i>3000</i>	100000	<i>A</i> .			
		Target	Reječted	: 0 /////	<i></i> 97	O	0	0	O	0
			Percent	. 0	0	O	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds				- 4			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		*****			
вв	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower		200				*****	
вс	Blows cases							
BHR	Bolt hits receiver		110					
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down		1100					

BWCFM


Bolt won't close over full magazine

	Technologie eventualiste								4
CD	Case dented								
CH	Closes hand	,.							
CLM	Can't laod magazine								
со	Cut-off		dece.						
CR	Cuts rim		<i></i>						
CS	Cases swell								
CTOG	Chamber tom or gouged								
CTP	Creepy trigger pull				*				
CWSB	Cams wrong side of action bar								
DBB	Doesn't blow back					<i>M</i>			
DCS	Double click in safety switch						5ec.		
DCT	Double click in trigger			11/11/4					
DCU	Doesn't close-up							***	
DE	Doesn't eject			***					
DEL	Doesn't eject live round				*****				
DFB	Doesn't feed back								
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)						2000		
DLU	Doesn't lock-up						;		
DS	Dead safe								
DX	Doesn't extract								
DXL	Doesn't extract live round								
EDS	Extractor drops shell								
ESB	Ejector sticks back								
ESCR	Empty shell catches receiver								
ESS	Extractor stems shell								

FA	Fires automatically					
FB	Follower binds					
FC	Fails to coanect					
FCB	Fore-end gracked or broken					
FD	Folfows-down		\$80.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe	***				
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	***				
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips					****
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			**************************************		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				**************************************	
JCS	Jumps cartridge				***	
JM	Jumps magazin e					
70	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily		-					
SWH	Safety switch works too hard		dece.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded					<i>M</i> ////		
хн	Extracts hard						Sec.	
							<i>- 1</i>	
HI	High							
LO	Low			***				
LEFT	Left				*****			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped		***************************************				200 B	
RSTT	Rear sight tipped						,	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose		-					
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		-					
UNCN-G	Uncoded nonconformity at target							
		•	•	•	•	•		

18	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					500.	
FF-P	Fails to fire at proof		***				
GCSO-P	Gas cylinder shot off at proof		***********				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
						8	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	77799977799907									
Summa	ary	Fotal	Test + Proof Failures	0						
			Total Rejected: Overall Reject Rate:	0						
	,		Shot Rejicted: Percent Shot Rejected: Percent	ilion.						
	ŀ	roof	Rejected.	0	0	0	0	0	0	0
		"	Percent:	<i>a</i> .	860.					
			Shot.	lian i						
	7	Test 🐃	Shot. Reje pled ; Percent:	$oldsymbol{q}$	0	O	0	0	Đ	0
			Percent:	а	0					
			Shot: Rejected:		2007		<i>A</i> .			
	7	arget		0 ///	99	70	0	0	O	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************				<i>****</i>	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

ESS

Extractor stems shell


Bolt won't close over full magazine



FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		žato.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				in a second		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***					
FPOH	Floor plate opens hard					88.	
FSR	Fires when safe is released				***		
FT	Follower tips			***************************************			
GCSO	Gas cyl shot off			1990			
HBL	Heavy bolt lift				No.		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					***************************************	
JCS	Jumps cartridge					*	
JM	Jumps magazin e						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

Specific rings in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Safety switch works too easily		VARIABLE					
Safety switch works too hard		\$45.					
Safety ewitxh work							
Tips down							
t the rth							
Trigger won't pull							
Trigger won't retract							
Uncoded	****						
Extracts hard						5ec.	
		***************************************		883			
High		***************************************					
Low		***************************************	***				
Left				19.000 m			
Right							
Doesn't Group							
Front sight tipped						**************************************	
Rear sight tipped	-	***************************************				;	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose							
Missing parts at target		***************************************					
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight toose Rear sight loose Missing parts at target	Surface scrattches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on base Sterns top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work! work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on gase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scratches on base Stems top shapeher Safety switch works too easily Safety switch works foo easily Safety switch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on asse Stems top chamber Safety switch works too easily Safety switch works foo hard Safety ewitch work foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too easily Safety switch works too hard Safety ewitxh weat work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight toped Rear sight tose Rear sight loose Rear sight loose Missing parts at target

. A	::::::::::::::::::::::::::::::::::::::						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
<u> </u>	·					ž.	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////									
Summa	ary	Total	Test + Proof Failures	0						
		9888E	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot. Rejected: Percent: Shot. Rejected: Peicent:							
		Proof	Rejected:	0	0	0	0	0	0	0
			Percent	o	Ma.					
			Shot.	l	8888F					
		Test "	Reje pted :	o	0	O	0	0	Ð	0
			Percent:		0					
			Shot. Rejected: Peicent: Shot: Rejected:	-33033	7 3007	I *****	<i>A</i> .			
		Target	Rejected:	0	9	Ü	0	0	Đ	0
		-	Percent:	<i></i>						

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
СО	Cut-off		âss.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged	· · · · ·					
CTP	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					500.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up						
DE	Doesn't eject			***			
DEL	Doesn't eject live round				*******		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					8	
DS	Dead safe						******
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell					 	

ML	Magazine loose	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MALH	Magazine loads hard					
MRH	Magazine removes hard	 ***************************************				
ОН	Opens hard					
OR	Over-rides	Seco.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				Seo.	
RS	Rim srem			***		
SBC	Stems bottom chambers	***************************************				
SBE	Stems bbl extension	***************************************	****			
SCB	Stock cracked or broken			**************************************		
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				*****	
SIC	Stems in chamber				ž.	
SL	shaves lead					
SLC	Stems left side of chamber	A				
SMOC	Stretch marks on case	***************************************				
SOR	Stem over-ride	***************************************				
SP	Stems port	No. of Contract of				
SR	Shoulder rough					
SRC	Stems right side of chamber					

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$45.				
sww	Safety ewitxh wont work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sax.	

HI	High						
LO	Low		***************************************	/%			
LEFT	Left				1000000		
RIGHT	Right						
DG	Doesn't Group		Prince 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100				
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					á	
RSBR	Rear sight base raised						****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
·						 	

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	BarreLextension broken at proof		Managara anakar				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof	-	**********				
UNCM-P	Uncoded proof malfunctions		***************************************			2000	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary	Total	Test + Proof Failures	0						
	:	Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
-	Proof	Shot. Rejected: Percent: Shot. Rejected: Percent:	iio.						
***	Proof	Rejected.	0	0	0	0	0	0	0
		Percent	<i>a</i> .						
		Shot		<i>888</i>					
	Test	Reje cted :	a.	0	O	0	0	Đ	0
		Shot Rejected: Peicent: Shot: Rejected:	o.	0					
		Shot:		3000	l 1888	A .			
	Target	Rejected:	0 /////	9	O O	0	0	Đ	0
	_	Percent:	0	0	O	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

L	4	
ŀ	ij	
ŀ	T 1001	
,	∹	
`	₹	
ζ	_	
۲	-	
H	_1	
ŀ	J	
C)	
ĺ	1000	
	J	

BWCFM	Bolt won't close over full magazine		***************************************				
CD	Case dented		**************************************				
СН	Closes hand		440044100				
CLM	Can't laod magazine		MANAGEMAN				
СО	Cut-off						
CR	Cuts rim		- Ass.				
cs	Cases swell						
стоб	Chamber tom or gouged	· · · · //					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					50v.	
DCT	Double click in trigger		***************************************		***		
DCU	Doesn't close-up		-	***///			
DE	Doesn't eject		AAAA				
DEL	Doesn't eject live round		344		*******		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up		***************************************				
DLO	Doesn't lock open (after last shell)		***************************************			2004	
DLU	Doesn't lock-up						
DS	Dead safe		ACCUPATION AND ADDRESS OF THE ACCUPA				**//
DX	Doesn't extract		***************************************				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		-				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell		-				

FA.


Fires automatically

Magazine loose							
Magazine loads hard							
Magazine removes hard							
Opens hard							
Overandes		\$to.					
Pulls hard							
Proof stamp illegible							
Proof stamp missing							
Rings and bulges on case							
(Action) release doesn't work							
Rings in chamber	***						
Ring in sholder						Sec.	
Rim srem			11/11/16	***			
Stems bottom chambers							
Stems bbl extension			****				
Stock cracked or broken				******			
Shell catches							
Short indent							
Stems incline						*****	
Stems in chamber						18	
shaves lead							
Stems left side of chamber							
Stretch marks on case							
Stem over-ride							
Stems port							
Shoulder rough							
Stems right side of chamber							
	Magazine loads hard Magazine removes hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems incline Stems incline Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads:hard Magazine removes hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stems port Stems port Shoulder rough	Magazine leads hard Magazine temoves hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems lead Stems left side of chamber Stretch marks on case Stems port Stems port Stems port Stems port	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems bottom chamber Stems incline Stems incline Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chamber Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine toadschard Magazine femoves haid Opens traid Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stems left side of chamber Stems port Stems port Stems port Stems port	Magazine temoves field Deens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber staves lead Stems left side of chamber Stems left side of chamber Stems port Stems port Stems port Stems port Stems port Stems port Shoulder rough


	//////////////////////////////////////							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		Personal Control of Co					
STC	Stems top chamber		***************************************					
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		\$45.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded				***	100		
хн	Extracts hard						5ec.	
			***************************************		**** //			
HI	High		***************************************					
LO	Low		***************************************	***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						2000	
RSTT	Rear sight tipped	-	***************************************				;	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose							
MGPT-G	Missing parts at target		No. of Contract of					
UNCN-G	Uncoded nonconformity at target							
			-					

Q = Q
2
30
3000
5
<u> </u>
∰a ⊞a ⊞a
(O
<
D
õ
3
Ξ.
lemingt
. Remington
⊐

	4000000001 T1110000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof	***************************************					
BC-P	Blows cases at proof	***************************************					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof	iva.					
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				11/1/11		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof	***		****			
GCSO-P	Gas cylinder shot off at proof	***************************************					
MSI-P	Magnaflux stamp illegible on bbl		***				
MSM-P	Magnaflux stamp missing on bbl	-		100			
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions	· ·			_	3000	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	7799977										
Summ	ary	Total	Test + Proof		0						
			Total R	ejected:	0						
			Total R Overall Reje	ct Rate:							
		Proof		Shot: { Rejected: Percent: Shot: { Rejected: Percent:	William	-					
		Proof		Rejected.	o o	0	0	0	0	0	0
				Percent:		Mari					
				Shot.		.					
		Test		Reje cted :	Q.	0	O	0	0	Đ	0
				Shot: [Rejected: Percent: Shot: [0					
				STROL	.2003	4 7 .0000	700000				
		Target		Rejected:	0 🎆	######################################	Ø	0	0	0	0
				Percent:	0	•	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			************		1 ************************************			
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment		1		7788			
вв	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower						*****	
вс	Blows cases							
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine	ALTERNATION AND ADDRESS OF THE ALTERNATION ADDRESS OF THE ALTE				
CD	Case dented	***************************************				
СН	Closes hard	***************************************				
CLM	Can't laod magazine	******				
СО	Cut-off	\$40.				
CR	Cuts rim	**				
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				880.	
DCT	Double click in trigger					
DCU	Doesn't close-up		***************************************			
DE	Doesn't eject		***			
DEL	Doesn't eject live round			*******		
DFB	Doesn't feed back					
DFU	Doesn't feed up	***************************************				
DLO	Doesn't lock open (after last shell)				*****	
DLU	Doesn't lock-up					
DS	Dead safe					****
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell	**********				

FA Fires automatically FB Follower binds FC Fails to connect FCB Fore-end pracked or broken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FC Fails to connect FCB Fore-end cracked or broken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FCB Fore-end gracked or broken FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FD Follows-down FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FF Fails to fire FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FFP Flat firing pin FOS Fires on safe FPHB Firing pin hits bbl		
FOS Fires on safe FPHB Firing pin hits bbl		
FPHB Firing pin hits bbl		
IFPHB I Filling pin hits box		
FPHI Firing pin hits inside rim		
FPO Floor plate opens		
FPOH Floor plate opens hard	<i>22</i>	
FSR Fires when safe is released		
FT Follower tips		
GCSO Gas cyl shot off		
HBL Heavy bolt lift		
HMSC Heading mismatch-steps on case		
HPA High pressure ammo		
HUR Hard under rail	3338	
JCS Jumps cartridge		<u> </u>
JM Jumps magazine		
JO Jars off		
LB Light blow		
MAH Magazine assembles hard		
MCW Magazine capacity wrong		
MFA Misfires (ammo)		
MFOP Magazine follower out of position		

ML	Magazine logse							
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-indes		što.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>**</i>		
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			11/11/1	*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension							
SCB	Stock cracked or broken				*******			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							******
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							

SRIC

STC


SSOC

Specific rings in chamber

Stems top chamber

Surface scratches on case

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		\$to.					
BLSO-P	Barrel lug shot off at proof		<i>-</i>					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***						
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof							***
MSI-P	Magnaflux stamp illegible on bbl			1%				
MSM-P	Magnaflux stamp missing on bbl				· ************************************			
PP-P	Pierced primer at proof					******		
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						2004	
·			-		·	-	3	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////									
Sumn	nary T	otal Test +	Proof Failures	0						
			otal Rejected:	0						
		7 Overa	otal Rejected: Il Reject Rate:							
'	Pro	of	Shot: Rejected Percent: Shot: Rejected: Peicent:	\$800.						
	Pro	of //	Rejected:	0	0	0	0	0	0	0
			Percent;		300					
			Shot.	See 1						
	Tes	it 🦥	Reje çled :	Q	0	O	0	0	Ð	0
			Percent:		0					
			SHOL:	.0000	7 - 30000	1000000				
	Tar	get	Rejected:	0 ////	<i></i> 9/	0	0	0	Đ	0
		-	Percent:	0	8	Ü	0			
					77177777	177717171				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		***************************************				3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD

Bolt won't close over full magazine

Case dented


	200000000000000000000000000000000000000							
FA	Fires automatically							
FB FC	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Folfows-down		dus.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	11/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			11/11/1	*** //			
FT	Follower tips				M			\$
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift				4444			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		-				ž.	
JM	Jumps magazin e							
OC	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

		ŧ		
ŀ		İ		
ĺ)		
ľ)		
ŀ		1		
	_	1		
١	•)		
	_	1		
Ì)		
l	ź	j		

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Overandes		žec.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	14					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder					Sec.	
RS	Rim srem		1		****		
SBC	Stems bottom chambers		***************************************		.		
SBE	Stems bbl extension		1	***			
SCB	Stock cracked or broken				*****		
SCX	Shell catches						
SHI	Short indent		†				
SI	Stems incline		***************************************			*****	
SIC	Stems in chamber					8	
SL	shaves lead						******
SLC	Stems left side of chamber						
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride		1				
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	y a a a a a a a a a a a a a a a a a a a				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	e.c.					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		desc.				
BLSO-P	Barrel lug shot off at proof		<i>*************************************</i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			133			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					**************************************	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	7779977799977											
Summa	any	Fote!	Test + Pro	oof Failures		0						
			Tota	l Rejected: Reject Rate:		0						
			Overall R	Reject Rate:								
	f	roof		Shot: Rejected Percent Shot								
	F	roof		Rejected	0		0	0	0	0	0	0
		· Ž		Percent	О							
				Shot	· · · · · · · · · · · · · · · · · · ·	1888	<i>\$</i> *					
	7	est	Y 1988	Reje șted :	Q		0	O	0	0	Đ	0
				Percent:	*****							
				Shot:	,	999)	2000	1 78888	A .			
	7	arget		Rejected:	0 🐰		### T	O	0	0	0	0
				Percent:								
		esi		Shot. Rejepted: Percent: Shot: Rejected: Percent:	g		0	0	0		_	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds				- 4			
BABS	Bulge at body shoulder		-	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		*****			
вв	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower						****	
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		400					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down		1100					

BWCFM

CD

СН

Bolt won't close over full magazine

Case dented

Closes hapt

FA.


Fires automatically

200	200200001 1-0000000000							
ML	Magazine loose							
MLH	Magazine loads hard		**************************************					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					
OR	Over-rides		\$40.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************	11/11/1	*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		*******	***				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches		-					
SHI	Short indent		-					
SI	Stems incline		***************************************				******	
SIC	Stems in chamber		****				ž.	
SL	shaves lead		Managara					****
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		And and and and and and and and and and a					
SP	Stems port							
SR	Shoulder rough		-					
SRC	Stems right side of chamber							

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber	,.					
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$to.				
sww	Safety ewitxh won't work		<i></i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull				ites. ##/////www.		
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					8ec.	


HI	High						
LO	Low			1788			
LEFT	Left				******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anakar				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		***************************************			**************************************	
<u> </u>	_					ž	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////									
Summa	any	Fotal	Test + Proof Failur	es	0					
Summa			Total Rejecte Overall Reject Ra	d:	0					
			Overall Reject Ra	te:						
	,	Proof	Sh Reject Perce Sh Rejept Perce	ot 🌆	554					
	F	roof	Reject	ed. 0	0	0	0	0	0	0
			Perce	ed 0 ut						
			Shi	it.	L88888F					
	7	Test 🖺	Rejedi	ed: O	0	o	0	0	Đ	0
			Shj Rejegi Peres Shj Reject	pt:	0	0				
			Sh	ot 🙎	00 4 0 - 2000		A .			
	7	arget	Reject	ed: 0 ∭	// // 9 //	O	0	0	O	0
		•	Perce	ed: 0 nt:	0	Ů,	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		***************************************				
СО	Cut-off		áva.				
CR	Cuts rim		**				
CS	Cases swell						
CTOG	Chamber tom or gouged	- "". //					
CTP	Creepy trigger pull			*** *********************************			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch		****		***	50v.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round			*******			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2000	
DLU	Doesn't lock-up					;	
DS	Dead safe						******
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell		***************************************				
DXL EDS ESB ESCR	Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver						

FA.

Fires automatically


ML.

Magazine loose

SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up	· · · · · · · · · · · · · · · · · · ·					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
XH	Extracts hard					Siau.	

HI	High		***************************************				*****
LO	Low		***************************************	***			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					***************************************	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						***///
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose						
RSTL	Rear sight loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

Assembly incompleye at proof							
Barrel bracket gracked or broken at proof							
Blows cases at proof							
Barrel extension broken at proof							
Blanked primer at proof		\$to.					
Barrel lug shot off at proof		<i>-</i>					
Blown primer at proof							
barrer spilt at proof	· · · · ///						
Doesn't lock over shells at proof							
Ejector sticks back at proof							
Fore-end cracked at proof	***						
Fore-end shot off at proof						5to.	
Fails to fire at proof			<i>#</i>	*** //			
Gas cylinder shot off at proof							
Magnaflux stamp illegible on bbl			1%				
Magnaflux stamp missing on bbl				*******			
Pierced primer at proof							
Stock cracked or broken at proof							
Uncoded proof malfunctions						*****	
の かんかん かんかん かんか	Barrel bracket stacked or broken at proof Blows cases at proof Barrel extension broken at proof Btanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket gracked or broken at proof Blows cases at proof Barrel extension braken at proof Btanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket cracked or broken at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Barrel lug shot off at proof Bown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket gracked or broken at proof Blows cases at proof Barrel extension broken at proof Blanked primer at proof Barrel lug shot off at proof Bown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket gracked or broken at proof Blows cases at proof Barrel extension broken at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket tracked or broken at proof Blows cases at proof Barrel extension broken at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof	Barrel bracket cracked or broken at proof Blows cases at proof Barrel extension broken at proof Barrel lug shot off at proof Barrel split at proof Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof Magnaflux stamp missing on bbl Pierced primer at proof Stock cracked or broken at proof




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


	100000000000000000000000000000000000000										
Summ	ary	Total		of Failures	0						
			Tota	l Rejected:	0						
Summ				l Rejected: eject Rate:							
				Shot: Rejected Percent Shot: Rejected Percent	XXX						
	*******	Proof		Rejected	0	0	0	0	0	0	0
				Percent		200.					
				Shot.		₩ <i>₩</i>					
		Test	* 1	Reje cted :	a .	0	O	0	0	Đ	0
				Shot. Rejected: Percent: Shot.	o.	0					
				SHOL.		3000	1 78888				
		Target		Rejected:	0 🧼	9	Ç)	0	0	O	0
				Percent:	0	0	¢	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		što.				
CR	Cuts rim		<i></i>				
cs	Cases swell						
CTOG	Chamber torn or gouged	- ".					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 449					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			1,454			
DEL	Doesn't eject live round				*******		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					**************************************	
DLU	Doesn't lock-up					â	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine logse						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		***************************************				
ОН	Opens hard		***************************************				
OR	Over-rides		days.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				* ***********************************		
RDW	(Action) release doesn't work						
RIC	Rings în chamber		//////				
RIS	Ring in sholder					56c.	
RS	Rim srem				****		
SBC	Stems bottom chambers						****
SBE	Stems bbl extension		-	100			
SCB	Stock cracked or broken				******		
SCX	Shell catches						
SHI	Short indent		***************************************				
SI	Stems incline		***************************************			2004)	
SIC	Stems in chamber	-	***************************************			á	
SL	shaves lead		-				
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber		***************************************				

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	,.					
BEB-P	Barrel extension broken at proof		**************************************				
BLP-P	Blanked primer at proof		âsa.				
BLSO-P	Barrel lug shot off at proof		- XX				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	···					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>2</i> ////		
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-				
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2004	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percept: Shot: Rejected: Peicent:							
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	a	No.					
			Shot:	li	000F					
		Test	Reje çted :	Q.	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	a	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 ////	9	O	0	0	0	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********		1 ************************************			
AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				7788			
вв	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		***************************************				370.00	
вс	Blows cases		-					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		200					
BLSO	Barrel lug shot off		-					
BPO	Bolt pulls out		400					
BSSM	Bolt stems shell in magazine		***************************************					
BWCD	Bolt won't cam down		-					

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand	,.					
CLM	Can't laod magazine						
СО	Cut-off		\$20.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged	· · · · ·					
CTP	Creepy trigger pull				** **********************************		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	****			***		
DCS	Double click in safety switch					550.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up			***///			
DE	Doesn't eject		400	1760			
DEL	Doesn't eject live round				×45		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					ž.	
DS	Dead safe						***//
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA.

Fires automatically

ML	Magazine lögse					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
ОН	Opens hard					
OR	Overandes	áss.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			Militar.		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				550.	
RS	Rim srem			***		
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1760			
SCB	Stock cracked or broken			× (1)		
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				*****	
SIC	Stems in chamber				ž.	**
SL	shaves lead					***//
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					
						

stective Order 1	3000000
Reminaton	
<u>}</u>	

AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof	***************************************				
BC-P	Blows cases at proof	 ***************************************				
BEB-P	Barrel extension broken at proof.					
BLP-P	Blanked primer at proof	žva.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		.			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				Sec.	
FF-P	Fails to fire at proof	***		****		
GCSO-P	Gas cylinder shot off at proof	***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***			
MSM-P	Magnaflux stamp missing on bbl	-		100000		
PP-P	Pierced primer at proof	-				
SCB-P	Stock cracked or broken at proof	***************************************				
UNCM-P	Uncoded proof malfunctions	***************************************			2006	
						(1000001) (1000001)




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Summary		+ Proof Failures	0						
		Total Rejected: rall Reject Rate:	0						
	Ove	rall Reject Rate:							
	Proof.	Shot: Rejected Percent Shot: Rejected: Percent: Shot: Rejected:	*** *********************************						
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent;	0	in					
		Shot	I	<i>88</i>					
	Test	Rejectød:	Q.	0	0	0	0	Đ	0
		Percent:	a ·	0					
		Shot:	<i>///</i>	11///				1	
	Target	Rejected:	0	Q	ņ	0	0	0	0
	3	Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	e.c.	***************************************				
CLM	Can't laod magazine						
со	Cut-off		\$45.				
CR	Cuts rim		***				
cs	Cases swell						***************************************
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull				*** *********************************		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				***		
DCS	Double click in safety switch					88.	
DCT	Double click in trigger		***************************************				
DCU	Doesn't close-up			***************************************			
DE	Doesn't eject		400	· · ·			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					******	
DLU	Doesn't lock-up					*	
DS	Dead safe						
XD	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell						
ESB	Ejector sticks back		Name of the last o				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


	9933999000 00009939999								
FA.	Fires automatically								
FB	Follower binds								1
FC	Fails to comect								1
FCB	Fore-end cracked or broken								
FD	Follows-down		\$to.						
FF	Fails to fire		<i>-</i>						1
FFP	Flat firing pin								1
FOS	Fires on safe								1
FPHB	Firing pin hits bbl								1
FPHI	Firing pin hits inside rim								1
FP0	Floor plate opens	***	//////////////////////////////////////		***	<i>11/1</i> 0			
FPOH	Floor plate opens hard						Sec.		1
FSR	Fires when safe is released		***************************************						1
FT	Follower tips								
GCSO	Gas cyl shot off			***					
HBL	Heavy bolt lift				**************************************				1
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo								
HUR	Hard under rail						*****		
JCS	Jumps cartridge						8		
JM	Jumps magazin e							*****	T**
JO	Jars off]
LB	Light blow								
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position]

۲	ł
۲	4
	1
c	>
ጆ	ί.
٠.	•
۲	1
H	1
N	
⊢	1
O	•
ū	

ML	Magazine lööse							
MLH	Magazine loads hard		**************************************					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					
OR	Over-rides		áva.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***						
RIS	Ring in sholder		****			2	500.	
RS	Rim srem				****			
SBC	Stems bottom chambers		***************************************	***************************************				
SBE	Stems bbl extension		-	· · ·				
SCB	Stock cracked or broken		hadden and a second a second and a second and a second and a second and a second an		333			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber							W. //////
SL	shaves lead							***///
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride		***************************************					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	y a a a a a a a a a a a a a a a a a a a				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					

Al-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		\$20.				
BLSO-P	Barrel lug shot off at proof		- A.				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				***		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***	Ž.	
FESO-P	Fore-end shot off at proof						Sec.
FF-P	Fails to fire at proof			<i>#</i>	****		
GCSO-P	Gas cylinder shot off at proof				*		
MSI-P	Magnaflux stamp illegible on bbl		*******	***			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions						2000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///990////	####								
Summa	any	Total	Test + Proof Failures	0						
			Total Rejected: Overall Reject Rate:	0						
			Overall Reject Rate:							
		P r oof	Shot: Rejected: Percent: Shot: Rejected: Percent:	Million.						
	***************************************	Proof	Rejected	o .	0	0	0	0	0	0
			Percent	o .	8to.					
			Shot		888F					
	•	Test	20000000 10 10 10 10 10 10 10 10 10 10 10	a.	0	O	0	0	Đ	0
			Percent: Shot:	Q.	0					
			SNOL		#####	l 1888	A.			
	•	Target	Reječted:	0 ////	9	Ü	0	0	O	Ō
			Percent:	0	Q	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$S	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*********	* **				
AB	Action binds		***************************************		- 4			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************	1.00				
BBMA	BBL-to-bolt misalignment		-				300	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop		The services				////	
BCOF	Bolt catches on follower		**************************************				*****	
ВС	Blows cases		***************************************				;	
BHR	Bolt hits receiver		- Control of the Cont					
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

								_
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine							
со	Cut-off		što.					
CR	Cuts rim							
cs	Cases swell							
стоб	Chamber tom or gouged	***						
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	. 443						
DCS	Double click in safety switch					500.		
DCT	Double click in trigger				*** //			
DCU	Doesn't close-up			***************************************				
DE	Doesn't eject			1760				
DEL	Doesn't eject live round				*****			
DFB	Doesn't feed back] /
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					*****		
DLU	Doesn't lock-up					8		
DS	Dead safe						***///	
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							


FA.

Fires automatically

ML.

Magazine loose

AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		žto.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	***						
DLOS-P	Doesn't lock over shells at proof				** **********************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	. **						
FESO-P	Fore-end shot off at proof						560.	
FF-P	Fails to fire at proof			<i>##</i>	***			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl			1788				
MSM-P	Magnaflux stamp missing on bbl				**************************************			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		_			_	2000	
		·					7	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////	99 3 80.									
Summa	ary	Total	Test + Proc	of Failures	0						
			Total	Rejected:	0						
			Overall Re	Rejected: eject Rate:							
				Shot: Rejected:	3 555						
		Proof		Rejected:	0	0	0	0	0	0	0
				Percent,	0	Sec.					
				Percent: Shot	Bassa Ka		T				
		Test	*	Rejected:	Q.	0	0	0	0	Đ	0
				Reje cted ; Percent: Shot:	a	0					
			1000	Shot:							
		Target		Rejected:	0 ///	9	Ø	0	0	0	0
		941		Percent:	0	9	ņ	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
вро	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


								_
BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hard							
CLM	Can't laod magazine							
со	Cut-off		što.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber tom or gouged	***						
CTP	Creepy trigger pull				***			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	. ***						
DCS	Double click in safety switch					Stor.		
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			100				
DEL	Doesn't eject live round				******			
DFB	Doesn't feed back							l .
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					****		
DLU	Doesn't lock-up							
DS	Dead safe						**//	
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

ML	Magazine logse					
MALH	Magazine lo ads hard					
MRH	Magazine removes hard					
ОН	Opens hard					
OR	Over-ndes	što.				
PH	Pulls hard	<i></i>				
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				55s.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken			**************************************		
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				*****	
SIC	Stems in chamber				ž	
SL	shaves lead					******
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					
	*					


	000000000						
SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard		\$10.				
SWW	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull				*		
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			***		
XH	Extracts hard					Sec.	

HI	High			*******	.		
LO	Low			***			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof.							
BLP-P	Blanked primer at proof		dece.					
BLSO-P	Barrel lug shot off at proof		- XX.					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////			<i>M</i>		
FESO-P	Fore-end shot off at proof					***	Sico.	
FF-P	Fails to fire at proof		-		***			
GCSO-P	Gas cylinder shot off at proof				.			
MSI-P	Magnaflux stamp illegible on bbl			***				WW 2000
MSM-P	Magnaflux stamp missing on bbl				100			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		**************************************				****	
							;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percept: Shot: Rejected: Peicent:							
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	a	No.					
			Shot:	li	000F					
		Test	Reje çted :	Q.	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	a	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 ////	9	O	0	0	0	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		****					

BWCFM

Bolt won't close over full magazine


FA	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked or broken							
FD	Follows-down		\$to.					
FF	Fails to fire		<i>-</i>					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				800. 800////2000.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	****						
FPOH	Floor plate opens hard					Seo.		
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail					*****		
JCS	Jumps cartridge					ž.		
JM	Jumps magazin e						***************************************	ľ
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

ML	Magazine lögsé						
MLH	Magazine lo ads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		desc.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Seo.	
RS	Rim srem		***************************************				
SBC	Stems bottom chambers						
SBE	Stems bbl extension			170			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*****	
SIC	Stems in chamber					ž.	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						
SL SLC SMOC SOR SP SR	shaves lead Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough						

SRIC	Specific rings in chamber						
8500	Surface scratches on case		**************************************				
STC	Stems top.chamber		***************************************				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		áva.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***	// Was				
XH	Extracts hard					Sax.	

HI	High		***************************************		***		
LO	Low		***************************************	′%			
LEFT	Left		***************************************		1000000		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose	***************************************	*******				
MGPT-G	Missing parts at target		-				
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				***************************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1						
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl		***************************************					
PP-P	Pierced primer at proof					******		
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-				****	
		_	_	_	•		3	300000 (6000000)














Subject to Protective Order - Williams v. Remington

Summary	Total Test +	Proof Failures	0						
		otal Rejected:	0						
Summary	1 Overa	otal Rejected: Il Reject Rate:							
	Proof	Shot: [Rejected: Percent: Shot: [Rejected: Percent:	× I						
	Proof	Rejected	0	0	0	0	0	0	0
2000		Percent	o .	āzz.					
		Shot (lå	<i>888</i>					
	Test	Shot. <u>[</u> Reje sted : Percent:	Q.	0	0	0	0	Đ	0
		Percent:	Q.	0					
		SHOT.		3000	700000	,			
	Target	Rejected:	0 ///	9	ņ	0	0	0	0
	J	Percent:	0			0			
				77112200		***************************************			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM

CD


Bolt won't close over full magazine

Case dented

FA	Fires automatically						
FB	Follower binds		***************************************				
FC	Fails to connect		-				
FCB	Fore-end cracked or broken		on and an and an an an an an an an an an an an an an				
FD	Folfows-down		deca.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe	· · · · //					
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					5to.	
FSR	Fires when safe is released		***************************************		****		
FT	Follower tips		***************************************				
GCSO	Gas cyl shot off		***************************************	132			
HBL	Heavy bolt lift		-		100000		
HMSC	Heading mismatch-steps on case		***************************************				
HPA	High pressure ammo		**********				
HUR	Hard under rail		наалина			**************************************	
JCS	Jumps cartridge		***************************************			;	
JM	Jumps magazin e		Partition of the Control of the Cont				
70	Jars off		***************************************				
LB	Light blow		Merchanis				
MAH	Magazine assembles hard		1100111001				
MCW	Magazine capacity wrong		***************************************				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position		-				

ML	Magazine lögse							
MLH	Magazine lo ad s hard							
MRH	Magazine removes hard	e e						
ОН	Opens hard							
OR	Over-ndes		žas.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				Žiji k		
RIS	Ring in sholder						Sau.	
RS	Rim srem				***			
SBC	Stems bottom chambers							3800
SBE	Stems bbl extension			7.55				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						8	
SL	shaves lead							***************************************
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
					•			

AI-P	Assembly incompleye at proof		2					
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof		-					
BLP-P	Blanked primer at proof		desc.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////		***	11/1/11		
FESO-P	Fore-end shot off at proof						560.	
FF-P	Fails to fire at proof		-		***			
GCSO-P	Gas cylinder shot off at proof			******				
MSI-P	Magnaflux stamp illegible on bbl		-	777				
MSM-P	Magnaflux stamp missing on bbl		-		199			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				2006	
	•	•	,	•	•	•	,	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percept: Shot: Rejected: Peicent:							
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	a	No.					
			Shot:	li	000F					
		Test	Reje çted :	Q.	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	a	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 ////	9	O	0	0	0	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				7700		1000	
вв	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower		***************************************				3000	
вс	Blows cases		***************************************					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		200					
BLSO	Barrel lug shot off		-					
BPO	Bolt pulls out		460.					
BSSM	Bolt stems shell in magazine		***************************************					
BWCD	Bolt won't cam down		-					


BWCFM	Bolt won't close over full magazine		-				
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		****				
СО	Cut-off						
CR	Cuts rim		**				
CS	Cases swell						
CTOG	Chamber torn or gouged	- "". //					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sax.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	//&			
DEL	Doesn't eject live round		***************************************		700000		
DFB	Doesn't feed back		-				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			*****	
DLU	Doesn't lock-up					ž.	
DS	Dead safe		naantinaante				*****
DX	Doesn't extract		***********				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***				
ESB	Ejector sticks back		***************************************				
ESCR	Empty shell catches receiver		-				
ESS	Extractor stems shell		-				

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken		******				
FD	Folfows-down						
FF	Fails to fire		**				
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· ***					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		***************************************		****		
FT	Follower tips		*************				
GCSO	Gas cyl shot off		-	***			
HBL	Heavy bolt lift		-		**************************************		
HMSC	Heading mismatch-steps on case		-				
HPA	High pressure ammo		**********				
HUR	Hard under rail		***************************************			*****	
JCS	Jumps cartridge					,	
JM	Jumps magazin e		naantinaante				*****
70	Jars off		*************				
LB	Light blow		***************************************				
MAH	Magazine assembles hard		***				
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)		-				
MFOP	Magazine follower out of position						

ML	Magazine lööse						
MALH	Magazine loads hard						
MRH	Magazine removes hard	.,.					
ОН	Opens hard						
OR	Overandes		što.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	- ".					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	. 449					
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			170			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*****	
SIC	Stems in chamber					â	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber						
8500	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
SWW	Safety ewitxh work		<i></i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	. 449					
хн	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low			****			
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					å	
RSBR	Rear sight base raised						***//
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
	•		•				

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	,.					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		žto.				
BLSO-P	Barrel lug shot off at proof		<i></i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	***					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	. 449					
FESO-P	Fore-end shot off at proof					8ec.	
FF-P	Fails to fire at proof			11/11/1	***		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl				· ************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					**************************************	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	77,955,977,958,407,97	***									
Summa	ary	Total	Test + Proof	f Failures	0						
			Total I	Rejected:	0						
Summa			Total i Overali Rej	iect Rate:							
	Pi			Shot: Rejected Percent: Shot: Rejected: Percent:	\$100v.						
	P	roof		\$hot: Rejected:	0	0	0	0	0	0	0
		*		Percent	o.	door.					
				Shot.	I	#####					
	Te	est		Reje cted .	G.	0	O	0	0	0	0
				Shot Reje cted Percent Shot: Rejected:		0					
			***	Shot:	-88838	7 2000	78888				
	Ta	arget		Rejected:	0	0	Ü	0	0	D	0
		_		Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control Control					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine		***************************************					
co	Cut-off		- Sec.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***				<i>11/1</i> /11		
DCS	Double click in safety switch						Sax.	
DCT	Double click in trigger				****			
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		-	100				
DEL	Doesn't eject live round				*******			
DFB	Doesn't feed back		****					
DFU	Doesn't feed up		haddan and a said a said a said a said a said a said a said a said a said a said a said a said a said a said a					
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up		***************************************					
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		-					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect		***************************************				
FCB	Fore-end cracked or broken		National Property and Property				
FD	Follows-down		\$45.				
FF	Fails to fire		***				
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	***			***		
FPOH	Floor plate opens hard					Šev.	
FSR	Fires when safe is released		***************************************				
FT	Follower tips						
GCSO	Gas cyl shot off		***************************************	//20			
HBL	Heavy bolt lift				**************************************		
HMSC	Heading mismatch-steps on case		***************************************				
HPA	High pressure ammo						
HUR	Hard under rail					***************************************	
JCS	Jumps cartridge		1			j	
JM	Jumps magazin e						
JO	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
LB	Light blow						
MAH	Magazine assembles hard		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MCW	Magazine capacity wrong		***************************************				
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position	_	-				

ML


Magazine loose

Magazine loads hard

SRIC	Specific rin gs in chamber						
8600	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$45.				
sww	Safety ewitxh wont work		***				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	

HI	High	Anna	***************************************				
LO	Low		***************************************	***			
LEFT	Left				19.000 m		
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					***************************************	
RSTT	Rear sight tipped					â	
RSBR	Rear sight base raised						.44///
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target		-				
	<u> </u>					 	

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	 -					
BEB-P	Barrel extension broken at proof	-					
BLP-P	Blanked primer at proof	desc.					
BLSO-P	Barrel lug shot off at proof	 					
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof			** **********************************			
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof				<i>**</i>		
FESO-P	Fore-end shot off at proof				***	5to.	
FF-P	Fails to fire at proof	-	<i>3///</i> 3	***			
GCSO-P	Gas cylinder shot off at proof	***************************************					*** *********************************
MSI-P	Magnaflux stamp illegible on bbl		***				WW 2000
MSM-P	Magnaflux stamp missing on bbl			******			
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions	· ·				****	
						- ;	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	(1988)										
Summa	ary	Total	Test + Pro	oof Failures	0						
			Tota	al Rejected:	0						
			Overall F	al Rejected: Reject Rate:							
				Shot: Rejected:		-					
	- Y	Proof		Rejected.	0	0	0	0	0	0	0
				Percent,	** **********************************	\$tto.					
				Shot.	<u> </u>	₩					
		Test	* ***	Reje cted :	\boldsymbol{a}	0	O	0	0	0	0
				Shot Rejectød: Percent: Shot:		0					
				SPOL.		k .8888	1 700000	4.			
		Target		Reječted:	0	ø	0	0	0	0	0
				Percent:							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWÇFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		što.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 443					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			****			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					******	
DLU	Doesn't lock-up					*8	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	Magazine lögse							
MLH	Magazine lo ad s hard							
MRH	Magazine removes hard	e e						
ОН	Opens hard							
OR	Over-ndes		žas.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				Žiji k		
RIS	Ring in sholder						Sau.	
RS	Rim srem				***			
SBC	Stems bottom chambers							3800
SBE	Stems bbl extension			7.55				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						8	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
					•			

	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	y a a a a a a a a a a a a a a a a a a a				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof	-	**********				
UNCM-P	Uncoded proof malfunctions		***************************************			2000	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	[[]]												
Summa	any	Fotai	Test + Proof Failu			0							
			Total Rejec	ted:		0							
			Total Rejec Overall Reject R	ate:									
	P	roof	S Reje Pen S Reje Pen	hot:	Steen.								
	P	roof	Reje	ted	0		0	0	•	0	0	0	0
			Pen	eut.	0	8 m	65						
			S	not.	e e e e e e e e e e e e e e e e e e e	1000 M							
	Τ	est	Reje	ted.	G		0	O		0	0	Đ	0
			S Rejej Peri S Rejei	æni:	******		0						
			S	bot.			3800	l *****	. A				
	T	arget	Rejei	ted:	0		O	O		0	0	0	0
			Pen	ent:		₩.	/###/	<i>###</i>					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********				X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		Photo the same of					
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		Palatetenate				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**********					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


FA	Fires automatically							
FB	Follower binds		Per la constante de la constan					
FC	Fails to connect	a.	***************************************					
FCB	Fore-end gracked of broken		VARIABLE					
FD	Follows-down		\$20.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	<i>11/1</i> 0		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released				****			
FT	Follower tips							
GCSO	Gas cyl shot off		***************************************	***				
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge						ž.	
JM	Jumps magazine							
JO	Jars off		A					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		No. of Contract of					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

ML.

Magazine loose

SRIC	Specific rings in chamber		ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD				
850C	Surface scratches on case		***************************************				
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SWE	Safety switch works too easily		VARIABLE				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh wont work		- XX				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	1 ***			1000		
хн	Extracts hard					5eo.	
			44440444	****			
HI	High						
LO	Low		***************************************				
LEFT	Left			**************************************			
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped		***************************************			*****	
RSTT	Rear sight tipped		y a a a a a a a a a a a a a a a a a a a			;	
RSBR	Rear sight base raised						****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			-				

AI-P	Assembly incompleye at proof		Action				
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof		200				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · //					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		**************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	132			
MSM-P	Magnaflux stamp missing on bbl		-		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					*****	
	_				<u> </u>	ž.	














Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************				330.	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		1					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						2000	
вс	Blows cases						;	
BHR	Bolt hits receiver		1					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't class over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine						
СО	Cut-off		\$45.				
CR	Cuts rim		***				
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. 443			***		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	****			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back		***************************************				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up		1			×	
DS	Dead safe						1000
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back		Name of the last o				l
ESCR	Empty shell catches receiver						l
ESS	Extractor stems shell		-				

FA.

Fires automatically


ML.

Magazine loose

SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up	· · · · · · · · · · · · · · · · · · ·					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
XH	Extracts hard					Siau.	

HI	High		***************************************				*****
LO	Low		***************************************	***			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						***///
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose						
RSTL	Rear sight loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof	a.	***************************************					
BEB-P	Barrel extension broken at proof		VARIABLE					
BLP-P	Blanked primer at proof		\$20.					
BLSO-P	Barrel lug shot off at proof		W					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	···						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof					<i>#</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************		****			
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	/%				
MSM-P	Magnaflux stamp missing on bbl				**************************************			
PP-P	Pierced primer at proof					***************************************		
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		***************************************					
							,	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///990////	####								
Summa	any	Total	Test + Proof Failures	0						
			Total Rejected: Overall Reject Rate:	0						
			Overall Reject Rate:							
		P r oof	Shot: Rejected: Percent: Shot: Rejected: Percent:	Million.						
	***************************************	Proof	Rejected	o .	0	0	0	0	0	0
			Percent	o .	8to.					
			Shot		888F					
	•	Test	20000000 10 10 10 10 10 10 10 10 10 10 10	a.	0	O	0	0	Đ	0
			Percent: Shot:	Q.	0					
			SHOL		#####	l 1888	A.			
	•	Target	Reječted:	0 ////	9	Ü	0	0	O	Ō
			Percent:	0	Q	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*******		1 ************************************		X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	******				.
BAC	Burr at chamber		***************************************	1.50				
BBMA	BBL-to-bolt misalignment		***************************************		****			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases						;	
BHR	Bolt hits receiver		110					****
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		***					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		****					
BSSM	Bolt stems shell in magazine		**************************************					
BWCD	Bolt won't cam down							

l	-	
İ	-	
İ	T T T	
ŧ		
ĺ	5	
l	_	
İ	_	
ĺ	V	
Į	U	
(õ	
l		

BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine							
со	Cut-off		\$46.					
CR	Cuts rim		***					
cs	Cases swell							
CTOG	Chamber tom or gouged	· · · · //						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	****				<i>11/1</i> /11		
DCS	Double click in safety switch						Sax.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up							
DE	Doesn't eject		400	100				
DEL	Doesn't eject live round				1000			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up						ž.	
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***					
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							


ML	Magazine loose							l
MALH	Magazine loads hard							
MRH	Magazine removes hard		***************************************					
ОН	Opens hard							
OR	Over-rides		\$20.					
PH	Pulls hard		W					
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · ///						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***			<i>M</i>			
RIS	Ring in sholder					800.		
RS	Rim srem		***************************************					
SBC	Stems bottom chambers		***************************************					
SBE	Stems bbl extension		4.00	133				
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber		***************************************			;		
SL	shaves lead						*****	1.00
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride		***					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		žto.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up	***.					
TWP	Trigger won't pull				*** *********************************		
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	

HI	High						****
LO	Low			****			
LEFT	Left				******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					***************************************	
RSTT	Rear sight tipped					Ä	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

ı		ı		
į		ŧ		
Ì	=	1		
١	=	?		
ı		į		
ŀ		1		
ľ	•)		
ŧ	\ \ !)		
١)		
ŧ	1			

	550000000 14500000000							
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>2</i> /////		
FESO-P	Fore-end shot off at proof						250.	
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%				
MSM-P	Magnaflux stamp missing on bbl		***************************************		700000			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof	-	**********					
UNCM-P	Uncoded proof malfunctions						*****	
			·			·		9000000 100000000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

		.									
Summa	ary T			of Failures	0						
			Total	Rejected:	0						
		o	verall Re	Rejected: ject Rate:							
	Pro	oof		Shot: Rejected: Percent Shot: Rejected: Percent:	Eliza.	-					
	Pro	of	¥ 338	Rejected:	0	0	0	0	0	0	0
				Percent;		door.					
				Shot		L88888F					
	Tes	st 🤲		Rejected:	Q	0	O	0	0	Đ	0
				Reje sted: Percent: Shot:		0					
			50	Shot:	- 3000	k	1 700000	<i>A</i> .			
	Tai	rget		Rejected:	0	9	Q	0	0	0	0
		_		Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********				X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		Photo the same of					
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		Palatetenate				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**********					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine							1
CD	Case dented		***************************************					1
СН	Closes hard	e.c.	***************************************					1
CLM	Can't laod magazine		***************************************					
со	Cut-off		\$40.					
CR	Cuts rim]
CS	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull				* ***********************************			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	,						
DCS	Double click in safety switch					Sec		
DCT	Double click in trigger							
DCU	Doesn't close-up		***************************************				.	
DE	Doesn't eject		***************************************	/**				
DEL	Doesn't eject live round		***************************************					
DFB	Doesn't feed back] ,
DFU	Doesn't feed up		************					
DLO	Doesn't lock open (after last shell)		***************************************			*****		199
DLU	Doesn't lock-up					ž.		
DS	Dead safe		naan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tanan tan				***///]**
XD	Doesn't extract		***********					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		And Andreas					
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

Fires automatically								
Follower binds								
Fails to connect								
Fore-end gracked of broken								
Follows-down		desc.						
Fails to fire		<i></i>						
Flat firing pin								
Fires on safe	- ".							
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens	***							
Floor plate opens hard						Sec.		
Fires when safe is released				***				
Follower tips								
Gas cyl shot off			***					
Heavy bolt lift								
Heading mismatch-steps on case								
High pressure ammo								
Hard under rail						7000 B		
Jumps cartridge						ž.		
Jumps magazin e								ľ
Jars off								
Light blow								
Magazine assembles hard								
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position				_				
	Follower binds Fails to connect Fore-end pracked or proken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-and cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (arnmo)	Follower birids Fails to connect Fore-and cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to codified Fore-end dracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore and stacked or broken Followis-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits bind Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end pracked or broken Foitows-down Foitows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens Ard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)

ML

Magazine loose


Magazine loads hard

_	
L	i
Ļ	•
-	1
C	`
7	ί.
Ē	>
Ē	Ś
ē ⊢	<u></u>
コートン	<u> </u>
ナレドココナトへん) !
コントトルルトの) 1

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top.chamber	a.	***************************************				
SWE	Safety switch works too easily		VANDETHINA				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh went work						
TD	Tips down						
TU	Tips up	···					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	*****			***		
хн	Extracts hard					5ec.	

HI	High		***************************************	******			
LO	Low		4.00	132			
LEFT	Left				**************************************		
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					2004	
RSTT	Rear sight tipped		***************************************			á	
RSBR	Rear sight base raised						- 400
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
FSTL	Front sight loose						
RSTL	Rear sight loose		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$46.				
BLSO-P	Barrel lug shot off at proof		<i>*************************************</i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	• • •					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Siau.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof			***************************************			* ****.
MSI-P	Magnaflux stamp illegible on bbl			138			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	7799977999									
Summ	ary	Total	Test + Proof Failures	0						
			Total Rejected:	0						
Summ			Total Rejected: Overall Reject Rate:							
			Shot: Rejected: Percent Shot: Rejected: Percent	.						
		Proof	Rejected.	0	0	0	0	0	0	0
			Percent:		šta.					
			Shot.	₿ ∞	<i>8000</i> 7					
		Test	Reje cted	Q.	0	O	0	0	0	0
			Shot Reje ded: Percent Shot: Rejected:	Q.	0					
			Shot:		7 1000		a .			
		Target	Rejected:	0 ////	9	O O	0	0	O	0
		-	Percent:	0	0	ġ	0			
				*******	22333344		*****			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

ESS

Extractor stems shell


	200000000000000000000000000000000000000							
FA	Fires automatically							
FB FC	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Folfows-down		dus.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	11/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			11/11/1	*** //			
FT	Follower tips				M			\$
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift				4444			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		-				ž.	
JM	Jumps magazin e							
OC	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					


ML	Magazine lööse						
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over-rides		šta.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					Sec.	
RS	Rim srem				***		
SBC	Stems bottom chambers			***************************************			
SBE	Stems bbt extension			***			
SCB	Stock cracked or broken				· ************************************		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					**************************************	
SIC	Stems in chamber					8	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						


SRIC	Specific rings in chamber						
8500	Surface scratches on case		**************************************				
STC	Stems top.chamber		***************************************				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		áva.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***	// Was				
XH	Extracts hard					Stor.	

HI	High		***************************************		***		
LO	Low		***************************************	′%			
LEFT	Left		***************************************		1000000		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose		*******				
MGPT-G	Missing parts at target		-				
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				11/1/11		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		****					
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				2000	
	_	<u> </u>					;	














Subject to Protective Order - Williams v. Remington

Summ	any	Total To	est + Proof Failures	0						
			Total Rejected:	0						
		<i></i>	Total Rejected: Overall Reject Rate:							
	P		Shot: Rejected: Percent: Shot: Rejected: Percent:	\$2.00 L						
	P	roof	Rejected	0	0	0	0	0	0	0
			Percent	<i>o</i>	300c.					
			Shot.	I						
	7	est	Shot. Reje cted :	Q.	999 - D 3999000	. O	0	0	Đ	0
			Percent:	Q.	0					
			Shot: Rejected:	.000 1		- WWW.	4.			
	T	arget		0	9	Q	0	0	0	0
		-	Percent:	0	9		0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		***************************************				<i>****</i>	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

ŀ	4	
l	. →	
	TT.E0011	
ĺ	O	
ĺ	\supset	
ŀ		
ļ	_1	
ľ	いいないない	
L	J.	
ĺ	زر	
ľ	Ώ	

FA	Fires automatically							
FB	Follower binds		**************************************					
FC	Fails to connect		***************************************					
FCB	Fore-end cracked or broken		**************************************					
FD	Follows-down		244.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	****				11/1/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips		*************					
GCSO	Gas cyl shot off		***************************************	***				
HBL	Heavy bolt lift		-		*****			
HMSC	Heading mismatch-steps on case		-					
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		****				,	
JM	Jumps magazin e		***************************************					
JO	Jars off		************					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		And and and and and and and and and and a					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)		-					
MFOP	Magazine follower out of position		-					


ML

Magazine loose

Magazine loads hard

SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low						
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof		-					
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof.							
BLP-P	Blanked primer at proof		dece.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*** *********************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>1</i> ////////////////////////////////////		
FESO-P	Fore-end shot off at proof						55o.	
FF-P	Fails to fire at proof		-	<i>IIII</i>	***			
GCSO-P	Gas cylinder shot off at proof		***************************************	***********				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	· · ·				
MSM-P	Magnaflux stamp missing on bbl				100			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				*****	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************				***	
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine		***************************************					
CD	Case dented		***************************************					
СН	Closes hard							
CLM	Can't laod magszine							
co	Cut-off			&				
CR	Cuts rim							
cs	Cases swell			- 10 m	800			
CTOG	Chamber torn or gouged							
CTP	Creepy trigger pull	***				Alter.		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back		***************************************				200	
DCS	Double click in safety switch		41100000	4//////////////////////////////////////				
DCT	Double click in trigger		***************************************					**************************************
DCU	Doesn't close-up		***************************************		****			
DE	Doesn't eject		A444		1			
DEL	Doesn't eject live round		***************************************			***************************************		
DFB	Doesn't feed back		************					
DFU	Doesn't feed up						á	
DLO	Doesn't lock open (after last shell)		AAA444AA444					***
DLU	Doesn't lock-up		na anna anna anna anna anna anna anna					***
DS	Dead safe		************					
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver	-						


2005	STATE OF THE STATE							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ES8	Extractor stems shelf		**					
FA	Fires automatically							
FB 🤲	Follower binds							
FC	Fails to connect		<i>illus</i>					
FCB	Fore-end cracked or broken			<u>.</u>				
FD	Follows-down							
FF	Fails to fire				S			
FFP	Flat firing pin							
FOS	Fires on safe					Million .		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim		***********				*	
FPO	Floor plate opens			400000				
FPOH	Floor plate opens hard							
FSR	Fires when safe is released		-		***			
FT	Follower tips							
GCSO	Gas cyl shot off		***************************************			******		
HBL	Heavy bolt lift		***************************************				4000	
HMSC	Heading mismatch-steps on case						,	
HPA	High pressure ammo							** ***
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine		***************************************					
JO	Jars off		***************************************					
LB	Light blow		-					
MAH	Magazine assembles hard		-					
MCW	Magazine capacity wrong							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 88	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)	-						
MFOP	Magazine follower out of position.							
ML	Magazine foose							
MLH	Magazine loads hard							
MRH	Magazine removés hard			k				
ОН	Opens hard							
OR	Over-rides				×			
PH	Pulls hard							
PSI	Proof stamp illegible					Mila.		
PSM	Proof stamp missing	-						
RBOC	Rings and bulges on case	***************************************	***************************************				×	
RDW	(Action) release doesn't work	-	410000000000000000000000000000000000000					
RIC	Rings in chamber		*****					**************************************
RIS	Ring in sholder		500 PA 10					
RS	Rim srem		Actions					
SBC	Stems bottom chambers	·	***************************************			******		
SBE	Stems bbl extension		***************************************					
SCB	Stock cracked or broken		Vanna de la companya				,	
SCX	Shell catches		***************************************					· · · · · · · · · · · · · · · · · · ·
SHI	Short indent		And the second s					***
SI	Stems incline		***************************************					
SIC	Stems in chamber		***					
SL	shaves lead		***************************************					
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride	-	-					

۲	ł	
t	ŧ	
1	1	
C)	
C)	
F	1	
H	1	
 	<u>د</u> د	
トトレ	<u>د</u> د	
トトドラフトトルしじと	נ נ נ	

CODE MALFUNCTION INDEX 700 SPS 700 SPS 700 SDL & 700 CDL 700 POLICE MODEL 7 SIP Stems port SR Shoulder, feight SRC Stems gight side of chamber SRIC Specific rings in sthamber SRIC Specific rings in sthamber SSCC Surface scratches on case STC Stems top chamber SWH Safety switch works too basily SWH Safety switch works too hard SWW Safety switch works too hard SWW Tips down Tu Tips down Tu Tips up Trigger wort retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Deesn't Group FSST Front sight tipped RSBR Rear sight tipped RSBR Rear sight tipped RSBR Rear sight tipped RSBR Fort stight lipsed FSTL Front sight lipsed FSTL Front sight lipsed FSTL Front sight lipsed FSTL Front sight lipsed									
SR Shoulder fough SRC Stems right side-of chamber SRIC Specific rings in Stamber SSOC Surface scratches on case STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety switch works too hard SWW Safety switch work work TD Tips down TU Tips up TWP Trigger wort pull TWR Trigger wort retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	CODE	MALFUNCTION INDEX	700 SPS	1		700 SS	700 CDL	700 POLICE	MODEL 7
SRC Stems right side of chamber SRIC Specific rings in chamber SSOC Surface scratches on case STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety switch work too hard SWW Safety ewitch work too hard TD Tips down TU Tips up TWP Trigger wort pull TWR Trigger wort retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight traised	SP	Stems port		**************************************					
SRIC Specific rings in chamber SSOC Surface scratches on case STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitch work TD Tips down TU Tips up Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	SR	Shoulder mugh		***************************************					
SSOC Surface scratches on case STC Stems top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh won't work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	SRC	Stems right side of chamber		***************************************					
STC Sterns top chamber SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitxh work work TD Tips down TU Tips up Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	SRIC	Specific rings in chamber							
SWE Safety switch works too easily SWH Safety switch works too hard SWW Safety ewitch works too hard SWW Safety ewitch work too hard SWW Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	ssoc	Surface scratches on case			da.				
SWH Safety switch works too hard SWW Safety ewitxh won't work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	STC	Sterns top chamber							
SWW Safety ewitch work work TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	SWE	Safety switch works too easily				ii			
TD Tips down TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight base raised FSTR Front sight raised	SWH	Safety switch works too hard	1 288888						
TU Tips up TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTR Rear sight base raised FSTR Front sight raised	SWW	Safety ewitxh won't work					Mar.		
TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	TD	Tips down							
TWP Trigger won't pull TWR Trigger won't retract UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSBR Rear sight base raised FSTR Front sight raised	TU	Tips up						2	
UNCN-T Uncoded XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	TWP	Trigger won't pull		4100411004					
XH Extracts hard HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight base raised FSTR Front sight raised	TWR	Trigger won't retract		***************************************					
HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	UNCN-T	Uncoded		*****					
HI High LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	XH	Extracts hard		non-reconstruction (988888		
LO Low LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised				***************************************			*****		
LEFT Left RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	HI	High		***************************************					
RIGHT Right DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	LO	Low		Manatenante				;	
DG Doesn't Group FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	LEFT	Left		***************************************					· · · · · · · · · · · · · · · · · · ·
FSST Front sight tipped RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	RIGHT	Right		MATTER STATE OF THE STATE OF TH					***
RSTT Rear sight tipped RSBR Rear sight base raised FSTR Front sight raised	DG	Doesn't Group		***					
RSBR Rear sight base raised FSTR Front sight raised	FSST	Front sight tipped		***************************************					
FSTR Front sight raised	RSTT	Rear sight tipped		***************************************					
	RSBR	Rear sight base raised							
FSTL Front sight loose	FSTR	Front sight raised							
	FSTL	Front sight loose							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
RSTL	Rear sight lööse		HARAMANA					
MGPT-G	Missing parts at target		***************************************					
UNCN-G	Uncoded nonconformity at target		NAME OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OF THE OWNER OWNER OF THE OWNER OWNER OF THE OWNER OWNE					
			<i>****</i>					
AI-P	Assembly incompleye at proof			*				
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				* **.			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					War.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof						*	
BS-P	Barrel split at proof		***************************************					
DLOS-P	Doesn't lock over shells at proof		***************************************	*****				
ESB-P	Ejector sticks back at proof		***************************************					
FCB-P	Fore-end cracked at proof		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		100			
FESO-P	Fore-end shot off at proof		N			***************************************		
FF-P	Fails to fire at proof		************					
GCSO-P	Gas cylinder shot off at proof		NA 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A					
MSI-P	Magnaflux stamp illegible on bbl	****	name and a second					·**
MSM-P	Magnaflux stamp missing on bbl		MATERIAL PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPE					***
PP-P	Pierced primer at proof		A-1410-1-1-1-1-1					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		And Andreas					



Subject to Protective Order - Williams v. Remington

