Summary	Total Rejected:	207								
	Overall Reject Rate:									
	Shot:		109	80	605	5	92	12]	
	Proof Rejected. Percent		0 0.0	3 3.8	1 0.2	0 0.0	0 0.0	0 0.0		
	Shot	335	151	277	748	190	110	0.0	1	
	Test Rejected.	21	7 7	17	79	3	4	0	1	
	Percent	anna ann ann ann ann ann ann ann ann an	4.6	6.1	10.6	1.6	3.6		_	
	Shot:	18	6	22	26		107			
	Target Rejected.		0 0.0	0 0.0	0 0.0	0	14 13.1	0	_	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7		
АВ	Action binds						- 20-0			
BABS	Bulge at body shoulder									
BAC	Burr at chamber	9		5						
BBMA	BBL-to-bolt misalignment									
вв	Bolt binds/catches	1		2	11	3				7
BCOBS	Bolt catches on bolt stop			***						
BCOF	Bolt catches on follower					4	1		r 🗶	
BC	Blows cases							l IIIII.	🎆	
BHR	Bolt hits receiver									
BHS	Bolt plug hits safety switch					l		100		
BLOP	Bar lock or disconnector out of position									
BLSO	Barrel lug shot off									
вро	Bolt pulls out									
BSSM	Bolt stems shell in magazine			*	*					
BWCD	Bolt won't carn down						1			
BWCFM	Bolt won't close over full magazine	2			3					
CD	Case dented									

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
Сн	Closes hard	1			34			
CLM	Can't load magazine							
co 🚿	Cut-off							
CR	Cutstim			****				
cs	Cases swell							
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back						****	
DCS	Double click in safety switch							
DCT	Double click in trigger							
DCU	Doesn't close-up		**					
DE	Doesn't eject						1	<i></i>
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up					100 N		
DS	Dead safe				2			
DX	Doesn't extract	1						
DXL	Doesn't extract live round							
EDS	Extractor drops shell			***	6		2	
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Fallows-down			*****				
FF	Fails to fire			1				
FFP	Flat firing gin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				4.			
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips				2			
GCSO	Gas cyl shot off							<i></i>
HBL	Heavy bolt lift			2				
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo			****				
HUR	Hard under rail	4				:		
JCS	Jumps cartridge			*****				
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MARH	Magazine removes hard			*				
он 💹	Opens hard							
OR	Over-nides	2		2				
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber		7	3	6.			
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							<i>.</i>
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline	1						
SIC	Stems in chamber			*****	1			
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride			2	6			
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							



	2000007.							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
stc 🥢	Stems top chamber							
SWE 🎆	Safety switch works too easily							
swh 🦉	Salety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down							
τU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract				Arrest.			
UNCN-T	Uncoded				1			
хн	Extracts hard							
						ilia itara.		
HI	High							
LO	Low							
LEFT	Left							/ #@s.
RIGHT	Right							
DG	Doesn't Group						14	
FSST	Front sight tipped							
RSTT	Rear sight tipped					*		
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof		1					



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & AD	700 SS	700 CDL	700 POLICE	MODEL 7
8C-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof					•		
DLOS-P	Doesn't lock over shells at proot							
ESB-P	Ejector sticks back at proof				te			
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof			ľ				
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							li illina
PP-P	Pierced primer at proof			1				
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions	2		2	1			


	<u></u>							I		
	tan III						totals	700 totals	New Gen totals	
		1 E A		150	28	13	2273			
199933999	298 0	56	<u> </u>	156 2	0	0	11	2020 6	240 5	
	0.0	54	0	13	0.0	0.0	0.5	0.3	2.1	
	309	75		146	7	13	2361	4387	228	
	35	5	0		0	1	17 9 7 0	166	12	
	11.3	6.7 ****		4.8	0.0	7.7	7.6	3.8	5.3	
	309		0	2			497	976	9	
	0 0.0	0	0****	0 0.0	3 42.9	Ø	17 3.4	14 1.4	3 33.3	
	0.0			** 0.0	+2.9	<u> </u>	????	1.4	33.3	l
	XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals	


				1			1			
						Ŵ				
	4						19	19		
							10081			
							17	17		
							1	1		
						-				
							*			
					•		*			
					<u> </u>					
							F	E		
						***	5	5		


íter,


Subject to Protective Order Williams v. Remington


ILE00112766














Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

СН	Closes hard	1
RIC	Rings in chamber	-
DG	Doesn't Group	
BB	Bolt binds/catches	-
BAC	Burr at chamber	- ·
EDS		- 38
HUR	Extractor drops shell Hard under rail	•

HBL	Heavy bolt lift	
	Uncoded proof malfunctions	
OR	Over-rides	
BCOF	Bolt catches on follower	
DS	Dead safe	Sec.
	Doesn't extract	
FT	Follower tips	weili
SOR	Stem over-ride	
AB	Action binds	1999) 1999)
BABS	Bulge at body shoulder	Soc.
BBMA	BBL-to-bolt misalignment	
BCOBS	Bolt catches on bolt stop	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	8
BSSM	Bolt stems shell in megazine	
BWCD	Bolt won't cam down	1
BWCFM	Bolt won't close over full magazine	
CD	Case dented	1
	Can't load magazine	
00	Cut-off	•
CR	Cuts rim	
CS	Cases swell	
СТОС	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB		
	Doesn't blow back	
DCS DCT	Double sligk in safety switch	
	Double click in trigger	
	Doesn't close-up	
DE	Doesn't eject	ł
DEL	Doesn't eject live round	
DFB	Doesn't feed back	l
DFU	Doesn't leed up	
DLO	Opesnit Jock open (after last shell)	
DLU	Doesn't lock-up	l
DXL	Doesn't extract live round	
ESB	Elector sticks back	
ESCR	Empty shell catches receiver	
		1
ess 🎆	Extractor stems shell	




Subject to Protective Order Williams v. Remington


FB	Follower binds	
FC	Fails to connect	
FCB	Fore-end cracked or broken	
FD	Follows-down	S
FF	Fails to fire	-\$\$
FFP	Flat firing pin	
FOS	Fires on safe	
FPHB	***************************************	
FPHI	Firing pin hits bbl	
FPO	Firing pin hits inside rim	5 19 203
FPOH	Floor plate opens	:
	Floor plate opens hard	
FSR	Fires when safe is released	
GCSO	Gas cyl shot off	
HMSC	Heading mismatch-steps on case	undelle
HPA	High pressure ammo	8888
JCS	Jumps cartridge	iliana
JM	Jumps magazine	Sec.
<u>10</u>	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	87 - I
MLH	Magazine loads hard	
MRH	Magazine removes hard	
он	Opens hard	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems balextension	
SCB	Stock stacked or broken	
SCX	Shell catches	
SHI	Short indent	
<u>SI</u>	Stems incline	
	Stephs incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stietch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC	Surface scratches on case	
STC 🔬	Stems tep chamber	
SWE	Safety switch works too easily	



SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	Ŷ
LO	Low	
LEFT	Left 🦾 🛝	
RIGHT	Right	
FSST	Front sight tipped	88
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	88
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	88
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	Ś

AI-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	200. 2002
BEB-P	Barrel extension broken at proof	ľ
BLP-P	Blanked primer at pappf	1
BLSO-P	Barrel lug shot off at proof	1
BP-P	Blown primer at preef	1
BS-P	Barrel split at proof	1
DLOS-P	Doesn't lock over shells at proof	1
ESB-P	Ejector sticks back at proof	1
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at proof	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnattux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	1







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire





FPHI	Firing pin hits inside rim]
FPO	Floor plate opens	
FPOH	Floor plate opens hard	1
FSR	Fires when safe is released	1
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	ŝ
JO	Jars off	
LB	Light blow	
MAH		
	Magazine assembles hard	88
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
он	Opens hard	
OR	Over-rides	1
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	Ċ.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC		
	Stems in chamber	
SL	shaves lead Stems left side of chamber	
SLC	Istems lensing of chamberssons	
AIIA A		
SMOC	Stretch marks on case	
SOR	Stretch marks on case Stem over-ride	
SOR SP	Stretch marks on case Stem over-ride Stems port	
SOR SP SR	Stretch marks on case Stem over-ride Stems port Shoulder rough	
SOR SP SR SRC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber	
SOR SP SR	Stretch marks on case Stem over-ride Stems port Shoulder rough	
SOR SP SR SRC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber	
SOR SP SR SRC SRIC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	
SOR SP SR SRC SRIC SSOC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber	
SOR SP SR SRC SRIC SRIC SSOC STC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	






TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	1
LEFT	Left	1
RIGHT	Right	5
DG	Doesn't Group	<u>i</u>
FSST	Front sight tipped	60
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	1.
FSTR	Front sight raised	
FSTL	Front sight loose	
RSTL	Rear sight loose	833
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	20
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	ľ.
BC-P	Blows cases at proof	<u> </u>
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof] ~
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	ľ
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at proof	
FF-P	Fails to fire at proof	
GCSO-P	Gas cylinder shot off at proof	
MSI-P	Magnaflux stamp illegible on bbl	
MSM-P	Magnaflux stamp missing on bbl	
PP-P	Pierced primer at proof	
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1





CC.	Faile to fize	
FF	Fails to fire	
SOR	Stem over-ride	
ESB-P	Ejector sticks back at proof	
AB	Action binds	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	
BBMA	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	:
BC	Blows cases	Δa
BHR	Bolt hits receiver	ŚŚ
BHS	Bolt plug hits safety switch	66 <u>6</u> 6
BLOP	Bar lock or disconnector out of position	
BLSO	Barrel lug shot off	888
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	48
BWCFM	Bolt won't close over full magazine	
CD	Case dented	Ì
СН	Closes hard	
CLM	Can't load magazine	ŝ.
co	Cut-off	
CR	Cuts rim	Ì.
CS	Cases swell	88
CTOG	Chamber torn or gouged	
СТР	Creepy trigger pull	8
CWSB	Cams wrong side of action par	
DBB	Doesn't blow back	
DCS	Double click in safety switch	8
DCT	Double click in trigger	
DCU	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
DFU	Doesn't feed up	
DLO	Doesn't lock open (after last shell)	
DLU	Doesn't lock-up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector sticks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
**********	Fires automatically	
FA I	Follower binds	
FA FB	I WILWARD, DILICIN 1999000000000	
FB	Fails to connect	
FB FC	Fails to connect	
FB FC FCB	Fails to connect Fore-end cracked or broken Follows-down	




FOS	Fires on safe	1
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	
FSR	Fires when safe is released	
FT		
GCSO	Follower tips Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	Ś
	High pressure ammo	dite.
HUR	Hard under rail	
JCS	Jumps cartridge	1999) 1997
JM	Jumps magazine	
10	Jars off	9999) (1999)
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	1999) 1999
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	5
он	Opens hard	à.
OR	Over-rides	
РН	Pulls hard	100
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
SLC	Stems left side of chamber	
SMOC	Stretch marks on case	
SP	Stems pon	
SR	Shoulder rough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
SSOC .	Surface scratches on case	
STC 🤞	Stems top chamber	
SWE 🛞	Safety switch works too easily	



SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	Į
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	Ś
DG	Doesn't Group	N.
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	R
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
AI-P	Assembly incompleye at proof	F
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	2011
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at prost	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
DLOS-P	Doesn't lock over shells at proof	ř
FCB-P	Fore-end cracked at proof	
FESO-P	Fore-end shot off at press	
FF-P	Fails to fire at proof	ĺ
GCSO-P	Gas cylinder shot off at proof	ĺ
MSI-P	Magnaflux stamp illegible on bbl	ĺ
MSM-P	Magnaflux stamp missing on bbl	ĺ
PP-P	Pierced primer at proof	l
SCB-P	Stock cracked or broken at proof	l
UNCM-P	Uncoded proof malfunctions	







AB	Action binds
BABS	Bulge at body shoulder
BAC	Burr at chamber
BBMA	BBL-to-bolt misalignment
BB	Bolt binds/catches
BCOBS	Bolt catches on bolt stop
BCOF	Boll catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barrel lug shot off
BPO	Bolt pulls out
BSSM	Bolt stems shell in magazine
BWCD	Bolt won't cam down
BWCFM	Bolt won't close over full magazine
CD	Case dented
<u>сн</u>	Closes hard
	Can't load magazine
	Cut-off
CR	Cuts rim
CS	Cases swell
CTOG	Clases swell Chamber torn or gouged
CTOG CTP	
CWSB	Creepy trigger pull
DBB	Cams wrong side of action bar Doesn't blow back
DCS DCT	Double click in safety switch
	Double click in trigger
	Doesn't close-up
	Doesn't eject
	Doesn't eject live round
DFB	Doesn't feed back
	Doesn't feed up
	Doesn't lock open (after last shell)
	Doesn't lock-up
DS	Dead safe
DX	Doesn't extract
	Doesn't extract live round
EDS	Extractor drops shell
ESB	Ejector sticks back
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
	Fore-end cracked or broken
FCB	Eallaus dours
FCB FD	Follows-down
FD FF	Fails to fire
FD FF FFP	
FD FF	Fails to fire





FPHI	Firing pin hits inside rim]
FPO	Floor plate opens	
FPOH	Floor plate opens hard	1
FSR	Fires when safe is released	1
FT	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	
JM	Jumps magazine	ŝ
JO	Jars off	
LB	Light blow	
MAH		
	Magazine assembles hard	88
MCW	Magazine capacity wrong	
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	100
ML	Magazine loose	
MLH	Magazine loads hard	
MRH	Magazine removes hard	
он	Opens hard	
OR	Over-rides	1
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIC	Rings in chamber	
RIS	Ring in sholder	
RS	Rim srem	Ċ.
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCB	Stock cracked or broken	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC		
	Stems in chamber	
SL	shaves lead Stems left side of chamber	
SLC	Istems lensing of chamberssons	
AIIA A		
SMOC	Stretch marks on case	
SOR	Stretch marks on case Stem over-ride	
SOR SP	Stretch marks on case Stem over-ride Stems port	
SOR SP SR	Stretch marks on case Stem over-ride Stems port Shoulder rough	
SOR SP SR SRC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber	
SOR SP SR	Stretch marks on case Stem over-ride Stems port Shoulder rough	
SOR SP SR SRC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber	
SOR SP SR SRC SRIC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	
SOR SP SR SRC SRIC SSOC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case Stems top chamber	
SOR SP SR SRC SRIC SRIC SSOC STC	Stretch marks on case Stem over-ride Stems port Shoulder rough Stems right side of chamber Specific rings in chamber Surface scratches on case	





TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	1
DG	Doesn't Group	1
FSST	Front sight tipped	ŧ
RSTT	Rear sight tipped	1
RSBR	Rear sight base raised	
FSTR	Front sight raised	ł
FSTL	Front sight loose	ļ
RSTL	Rear sight loose	ł
MGPT-G	Missing parts at target	1
UNCN-G	Uncoded nonconformity at target	
		l
AI-P	Assembly incompleye at proof	l
BBB	Barrel bracket cracked or broken at proof	ł
BC-P	Blows cases at proof	
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	1
BS-P	Barrel split at proof	I
DLOS-P	Doesn't lock over shells at proof	
ESB-P	Ejector sticks back at proof	
FCB-P	Fore-end cracked at proof	1
FESO-P	Fore-end shot off at prest	1
FF-P	Fails to fire at proof	1
GCSO-P	Gas cylinder shot off at proof	1
MSI-P	Magnaflux stamp illegible on bbl	1
MSM-P	Magnaflux stamp missing on bbl	1
PP-P	Pierced primer at proof	1
SCB-P	Stock cracked or broken at proof	
UNCM-P	Uncoded proof malfunctions	1






Summary	Total Test + Proof Failure								-
	Total Rejecte								
	Overall Reject Rat	e: 2.36	3	1	2	5	40	4	1
W	an Proof Rejecte		0	0	0	0	0	0	1
	Perce		0.0		0.0	0.0	0.0	0.0	
	Sha		58	113			28]
	Test Rejecte Perce		7 12.1	0 0.0	0	0	0 0.0	0	
	Spa	- <u> </u>	4	0.0 0.0		1	28	1	1
	Target Rejected				0	0	0	0	1
	Percei	nt:	0.0	0.0		-	0.0	-	_
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
									-
AB	Action binds				- <u> </u>				-
BABS	Bulge at body shoulder		****						-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								-
BB	Bolt binds/catches								┨╢╢
BCOBS	Bolt catches on bolt stop	_							
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver							• • • • • • • •	-
BHS	Bolt plug hits safety switch								4 🕺
BLOP	Bar lock or disconnector out of position								-
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								-
BSSM	Bolt stems shell in magazine								-
BWCD	Bolt won't cam down								

BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hap				
CLM	Can't load magazine				
со	Cut-off	áto.			
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber tom or gouged				
СТР	Creepy trigger pull				
CWSB	Carns wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			teo.	
DCT	Double click in trigger				
DCU	Doesn't close-up	*			
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)			and the	
DLU	Doesn't lock-up			á	
DS	Dead safe				<u>I</u> ∾
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				




FA B	a de la companya de l	Subject to Protective Order	
ğ FB	ams FB		FA ,
	S FC	ğ	FB
FCB		len	FD
FCB FD FD	fD FD	jnir	FF
 FCB FCB FD FF 	FD FF	ytor	FFP
 FCB FD FD FF FF FFP 	Remingtor	<u>ر</u>	FOS
Remingtor	FD FF FF FFP FOS		FPHR

FA	Fires automatically]
FB	Follower binds						1
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		Att.				
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe						
FPHB	Firing pin hits bbl				8		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					See.	
FSR	Fires when safe is released						
FT	Follower tips			****			
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					ź	
JM	Jumps magazin e						1.0
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
X	ML
ā	MILH
n su	MRH
æms v. Remington	он
hen	OR
ning	PH
gto	PSI
	PSM
	DBAC

ML	Magazine loose]
MALH	Magazine loads hard				
MRH	Magazine (emoves hard				
он	Opens hard				
OR	Over-indes	itte.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -		
RDW	(Action) release doesn't work				
RIC	Rings in chamber	 			
RIS	Ring in sholder			889.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches].
SHI	Short indent				
SI	Stems incline				ø
SIC	Stems in chamber			â	
SL	shaves lead				_ ™
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




SRIC	Subject to Protective Order	
		SRIC
	אייי ב ר צייי	STC
STC	א דו	SWE
STC SWE	len	SWH
ns STC V. SWE SWH	ing	sww
ns v. Reming	itor	D
ns v. Remingtor	-	тυ
 SWE SWH SWW SWW 		

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
ΤΟ	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	**				
хн	Extracts hard				See	
HI	High			Mar Mil		
LO	Low					
LEFT	Left					
RIGHT	Right			 		╡.
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				2	4
RSBR	Rear sight base raised			 		1~
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					




AI-P	Assembly incompleye at proof				1	
368	Barrel bracket gracked or broken at proof					
3С-Р	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		án.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	· · · · · · · · · · · · · · · · · · ·				
FESO-P	Fore-end shot off at proof				See.	
=F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	1				




Subject to Protective Order - Williams v. Remington











Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failur								-
	Total Rejecte	d: 0							
	Overall Reject Rat		ł	1	1	1	1	1	-
	Sho Proof Rejected	et	0	0	0	0	0	0	
1	Perce			Ŭ	v	÷	v	v	
	110000 0000000000 000	n []
	Test Rejection Perce		0	o O	0	0	0	0	
	Sin	8 <u> </u>	<u>*************************************</u>				1	1	7
	Target Rejecte	əd: 0 🎆			0	0	0	0	_
-	Perce								-
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5	~~					
BBMA	BBL-to-bolt misalignment								1000
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 🐰
BC	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N III	FA
<u>ø</u>	FB
ams v. Remington	FC
<u>ج</u> ۳	FCB
len	FD
ing	FF
, tor	FFP
ت.	FOS
	FPHR

FA	Fires automatically]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked of broken		****				
FD	Follows-down						
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · ·					
FPOH	Floor plate opens hard					1990.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case].
HPA	High pressure ammo						
HUR	Hard under rail					200 4	Þ
JCS	Jumps cartridge					á	
JM	Jumps magazin e						<u>I</u> ≈
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine ternoves hard						
ОН	Opens hard						
OR	Over-indes		àre.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	···· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· **					
RIS	Ring in sholder					5eo.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			~~			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					ź	
SL	shaves lead						ľ∞;
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order	
	SRIC
ē	8500
ີ ເ	STC
iams v. Remington	SWE
len	SWH
ning	sww
yto	TD
J	TU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



					 	-
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
BC-P	Blows cases at proof					
вев-р 👋	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~		· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order Williams v. Remington

Summary	Total Test + Pr		824						
		al Rejected:	96						
	Overall)	Reject Rate:	11.65						
		Shot:	288	94	38	192		33	5
	Prøof	Rejected	1	0	0	1	0	0	0
		Percent	0.3	0.0	0.0	0.5		0.0	0.0
	-	Shot. Rejected:	75 11	79 0	73	117 38	190 3	72	0
	Test	Percent:	14.7	0.0	,12.3	30 32.5	.3 1.6	1.4	v
		Shot:	11	2	3	7		72	
	Target	Rejected:	0	* <u>**</u>	• ////////////////////////////////////	0	0	14	0
		Percent:	0.0	00	00	00		19.4	
CODE		NDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber		5		1	1			
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches				2	6	3		
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower			****				1	
BC	Blows cases							8	
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch			***					
BLOP	Bar lock or disconnector out	of position							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine	e							
BWCD	Bolt won't cam down								
						•	•	•	•




ILE00112812

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand			19		
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged	· · · ·				
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	**>	<u> </u>			
DCS	Double click in safety switch				80x.	
DCT	Double click in trigger					
DCU	Doesn't close-up			s		
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					╡.
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Þ
DLU	Doesn't lock-up				2	
DS	Dead safe			1		l.«
DX	Doesn't extract	1				
DXL	Doesn't extract live round					
EDS	Extractor drops shell			4		
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA.	FA.	Subject to Protective Order	
	₽ ₽	N.	FA
ns FC		ר. דד	FCB
FC S FC FCB	FCB	len	FD
FC FCB FD FD	FCB D FD FD	jnir	FF
FC FCB FD FF	Perming	ytor	FFP
ns v. Remingto	S FCB FD FD FD FF FF FFP	د.	FOS
V. Remingtor	Remington FFP		

FA.	Fires automatically						1
	Follower binds						1
FB FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						1
FFP	Flat firing pin			.			
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens]
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****		1		
GCSO	Gas cyl shot off		******				
HBL	Heavy bolt lift			2	1 *****		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail	4					
JCS	Jumps cartridge					;	
JM	Jumps magazin e						1 ~
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
V	ML
ā s	MALH
ns 🕬	MRH 🛞
.< 	ОН
æms v. Remingtor	OR
jnir	PH
gtor	PSI
L	PSM
	0000

ML.	Magazine loose]
MALH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes	itte.	1			
PH	Pulls hard]
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber		2	5		
RIS	Ring in sholder				New.	
RS	Rim srem					
SBC	Stems bottom chambers		••••			
SBE	Stems bbl extension		198			
SCB	Stock cracked or broken					
SCX	Shell catches].
SHI	Short indent					
SI	Stems incline					*
SIC	Stems in chamber				â	
SL	shaves lead					l
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride		1			
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					





SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		×			
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract				 	
UNCN-T	Uncoded	~~~				
хн	Extracts hard				See.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group				14	
FSST	Front sight tipped					P
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised			 		ľ
FSTR	Front sight raised			 		
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					




Al-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof		***			
вев-р 👋	Barrel extension broken at proof		***			
BLP-P	Blanked primer at proof		- 100 A			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				ites.	
FF-P	Fails to fire at proof		***			
GCSO-P	Gas cylinder shot off at proof		****			
MSI-P	Magnaflux stamp illegible on bbl		****			
MSM-P	Magnaflux stamp missing on bbl		****			
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions	1		1		
					 ;	


-		Test Date:					totais	
Ē	143	<u>k. 1</u> /////	1 2000 000	12	2		908	
L	0	0	0	1	0	0	3	1
	0.0	0.0		0.9	0.0		0.3	
	115			1.00			821	
	13 11.3	0	0	4 4.0	0	0	79 	
г	115	1		2			212	1
L	0	0	0	0		0	14	
	0.0			0.0			14 6.6	
Γ	XR-100	7400	7500	7600	7615	Rimfire	totals	
Ļ								
ŀ								
ŀ								
ŀ							7	
F								
┢							11	
ŀ								
╞							1	
ŀ							•	
┢								
┝								
┢								
╞								
╞								
╞								
ŀ								
L			<u> </u>					








Subject to Protective Order - Williams v. Remington





Subject to Protective Order Williams v. Remington


Summary	Total Test + Proof	Failures ejected:	1209 103							-
	Overall Reje		8.52							
		Shot:	450	12	42	411		19	3]
Set	Proof	Rejected. Percent:	0 0.0	0 0.0	3 7.1	0 0.0	0	0 0.0	0 0.0	
		Shot,		14	91	631		10		
	Test	Rejectød: Percent:	10 5 6	0 0.Q	රි . හි. හි. හි	41 6.5	0	3 30.0	0	
	121	Shot: [7		8	19	_	7		
	Target	Rejected: Percent:	0 0.0	0	0 00	0 0 0	0	0 0.0	0	
CODE	MALFUNCTION INDEX	<	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds									
BABS	Bulge at body shoulder									
BAC	Burr at chamber		4		4					
BBMA	BBL-to-bolt misalignment									
BB	Bolt binds/catches		1			5				
BCOBS	Bolt catches on bolt stop									
BCOF	Bolt catches on follower									19 🐰
BC	Blows cases							ä		
BHR	Bolt hits receiver									1
BHS	Bolt plug hits safety switch									1 🜌
BLOP	Bar lock or disconnector out of p	osition								1
BLSO	Barrel lug shot off									
BPO	Bolt pulls out									1
BSSM	Bolt stems shell in magazine									
BWCD	Bolt won't cam down									

BWCFM	Bolt won't close over full magazine	2		3		
CD	Case dented					
СН	Closes hand	1		15		
CLM	Can't laod magazine					
со	Cut-off		322.			
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber tom or gouged					
СТР	Creepy trigger pull			8		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back	· · · · ·		· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch				See.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject				1	
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	
DLU	Doesn't lock-up				â	
DS	Dead safe			1		ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell			2	2	
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					
						-




FA FB FC FCB FD FF FF FF FF FF FF FF FF FF	Subject to Protective Order	
< FCB	Williams	FA FB
	Ч. F	FCB
	ing	FF
	ytor	FFP
ningtor	-	FOS
nington		COUD

FA	Fires automatically						
FB	Follower binds						1
FC	Fails to connect		****				1
FCB	Fore-end cracked or broken						
FD	Follows-down						
FF	Fails to fire			1			
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·			4		
FPOH	Floor plate opens hard					800.	
FSR	Fires when safe is released		*****				
FT	Follower tips		*****		1		
GCSO	Gas cyl shot off		*****				
HBL	Heavy bolt lift				1 1]
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						
JCS	Jumps cartridge		****			;	
JM	Jumps magazin e						1.4
O	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
B	MLH
iams v.	MRH
T	он
fen	OR
ning	PH
. Remingtor	PSI
<u>د</u>	PSM

ML	Magazine lögse						1
MALH	Magazine loads hard						1
MRH	Magazine removes hard						1
ОН	Opens hand						
OR	Over-indes		- Arr.	1			
PH	Pulls hard						1
PSI	Proof stamp illegible						1
PSM	Proof stamp missing						1
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·		1	1		
RIS	Ring in sholder					in.	
RS	Rim srem						
SBC	Stems bottom chambers			****			
SBE	Stems bbl extension						
SCB	Stock cracked or broken						1
SCX	Shell catches						1.
SHI	Short indent						
SI	Stems incline	1]/*
SIC	Stems in chamber				1	ž	
SL	shaves lead						1~
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						1
SOR	Stem over-ride			1	6		
SP	Stems port						1
SR	Shoulder rough]
SRC	Stems right side of chamber						1



Subject to Protective Order	
	SRIC
a a	SSOC
n 1000	STC 🔅
.< TI	SWE
len	SWH
nin	sww
ams v. Remingtor	TD
ت.	TU
	I


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***		1 ***		
хн	Extracts hard				See.	
HI	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					<u>``</u>
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





Subject to Protective Order	
X	AI-P
	868
S I S	BC-P
.S TT	BEB-P
ien	BLP-P
liams v. Remington	BLSO-P
ytor	BP-P
ب	BC_D


NI-P	Assembly incompleye at proof]
368	Barrel bracket gracked or broken at proof						
ВС-Р	Blows cases at proof	****					
зев-р 👋	Barrel extension braken at proof						
3LP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
3P-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				¥		
ESB-P	Ejector sticks back at proof					 	
CB-P	Fore-end cracked at proof						
ESO-P	Fore-end shot off at proof					See.	
F-P	Fails to fire at proof			· · · · · ·			
SCSO-P	Gas cylinder shot off at proof			<u> </u>		· · · · · · · · · · · · · · · · · · ·	
ASI-P	Magnaflux stamp illegible on bbl						
ASM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof		1				
SCB-P	Stock cracked or broken at proof	*****					
UNCM-P	Uncoded proof malfunctions		2				


No. No. <th></th> <th></th> <th>Test Date:</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>			Test Date:						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				<u> </u>	111112221				
138 75 48 7 13 1202 22 5 0 3 0 3 93 15.9 6.7 6.5 0.0 7.7 7.7 138 3 0 3 0 3 93 138 3 3 0 3 0 3 0 0 0 3 0 3 0 0.0 7400 7600 7615 Rimfire foilais XR-100 7400 7500 7600 7615 Rimfire foilais 4 1 1 1 1 1 - - - - - - 4 - - - - - - - - - - - - - - - - - - - - 4 - - - - - - - - - - - </th <th></th> <th>88</th> <th>55</th> <th></th> <th>24</th> <th>26</th> <th>13</th> <th>1143</th> <th></th>		88	55		24	26	13	1143	
138 75 48 7 13 1202 22 5 0 3 0 3 93 15.9 6.7 6.5 0.0 7.7 7.7 138 3 0 3 0 3 93 138 3 3 0 3 0 3 0 0 0 3 0 3 0 0.0 7400 7600 7615 Rimfire foilais XR-100 7400 7500 7600 7615 Rimfire foilais 4 1 1 1 1 1 - - - - - - 4 - - - - - - - - - - - - - - - - - - - - 4 - - - - - - - - - - - </th <th></th> <th>0.0</th> <th>65</th> <th>and the second s</th> <th>42</th> <th>ào</th> <th>0.0</th> <th>, 0.6</th> <th></th>		0.0	65	and the second s	42	ào	0.0	, 0.6	
22 5 0 3 0 1 93 15.9 6.7 8.2 0.0 7.7 7.7 138 7 186 0 0 0 3 0 3 0.0 0 0 3 0 3 XR-100 7400 7500 7600 7615 Rimfire fotals 1 1 1 1 1 1 1 4 1 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td></t<>									1
15.9 6.7 6.5 0.0 7.7 7.7 138 0 7 7.6 0 0 0 3 0 3 0.0 0 0 3 0 3 XR-100 7400 7500 7600 7615 Rimfire rotals XR-100 7400 7500 7615 Rimfire rotals 4 1 1 1 1 4 1 1 1 1 4 1 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L	22	5	A	3 3		1	93	ſ
138 7 20 186 0 0 0 3 0 3 0.0 7500 7600 7615 Rimfire totals XR-100 7400 7500 7600 7615 Rimfire totals 4 1 1 1 4 1 1 6 1 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 <th< th=""><th></th><th></th><th></th><th></th><th>6.5</th><th></th><th>77</th><th>7.7</th><th></th></th<>					6 .5		77	7.7	
XR-100 7400 7500 7600 7615 Rimfire totals						3		186]
Image: Constraint of the second se			0	0	0		0	3 1.6	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $)	XR-100	7400	7500	7600	7615		A	
4 1 12 4 1 12 1 1 1	-				1				
4 12 1 12 1 1								- ACCOCCARGA	
		4						12	
								6	
Image: Second									1
Image: Second									1
									1
									1
									1
	\vdash								1
	-								4
	-								4











Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off		itte.				
CR	Cuts rim						
cs	Cases swell						
стод	Chamber torn or gouged	··· ///					
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					XX	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			1103			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						Ś
DLO	Doesn't lock open (after last shell)						Ø
DLU	Doesn't lock-up					à	
DS	Dead safe						l
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	Subject to Protective Order	
	×	FA
	S L	FC
T FC	<u>א</u>	FCB
FC FCB	len	FD
FC FC FCB FD	in	FF
FC FCB FD FD FF	ytor	FFP
ns v. Remingtor	L	FOS
A FC FCB FD FF FP FOS		

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		àn.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					586.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					à	
JM	Jumps magazin e						l.
OL	Jars off						
ĽВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
gtor	PSI
<u>د</u>	PSM


ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a a a a a a a a a a a a a a a a a a a	SSOC
ີ	STC 📎
TI	SWE
ien	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in champer				1
SSOC	Surface scratches on case				
STC	Sterns top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	àn.			
sww	Safety ewitxh work				1
TD	Tips down				
TU	Tips up				1
TWP	Trigger won't pull		1200. 1997 - June -]
TWR	Trigger won't retract				
UNCN-T	Uncoded				1
хн	Extracts hard			5ao.]
HI	High]
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				10
RSTT	Rear sight tipped			ž	1
RSBR	Rear sight base raised				<u>_</u> ~~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
]



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
co	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull			12		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				Dec.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up	 				
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				à	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA FB	the second s	the second s	Subject to Protective Order	
ē FB	lams FC	FB FC FC FC FCB		FA
	J FC	FC FC FCB	ğ	FB
Y. FCB PD FD	fD FD		jnir	FF
Y. FCB FD FD FF	FD FF	ning FF	ytor	FFP
v. Remingtor	Remingtor	ningtor	ب	FOS
Remingtor	FD FF FF FFP FOS	nington FF FOS		FPHR

FA.	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Follows-down	- 200.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard			900.		
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge			ž.		
JM	Jumps magazin e				*****///	
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
lan .	MILH
ns '	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


ML.	Magazine loose						
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens.hard						
OR	Over-indes		áto.				
РН	Pulls hard						
PSI	Proof stamp illegible			• •			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	~~~					
RIS	Ring in sholder					Sec.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					á	
SL	shaves lead						l
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order-	
	SRIC
an se	SSOC
S S	STC
ams v. Remington	SWE
ìen	SWH
ŋin	sww
gtor	TD
	ΤU

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~				
хн	Extracts hard				Sec.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						1
со	Cut-off		-2.e.				
CR	Cuts rim						1
cs	Cases swell						1
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull				200. 		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	· · · · · · · · · · · · · · · · · · ·					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up			****	Maria		
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back].
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						ø
DLU	Doesn't lock-up					à	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




FA	FA FB	FA FB FC	Subject to Protective Order	
	a FB	FB FC		FA
FC V. FCB	FCB		٦en	FD
FC FCB FD	Y. FCB	en FD	nin	FF
ns v. Remin	 FCB FD FD FF 	FD FF	gtor	FFP
FC FCB FD FF FP	 FCB FD FD FF FFP 	Remingtor	<u>ر</u>	FOS
 FCB FD FF FF FFP 	 FCB FD FD FF FFP FOS 	FD FF FF FFP FOS		

FA.	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						
FD	Follows-down		àn.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					586.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					à	
JM	Jumps magazin e						l.
OL	Jars off						
ĽВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
B	MLH
.	MRH 🛛
.< T	он
fen	OR
ŋiŋ	PH
ams v. Remingtor	PSI
<u>ب</u>	PSM

ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
N N	SRIC
B	8506
n ree	STC 🛞
.< TI	SWE
len	SWH
jing	sww
ams v. Remingtor	TD
L	TU
	I

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N	FA
lian	FB
ns /	FC
ר. דו	FCB
len	FD
ling	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically					1
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked of broken					
FD	Follows-down	340.				
FF	Fails to fire					
FFP	Flat firing pin		•			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				1990.	
FSR	Fires when safe is released	*****				
FT	Follower tips					
GCSO	Gas cyl shot off	*****				
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo	****				
HUR	Hard under rail				and the	
JCS	Jumps cartridge	*****				
JM	Jumps magazin e					~~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					1




Subject to Protective Order	
	ML
<u>a</u>	MLH
n se	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب_	PSM

ML	Magazine loose]
//	Magazine loads hard					
MRH	Magazine temoves hard					1
он	Opens hand					
OR	Overandes	áto.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			8999 1999 - Maria Mariana, 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999		
RDW	(Action) release doesn't work					
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				ä	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
NIII	SRIC
<u>a</u>	SSOC
iams v. Remington	STC
<u>ר</u>	SWE
len	SWH
inc	sww
ytor	TD
L	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	Subject to Protective Order	
		FA
	S. S. L	FC
B FB FC S FC	<u>ج</u>	FCB
FC FC FCB	len	FD
FC FC FCB FD	ing	
FC FCB FD FD FF	ytor	FFP
ns v. Remingtor	<u>د</u>	FOS
ns v. Remingtor		

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire]
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · ·				
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					P
JCS	Jumps cartridge				ź	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
a la	MLH
20 20 20	MRH
ج ت	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>ت</u>	PSM

ML	Magazine loose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					1
OR	Over-indes	322.				
PH	Pulls hard					1
PSI	Proof stamp illegible		.			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber]
RIS	Ring in sholder				5ao.]
RS	Rim srem					
SBC	Stems bottom chambers	****				
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken]
SCX	Shell catches] _
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber]



Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Satety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·					
хн	Extracts hard					1990.	
HE	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						<u></u> _∝
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



···- //		8			1			1	1
	Assembly incompleye at proof								
en e	Barrel bracket gracked or broken at proof								
BC-P	Blows cases at proof								
BEB-P	Barrel extension broken at proof								
BLP-P	Blanked primer at proof		- 200						
BLSO-P	Barrel lug shot off at proof								
BP-P	Blown primer at proof								
BS-P	Barrel split at proof								
DLOS-P	Doesn't lock over shells at proof								
ESB-P	Ejector sticks back at proof								
FCB-P	Fore-end cracked at proof								
FESO-P	Fore-end shot off at proof						ito.		
FF-P	Fails to fire at proof								
GCSO-P	Gas cylinder shot off at proof			****	Min. III				
MSI-P	Magnaflux stamp illegible on bbl								
MSM-P	Magnaflux stamp missing on bbl								
PP-P	Pierced primer at proof								
SCB-P	Stock cracked or broken at proof								
UNCM-P	Uncoded proof malfunctions						****		














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hand					1
CLM	Can't laod magazine					1
со	Cut-off	- 422.				1
CR	Cuts rim					1
CS	Cases swell					1
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				in.	
DCT	Double click in trigger					
DCU	Doesn't close-up		****			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	Ø
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					l.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ā l	FB
S	FC
.< T	FCB
fen	FD
nin	FF
liams v. Remington	FD FF FFP
<u>ر</u>	FOS

111100 10001111	Fires automatically					
FB	Follower binds					
FC 👘	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire	···				
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl			8		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail				and the	
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
gtor	PSI
<u>د</u>	PSM


ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
ā	SSOC
ns '	STC 🕺
.< TI	SWE
ien	SWH
llams v. Remington	sww
gto	TD
L	ΤU
	TIME

Subject to

SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh wont work				
ΤΟ	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right		 		╡.
DG	Doesn't Group		 		4
FSST	Front sight tipped				1
RSTT	Rear sight tipped			2	
RSBR	Rear sight base raised		 		1~
FSTR	Front sight raised		 		
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
	1				



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Reject								
	Overall Reject Ra								
	S	iot:]
N.	Proof Reject Perc		0	0	0	0	0	0	-
		ion E	1	[1		1	1	7
	Test Rejec		0	<u>ا</u>	0	0	0	0	1
	Perc	88 <u> </u>					,	,	-
		iot: ted:0	<u> </u>		0	0	0	0	
	Target Rejëč Perc					U	5	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	700 CDL	700 POLICE	MODEL 7	
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases								
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	n							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down		1						

Subject to Protective Order - Williams v. Remington


ILE00112908

						-
BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber torn or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX.,	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		1100			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					ľ
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
ğ	FB
n se	FC
ams v. Remingtor	FCB
len	FD
jnir	FF
gtor	FFP
ت.	FOS
	FPHB

						_
FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire	···				
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					ø
JCS	Jumps cartridge				â	
JM	Jumps magazin e					1 ~
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
د	PSM

ML.	Magazine loose]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes		àn.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· · · · ·					
RIS	Ring in sholder					XX	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1165			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline					200 4	ø
SIC	Stems in chamber					ź	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Subject to Protective Order	
	SRIC
a la	SSOC
S NO	STC
.S. TI	SWE
len	SWH
ini	sww
ams v. Remingtor	TD
-	ΤU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work	· · · ·				
ΤΟ	Tips down					
тυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				Nes.	
HI	High		****	Maria III		
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				 à	撼
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					1
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber tom or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			1990.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				ø
DLU	Doesn't lock-up			à	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




FA	FA FB	FA FB FC	Subject to Protective Order	
	a FB	FB FC		FA
FC V. FCB	FCB		٦en	FD
FC FCB FD	Y. FCB	en FD	nin	FF
ns v. Remin	 FCB FD FD FF 	FD FF	gtor	FFP
FC FCB FD FF FP	 FCB FD FD FF FFP 	Remingtor	<u>ر</u>	FOS
 FCB FD FF FF FFP 	 FCB FD FD FF FFP FOS 	FD FF FF FFP FOS		

FA.	Fires automatically]
FB	Follower binds					
FC	Fails to comect					
FCB	Fore-end cracked of broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · · · · · · · · · · · · · · ·				
FPOH	Floor plate opens hard				teo.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				and the	
JCS	Jumps cartridge				á	
JM	Jumps magazin e					1 ~%
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
B	MLH
2 n	MRH
	он
fen	OR
ning	РН
ams v. Remingtor	PSI
<u>ب</u>	PSM

ML.	Magazine loose					1
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-rides		- 200.			
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				200.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Subject to Protective Order	
	NIII N	SRIC
	n ****	STC
STC	<u>ר</u>	SWE
STC SWE	len	SWH
ns STC V. SWE SWH	ning	sww
ns <. Reming	,tor	TD
ns v. Remingtor	-	тυ
V. Reming		I

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard		itte.			
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				àte.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




FA	FA B	Subject to Protective Order	
	ē FB	W	FA
TS FC		.< TI	FCB
FC V. FCB	S FCB	fen	FD
FC FC FCB FD	 FCB Pepp FD 	jnir	FF
ns v. Reming	Y. Reming	ytor	FFP
ns v. Remingtor	Y. Remingtor	ر	FOS
ns V. Remin	 FCB FD FD FF FF FF FOS 		

FA.	Fires automatically						1
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		322.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	~~~					
FPOH	Floor plate opens hard					1990.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			198			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case] .
HPA	High pressure ammo						k
HUR	Hard under rail					and the	
JCS	Jumps cartridge					;	
JM	Jumps magazin e]®
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)				 -		
MFOP	Magazine follower out of position]




Subject to Protective Order	
N.	ML
a la	MLH
s su	MRH
ams v. Remingtor	он
len	OR
inc	PH
ytor	PSI
ب	PSM

ML.	Magazine loose						1		1
MALH	Magazine loads hard	ļ							
MRH	Magazine removes hard	ļ							
OH	Opens hand								
OR	Over-indes	<u></u>							
РН	Pulls hard								
PSI	Proof stamp illegible								
PSM	Proof stamp missing								•
RBOC	Rings and bulges on case								
RDW	(Action) release doesn't work								
RIC	Rings in chamber								
RIS	Ring in sholder								
RS	Rim srem								
SBC	Stems bottom chambers		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					itau	
SBE	Stems bbl extension								
SCB	Stock cracked or broken								
scx	Shell catches								
SHI	Short indent					1999/2			
SI	Stems incline						-****		
SIC	Stems in chamber						;		
SL	shaves lead								188
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SOR	Stem over-ride								
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								
L	1	لـــــــــــــــــــــــــــــــــــــ	1	I	1		1	1	1



Subject to Protective Order	
	SRIC
ğ	SSOC
n ''	STC
т	SWE
len	SWH
ning	sww
liams v. Remington	TD
<u>ت</u>	τu

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			500.	
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				1
RSTT	Rear sight tipped			ź	1
RSBR	Rear sight base raised				_ ~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



BBB Barrel bra BC-P Blows car BEB-P Barrel ex BLP-P Blanked p BLSO-P Barrel lug BP-P Blown pri BS-P Barrel spi DLOS-P Doesn't log ESB-P Ejector st FCB-P Fore-end	incompleye at proof icket stacked or broken at proof estat proof estat proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof cracked at proof							
BC-P Blows ca: BEB-P Barrel ex BLP-P Blanked i BLSO-P Barrel lug BP-P Blown pri BS-P Barrel spi DLOS-P Doesn't log ESB-P Ejector st FCB-P Fore-end	es at proof easion broken at proof mer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BEB-P Barrel ex BLP-P Blanked (BLSO-P Barrel lug BP-P Blown pri BS-P Barrel sp DLOS-P Doesn't k ESB-P Ejector st FCB-P Fore-end	easion broken at proof nimer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BLP-P Blanked BLSO-P Barrel lug BP-P Blown pri BS-P Barrel spl DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	orimer at proof shot off at proof mer at proof it at proof ick over shells at proof icks back at proof							
BLSO-P Barrel lug BP-P Blown pri BS-P Barrel spi DLOS-P Doesn't log ESB-P Ejector st FCB-P Fore-end	shot off at proof mer at proof it at proof ck over shells at proof icks back at proof							
BP-P Blown pri BS-P Barrel spi DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	ner at proof it at proof ick over shells at proof icks back at proof							
BS-P Barrel spl DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	it at proof ck over shells at proof icks back at proof							
DLOS-P Doesn't lo ESB-P Ejector st FCB-P Fore-end	ck over shells at proof							
ESB-P Ejector st FCB-P Fore-end	icks back at proof			Carl Charles			1	
FCB-P Fore-end		1 00000000	1 (1993) 300 (1997)					
	shot off at proof							
	re at proof					na. Maria		
	der shot off at proof						Steel.	
	x stamp illegible on bbl							
	x stamp missing on bbl							
PP-P Pierced p	rimer at proof							
	cked or broken at proof	*			1999/01			
UNCM-P Uncoded	proof malfunctions							














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	Г 0	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order		
X	FA	Fires automati
T	FB	Follower binds
iams v. Remingtor	FC 🐘	Fails to come
.< T	FCB	Fore-end oracl
len	FD	Follows-down
nin	FF	Fails to fire 🛛 🗧
ytor	FFP	Flat firing pin
<u>ر</u>	FOS	Fires on safe
	1	1

								_
Fires automatically								
Follower binds								
Fails to connect								
Fore-end cracked of broken								
Follows-down		- 200.						
Fails to fire								
Firing pin hits bbl								
Firing pin hits inside rim								
Floor plate opens								
Floor plate opens hard								
Fires when safe is released								
Follower tips								
Gas cyl shot off								
Heavy bolt lift								
Heading mismatch-steps on case].
High pressure ammo								
Hard under rail								
Jumps cartridge						á		
Jumps magazin e								ľ×
Jars off								
Light blow								
Magazine assembles hard								
Magazine capacity wrong								
Misfires (ammo)								
Magazine follower out of position								
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens hard Floor plate opens hard Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fails to connect Fore-end cracked or broken Follows-down Fails to fire Fails to fire File Flat firing pin File Fires on safe File Firing pin hits bbl File Floor plate opens File Floor plate opens hard File Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine capacity wrong Magazine capacity wrong Misfires (armo) File	Follower binds	Follower binds Image: Connect Connet Connect Connect Connect Connect Connect Connect Con	Follower binds Image: Connect in the second stacked or broken Fails to connect or broken Image: Connect in the second stacked or broken Follower down Image: Connect in the second stacked or broken Fails to fire Image: Connect in the second stacked or broken Fails to fire Image: Connect in the second stacked or broken Fails to fire Image: Connect in the second stacked or broken Fails to fire Image: Connect in the second stacked or broken Fires on safe Image: Connect in the second stacked stack	Follower binds Image: Second detected on broken Fails to connect Image: Second detected on broken Follower-condition of the second detected on broken Image: Second detected on broken Follower-condition of the second detected on broken Image: Second detected on broken Follower-condition of the second detected on broken Image: Second detected on broken Follower-condition of the second detected on broken Image: Second detected on broken Follower-condition of the second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Files on safe Image: Second detected on broken Image: Second detected on broken Follower tips Image: Second detected on broken Image: Second detected on broken <	Follower binds Image: Constant of Procession Processing Processi	Follower binds Image: Section of broken Image: Section of broken Image: Section of broken Fails to contract Image: Section of broken Image: Section of broken Image: Section of broken Foltswerdown Image: Section of broken Image: Section of broken Image: Section of broken Foltswerdown Image: Section of broken Image: Section of broken Image: Section of broken Fails to fire Image: Section of broken Image: Section of broken Image: Section of broken Fling pin hits bbl Image: Section of broken Image: Section of broken Image: Section of broken Floor plate opens hard Image: Section of broken Image: Section of broken Image: Section of broken Image: Section of broken Floor plate opens hard Image: Section of broken Image: Section of broken Image: Section of broken Image: Section of broken Floor plate opens hard Image: Section of broken Image: Section of broken Image: Section of broken Image: Section of broken Floor plate opens hard Image: Section of broken Image: Section of broken




Subject to Protective Order	
	ML
<u>B</u>	MLH
	MRH
ams v. Remingtor	он
Ren	OR
nir	PH
gtor	PSI
<u>د</u>	PSM

ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
N N	SRIC
B	8506
n ree	STC 🛞
.< TI	SWE
len	SWH
jing	sww
ams v. Remingtor	TD
L	TU
	I

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	325.				
sww	Safety ewitxh work					1
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				à	
HI	High					
LO	Low		1165			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped			 		
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



···-		1		I	E		1 1	1
	Assembly incompleye at proof							
	Barrel bracket bracked or broken at proof		*					
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
3LP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof			• •				
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				899. 888 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 - 1999 -			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof					in.		
=F-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
50 0 -M	Uncoded proof malfunctions							et 1

din.













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine]
CD	Case dented					1
СН	Closes hand					1
CLM	Can't laod magazine					1
со	Cut-off	- 444.				1
CR	Cuts rim					1
CS	Cases swell					1
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				in.	
DCT	Double click in trigger					
DCU	Doesn't close-up		****			
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)				and the	Ø
DLU	Doesn't lock-up				á	瀫
DS	Dead safe					l.«
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ष्ट्र	FB
liams v. Remington	FC
<u>ר</u> או	FCB
ferr	FD
ling	FF
ytor	FFP
ر	FOS
	EDUD

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	322.				
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips	****				
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	MLH
 ອີ	MRH
.< T	он
fen	OR
ning	РН
ams v. Remingtor	PSI
Ĺ	PSM


ML 🥢	Magazine loose					
MALHE	Magazine loads hard					
MRH	Magazine ternoves hard					
он	Opens.hant					
OR	Overandes	àre.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				ä	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
N.	SRIC
a la	SSOC
ר <u>מיי</u>	STC
TI	SWE
ien	SWH
ning	sww
iams v. Remington	TD
	TU
	T) ((D)

Subject to

SRIC	Specific rings in champer						1
SSOC	Surface scratches on case						1
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				1
sww	Safety ewitxh won't work						
TD	Tips down						
τu	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~					
хн	Extracts hard					80.	
HI	High			******			
LO	Low						
LEFT	Left	<u> </u>					
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped				 		1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised				 		l.»
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA
<u>a</u>	FB
n ™®≋	FC
æms v. Remington	FCB
fen	FD
ning	FF
ytor	FFP
	FOS
	FPHB

					_
FA	Fires automatically				
CC-000000	Follower binds				
FC	Fails to comect				
FCB	Fore-end cracked or broken				
FD	Follows-down	Ann			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off	 			
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case	 			╡.
HPA	High pressure ammo				
HUR	Hard under rail				
JCS	Jumps cartridge			2	
JM	Jumps magazin e	 			
JO	Jars off	 			
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				




Subject to Protective Order	
	ML
lan .	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine loose]
MALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard]
OR	Over-ndes		itte.]
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing	···· ////				
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				1990.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					┨
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					




Subject to Protective Order	
	SRIC
ē.	SSOC
n '```	STC
א דד	SWE
ìen	SWH
ling	sww
liams v. Remington	TD
ب	τu


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 💮	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	***				
хн	Extracts hard				in.	
HI	High					
LO	Low		~~			
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					4
FSST	Front sight tipped					1
RSTT	Rear sight tipped				à	1
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Boil plug hits safety switch Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA	FA FB	FA FB FC	Subject to Protective Order	
	E FB	A FB	N N	FA
FC V. FCB	FCB		len	FD
FC FCB FD	<. FCB Деп FD	en FD	ling	FF
ns v. Reming	S. Reming	FD FF	ytor	FFP
FC FCB FD FF	Y. Remingtor	Remingtor	<u>ب</u>	FOS
Remingtor	 FCB FD FF FFP FOS 	FD FF FF FFP FOS		

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	322.				
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips	****				
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					ľ.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
<u>a</u>	MLH
ams v. Remingtor	MRH
.< T	он
len	OR
juir	PH
ytor	PSI
ت	PSM

ML	Magazine loose					1
	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard		5			
OR	Over-indes	322.				1
РН	Pulls hard					1
PSI	Proof stamp illegible]
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches] .
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				2	
SL	shaves lead					1.00
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
X	SRIC
ē	SSOC
n ree	STC 🕺
<u>ج</u> ٦٦	SWE
len	SWH
jini	sww
ams v. Remingtor	TD
<u>ب</u>	тυ

SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						
STC 💮	Stems top chamber						
SWE	Satety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
хн	Extracts hard					Sec.	
HI	High						
LO	Low			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left						
RIGHT	Right						1
DG	Doesn't Group						4
FSST	Front sight tipped						1
RSTT	Rear sight tipped					à	1
RSBR	Rear sight base raised						 ľ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hand				
CLM	Can't laod magazine				
со	Cut-off				
CR	Cuts rim				
cs	Cases swell				
CTOG	Chamber tom or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back				
DCS	Double click in safety switch			1990.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				ø
DLU	Doesn't lock-up			à	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor sterns shell				




Subject to Protective Order	
V	FA
la la	FB
20 C	FC
т	FCB
len	FD
inc	FF
ams v. Remington	FFP
-	FOS

FA.	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	-240.				
FF	Fails to fire					1
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl			1200 1997 - Maria Maria		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard					
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1168			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					1
JCS	Jumps cartridge				ž	
JM	Jumps magazin e					ľ×
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	BALH
 ອີ	MRH 🛞
.< T	он 👋
len	OR
nin	PH
ams v. Remingtor	PSI
ب	PSM


ML	Magazine loose					1
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens.hand					
OR	Overandes	itte.				
PH	Pulls hard]
PSI	Proof stamp illegible		•			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				teo.	
RS	Rim srem					
SBC	Stems bottom chambers	*				
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					Ø
SIC	Stems in chamber				á	
SL	shaves lead					l.
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
ē	8500
ີ ເ	STC
iams v. Remington	SWE
len	SWH
ning	sww
yto	TD
J	TU

Subject to


SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failur	res 0							_
, Cuminary	Total Rejecte								
	Overall Reject Ra								_
	Sh Proof Reject Perce	ot: ed: 0 ent:	0	0	0	0	0	0]
	Shi	ot l	L						1
	Test Reject Perce	int:	0	0	0	0	0	0	_
			<u> </u>			0	0	0	
	Target Reject Perce				0	U	U	U	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	

AB	Action binds							1	4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								4
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						à		
BHR	Bolt hits receiver								⅃℠Ѿ
BHS	Bolt plug hits safety switch]
BLOP	Bar lock or disconnector out of position]
BLSO	Barrel lug shot off]
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down		1					1	1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
	FA
ğ	FB
n se	FC
ams v. Remingtor	FCB
len	FD
jnir	FF
gtor	FFP
ت.	FOS
	FPHB

					_
FA	Fires automatically				
CC-000000	Follower binds				
FC	Fails to comect				
FCB	Fore-end cracked or broken				
FD	Follows-down	Ann			
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard				
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off	 			
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case	 			╡.
HPA	High pressure ammo				
HUR	Hard under rail				
JCS	Jumps cartridge			2	
JM	Jumps magazin e	 			
JO	Jars off	 			
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order Williams v. Remington	
X	ML
ā	MLH
ns	MRH
.< T	он
fen	OR
ning	PH
gtor	PSI
L	PSM
	0000


ML	Magazine loose]
MILH	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				
OR	Over-indes	200			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			XX	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches].
SHI	Short indent				1
SI	Stems incline				*
SIC	Stems in chamber			ź	
SL	shaves lead				l
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
X	SRIC
ā	SSOC
ns 🐄	STC
.< TI	SWE
ien	SWH
jnir	sww
lams v. Remington	TD
L	TU

Subject to


SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					
STC 🐘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	**				
хн	Extracts hard				See.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right			 		
DG	Doesn't Group					
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised			 		1~
FSTR	Front sight raised			 		
FSTL	Front sight loose					
RSTL	Rear sight loose					_
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4




AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




o Protective Order	
V	FA
liams v. Remington	FB
n rees	FC
TI	FCB
fen	FD
ŋiŋ	FF
gto	FFP
ب	FOS

FA.	Fires automatically]
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					1
FD	Follows-down	- Arr.				1
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl			12		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			19.000 N		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				200 4	Ø
JCS	Jumps cartridge				;	
JM	Jumps magazin e					 L.
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
<u>a</u>	MLH
n se	MRH
	он
ren	OR
ning	PH
ams v. Remingtor	PSI
ب_	PSM


ML	Magazine loose]
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	~~~				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber				;	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
a a	SSOC
S S	STC
<u>ج</u> ٦٦	SWE
ren	SWH
ning	sww
iams v. Remington	TD
J	TU
	740

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC 👘	Stems top chamber					
SWE	Satety switch works too easily		****			
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull			888. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					ø
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



					 	-
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
ВС-Р	Blows cases at proof					
вев-р 👋	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~		· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					






Subject to Protective Order - Williams v. Remington









Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	àre.					
CR	Cuts rim]
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.,		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		瀫
DS	Dead safe					****///	I.«
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
	FA
<u>B</u>	FB
ns	FC
ams v. Remington	FCB
len	FD
ing	FF
ytor	FFP
<u>ب</u>	FOS
	FPHB

		1	1	1		 1	1	٦
1.	Fires automatically							_
FB	Follower binds							
	Fails to connect	÷						
FCB	Fore-end cracked or broken		****					
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin]
FOS	Fires on safe							
FPHB	Firing pin hits bbl				8]
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							1
FPOH	Floor plate opens hard					5 7 0.		1
FSR	Fires when safe is released]
FT	Follower tips		****]
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift				19 10			1
HMSC	Heading mismatch-steps on case							1
HPA	High pressure ammo							
HUR	Hard under rail							1
JCS	Jumps cartridge		****			ä		1
JM	Jumps magazin e							1%
JO	Jars off							1
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							1
MFOP	Magazine follower out of position							1



Subject to Protective Order	
X	ML
ā	MLH
ns	MRH
.< T	он
ams v. Remington	OR
ning	PH
gtor	PSI
L	PSM
	0000


ML	Magazine loose]
MALH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hant						
OR	Overandes		àn.				
PH	Pulls hard]
PSI	Proof stamp illegible						
PSM	Proof stamp missing	··· ////					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder						
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			110			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						*
SIC	Stems in chamber					á	
SL	shaves lead						l
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



Protective Order-	
	SRIC
an a	8500
איי <u>ר</u> גע	STC
.< TI	SWE
ien	SWH
ņir	sww
ams v. Remington	TD
د	τu

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard				
sww	Safety ewitxh won't work				
ΤΟ	Tips down				
тυ	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			See.	
HI	High				
LO	Low				
LEFT	Left				
RIGHT	Right		 		
DG	Doesn't Group		 		
FSST	Front sight tipped				P
RSTT	Rear sight tipped			à	
RSBR	Rear sight base raised		 		1~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				
	1	***			



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ष्ट्र	FB
liams v. Remington	FC
<u>ר</u> או	FCB
ferr	FD
ing	FF
ytor	FFP
ر	FOS
	EDUD

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				58		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	. wy					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off		*****	· · ·			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						ø
JCS	Jumps cartridge					â	
JM	Jumps magazin e						l
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
a la	MLH
20 20 20	MRH
ج ت	он
len	OR
ning	PH
ams v. Remingtor	PSI
<u>ت</u>	PSM

ML	Magazine loose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					1
OR	Over-indes	322.				
PH	Pulls hard					1
PSI	Proof stamp illegible		.			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			12		
RDW	(Action) release doesn't work					
RIC	Rings in chamber]
RIS	Ring in sholder				5ao.]
RS	Rim srem					
SBC	Stems bottom chambers	****				
SBE	Stems bbl extension		~~			
SCB	Stock cracked or broken]
SCX	Shell catches] _
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				;	
SL	shaves lead]~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber]



SRIC SSOC STC SWE SWH SWW TD TU	Subject to Protective Order	
ams V. Remington	VII	SRIC
ns v. Remington	a la	
SWE SWH SWH SWW ED EU	S SU	STC 🕺
Remington	.S. TI	SWE
nington	len	SWH
at not not	jini	sww
- TU	ytor	тр
	-	ти

SRIC	Specific rings in champer					1
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	àre.				1
sww	Safety ewitxh won't work					1
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				80.	
HI	High		******			
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					1
RSTT	Rear sight tipped			 	2	
RSBR	Rear sight base raised					T.«
FSTR	Front sight raised					
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
ЗЕВ-Р	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		440.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ष्ट्र	FB
liams v. Remington	FC
<u>ר</u> או	FCB
ferr	FD
ling	FF
ytor	FFP
ر	FOS
	EDUD

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				58		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	. wy					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released		*****				
FT	Follower tips		******				
GCSO	Gas cyl shot off		*****	· · ·			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						ø
JCS	Jumps cartridge					â	
JM	Jumps magazin e						l
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order	
	ML
lan .	MILH
S No.	MRH
.> דו	он
len	OR
nin	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1


1990 B.							
ML	Magazine loose]
BALHE N	Magazine loads hard						1
MRH N	Magazine removes hard						
ОН	Spens hard						
OR Č	Over-indes		àte.]
PH F	Pulls hard]
PSI F	Proof stamp illegible						
PSM F	Proof stamp missing	··· ////					
RBOC F	Rings and bulges on case						
RDW ((Action) release doesn't work						
RIC F	Rings in chamber						
RIS F	Ring in sholder					500.	
RS F	Rim srem						
SBC S	Stems bottom chambers						
SBE S	Stems bbl extension			1100			
SCB S	Stock cracked or broken						
scx s	Shell catches						
SHI S	Short indent						
SI S	Stems incline						Ø
SIC S	Stems in chamber					á	
SL s	shaves lead						
SLC S	Stems left side of chamber						
SMOC S	Stretch marks on case						
SOR S	Stem over-ride						
SP S	Stems port						
SR S	Shoulder rough						
SRC S	Stems right side of chamber						



Protective Order	
N.	SRIC
a a a a a a a a a a a a a a a a a a a	SSOC
S S	STC
TI	SWE
ien	SWH
nin	sww
ams v. Remington	TD
	TU
	T) ((D)

Subject to


SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Satety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard				Sec.	
HI	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					``
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI-P	Assembly incompleye at proof	}				1
368	Barrel bracket gracked or broken at proof					
3C-P	Blows cases at proof					
3EB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof		400.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
ESO-P	Fore-end shot off at proof				See.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failur	res 0							_
, Cuminary	Total Rejecte								
	Overall Reject Ra								_
	Sh Proof Reject Perce	ot: ed: 0 ent:	0	0	0	0	0	0]
	Shi	ot l	L						1
	Test Reject Perce	int:	0	0	0	0	0	0	_
			<u> </u>			0	0	0	
	Target Reject Perce				0	U	U	U	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	

AB	Action binds							1	4
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								4
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						à		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch]
BLOP	Bar lock or disconnector out of position]
BLSO	Barrel lug shot off]
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down		1					1	1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



FA	Subject to Protective Order	
	N.	FA
	SLL SLL	FC
T FC	.< TI	FCB
FC FCB	len	FD
FC FC FCB FD	ling	FF
FC FCB FD FD FF	ytor	
ns v. Remingtor	ب	FOS
FD FF FF FF		


FA	Fires automatically]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down		itte.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	~~~				
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				á	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)			 		
MFOP	Magazine follower out of position					



ILE00113066

Subject to Protective Order	
	ML
ē	MILH
ns .	MRH
.< TI	он
len	OR
nin	PH
æms v. Remingtor	PSI
<u>د</u>	PSM
	1


ML	Magazine lõose					
MALH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			59		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · ·				
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers		****			
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					P
SIC	Stems in chamber				ž	
SL	shaves lead					1.000
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
Willia	SRIC .
ams v. Remington	STC
.< TI	SWE
fen	SWH
jnir	SWW
, tor	TD
<u>ر</u>	ΤU


Subject to


SRIC	Specific rings in chamber]
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard			500.	
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				1
RSTT	Rear sight tipped			ź	1
RSBR	Rear sight base raised				_ ~
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				




AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			














Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N III	FA
<u>ø</u>	FB
ams v. Remington	FC
<u>ج</u> ۳	FCB
len	FD
ing	FF
, tor	FFP
ت.	FOS
	FPHR

FA	Fires automatically				
FB	Follower binds				
FC	Fails to comect				
FCB	Fore-end cracked of broken				
FD	Follows-down				
FF	Fails to fire				
FFP	Flat firing pin				
FOS	Fires on safe				
FPHB	Firing pin hits bbl				
FPHI	Firing pin hits inside rim				
FPO	Floor plate opens				
FPOH	Floor plate opens hard			500.	
FSR	Fires when safe is released				
FT	Follower tips				
GCSO	Gas cyl shot off				
HBL	Heavy bolt lift				
HMSC	Heading mismatch-steps on case				
HPA	High pressure ammo				
HUR	Hard under rail				Ø
JCS	Jumps cartridge			ź	
JM	Jumps magazin e				
JO	Jars off				
LB	Light blow				
MAH	Magazine assembles hard				
MCW	Magazine capacity wrong				
MFA	Misfires (ammo)				
MFOP	Magazine follower out of position				



Subject to Protective Order	
	ML
ē	MILH
S S	MRH
.< T	ОН
len	OR
ning	РН
ams v. Remingtor	PSI
<u>د</u>	PSM


ML	Magazine loose				
MLH	Magazine loads hard]
MRH	Magazine removes hard				
он	Opens hant	****			
OR	Overandes				
РН	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		899 1997 - J.		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			1990 -	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
scx	Shell catches				
SHI	Short indent				
SI	Stems incline				P
SIC	Stems in chamber			;	1
SL	shaves lead				l
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride	*			
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



Protective Order	
	SRIC
la l	SSOC
S S	STC
<u>ج</u>	SWE
liams v. Remington	SWH
ning	sww
gto	TD
<u>د</u>	ΤU
	TIME

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
τu	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
н	High					
LO	Low		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					17
RSTT	Rear sight tipped				2	
RSBR	Rear sight base raised					<u>``</u>
FSTR	Front sight raised					
FSTL	Front sight loose			 		
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	1					



AI- <u>P</u>	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			59		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			






Subject to Protective Order - Williams v. Remington









Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
со	Cut-off	áto.					
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged						
СТР	Creepy trigger pull						
CWSB	Carns wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch				XX.		
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject		110				
DEL	Doesn't eject live round						
DFB	Doesn't feed back						╡.
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						Þ
DLU	Doesn't lock-up				á		
DS	Dead safe					****///	
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor sterns shell						




Subject to Protective Order	
	FA
<u>a</u>	FB
3 S	FC
.< דו	FCB
۲en	FD
ŋiŋ	FF
liams v. Remington	FFP
ر	FOS
	FPHR

FA	Fires automatically						1
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken		•				1
FD	Follows-down		- 200.				
FF	Fails to fire						1
FFP	Flat firing pin						1
FOS	Fires on safe	··· ///					
FPHB	Firing pin hits bbl				88		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens						
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released		*****				
FT	Follower tips		****				
GCSO	Gas cyl shot off			1100			
HBL	Heavy bolt lift				20 0000		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						Þ
JCS	Jumps cartridge					;	
JM	Jumps magazin e						
JO	Jars off						
LВ	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



Subject to Protective Order		
	ML	
ă L	MLH	
ייי אר אר	MRH	
TI	он	397. 1
ien	OR	
ņir	PH	
ams v. Remingtor	PSI	
د.	PSM	
	1	


ML	Magazine loose					
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes					
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			ann. Millionn		
RDW	(Action) release doesn't work					
RIC	Rings in chamber	· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				500.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					Ś
SI	Stems incline					ø
SIC	Stems in chamber				à	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order-	
	SRIC
a la	8500
S SU	STC 📎
.< TI	SWE
len	SWH
nin	sww
ams v. Remington	TD
د	ΤU

Subject to

SRIC	Specific rings in chamber				
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Satety switch works too easily				
SWH	Safety switch works too hard	itte.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
хн	Extracts hard				
HE	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped			- 10 A	Þ
RSTT	Rear sight tipped			á	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



					 	-
AI-P	Assembly incompleye at proof					
868	Barrel bracket stacked or broken at proof					
ВС-Р	Blows cases at proof					
вев-р 👋	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	~~~		· · · · · · · · · · · · · · · · · · ·		
FESO-P	Fore-end shot off at proof				See.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************			
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




							_
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand		****				
CLM	Can't laod magazine						
со	Cut-off						
CR	Cuts rim						
CS	Cases swell						
стоб	Chamber tom or gouged						
СТР	Creepy trigger pull				899 1997 - J.		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~					
DCS	Double click in safety switch					1990.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			1185			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					200 4	ø
DLU	Doesn't lock-up					á	
DS	Dead safe						r w
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						




Subject to Protective Order	
N.	FA
<u>a</u>	FB
11 × × ×	FC
iams v. Remingtor	FCB
ren	FD
ņir	FF
gtor	FFP
L	FOS
	FPHB

FA 🥼	Fires automatically					1
FB	Follower binds			 		1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	- 420.				1
FF	Fails to fire					
FFP	Flat firing pin					1
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				See.	
FSR	Fires when safe is released					
FT	Follower tips		****			
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				and the	
JCS	Jumps cartridge				â	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
Ē	MLH
n	MRH
.< T	он
fen	OR
ning	РН
æms v. Remingtor	PSI
<u>د</u>	PSM
	0000


ML.	Magazine loose					1
MALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Over-indes	- 200.				
РН	Pulls hard					1
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder					
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		1100			
SCB	Stock cracked or broken					
SCX	Shell catches					.
SHI	Short indent	 				<u>i</u>
SI	Stems incline					P
SIC	Stems in chamber				â	
SL	shaves lead					 ~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber	******				



Protective Order	
X	SRIC
a la	SSOC
n s	STC 🕺
.S. TT	SWE
ien	SWH
nin	sww
ams v. Remington	TD
<u>د</u>	TU
	100

Subject to

SRIC	Specific rings in chamber					1
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down		• •			
τu	Tips up					
TWP	Trigger won't pull			899. 		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				500.	
HI	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					4
FSST	Front sight tipped					P
RSTT	Rear sight tipped				à	
RSBR	Rear sight base raised					ľ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					4
	1					




AI-P	Assembly incompleye at proof					
368	Barrel bracket stacked or broken at proof					
3C-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
3LP-P	Blanked primer at proof		ása.			
BLSO-P	Barrel lug shot off at proof					
3P-P	Blown primer at proof					
3S-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			58		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	- ××;				
ESO-P	Fore-end shot off at proof				889.	
F-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
JNCM-P	Uncoded proof malfunctions		***			













Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failur								
	Total Rejecte Overall Reject Ra								
		ot .					1	1	-
**	Proof Reject	ed. 🚺 0	0	0	0	0	0	0	1
	Perce	222222 · · · · · · · · · · · · · · · ·			I.	1	1		-
	Sh Test Reject	of. [ed:Q	0	<u> </u>	0	0	0	0	
	Perce				0	5	v	, v	
	Sh		¥ ////						
	Target Rejection Perce			0	0	0	0	0	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL &	700 SS	700 CDL	700 POLICE	MODEL 7	
			*********						1
AB	Action binds								_
BABS	Bulge at body shoulder								4
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								17 8
вс	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position								
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




Subject to Protective Order	
N.	FA
ष्ट्र	FB
liams v. Remington	FC
<u>ר</u> ידו	FCB
ferr	FD
ing	FF
ytor	FFP
ر	FOS
	EDUD

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down		220.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl				58		
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	. wy					
FPOH	Floor plate opens hard					8eo.	
FSR	Fires when safe is released		*****				
FT	Follower tips		******				
GCSO	Gas cyl shot off		*****	· · ·			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo		****				
HUR	Hard under rail						ø
JCS	Jumps cartridge					â	
JM	Jumps magazin e						l
OL	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						




Subject to Protective Order	
	ML
ē	MLH
n	MRH
.< TI	он
ien	OR
jnir	PH
ams v. Remingtor	PSI
<u>د</u>	PSM
	1

ML	Magazine loose					1
RALH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens hard					1
OR	Overandes	áto.]
РН	Pulls hard					1
PSI	Proof stamp illegible		.]
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			59		
RDW	(Action) release doesn't work					
RIC	Rings in chamber]
RIS	Ring in sholder				Sec.]
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken]
SCX	Shell catches].
SHI	Short indent					
SI	Stems incline					Jø
SIC	Stems in chamber				á	
SL	shaves lead]~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Subject to Protective Order	
	SRIC
ā	SSOC
ns 🕬	STC 🛞
lams v. Remingtor	SWE
٩en	SWH
in	sww
ytor	тр
<u>ب</u>	ΤU
	TIGO

SRIC	Specific rings in champer]
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Satety switch works too easily		****				
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	· · · · · · · · · · · · · · · · · · ·					
хн	Extracts hard					1990.	
HI	High						
LO	Low			110			
LEFT	Left						
RIGHT	Right						╡.
DG	Doesn't Group						
FSST	Front sight tipped						ø
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof				
868	Barrel bracket gracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at proof				
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof				
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			io.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl				
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions			- 100 g	
				;	












Subject to Protective Order - Williams v. Remington



Subject to Protective Order Williams v. Remington

Summary	Total Test + Proof Failure Total Rejecte	d: 0						
	Overall Reject Rat	te:						
	Sho Proof Rejecte Perce		0	0	0	0	0	0
	Shi Test Rejecte Perce		0.000	l o	0	0	0	0
	Target Rejecte Perce	ot:	0	0	0	0	0	0
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment							
BB	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF BC	Bolt catches on follower						;	
BHR	Blows cases Bolt hits receiver							
BHS	Bolt plug hits safety switch							5464
BLOP	Bar lock or disconnector out of position							
	Barrel lug shot off							
		1						1
								1
BLSO BPO BSSM	Bolt pulls out Bolt stems shell in magazine							




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hap					
CLM	Can't laod magazine					
со	Cut-off	àre.				
CR	Cuts rim					
cs	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Carns wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					Ś
DLO	Doesn't lock open (after last shell)					ø
DLU	Doesn't lock-up				â	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.	Subject to Protective Order	
	W IIIa	FA
	.< T	FCB
S FCB	len	FD
. FCB P FD FD	ing	FF
V. Reming	ytor	FFP
V. Remingtor	<u>ب</u>	FOS
FP FF		соцо

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					1
FCB	Fore-end cracked or broken					
FD	Follows-down	220.				
FF	Fails to fire					
FFP	Flat firing pin		.			
FOS	Fires on safe					
FPHB	Firing pin hits bbl			iter. 1997 - J.		
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				900.	
FSR	Fires when safe is released					
FT	Follower tips	****				
GCSO	Gas cyl shot off	******				
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					₽
JCS	Jumps cartridge				ž	瀫
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




Subject to Protective Order	
	ML
lan .	MILH
ns	MRH
.< TI	он
len	OR
nin	PH
ams v. Remingtor	PSI
د	PSM

ML.	Magazine loose]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						
OR	Overandes		àn.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	· · · · ·					
RIS	Ring in sholder					XX	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			1165			
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline					200 4	ø
SIC	Stems in chamber					ź	
SL	shaves lead						1.
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




Subject to Protective Order	
	SRIC
ğ	SSOC
ns	STC 🛞
.< TI	SWE
len	SWH
lin	sww
iams v. Remington	TD
<u>ب</u>	TU

SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					1
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard					
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	~~~				
хн	Extracts hard					
HI	High					
LO	Low		110			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Ø
RSTT	Rear sight tipped				á	瀫
RSBR	Rear sight base raised					ľ×
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	ł				
	Barrel bracket stacked or broken at proof					
100000	Blows cases at proof					
	Barrel extension broken at proof					
	Blanked primer at proof					
	Barrel lug shot off at proof					
3P-P	Blown primer at proof		Q.,.			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
	Fore-end shot off at proof					
FF-P	Fails to fire at proof				ine. Weitherse	
GCSO-P	Gas cylinder shot off at proof					
	Magnaflux stamp illegible on bbl					
	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof			10000		
UNCM-P	Uncoded proof malfunctions					










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington



Subject to Protective Order Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			ו••••••						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1




BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hard					
CLM	Can't laod magazine					
со	Cut-off					
CR	Cuts rim					
cs	Cases swell					
стоб	Chamber tom or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back					
DCS	Double click in safety switch				XX	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)	ve e e de la de ve				Ø
DLU	Doesn't lock-up				ź	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					




FA.			Subject to Protective Order	
	TS FC	FC FCB	Williar	FA FB
Y. FCB P P FD FD	FD FD		ing	FF
Y. PCB FCB FD FD FF	FD FF		,tor	FFP
v. Remingtor	Remingtor	ningtor	-	FOS
Remingtor	FD FF FF FFP FOS	nington FF FOS		COUD

FA	Fires automatically					
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down					
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	· · · · · ·				
FPOH	Floor plate opens hard				àine.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off		1100			
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					Ø
JCS	Jumps cartridge				-	
JM	Jumps magazin e					ľ
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



Subject to Protective Order	
	ML
B	MLH
ns 1995	MRH
T	он
len	OR
ning	PH
ams v. Remingtor	PSI
<u>ر</u>	PSM


ML	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hant					
OR	Overandes	àn.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder			500.		
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					ø
SIC	Stems in chamber			à		
SL	shaves lead				****///	
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



Protective Order	
	SRIC
Ē	SSOC
5 NO	STC
.< T	SWE
ien	SWH
nin	sww
iams v. Remington	TD
<u>د</u>	TU

Subject to

SRIC	Specific rings in chamber]
SSOC	Surface scratches on case					1
STC 💮	Stems top chamber					1
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	àn.				
sww	Safety ewitxh won't work]
TD	Tips down					
τυ	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				889.	
HI	High					
LO	Low		1100			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					Þ
RSTT	Rear sight tipped				â	
RSBR	Rear sight base raised					I.«
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



Al-P	Assembly incompleye at proof						
868	Barrel bracket stacked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		200				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	· · · · ·					
FESO-P	Fore-end shot off at proof					io.	
FF-P	Fails to fire at proof		****				
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					- 100 g	
	•		·	•		;	






Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington

									_
Summary	Total Test + Proof Failu Total Rejec								
	Overall Reject R								
	s	hot:	1]
	Proof Reje	cted. 0 cent:	0	0	0	0	0	0	
	1000000 Victory Victory Victory	inot		1	1		1	1	1
	Test Reje	çted: Q	0/////	0	0	0	0	0	1
		cent:			t	1	1	3	-
	Target Reje	not: 0	¥ <u>/////</u>			0	0	0	
		cent:				<u>,</u>	5	Ŭ	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7	1
			*******///						4
AB	Action binds								
BABS	Bulge at body shoulder								_
BAC	Burr at chamber								_
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower		***						
вс	Blows cases						,		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								
BLOP	Bar lock or disconnector out of position	m							
BLSO	Barrel lug shot off								
BPO	Bolt pulls out								
BSSM	Bolt stems shell in magazine								
BWCD	Bolt won't cam down								1



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BWCFM	Bolt won't close over full magazine							
CD	Case dented	1999 - J						
СН	Closes hard							
CLM	Can't laod magazine		illin:					
co	Cut-off							
CR	Cuts rim							
CS	Cases swell				800.			
CTOG	Chamber tom or gouged							
СТР	Creepy trigger pull					in.		
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch				. ///			
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round					****//		
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
אס	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS 👘	Extractor sterns shell							
FA	Fires automatically		****					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire				\$\$			
FFP	Flat firing pin							
FOS	Fires on safe					illus.		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				. ///			
FPOH	Floor plate opens hard							
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off					*****		
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case						į	
HPA	High pressure ammo							
HUR	Hard under rail							144+
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
МАН	Magazine assembles hard							
MCW	Magazine capacity wrong							



CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position.	×						
ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				800.			
PH	Pulls hard							
PSI	Proof stamp illegible					in.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work				. ///			·
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers					·***///		
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							



CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port							
SR 👹	Shoulder mugh		****					
SRC	Stems nght side of chamber		****					
SRIC	Specific rings in chamber							
ssoc	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work					allen .		
TD	Tips down							
тυ	Tips up							
TWP	Trigger won't pull		***					
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard				···.			
н	High							
LO	Low							
LEFT	Left	<u> </u>					;	
RIGHT	Right							
DG	Doesn't Group		***					
FSST	Front sight tipped		***					
RSTT	Rear sight tipped							
RSBR	Rear sight base raised		1					
FSTR	Front sight raised							
FSTL	Front sight loose		-					



ILE00113152

CODE		700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
rstl	Rear sight loose							
MGPT-G 📎	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				æ			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					Mar.		
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof				. ///			
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof					*****		
FF-P	Fails to fire at proof		***					
GCSO-P	Gas cylinder shot off at proof						;	
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions							





