Н
Η
H
0
0
H
N
H
H
∞
\mathbf{o}

nmary	Over	Proof Failures Total Rejected: all Reject Rate:	10596 996 9.40						
Pi	oof	Shot:	905	475	230	1303	1414	135	2261
Pi	oot	Shot: [Rejected:	0	1	1	4	1	0	22
		Percent	0.0	0.2	0.4	0.3	0.1	0.0	1.0
		Shot [672	261	676	1217	1091	113	2574
	est	Rejected:	17	⊗ 15	82	129	67	O	305
	oof est	Percent Shet: [Rejected: Parcent		5.7	12.1	10.6	6.1	0.0	11.8
		\$hot: ¶	45	13	58	87	62	113	114
Tá	arget	Rejected:	0	J0000000 1000000	· 0	0	0	13	0
	3	Percent:	0.0	0.0	0.0	0.0	0.0	11.5	0.0

CODE	MALFUNCTION INDEX	700 S PS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
		190						
AB	Action binds		***************************************				30	
BABS	Bulge at body shoulder							
BAC	Burr at chamber	2	1	T	10			14
BBMA	BBL-to-bolt misalignment			***	1			
BB	Bolt binds/catches	3	7	24	27	# 7		9
BCOBS	Bolt catches on bolt stop					*****		
BCOF	Bolt catches on follower					4		
BC	Blows cases							
BHR	Bolt hits receiver						***	
BHS	Bolt plug hits safety switch							***
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
вро	Bolt pulls out					1		
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't carn down							
BWCFM	Bolt won't close over full magazine			4	1			
CD	Case dented							

۲	ı	
t	ŧ	
×	1	
C)	
C)	
۲	1	
١)	
H	1	
	1	
0	0	
_	J	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
СН	Closes hard			4	5	6		
CLM	Can't load magazine			1				
СО	Cut-off							
CR	Cuts rim							
cs	Cases swell							
стов	Chamber torn or gouged							
CTP	Creepy trigger pull	· · · · · · · · · · · · · · · · · · ·						
CWSB	Cams wrong side of action bar				en.			
DBB	Doesn't blow back							
DCS	Double click in safety switch	****		<i>y ****</i>	***************************************			
DCT	Double click in trigger		***************************************	/////				
DCU	Doesn't close-up			<i>3/18</i> .				1
DE	Doesn't eject	4		***************************************				1
DEL	Doesn't eject live round			****	25		////	1100
DFB	Doesn't feed back				100000			
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					,		
DLU	Doesn't lock-up					÷		
DS	Dead safe			1		1	///	53
DX	Doesn't extract			3	1	3		2
DXL	Doesn't extract live round							
EDS	Extractor drops shell	1	2	3	11	2		1
ESB	Ejector sticks back		4		2	10		19
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							

	1	
t	ŧ	
-	1	
C)	
C)	
۲	1	
N)	
۲	1	
۲	1	
)	
ŭ	3	

	/////////////	_		_	_		_	
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
FC	Fails to ponnect				-			
FCB	Fore-end cracked or broken							
FD	Fallows-down	3000.						
FF	Fails to fire	**************************************						
FFP	Flat firing pin	"						
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	5		8	6			1
FPOH	Floor plate opens hard	****			***************************************	*		
FSR	Fires when safe is released	- 17,						
FT	Follower tips		• *	2	4		Military.	19
GCSO	Gas cyl shot off							<i>y.</i>
HBL	Heavy bolt lift			8	4	1		<i>∞.</i> 7
HMSC	Heading mismatch-steps on case				2000			
HPA	High pressure ammo							
HUR	Hard under rail				4			9 🥢
JCS	Jumps cartridge					*	*	
JM	Jumps magazine			9	***************************************	2		
10	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong			N	N			
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
ML	Magazine loose							
MLH	Magazine loads hard							

۲	1	
t	1	
þ	1	
C)	
C)	
۲	1	
١	J	
۲	-	
	1	
0	0	
U	٥	

	200000							
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MARH	Magazine removes hard							
он 🤲	Opens hard	2						3
OR	Over-riides		1		4			50
PH	Pulls hard							
PSI	Proof stamp:#legible				-			
PSM	Proof stamp missing				***			
RBOC	Rings and bulges on case	***			300 mm			3
RDW	(Action) release doesn't work				da			
RIC	Rings in chamber				22	1		12
RIS	Ring in sholder					<u></u> 2		24
RS	Rim srem	54%						
SBC	Stems bottom chambers		- 7,	<i>3///</i> 2.				22
SBE	Stems bbl extension			***************************************				w.
SCB	Stock cracked or broken						////	1 1100
scx	Shell catches				****			
SHI	Short indent				***			
SI	Stems incline			5	2	,,		12
SIC	Stems in chamber				4	*	**	1
SL	shaves lead				4000000		///	
SLC	Stems left side of chamber				****			
SMOC	Stretch marks on case							
SOR	Stem over-ride				***************************************			22
SP	Stems port				-			
SR	Shoulder rough							
SRC	Stems right side of chamber				-			
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
STC	Stems top chamber							1
SWE	Safety switch works too easily			2		2		4
SWH	Safety switch works too hard.							4
SWW	Safety ewitxh won't work							
TD	Tips down	. ***	×					
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract				do.			
UNCN-T	Uncoded							
XH	Extracts hard	****		<i>A</i> // // // // // // // // // // // // //	4	13		11
		***				Ø		
HI	High						Allino.	
LO	Low			************				,
LEFT	Left							1 11000
RIGHT	Right							
DG	Doesn't Group						13	
FSST	Front sight tipped					:		
RSTT	Rear sight tipped					3	148	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof							
ввв	Barrel bracket cracked or broken at proof							

H
_
H
ויין
_
0
\approx
0
001
01
0012
0012
00121
00121
211
211
211
00121191

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof	3000.						
BLSO-P	Barrel lug shot off at proof	**************************************						
BP-P	Blown primer at proof		×.					
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof				Stor.			2
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof				***************************************			
FF-P	Fails to fire at proof	***				1		
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							<i>t.</i>
MSM-P	Magnaflux stamp missing on bbl			***	7 ////			l Mar
PP-P	Pierced primer at proof				(1000)			
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		1		4	5		20


_								l	
Á							totals	700 totals	New Gen
×F	2082	1170		422	544	38	10979	8805	2136
_	11	12	0		0	0	80	40	40
	0.5	10		28 6.5	0.0	0.0	0.7	0.5	1.9
Γ	2076	1253		364	181	38	10516	20360	1798
_	68	75	0	17	21	0	796	683	113
	3.3	6.0		4.7	14.6	0.0	7.6	3.4	6.3
Γ	1839	42		71	473		2917	5789	586
	8 4	0	0 ***	<i>0</i>	23	0	120	97	23
_	4.6	0.0		0.0	4.9		4.1	1.7	3.9
	XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals
L									.,
		1		3	7		11		/311
Ī						- 4			
l	2						36	36	<i>2007</i> 3
Ī							777688		
F	13						100	100	
r								***	7 / / / / / / / / / / / / / / / / / / /
F									
H									***************************************
F									


XR-100	7400	7500	7600	7615	Rimfire	totals	totals	totals
39						54	54	
						1	1	
				· .			***************************************	
	1 -00000			2			Management of the Control of the Con	
					ida.		***************************************	
	1.0							
	11							11
								2000
	1					2	1	31
	11			6	*****	22	5	17
	***************************************					25	25	
	4		4.			5		5
	13		4			14		14
	***					55	55	
	13					22	9	13
3	1					24	23	1
	1					36	35	1


												2000									
totals	-		₹-										.	***							2
totals		*				20		8	02			13		1.1							
totals	—	~	•			82		25	. QZ			13		22							2
Rimfire		 	*****							***************************************	**********	MARINAMA	***********	***********	 	***********	***********	*************	*******	***************************************	
7615		s	-			Street .															
7600														6							2
7500																					
7400	-			÷										2							
XR-168																					


totals	·		4			Ţ.			s	m		1				***************************************			6				
totais		ıo	52				c		14		23				19	~			22				
totals	~	ro.	56			•	**		937	53	22	-			19	~~			31				
Rimfire				***********	***								************************		************	***********	***********	 	***********	***************************************	***************************************	*********	
7615			ಣ						in.	3													
7600			*					*															
7500																							
2007/	_					÷			2			,							9				
XR-100		<u></u>							හ														

																			**						
	1	I	I	1		I		<u> </u>	<u> </u>		<u> </u>				ŠSS.	I						I			<u> </u>
totals												4	9	3			S ilvo			6	1				
totals		60	ĸ		***************************************		*********			38					26		**********				***********				
totals	-	80	ro		***************************************		*********			38		#	- 3	3	26		**********			6	•				
Rimfire					***								•				***************************************	••••••••				***************************************		•	
7615	***************************************	on normani										 ঘ	9	60	***************************************	en nonnne	annanna	***************************************		6	f		aneannea <i>r</i>	***************************************	-
7600										•		***************************************	•				***************************************	***************************************				***************************************			
7500																									
2007-2						:																			
XR-168			*							¢0					84										












p	
BB	Bolt binds/catches
DG	Doesn't Group
DS	Dead safe
OR	Over-rides
СН	Closes hard
RIC	Rings in chamber
BAC	Burr at chamber
ESB	Ejector sticks back
XH	Extracts hard
UNCM-P	Uncoded proof malfunctions
RIS	Ring in sholder
DEL	Doesn't eject live round
FT	Follower tips
EDS	
	Extractor drops shell
SBC	Stems bottom chambers
SOR	Stem over-ride
HBL	Heavy bolt lift
SI	Stems incline
FPO	Floor plate opens
HUR	Hard under rail
JM	Jumps magazine
DX	Doesn't extract
SWE	Safety switch works too easily
BWCFM	Bolt won't close over full magazine
DE	Doesn't eject
O T	Opens hard
SWH	Safety switch works too hard
RBOC	Rings and bulges on case
ESB-P	Ejector sticks back at proof
FF-P	Fails to fire at proof
BPO	Bolt pulls out
CLM	Can't load magazine
DCU	Doesn't close-up
FD	Follows-down
SIC	Stems in chamber
STC	Stems top chamber
AB	Action bands
BABS	Bulge at body shoulder
BBMA	BBL-to-bolt misalignment
BCOBS	Bolt catches on bolt stop
BCOF	Bolt catches on follower
BC	Blows cases
BHR	Bolt hits receiver
BHS &	Bolt plug hits safety switch
BLOP	Bar lock or disconnector out of position
BLSO	Barret lug shot off
BSSM	Bolt stems shelt in magazine
BWCD	Bell won't cam down
CD	Case dented
co	Cut-off
CR	Cuts rim
♥1	PARO UHKWW




CS	ICasas swall
	Cases swell
CTOG	Chamber torn or gouged
CTP	Creepy trigger pull
CWSB	Cams wrong side of action bar
DBB	Doesn't blow back
DCS	Double click in safety switch
DCT	Double click in trigger
DFB	Doesn't feed back
DFU	Doesn't feed up
DLO	Doesn't lock open (after last shell)
DLU	Doesn't lock-up
DXL	Doesn't extract live round
ESCR	Empty shell catches receiver
ESS	Extractor stems shell
FA	Fires automatically
FB	Follower binds
FC	Fails to connect
FCB	Fore-end cracked or broken
FF	Fails to fire
FFP	Flat firing pin
FOS	Fires on safe
FPHB	Firing pin hits bbl
FPHI	Firing pin hits inside rim
FPOH	Floor plate opens hard
FSR	Fires when safe is released
GCSO	
HMSC	
	Heading mismatch-steps on case
HPA	High pressure ammo
JCS	Jumps cartridge
<u>10</u>	Jars off
LB	Light blow
MAH	Magazine assembles hard
MCW	Magazine capacity wrong
MFA	Misfires (ammo)
MFOP	Magazine follower out of position
ML	Magazine løose
MLH	Magazine loads hard
MRH	Magazine removes hard
PH	Pulls hard
PSI	Proof stamp illegible
PSM	Proof stamp missing
RDW	(Action) release deesn't work
RS	Rim srem
SBE	Stems bbi extension
SCB	Stock cracked or broken
SCX	Shelt catches
SHI	Short indent
SL	shaves lead
SLC	Stems left side of chamber
SMOC	Stretch marks on case
SP	Stems port

·	
SR	Shoulder rough
SRC	Stems right side of chamber
SRIC	Specific rings in chamber
SSOC	Surface scratches on case
SWW	Safety ewitxh won't work
TD	Tips down
TU	Tips up
TWP	Trigger won't pull
TWR	Trigger won't retract
UNCN-T	Uncoded
HI	High
LO	Low
LEFT	Left
RIGHT	Right
FSST	Front sight tipped
RSTT	Rear sight tipped
RSBR	Rear sight base raised
FSTR	Front sight raised
FSTL	Front sight loose
RSTL	Rear sight loose
MGPT-G	Missing parts at target
UNCN-G	Uncoded nonconformity at target
AI-P	Assembly incompleye at proof
BBB	Barrel bracket cracket or broken at proof
BC-P	Blows cases at proof
BEB-P	Barrel extension broken at proof
BLP-P	Blanked primer at proof
BLSO-P	Barrel lug shot off at proof
BP-P	Blown primer at proof
BS-P	Barrel split at proof
DLOS-P	Doesn't lock over shalls at proof
FCB-P	Fore-end cracked at proof
FESO-P	Fore-end shot off at proof
GCSO-P	Gas cylinder shot off at proof
MSI-P	Magnaffux stamp illegible on bbl
MSM-P	Magnattux stamp missing on bbl
PP-P	Pierced primer at proof
SCB-P	Stock cracked or broken at proof
. 	T. STEERINGS IN THE PROPERTY OF THE PROPERTY O

0 0 0








FB	Follower binds	1
FCB	Fore-end cracked or broken	
FD .	Follows-down	1
FF	Fails to fire	
FFP	Flat firing pin	
FOS	Fires on safe	Ì
FPHB	Firing pin hits bbl	
FPHI	Firing pin hits inside rim	
FPO	Floor plate opens	
FPOH	Floor plate opens hard	á
FSR	Fires when safe is released	
FT	***************************************	Bonn
	Follower tips	
GCSO	Gas cyl shot off	
HBL	Heavy bolt lift	
HMSC	Heading mismatch-steps on case	65555E
HPA	High pressure ammo	
HUR	Hard under rail	
JCS	Jumps cartridge	4000
JO	Jars off	
LB	Light blow	
MAH	Magazine assembles hard	
MCW	Magazine capacity wrong	8
MFA	Misfires (ammo)	
MFOP	Magazine follower out of position	1000 m.
ML	Magazine loose	
MLH	Magazine loads hard	
ОН	Opens hard	j.
OR	Over-rides	
PH	Pulls hard	
PSI	Proof stamp illegible	
PSM	Proof stamp missing	3
RBOC	Rings and bulges on case	
RDW	(Action) release doesn't work	
RIS	Ring in sholder	
RS	Rim srem	
SBC	Stems bottom chambers	
SBE	Stems bbl extension	
SCX	Shell catches	
SHI	Short indent	
SI	Stems incline	
SIC	Stems in chamber	
SL	shaves lead	
	The state of the s	
SLC	Stems left side of chamber	
SMOC SMOC	Stretch marks on case	
SP	Stems port	
SR	Shoulder rough	
SRC	Stems right side of chamber	
SRIC	Specific rings in chamber	
ssoc 🧃	Surface scrattifies on case	
STC 🛞	Stems top chamber	
SWE 🛞	Safety switch works too easily	

SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
ХН	Extracts hard	
НІ	High	
LO	Low	
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	2000
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	*
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	, ê
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at pro	ीं०र
BC-P	Blows cases at proof	200
La La La La		
BEB-P	Barrel extension broken at proof	
BFB-5	Barrel extension broken at proof Blanked primer at proof	
	Barrel extension broken at proof Blanked primer at proof Barrel lug shot off at proof	
BLP-P	Blanked primer at proof	
BLP-P BLSO-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof	
BLP-P BLSO-P BP-P	Blanked primer at proof Barrel lug shot off at preef	
BLP-P BLSO-P BP-P BS-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof	
BLP-P BLSO-P BP-P BS-P DLOS-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof	
BLP-P BLSO-P BP-P BS-P DLOS-P FCB-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof	
BLP-P BLSO-P BP-P BS-P DLOS-P FCB-P FESO-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof	
BLP-P BLSO-P BP-P BS-P DLOS-P FCB-P FESO-P FF-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof	
BLP-P BLSO-P BP-P BS-P DLOS-P FCB-P FESO-P FF-P GCSO-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl	
BLP-P BLSO-P BP-P BS-P DLOS-P FCB-P FESO-P FF-P GCSO-P MSI-P	Blanked primer at proof Barrel lug shot off at proof Blown primer at proof Barrel split at proof Doesn't lock over shells at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof	



ESB-P	Ejector sticks back at proof	1
JM	Jumps magazine	ł
AB	Action binds	ł
MLH	Magazine loads hard	
UNCM-P	Uncoded proof malfunctions	ł
DLO	Doesn't lock open (after last shell)	ĺ
DLU	Doesn't lock-up	
OR	Over-rides	
FF-P	Fails to fire at proof	
BABS	Bulge at body shoulder	
BAC	Burr at chamber	Š
BBMA	BBL-to-bolt misalignment	335
BB	Bolt binds/catches	
BCOBS		144
	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	666
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt plug hits safety switch	1.000
BLOP	Bar lock or disconnector out of position	ζ.
BLSO	Barrel lug shot off	
BPO	Bolt pulls out	
BSSM	Bolt stems shell in magazine	
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	
СН	Closes hard	
CLM	Can't load magazine	à.
co	Cut-off	
CR	Cuts rim	
CS	Cases swell	
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DE	Doesn't eject	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	
DFU	Doesn't feed up	
DS	Dead safe	
DX	Doesn't extract	
DXL	Doesn't extract live round	
EDS	Extractor drops shell	
ESB	Ejector streks back	
ESCR	Empty shell catches receiver	
ESS	Extractor stems shell	
FA &	Fires automatically	
FB 🛞	Follower binds	
FC 💮	Fails to connect	




SWE	Safety switch works too easily	
SWH	Safety switch works too hard	
SWW	Safety ewitxh won't work	
TD	Tips down	
TU	Tips up	
TWP	Trigger won't pull	
TWR	Trigger won't retract	
UNCN-T	Uncoded	
XH	Extracts hard	
HI	High	
LO	Low	
LEFT	Left	
RIGHT	Right	
DG	Doesn't Group	
FSST	Front sight tipped	
RSTT	Rear sight tipped	
RSBR	Rear sight base raised	
FSTR	Front sight raised	
FSTL	Front sight loose	3
RSTL	Rear sight loose	
MGPT-G	Missing parts at target	
UNCN-G	Uncoded nonconformity at target	
Al-P	Assembly incompleye at proof	
BBB	Barrel bracket cracked or broken at proof	
BC-P	Blows cases at proof	.
BEB-P	Barrel extension broken at proof	
BLP-P	Blanked primer at proof	
BLSO-P	Barrel lug shot off at proof	
BP-P	Blown primer at proof	
BS-P	Barrel split at proof	
D-0-F		
DLOS-P	Doesn't lock over shells at proof	
DLOS-P	Fore-end cracked at proof	
DLOS-P FCB-P FESO-P	Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof	
DLOS-P FCB-P	Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof	
DLOS-P FCB-P FESO-P GCSO-P	Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl	
DLOS-P FCB-P FESO-P GCSO-P MSI-P	Fore-end cracked at proof Fore-end shot off at proof Gas cylinder shot off at proof	



FSTL	Front sight loose	
AB	Action binds	
DE	Doesn't eject	
LEFT	Left	
LO	Low	
OR	Over-rides	
RIS	Ring in sholder	
FF	Fails to fire	
PSM	Proof stamp missing	
RIGHT	Right	
RSTL	Rear sight loose	
BABS	Bulge at body shoulder	ŝ
BAC	Burr at chamber	
ВВМА	BBL-to-bolt misalignment	
BB	Bolt binds/catches	
BCOBS	Bolt catches on bolt stop	
BCOF	Bolt catches on follower	
BC	Blows cases	
BHR	Bolt hits receiver	
BHS	Bolt flug hits safety switch	ào.
BLOP	Bar lock or disconnector out of position	
BLSO		
BPO	Barrel lug shot off	ř
	Bolt pulls out Bolt stems shell in magazine	is.
BSSM		
BWCD	Bolt won't cam down	
BWCFM	Bolt won't close over full magazine	
CD	Case dented	à.
CH	Closes hard	
CLM	Can't load magazine	
co	Cut-off	8
CR	Cuts rim	l
CS	Cases swell	
CTOG	Chamber torn or gouged	
CTP	Creepy trigger pull	
CWSB	Cams wrong side of action bar	
DBB	Doesn't blow back	
DCS	Double click in safety switch	
DCT	Double click in trigger	
DCU	Doesn't close-up	
DEL	Doesn't eject live round	
DFB	Doesn't feed back	1
DFU	Doesn't feed up	1
DLO	Doesn't lock open (after last shell)	1
DLU	Doesn't lock-up	1
DS	Dead safe	1
DX	Doesn't extract	1
DXL	Doesn't extract live round	1
EDS	Extractor drops shell	1
	Ejector sticks back	ł
ESCR	Empty shell catches receiver	1
	Extractor stems skell	1
ESS 🛞	∰EXH ac(O) ≥rem≥⊘kten	1





SSOC	Surface scratches on case		
STC	Stems top chamber		
SWE	Safety switch works too easily		
SWH	Safety switch works too hard		
SWW	Safety ewitxh won't work		
TD	Tips down		
TU	Tips up		
TWP	Trigger won't pull		
TWR	Trigger won't retract		
UNCN-T	Uncoded		
XH	Extracts hard		
HI	High		
DG	Doesn't Group		
FSST	Front sight tipped		
RSTT	Rear sight tipped		
RSBR	Rear sight base raised	100	
FSTR	Front sight raised	22.	
MGPT-G	Missing parts at target		
UNCN-G	Uncoded nonconformity at target		

Al-P	Assembly incompleye at proof		
BBB	Barrel bracket cracked or broken	at proo	
BC-P	Blows cases at proof	1000	
BEB-P	Barrel extension broken at proof		eceles.
BLP-P	Blanked primer at proof		NA.
BLSO-P	Barrel lug shot off at proof		
BP-P	Blown primer at proof	71	
			100
BS-P	Barrel split at proof		535
BS-P DLOS-P	Barrel split at proof Doesn't lock over shells at proof	58.	
	Doesn't lock over shells at proof	0.0000000	
DLOS-P	Barrel split at proof Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof		
DLOS-P ESB-P FCB-P	Doesn't lock over shells at proof Ejector sticks back at proof		
DLOS-P ESB-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof		
DLOS-P ESB-P FCB-P FESO-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof		
DLOS-P ESB-P FCB-P FESO-P FF-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof		
DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		
DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P MSI-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Falls to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl Magnaflux stamp missing on bbl		
DLOS-P ESB-P FCB-P FESO-P FF-P GCSO-P MSI-P MSM-P	Doesn't lock over shells at proof Ejector sticks back at proof Fore-end cracked at proof Fore-end shot off at proof Fails to fire at proof Gas cylinder shot off at proof Magnaflux stamp illegible on bbl		



H	1	
H	ł	
ŀ	1	
÷	₹	
	,	
C)	
Ĺ	•	
١	J	
H	1	
١	J	
H	1	
r	`	

	200000000000000000000000000000000000000	1933 33 33.									
Summ	any	Total	Test +	Proof Failures	981						
			T	otal Rejected:	47						
			Overa	Il Reject Rate:	4.79						
				Shot: Rejected	295	59	3	272	156	10	
	***************************************	Proof	### B	Rejected.	····•0	0	0	0	0	0	0
				Percent, Shot	0.0	0.0	0.0	0.0	0.0	0.0	
				Shot:	249	123	56	171	226		
		Test	¥ .	Rejectød:	6.	5	Soc. 1	12	10	Đ	0
		,		Rejepted: Percent:	6 2.4	5 4.1	1.8	7.0	4.4		
				∴SHOL	16	40	5	13	6		
		Target		Rejected:	0 3333	200	Ø.0	0 0.0	0	0	0
		9 - 1		Percent:	0.0	0.0	0.0	0.0	0.0		

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			*********				580.	
AB	Action binds			1///	- 4			
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				*****		3////	
ВВ	Bolt binds/catches	2	3	1	2	- 5		
BCOBS	Bolt catches on bolt stop		***			.,		
BCOF	Bolt catches on follower		-				****	
ВС	Blows cases						8	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		4000					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine							
\$66000000° 0000000 1	Case dented							
СН	Closes hard					3		
CLM	Can't load magazine							
co	Cut-off		što.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber torn or gouged	···.						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	****			***			
DCS	Double click in safety switch						550.	
DCT	Double click in trigger				***			
DCU	Doesn't close-up			***///				*** *********************************
DE	Doesn't eject							
DEL	Doesn't eject live round				70000			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up						8	W. //////
DS	Dead safe							***///
DX	Doesn't extract				1			
DXL	Doesn't extract live round							
EDS	Extractor drops shell		2		4	1		
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							


FA	Fires automatically							
FB	Follower binds		***************************************					
FC	Fails to connect		***************************************					
FCB	Fore-end cracked of broken		***************************************					
FD	Follows-down							
FF	Fails to fire		***					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	3			1	<i>11/1</i> /11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************					
FT	Follower tips		***************************************					
GCSO	Gas cyl shot off		***************************************	***				
HBL	Heavy bolt lift				***************************************			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		***************************************		1		*****	
JCS	Jumps cartridge						ž.	
JM	Jumps magazin e		DATE					******
10	Jars off							
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


	0.0000000							
ML	Magazine lögse							
MLH	Magazine lo ads hard							
MRH	Magazine removes hard		***************************************					
ОН	Opens hard	1	***************************************					
OR	Over-rides		\$45.		1			
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				*			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***			2	11/1/11		
RIS	Ring in sholder					1	Sec.	
RS	Rim srem				*** //			
SBC	Stems bottom chambers							*** *****
SBE	Stems bbl extension			***				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches		***************************************					
SHI	Short indent		A					
SI	Stems incline							
SIC	Stems in chamber		-				ž.	
SL	shaves lead		***************************************					
SLC	Stems left side of chamber		-					
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		national Property and Property					


SRIC	Specific rin gs in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		što.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***					
XH	Extracts hard					Sec.	
				11/11/16	***		
HI	High						
LO	Low						
LEFT	Left				*******		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					**************************************	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						*****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

	20000007 * 4000000000.						
AI-P	Assembly incompleye at proof						
868	Barrel bracket cracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		******				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof		**				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				ites. ##/////www.		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		-	1184			
MSM-P	Magnaflux stamp missing on bbl		-		*******		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************			*****	
						ž.	











Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington

	1000000000000										
Summ	ary			roof Failures	931						
			To	tal Rejected:	80						
			Overali	Reject Rate:	8.59						
				\$hot:	126	18	63	147	372	36	
	***************************************	Proof	### ##	Rejected	0	0	1	0	0	0	0
				Shot: Rejected: Percent Shot Rejected: Percent:	0 00	0.0	1.6	0.0	0.0	0.0	
			*	Shot.	172	41	224	72	278		
		Test	ķ	Rejected. Percent:	2	7	44	2	7	Ð	0
			3	Percent:	12	7 17.1		2.8	2.5		
				Spot:	14	7 2007	™ 33347	7	14		
		Target		Rejected:	0 3333	9	0 0.0	0	0	0	0
		3		Percent:	o a	2000 C	880 O	on.	0.0		

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$S	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************	### ### ### ### ### ### ### ### #### ####				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		1					
BBMA	BBL-to-bolt misalignment		***************************************		*****			
ВВ	Bolt binds/catches		2	13				
BCOBS	Bolt catches on bolt stop		**************************************				3.00	
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		***************************************				;	
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***************************************			1		
BSSM	Bolt stems shell in magazine		***************************************					
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine			4			
CD	Case dented						
СН	Closes hard			1			
CLM	Can't laod magazine						
со	Cut-off		244.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Stor.	
DCT	Double click in trigger		***************************************				
DCU	Doesn't close-up		*************				*****
DE	Doesn't eject		***************************************	****			
DEL	Doesn't eject live round		***************************************				
DFB	Doesn't feed back		-				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			*****	
DLU	Doesn't lock-up		****			,	
DS	Dead safe		naantinaante	1			***************************************
DX	Doesn't extract		***********	1	2		
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***************************************	3	1		
ESB	Ejector sticks back		4		2		
ESCR	Empty shell catches receiver	_					
ESS	Extractor stems shell		-				


Fires automatically							
Follower binds							
Fails to connect		***************************************					
Fore-end cracked of broken		**************************************					
Folfows-down		244.					
Fails to fire							
Flat firing pin							
Fires on safe	· · · · //						
Firing pin hits bbl							
Firing pin hits inside rim							
Floor plate opens	1		5				
Floor plate opens hard						330.	
Fires when safe is released		***************************************	11/11/1				
Follower tips			2				
Gas cyl shot off		-	1184				
Heavy bolt lift		-	3	*****			
Heading mismatch-steps on case		-					
High pressure ammo						70702020	
Hard under rail		***************************************		2		******	
Jumps cartridge		***				ž.	
Jumps magazin e		***************************************	4				
Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Light blow		***************************************					
Magazine assembles hard		And Andreas					
Magazine capacity wrong							
Misfires (ammo)		***************************************					
Magazine follower out of position		-				_	
	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens 1 Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to comeet Fore-and cracked or broken Foitows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens 1 Floor plate opens 1 Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens 1 5 Floor plate opens 1 5 Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift 3 Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (arnmo)	Follower binds Fails to connect Fore-and cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens 1 5 Floor plate opens 1 Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower birids Fails to connect Fore-and gracked or proken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens 1 Floor plate opens 1 Fices when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower birids Fails to cometit Fore-end cascked or broken Follows-town Fails to fire Fails to fire Flat firing pin Fires on safe Firing pin hits bibl Firing pin hits inside rim Floor plate opens I 5 Floor plate opens I 5 Floor plate opens hard Fires when safe is released Follower tips Cas cyl shot off Heavy botl lift I 3 Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jumps magazine Juss off Light blow Magazine capacity wrong Misfires (ammo) Misfires (ammo)


SRIC	Specific rings in chamber							
SSOC	Surface scratches on case		Personal Control of Co					
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily			1				
SWH	Safety switch works too hard		\$45.					
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	******			***	1000		
хн	Extracts hard			6		1	Seo.	
			***************************************	1///				
HI	High		***************************************					
LO	Low		***************************************	****				
LEFT	Left	***************************************			**************************************			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped	-	***************************************				ž	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose	****						
MGPT-G	Missing parts at target		No. of Contract of					
UNCN-G	Uncoded nonconformity at target	***************************************						
		-	-					


	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		**************************************				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					500.	
FF-P	Fails to fire at proof		***	N//			
GCSO-P	Gas cylinder shot off at proof		***********				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
<u> </u>	_					ž.	














Subject to Protective Order - Williams v. Remington

	///////////////////////////////////////										
Summa	ary	Total	Test + Proof Fail	ures	0						
			Total Rejec	ted:	0						
			Total Rejec Overall Reject F	ate:							
			Rejs Per Rejs Per	hot: [cted:	\$a						
		Proof	Rejs	cted	0	0	0	0	0	0	
			Per	cent,	0	so.					
			5	inot.	K						
		Test	Reje	oled: ~	Q.	0	O	0	0	O	0
			Reje Pel S Reje	cent.	o ,	0					
				bot:	.00000 8 6	3866	100000				
		Target	Reje	čted:	0	9	Ď	0	0	0	0
		•		cent:							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver		-					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine		-					
CD	Case dented		***************************************					
СН	Closes hard							
CLM	Can't laod magazine							
СО	Cut-off		data.					
CR	Cuts rim							
CS	Cases swell							
стов	Chamber tom or gouged							
CTP	Creepy trigger pull				*			
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	1			· · · · · · · · · · · · · · · · · · ·	<i>M</i>		
DCS	Double click in safety switch						Seo.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		*************	***				
DE	Doesn't eject		***************************************	/%				
DEL	Doesn't eject live round		-					
DFB	Doesn't feed back		-					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)		***************************************				*****	
DLU	Doesn't lock-up						ž.	
DS	Dead safe							******
DX	Doesn't extract		***********					
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back		**************************************					
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		and the same of th					

	7,000000000000000000000000000000000000							
FA	Fires automatically		B. T.					
FB	Follower binds		***************************************					
FC	Fails to comect		-					
FCB	Fore-end cracked or broken		***************************************					
FD	Folfows-down		Soc.					
FF	Fails to fire		- XX.					
FFP	Flat firing pin							
FOS	Fires on safe			W////////				
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				<i>M</i> ////		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released						i iliano.	
FT	Follower tips		411000111001	***************************************	.			
GCSO	Gas cyl shot off		400	7.0				W// W///
HBL	Heavy bolt lift		В		****			
HMSC	Heading mismatch-steps on case		-			***//		
HPA	High pressure ammo		***************************************					
HUR	Hard under rail		**************************************				2000	
JCS	Jumps cartridge						,	
JM	Jumps magazin e							*****
10	Jars off		-					
LB	Light blow		Participation					
MAH	Magazine assembles hard		-					
MCW	Magazine capacity wrong		-					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


	000000000 11 1000000000000000000000000							
SRIC	Specific rin gs in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Satety switch works too easily		***************************************					
SWH	Safety switch works too hard		dus.					
SWW	Safety ewitxh work		- A.					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	11/1/11		
XH	Extracts hard						5to.	
			***************************************		***			
HI	High			*******	.			
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right		***************************************					
DG	Doesn't Group		***************************************					
FSST	Front sight tipped		***************************************				200 4	
RSTT	Rear sight tipped		-				į.	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		244.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				**************************************		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***			***		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************	1///	***		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl		-	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		-			****	














Subject to Protective Order - Williams v. Remington

Summai	ry To	tel Test + Pr	oof Failures	0						
		Tot	al Rejected:	0						
		Overall)	al Rejected: Reject Rate:							
,	Proc	ıf	Shot: Rejected Percent Shot Rejected: Percent: Shot Rejected:	S						
	Proc	of .	Rejected	0	0	0	0	0	0	0
			Percent:	0	Ko					
			Shot	I.	<i>88</i>					
	Test		Reje cted :	Q	0	. 0	0	0	Đ	0
			Percent:	G.	0					
			Shot.		#####	1 78888				
	Targ	et	Rejected:	0 💥	9	Ū.	(),(),(),()	0	0	0
	J		Percent:	0	Q	O	0			
					777777		***************************************			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********				X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		** Andrews and **					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		and the same of th		*****		2000	
ВВ	Bolt binds/catches		Photo the same of					
BCOBS	Bolt catches on bolt stop		**************************************					
BCOF	Bolt catches on follower		***************************************				****	
ВС	Blows cases		Palateria				8	
BHR	Bolt hits receiver		- Anna Anna Anna Anna Anna Anna Anna Ann					*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		**********					
BLSO	Barrel lug shot off		and the same of th					
вро	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

H
H
ILE0012
0
Ō
_
_
N
H
N
25
1


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		\$46.				
CR	Cuts rim		<i>*************************************</i>				
cs	Cases swell						
CTOG	Chamber tom or gouged	· · · · //					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***			***		
DCS	Double click in safety switch					5a.	
DCT	Double click in trigger				**** //		
DCU	Doesn't close-up						
DE	Doesn't eject			****			
DEL	Doesn't eject live round				147.000		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up					á	
DS	Dead safe						
XD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

						 		_
FA	Fires automatically							
FB FC	Follower bin ds							
FC	Fails to comect		·					
FCB	Fore-end cracked of broken		*****					
FD	Follows-down		âte.					
FF	Fails to fire		***					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard					500.		
FSR	Fires when safe is released		****		****			
FT	Follower tips	Anna	************					
GCSO	Gas cyl shot off		*******	1189]
HBL	Heavy bolt lift		***************************************		****			
HMSC	Heading mismatch-steps on case] /
HPA	High pressure ammo		-]
HUR	Hard under rail		***			2000 B		
JCS	Jumps cartridge		***************************************			;		l
JM	Jumps magazin e		-				***///] ***
JO	Jars off		and the same of th					1
LB	Light blow		************					1
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong		-					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-]

ML	Magazine lögse		***************************************				
MALH	Magazine loads hard						
MRH	Magazine removes hard	a.	***************************************				
ОН	Opens hard		VARIABLE				
OR	Overandes		\$20.				
PH	Pulls hard		W				
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***					
RIS	Ring in sholder					800.	
RS	Rim srem		***************************************		****		
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension		***************************************	/**			
SCB	Stock cracked or broken				1000000		
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					*****	
SIC	Stems in chamber		***************************************			;	
SL	shaves lead						
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SMOC	Stretch marks on case						
SOR	Stem over-ride		***				
SP	Stems port		***************************************				
SR	Shoulder rough		-				
SRC	Stems right side of chamber		-				

SRIC	Specific rin gs in chamber		ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD				
850C	Surface scratches on case		***************************************				
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SWE	Safety switch works too easily		VARIABLE				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh work		- XX				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	1 ***			1000		
хн	Extracts hard					Sec.	
			44440444	****			
HI	High						
LO	Low		***************************************				
LEFT	Left			**************************************			
RIGHT	Right		***************************************				
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped		y a a a a a a a a a a a a a a a a a a a			į	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose		***				
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
			-				

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof	**************************************					
BC-P	Blows cases at proof	 ***************************************					
BEB-P	Barrel extension broken at proof	**************************************					
BLP-P	Blanked primer at proof	244.					
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof			*** *********************************			
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	 //////////////////////////////////////			<i>1</i> 1////		
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof		******				
MSI-P	Magnaflux stamp illegible on bbl		***				WW 3000
MSM-P	Magnaflux stamp missing on bbl			******			
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof	***************************************					
UNCM-P	Uncoded proof malfunctions	-				200	
						;	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

Su	mmary			oof Failures	0						
			Tot	al Rejected: Reject Rate:	0						
	mmary		Overall I	Reject Rate:							
		Proof		\$hot:	a a						
		Proof		Rejected:	0	0	0	0	0	0	0
	******			Percent		Wa					
				Shot.	I ‱ I⊗	<i></i>					
		Test		Reje cted :	$oldsymbol{q}$	0	O	0	0	Đ	0
				Shot Reje pled: Percent: Shot: Rejected:	а	O					
				Shot:	\$3333 3 5	3000	1 1998	A .			
		Target			0 /////	9/	Ø.	0	0	0	0
				Percent:	0	Q	Ü	0			


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			*********				3 88	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber							
BBMA	BBL-to-bolt misalignment				****			
BB	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower						******	
вс	Blows cases		-					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulis out		400					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		and the second s					

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	a.	***************************************				
CLM	Can't laod magazine		***************************************				
co	Cut-off		áva.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Stv.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		***************************************	′%			
DEL	Doesn't eject live round		***************************************		**************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					******	
DLU	Doesn't lock-up		***************************************			ž	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		*******				
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


	// /						
ML	Magazine loose						
MLH	Magazine loads hard	***************************************					
MRH	Magazine removes hard	 ***************************************					
он 🤻	Opens hard	**************************************					
OR	Over-indes	200a.					
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case			*			
RDW	(Action) release doesn't work						
RIC	Rings in chamber			***	<i>M</i> ////		
RIS	Ring in sholder					Sec.	
RS	Rim srem	***************************************		****			
SBC	Stems bottom chambers	***					
SBE	Stems bbl extension		***				
SCB	Stock cracked or broken			*****			
SCX	Shell catches						
SHI	Short indent	-					
SI	Stems incline	***************************************				2000	
SIC	Stems in chamber	***************************************				,	
SL	shaves lead	MARKATA AND AND AND AND AND AND AND AND AND AN					******
SLC	Stems left side of chamber						
SMOC	Stretch marks on case	***************************************					
SOR	Stem over-ride	-					
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	y a a a a a a a a a a a a a a a a a a a				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>**</i>		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		***************************************				200 B	
	·			_		_		00000 0000000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


۲		
H	+	
ŀ	100	
C)	
7	₹	
٠	•	
H	-	
١	J	
H	-	
١	J	
	J	
r	Š	

	200000000000000000000000000000000000000										
Summ	any	Total	Test +	Proof Failures	859						
			1	otal Rejected:	42						
			Overa	If Reject Rate:	4.89						
				Shot:	74	20	14	102	279		229
	***************************************	Proof	<i>888</i> 3	Rejected.	0	0	0	0	0	0	0
				Percent: Shot	0.0	0.0	0.0	0.0	0.0		0.0
				Shot.	65	33	131	151	187		260
		Test	*	Rejected:	2	0	6	6	10	0	18
				Reje cted Percent:	3.1	0 0, 0	4.6	4.0	5.3		6.9
				∴\$BOL	7	/3//	SSS43	. 12	18		27
		Target		Rejected:	0 3333		Ø.0	0 90	0	0	0
		9 - 1		Percent:	0.0	0.0	0.0	0.0	0.0		0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$S	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			******				380.v	
AB	Action binds			1///				
BABS	Bulge at body shoulder	Control	-					
BAC	Burr at chamber					6		
BBMA	BBL-to-bolt misalignment				7400			
ВВ	Bolt binds/catches			1	3			
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower						****	
ВС	Blows cases						8	
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		1					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

FA	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked of broken							
FD	Follows-down		što.					
FF	Fails to fire		<i></i>					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				800. 800.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	1		2	1	<i>**</i>		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************	<i>##</i>	***			
FT	Follower tips							
GCSO	Gas cyl shot off			1788				
HBL	Heavy bolt lift			1	******			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	1
JCS	Jumps cartridge						ž	
JM	Jumps magazin e							***************************************
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
					·	·		

r				1				
ML	Magazine lögse							
MLH	Magazine loads hard							
MRH	Magazine removes hard	ac.						
ОН	Opens hard							
OR	Over-indes		žto.					1
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	****			***	<i>11/1</i> 0		
RIS	Ring in sholder						Sec.	
RS	Rim srem			<i>##</i>	***			
SBC	Stems bottom chambers			***				2
SBE	Stems bbl extension			1788				
SCB	Stock cracked or broken				*****			
SCX	Shell catches					******		
SHI	Short indent							
SI	Stems incline						**************************************	
SIC	Stems in chamber						8	
SL	shaves lead							**********
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							1
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
					•			



RSTL

MGPT-G


UNCN-G


Rear sight loose


Missing parts at target


Uncoded nonconformity at target


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		**************************************					
BC-P	Blows cases at proof		**************************************					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		244.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				*** *********************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof		//////////////////////////////////////					
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof			////	***			
GCSO-P	Gas cylinder shot off at proof			***************************************	.			(3 880
MSI-P	Magnaflux stamp illegible on bbl			***				WW 2000
MSM-P	Magnaflux stamp missing on bbl				****			
PP-P	Pierced primer at proof					******		
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		-				2006	
	•	•		•	-		,	














Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000									
Summa	any	Total	Test + Proof Failures	693						
			Total Rejected	: 103						
			Overall Reject Rate	: 14.86						
			\$hot:	14	59	15	50	53		295
	***************************************	Proof	Rejected	0	1	0	0	0	0	0
			Percent Shot	0.0	2.7	0.0	0.0	0.0		0.0
			Shot.	11	22	2	68	46		303
	•	Test	Rejected	2.	1/////	O	17	1	0	38
			Percent	18.2	1 4.5	0.0	25.0	2.2		12.5
			Shot.	1 2000	K 200000	000000	6	3		25
		Target	Rejectea	: O 🚃	9 //	*** * * *		0	0	0
		3	Percent	: 0	9	Ö	0 00	0.0		0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$S	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			************		1 ************************************		X	
AB	Action binds			1///				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber	2	***************************************		5			
BBMA	BBL-to-bolt misalignment				788			
ВВ	Bolt binds/catches		1		7			2
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out		1					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
co	Cut-off		šas.				
CR	Cuts rim						
cs	Cases swell						***************************************
стоб	Chamber tom or gouged						
CTP	Creepy trigger pull				illi		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger	***************************************			****		***************************************
DCU	Doesn't close-up						
DE	Doesn't eject	1		***			
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)	***************************************				**************************************	
DLU	Doesn't lock-up					Ž.	
DS	Dead safe						4//
DX	Doesn't extract						
DXL	Doesn't extract live round						***************************************
EDS	Extractor drops shell	-					
ESB	Ejector sticks back				1		5
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

	9009000000							
FA.	Fires automatically		Anna Anna Anna Anna Anna Anna Anna Anna					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		- Section					
FF	Fails to fire							
FFP	Flat firing pin	V. (1000)						
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens					1000		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***		****			
FT	Follower tips		************					5
GCSO	Gas cyl shot off		-	***				
HBL	Heavy bolt lift		-					
HMSC	Heading mismatch-steps on case		-					
HPA	High pressure ammo							
HUR	Hard under rail		***************************************		1			
JCS	Jumps cartridge						;	
JM	Jumps magazin e		***************************************					
JO	Jars off		************					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		**************************************					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

ML	Magazine loose		ALTERNATION AND ADDRESS OF THE					
MLH	Magazine loads hard		***************************************					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					
OR	Over-ndes		âsa.					2
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	···						
RBOC	Rings and bulges on case							2
RDW	(Action) release doesn't work							
RIC	Rings in chamber				3	2 1		
RIS	Ring in sholder						5to.	
RS	Rim srem		-					
SBC	Stems bottom chambers							13
SBE	Stems bbl extension		-	· **				
SCB	Stock cracked or broken		-		× × × × × × × × × × × × × × × × × × ×			
SCX	Shell catches		***************************************					
SHI	Short indent		-					
SI	Stems incline		***************************************				200 4	1
SIC	Stems in chamber		***************************************				į.	
SL	shaves lead		-					***************************************
SLC	Stems left side of chamber		and the same of th					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		***************************************					5
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
	•							

	200000000							_
SRIC	Specific rings in chamber							
8500	Surface scratches on case							1
STC	Stems top chamber							
SWE	Safety switch works too easily						2	
SWH	Safety switch works too hard		žato.					
sww	Safety ewitxh work		***					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***			
XH	Extracts hard					Sa.		

HI	High							
LO	Low			****				
LEFT	Left				70000			
RIGHT	Right							┨.
DG	Doesn't Group							
FSST	Front sight tipped					******		199
RSTT	Rear sight tipped					ž		
RSBR	Rear sight base raised						- 400	ľ
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


			1		,		·	
AI-P	Assembly incompleye at proof		-					
868	Barrel bracket tracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		VARIABLE					
BLP-P	Blanked primer at proof		\$20.					
BLSO-P	Barrel lug shot off at proof		W					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***			***	<i>M</i>		
FESO-P	Fore-end shot off at proof					***	560.	
FF-P	Fails to fire at proof			<i>#</i>	****			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		*******	***				
MSM-P	Magnaflux stamp missing on bbl		-		*******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		1				2006	
							,	


	77777777	4000000					
	Test D			Miss.			totals
207	8	19		I // // www.	104		886
5		3	0	0	0	0	6
2.4	0	6			0.0		0.7
61	1;	22			52	F	687
0	1	1	0	0	4	0	74
0.0	9.	.0			7.7		10.8
61	(6		(A)	98	38888 1848	199
16	(0	0	0	38///	0	23
26.2	. 0.	.0			71		11.6
					300	889 3888 8	80 888000


XR-100	7400	7500	7600	7615	Rimfire	totals


				3		3


						7
						10











Subject to Protective Order - Williams v. Remington

⊢	1
۲	ŧ
Ŀ	1
C)
C	•
Ē	1
N	
H	
N)
V)
α	

	/////////											
Summ	ary	Total		Proof Failures		744						
			T,	stal Rejected:		122						
			Overal	otal Rejected: I Reject Rate:	11	6.40						
		./		\$hot:	11		41	1	30	52		231
	***************************************	Proof		Shot: Rejected	******		0	0	0	1	0	1
		<i></i>		Percent:	0.0		0.0	0.0	0.0	1.9		0.4
				Shot.					43	28		315
		Test	Y .	Shot. Reje sted :	Q.		0	O	5	1	Đ	5 5
			•	Shot: Rejected: Percent: Shot: Rejected: Percent:	0.0		0		14.0	3.6		17.5
				Shot:		9/2/1		1 *****	2	3		23
		Target		Rejected:	0			Ø.	0	0	0	0
				Percent:			ø	O	0.0	0.0		0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		1			
BBMA	BBL-to-bolt misalignment				****		1000	
вв	Bolt binds/catches		***************************************		2	1		2
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower		***************************************				3000	
вс	Blows cases		-					
BHR	Bolt hits receiver		-					
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		410					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		and the second s					


BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		***************************************				
СО	Cut-off						
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull				*** *********************************		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					5a.	
DCT	Double click in trigger						
DCU	Doesn't close-up			***************************************			
DE	Doesn't eject		400	1760			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					***************************************	
DLU	Doesn't lock-up					á	
DS	Dead safe						12
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						4
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						_


FA	Fires automatically					
FB	Follower bin ds					
FC	Fails to comect					
FCB	Fore-end cracked or broken					
FD	Folfows-down		šta.			
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FP0	Floor plate opens	***				1
FPOH	Floor plate opens hard				Sec.	
FSR	Fires when safe is released					
FT	Follower tips					11
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			1		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail				**************************************	4
JCS	Jumps cartridge				8	
JM	Jumps magazin e					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					

ML	Magazine lögse							
MLH	Magazine lo ads hard		***************************************					
MRH	Magazine removes hard	22	***************************************					
ОН	Opens hard		National Property and Property					
OR	Over-rides		Seco.					6
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				ites. ##/////www.			1
RDW	(Action) release doesn't work							
RIC	Rings in chamber				2	11/1/11		1
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************					
SBC	Stems bottom chambers		***************************************					2
SBE	Stems bbl extension		4.00	***				
SCB	Stock cracked or broken				191			
SCX	Shell catches		***************************************					
SHI	Short indent							
SI	Stems incline		***************************************				******	6
SIC	Stems in chamber		1				ž.	
SL	shaves lead							******
SLC	Stems left side of chamber		-					
SMOC	Stretch marks on case							
SOR	Stem over-ride		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					5
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							


	000000000							
SRIC	Specific rin gs in chamber							
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Satety switch works too easily		***************************************					
SWH	Safety switch works too hard		dus.					
SWW	Safety ewitxh work		- A.					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull				*			
TWR	Trigger won't retract							
UNCN-T	Uncoded	***			***	11/1/11		
XH	Extracts hard						5to.	
			***************************************		***			
HI	High			*******	.			
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right		***************************************					
DG	Doesn't Group		***************************************					
FSST	Front sight tipped		***************************************				200 4	
RSTT	Rear sight tipped		-				į.	
RSBR	Rear sight base raised							
FSTR	Front sight raised		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		Antonia				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Seo.	
FF-P	Fails to fire at proof		***************************************		1		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	′%			
MSM-P	Magnaflux stamp missing on bbl		-				
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		***************************************			200 B	1






Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington

	1
⊢	ŧ
- -	1
)
Ξ	
L	,
H	1
•	
١)
H	1
ام ا)
Ĺ	1
	_
C	`

	10000000000										
Summ	ary			oof Failures	604						
			To	tal Rejected:	29						
Summ			Overall	Reject Rate:	4.80						
		Proof		Shot: Rejected	25	59	9	23	168		78
	*******	Proof	808 B	Rejected:	0	0	0	0	0	0	0
				Percent. Shot.	0 0.0	0.0	0.0	0.0	0.0		0.0
				Shot	See. 7	19		13	153		31
		Test	ř 💥	Rejectød:	(C)	2	_{555.} 0	2	3	0	3
				Reje sted Percent:	0.0	2 10:5		15.4	2.0		9.7
				Shot:	.000	S 20000000	1 33333	A	12		
		Target		Rejected:	0	9	O.	0	0	0	0
		3		Percent:					0.0		

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			*******				3 88-	
AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************	1 22				
BBMA	BBL-to-bolt misalignment		***************************************		****	1		
ВВ	Bolt binds/catches		1			1		
BCOBS	Bolt catches on bolt stop		The second secon			.,		
BCOF	Bolt catches on follower		**************************************				****	
ВС	Blows cases							
BHR	Bolt hits receiver		- Control of the Cont					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		O-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							


BWCFM	Bolt won't close over full magazine		***************************************					
CD	Case dented		***************************************					
СН	Closes hard		***************************************			1		
CLM	Can't laod magazine		***************************************					
co	Cut-off		iva.					
CR	Cuts rim		**					
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***	//////					
DCS	Double click in safety switch						Stor.	
DCT	Double click in trigger							
DCU	Doesn't close-up							****
DE	Doesn't eject		-	100				
DEL	Doesn't eject live round				******			
DFB	Doesn't feed back					1000		
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						*****	
DLU	Doesn't lock-up						ž.	
DS	Dead safe							7
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************		2			
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							_
ESS	Extractor stems shell							


Fires automatically							
Follower binds							
Fails to comect	e.	***************************************					
Fore-end cracked or broken		***************************************					
Follows-down		áva.					
Fails to fire							
							
r ilea en adio							
Firing pin hits bbl				ites. ##/////www.			
Firing pin hits inside rim							
Floor plate opens							
Floor plate opens hard						Sto.	
Fires when safe is released				***			
Follower tips		***************************************					1
Gas cyl shot off		***************************************	**				
Heavy bolt lift		SATISFACE OF THE PARTY OF THE P		*****			
Heading mismatch-steps on case							
High pressure ammo							
Hard under rail						2000	
Jumps cartridge						;	
Jumps magazin e					1		***************************************
Jars off							
Light blow							
Magazine assembles hard		***************************************					
Magazine capacity wrong		**************************************					
Misfires (ammo)		-					
Magazine follower out of position							
	Follower binds Fails to connect Fore-end pracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore- and cracked or broken Follows-clown Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Fails to connect Fore-and gracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower birits Fails to coarect Fore-end cracked or broken Follows-down Fails to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits inside rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jars off Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)	Follower binds Falls to connect Fore- and cracked or broken Follows-down Falls to fire Flat firing pin Fires on safe Firing pin hits bbl Firing pin hits bisde rim Floor plate opens Floor plate opens Floor plate opens hard Fires when safe is released Follower tips Gas cyl shot off Heavy bolt lift Heading mismatch-steps on case High pressure ammo Hard under rail Jumps cartridge Jumps magazine Jumps magazine Jumps sagazine Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)


	7,000,000,000,000,000,000,000,000,000,0							
ML	Magazine loose							
BALH	Magazine loads hard		***************************************					
MRH	Magazine temoves hard							
ОН	Opens hard							
OR	Over:indes		. 1					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				***			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	****				2000		
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers			***************************************	.			
SBE	Stems bbl extension		-	77%				
SCB	Stock cracked or broken				*****			
SCX	Shell catches		7			10000		
SHI	Short indent							
SI	Stems incline						****	1
SIC	Stems in chamber						;	
SL	shaves lead							
SLC	Stems left side of chamber		-					
SMOC	Stretch marks on case		-					
SOR	Stem over-ride							
SP	Stems port		-					
SR	Shoulder rough							
SRC	Stems right side of chamber		national Property and Property					


									_
SRIC	Specific rings in chamber								1
SSOC	Surface scratches on case	-							1
STC	Stems top.etiamber								1
SWE	Safety switch works too easily								1
SWH	Safety switch works too hard		den.						1
sww	Safety ewitxh won't work								1
TD	Tips down	T]
TU	Tips up								1
TWP	Trigger won't pull				** **********************************				1
TWR	Trigger won't retract								1
UNCN-T	Uncoded		//////////////////////////////////////		***	<i>M</i> ////			1
хн	Extracts hard						Soc.		1
			1	2000	***				1
HI	High	-		***************************************					1
LO	Low			***				***	1
LEFT	Left				4000				1
RIGHT	Right					***//			1
DG	Doesn't Group	-							
FSST	Front sight tipped						*****		17
RSTT	Rear sight tipped								
RSBR	Rear sight base raised							*****	1**
FSTR	Front sight raised	-	1						1
FSTL	Front sight loose	-							1
RSTL	Rear sight loose								1
MGPT-G	Missing parts at target								1
UNCN-G	Uncoded nonconformity at target								1
									1
			•		•	•		•	-


AI-P	Assembly incompleye at proof		2					
868	Barrel bracket gracked or broken at proof		**************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		300.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***	//////////////////////////////////////		***	<i>M</i>		
FESO-P	Fore-end shot off at proof					***	Sec.	
FF-P	Fails to fire at proof		***		***			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***				
MSM-P	Magnaflux stamp missing on bbl				*****			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-				****	
				_	_	_		33333














Subject to Protective Order - Williams v. Remington

	<u> </u>									
Summary	/ Tot	al Test + P	roof Failures	126						
		To	tal Rejected:	10						
Summary		Overall	tal Rejected: Reject Rate:	7.94						
	Proo	f	Shot: Rejected: Percent Shot: Rejected: Percent:	83	40	16	67	26		43
Ţ	<i>Pr</i> 00	f 🥢 🦠	Rejected	0	0	0	0	0	0	0
			Percent,	00	0.0	0.0	0.0	0.0		0.0
	8		Shot	k	<u> </u>					
	Test		Reje șted :	Q.	0	O	0	0	0	0
		Š	Percent:	o.	0					
			COMMOL.	-300030	7 2000	1988	۸.			
	Targ	et	Rejected:	0 ////	9 //	(0	0	0	0	0
	J		Percent:	0	Q	0	0			


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********	*			388	
AB	Action binds		-					
BABS	Bulge at body shoulder		vening the same of					***
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				77.00			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop					.,		l de la lace
BCOF	Bolt catches on follower		-				*****	
вс	Blows cases						;	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

	\$6666661							
BWCFM	Bolt won't close over full magazine							
CD	Case dented		***************************************					
СН	Closes hard		***************************************					
CLM	Can't laod magazine		and a second					
со	Cut-off		deca.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull	100			*			
CWSB	Cams wrong side of action bar		l ////					
DBB	Doesn't blow back	***			***	<i>M</i> ////		
DCS	Double click in safety switch						Soc.	
DCT	Double click in trigger		-		****			
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject			***				WW 1////2
DEL	Doesn't eject live round		Santanari i		*****			
DFB	Doesn't feed back		***************************************					
DFU	Doesn't feed up		***					
DLO	Doesn't lock open (after last shell)		Produktende				*****	
DLU	Doesn't lock-up		***************************************				į.	
DS	Dead safe		MATTERIAL					******
DX	Doesn't extract		***************************************					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell		***************************************					
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver							_
ESS	Extractor stems shell							


ML	Magazine loose		A					
MALH	Magazine loads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		200					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	****						
RIS	Ring in sholder					***	Sec.	
RS	Rim srem			<i>1111</i> 111	***			
SBC	Stems bottom chambers							·
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						200	
SIC	Stems in chamber						8	
SL	shaves lead							- 44///
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

	//////////////////////////////////////						
SRIC	Specific rings in chamber						
SSOC	Surface scratches on case		Per la constante de la constan				
STC	Stems top chamber		***************************************				
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$45.				
sww	Safety ewitxh work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				***		
хн	Extracts hard					Seo.	
			***************************************		**** //		
HI	High		***************************************				
LO	Low		***************************************	***			
LEFT	Left				**************************************		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped	-	***************************************			ž	
RSBR	Rear sight base raised						
FSTR	Front sight raised		A				
FSTL	Front sight loose		***************************************				
RSTL	Rear sight loose						
MGPT-G	Missing parts at target		Name of the last o				
UNCN-G	Uncoded nonconformity at target						
			-				

18	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					500.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof	-	**********				
UNCM-P	Uncoded proof malfunctions		-			*****	
						8	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	200000000000000000000000000000000000000	88888.									
Summa	ary	Total	Test + Pr	oof Failures	0						
			Tot	al Rejected:	0						
			Overall)	oof Failures al Rejected: Reject Rate:							
				\$hot:	g	-					
	***************************************	Proof		Rejected:	0	0	0	0	0	0	0
				Percent		\$tto.					
				Shot Reje bled: Percent: Shot: Rejected:	**************************************	I					
		Test	* ***	Reje cted :	Q	0	O	0	0	Đ	0
				Percent:		0					
				Shot:		V 2000	1 700000	4.			
		Target		Rejected:	0	9	O	0	0	D	0
		•		Percent:							


CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL& ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds			<i></i>				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		-					
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out		-					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented		***************************************				
CH	Closes hard		***************************************				
CLM	Can't laod magazine		National Property and Property				
со	Cut-off		\$46.				
CR	Cuts rim		<i>*************************************</i>				
cs	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***	//////////////////////////////////////		***		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************	2000	***		
DCU	Doesn't close-up		***************************************	***************************************			ilean.
DE	Doesn't eject			***			WW 2000
DEL	Doesn't eject live round				**************************************		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			2004	
DLU	Doesn't lock-up		A.			ž	
DS	Dead safe		na anna anna anna anna anna anna anna				******
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						
	*						


ML	Magazine lööse	-					
MLH	Magazine loads hard						
MRH	Magazine removes hard	***************************************					
ОН	Opens hard	******					
OR	Over-rides						
PH	Pulls hard	**					
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber						
RIS	Ring in sholder	****			2	580.	
RS	Rim srem			***			
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension	Andrews Andrew	100				
SCB	Stock cracked or broken			******			
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					******	
SIC	Stems in chamber					ž	
SL	shaves lead						*****
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride	***************************************					
SP	Stems port	***************************************					
SR	Shoulder rough						
SRC	Stems right side of chamber	***************************************					


SRIC	Specific rings in chamber						
850C	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$to.				
sww	Safety ewitxh work		<i>-</i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	****					
XH	Extracts hard					Sec.	
HI	High						
LO	Low			***			
LEFT	Left				1900 B		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 ****	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	200934992	**********									
Sumi	many			roof Failures	119	5					
		****	To	tal Rejected: Reject Rate:	16:	3					
			Overall	Reject Rate:	13.63	3					
				Shot:		49	23	108	93		298
	******	Proof	### ##	Rejected	0	0	0	0	0	0	0
				Percent,	0 0.0	0.0	0.0	0.0	0.0		0.0
				Shot.	77	L	137	164	60		353
		Test	¥	Rejected:	1.	0	14	38	12	0	38
			100	Shot: Rejected Percent Shot: Rejected Percent: Shot:	13	0	14 .10.2	23.2	20.0		10.8
				Shot:	8 🔅	X	34	13	3		14
		Target		Rejected:	0 💥	· ::	0 .0	0 0 0	0	0	0
		3		Percent:	0.Q		Q 0	0.0	0.0		0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********		1 ************************************		**	
AB	Action binds			11/18				
BABS	Bulge at body shoulder		-					
BAC	Burr at chamber			1	1			1
BBMA	BBL-to-bolt misalignment				77.00			
ВВ	Bolt binds/catches	1		3	3	10		
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases							
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand	.c.		2	4	1		
CLM	Can't laod magazine			1				
СО	Cut-off		2000.					
CR	Cuts rim							
cs	Cases swell							***************************************
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch						Siau.	
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			****				
DEL	Doesn't eject live round				25			
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)						******	
DLU	Doesn't lock-up						- 20	
DS	Dead safe							71
DX	Doesn't extract			2				
DXL	Doesn't extract live round							
EDS	Extractor drops shell							1
ESB	Ejector sticks back					1		
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							

FA.

Fires automatically

	20000000000000000000000000000000000000						
ML	Magazine logse						
MLH	Magazine loads hard		***************************************				
MRH	Magazine removes hard		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
ОН	Opens hard						
OR	Over-indes		\$20.				15
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***			1		1
RIS	Ring in sholder					50a.	
RS	Rim srem			11/11/1	***		
SBC	Stems bottom chambers						
SBE	Stems bbl extension			7.00			
SCB	Stock cracked or broken				*****		
SCX	Shell catches		***************************************				
SHI	Short indent		***************************************				
SI	Stems incline		***************************************			*****	
SIC	Stems in chamber		-			ž.	
SL	shaves lead						.****
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SMOC	Stretch marks on case						
SOR	Stem over-ride						7
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber		-				


	··········						
SRIC	Specific rings in chamber	ACT TO SERVICE AND ADDRESS OF THE SERVICE AND AD					
850C	Surface scratches on case	***************************************					
STC	Stems top chamber	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SWE	Safety switch works too easily	VARIABLE					
SWH	Safety switch works too hard	\$20.					
sww	Safety ewitxh wont work	- XX					
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded				1000		
хн	Extracts hard					5eo.	
		44440444		****			
HI	High						
LO	Low	***************************************	1%				
LEFT	Left			**************************************			
RIGHT	Right	***************************************					
DG	Doesn't Group						
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped	y a a a a a a a a a a a a a a a a a a a				;	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose	***					
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-					


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof	ac.						
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		žto.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	***.						
DLOS-P	Doesn't lock over shells at proof				2.			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	. 443			***	<i>200</i> 0		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof				***			
GCSO-P	Gas cylinder shot off at proof			***************************************				
MSI-P	Magnaflux stamp illegible on bbl			***				
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						*****	


	99999999999999999999999999999999999999	5				
	Test Date:		Wite.			totals
74	129	1 // 💥	68	74	22	1075
0	0	0	12	0	0	12
0.0	0.0		17.6	0.0	0.0	1.1
168	177		26		22	1184
0	14	0		. O	0	122
0.0	7.9		19.2		0.0	10.3
168	4			3///		224
29	0	0	0	0	0	29
17.3	0.0					12.9
	_			250000 00000	. 2000 - 2000 20	2 20000000


XR-100	7400	7500	7600	7615	Rimfire	totals


						2//2
						3
						17











Subject to Protective Order - Williams v. Remington

	1000000	989900000000000000000000000000000000000									
Sumi	nary			oof Failures	577						
	·		Tota	al Rejected:	81						
			Overall F	al Rejected: Reject Rate:	14.04						
'				\$hot:	3 555. 4	67	1	10	28		232
	700	Proof		Rejected	ω_{ω}	0	0	0	0	0	8
				Percent,		0.0	0.0	0.0	0.0		3.4
				Shot	4	<i></i>	1	87	6		231
		Test		Shot. Reje pted :	Q.	0	O	14	0	Đ	36
				Percent:	0.0	0	. 0.0	16.1	0.0		15.6
				Shot:			1000000	6			8
		Target		Rejected:	0 8888	* *** *	***	0	0	0	0
				Percent:	0		Ü	0 9.0			0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			**********		1 ************************************			
AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************		1			2
BBMA	BBL-to-bolt misalignment		***************************************		*****			
ВВ	Bolt binds/catches		***************************************		3			4
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower						****	
ВС	Blows cases						2	
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		400					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		***************************************					

BWCFM	Bolt won't class over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		***************************************				
СО	Cut-off						
CR	Cuts rim		***				
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					Siau.	
DCT	Double click in trigger				*** //		
DCU	Doesn't close-up		***************************************	************			
DE	Doesn't eject		4	1760			****
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					***************************************	
DLU	Doesn't lock-up					*	
DS	Dead safe						10
DX	Doesn't extract						
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***		1		
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

ML	November (SCA) Colored						
777774 5000777	Magazine lögse		-				
MLH	Magazine lo ad s hard						
MRH	Magazine removes hard						
ОН	Opens hard		1000				
OR	Over-rides		200				5
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing	- " <i>(</i>					
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	*****			7		2
RIS	Ring in sholder					Sec.	
RS	Rim srem		***************************************		*** //		
SBC	Stems bottom chambers		***************************************				
SBE	Stems bbl extension		4.00	100			
SCB	Stock cracked or broken				**************************************		
SCX	Shell catches		***************************************				
SHI	Short indent		***************************************				
SI	Stems incline		***************************************		1	*****	1
SIC	Stems in chamber		A.			8	1
SL	shaves lead		na anna anna anna anna anna anna anna				
SLC	Stems left side of chamber		-				
SMOC	Stretch marks on case		***************************************				
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber		-				

SRIC

Specific rings in chamber


AI-P	Assembly incompleye at proof					
868	Barrel bracket gracked or broken at proof		***************************************			
BC-P	Blows cases at proof		***************************************			
BEB-P	Barrel extension broken at proof		***************************************			
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof		**			
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	****				
FESO-P	Fore-end shot off at proof					
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof		***************************************			*** *********************************
MSI-P	Magnaflux stamp illegible on bbl		***************************************			
MSM-P	Magnaflux stamp missing on bbl		***************************************	100		
PP-P	Pierced primer at proof		-			
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions		***************************************		2001	8
					;	


	<u> </u>					
	Test Date:		Wien.			totals
148	49		3	85		627
0	0	0	0	o	0	8
0.0	0.0		0.0	0.0		1.3
118	37		85		F	569
8	0	0	- A	7	0	69
6.8	0.0		4.7			12.1
118			69	86		287
2	0	0	·**O	2	0	4
1.7			0.0	2.3		1.4
		1		1000 000	930 4000 933	44400000


XR-100	7400	7500	7600	7615	Rimfire	totals


			1	1		2


2						5
1						8











Subject to Protective Order - Williams v. Remington

	///000////000////	W.,								
Summa	ary T	otal Tes	st + Proof Failures	783						
200000			Total Rejected:	107						
		O1	zerall Reject Rate:	13.67						
	Pro	of	Shot: [Rejected: Percent: Shot: [Rejected: Percent:	8	4	4	13	51	30	417
	Pro	of	Rejected.	0	0	0	0	0	0	10
			Percent;	0.0	0.0	0.0	0.0	0.0	0.0	2.4
			Shot [5	I	13	7	34		424
	Tes	st 🤲	Reje cted :	Q.	0	335a. 1	2	13	O	67
			Percent:	0.0	0	1 7.7	28.6	38.2		15.8
			Shot: [#22	V 2000	700000	Δ.			8
	Tai	rget	Rejected:	0 🎆		Ø	0	0	0	0
		3	Percent:	0	9	O	0			0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					* ****.
BAC	Burr at chamber		***************************************					11
BBMA	BBL-to-bolt misalignment		***************************************		****			
ВВ	Bolt binds/catches		***************************************		1			
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1111					
BLOP	Bar lock or disconnector out of position		****					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		***************************************					

BWCFM	Bolt won't close over full magazine						
CD	Case dented		**************************************				
СН	Closes hard		-				
CLM	Can't laod magazine						
со	Cut-off		244.				
CR	Cuts rim						
cs	Cases swell						
CTOG	Chamber tom or gouged	···					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	1.400			1///		
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger		***************************************	****			
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		4.00				
DEL	Doesn't eject live round		-	**************************************			
DFB	Doesn't feed back		-				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)		***************************************			******	
DLU	Doesn't lock-up		**************************************			ž.	
DS	Dead safe		***************************************				4
DX	Doesn't extract		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***	1			
ESB	Ejector sticks back		***************************************				
ESCR	Empty shell catches receiver		-				
ESS	Extractor stems shell		-			_	

	Fires automatically							
FB	Follower binds							
FC	Fails to comect							
FCB	Fore-end cracked or broken							
FD	Follows-down		što.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***)		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			2//2	***			
FT	Follower tips) }}
GCSO	Gas cyl shot off			7.00				
HBL	Heavy bolt lift				******			4
HMSC	Heading mismatch-steps on case					*****		
HPA	High pressure ammo							
HUR	Hard under rail						2004	2
JCS	Jumps cartridge						ä	
JM	Jumps magazin e							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
			·			·		

ML	Magazine loose		A					
MLH	Magazine loads hard							
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					3
OR	Overandes							8
PH	Pulls hard		***					
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				<i>2</i> /////		3
RIS	Ring in sholder					1 //	Sax.	24
RS	Rim srem							
SBC	Stems bottom chambers			***///				
SBE	Stems bbl extension		************	176				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						á	
SL	shaves lead							******
SLC	Stems left side of chamber		A					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		***************************************					4
SP	Stems port		Name of the last o					
SR	Shoulder rough							
SRC	Stems right side of chamber							


SRIC	Specific rin gs in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							1
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		što.					1
sww	Safety ewitxh work							
TD	Tips down							
TU	Tips up	***						
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***						
XH	Extracts hard			1		12	Sec.	1
HI	High							
LO	Low							
LEFT	Left				*******			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped						***************************************	
RSTT	Rear sight tipped						â	
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							


AI-P	Assembly incompleye at proof							
868	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof		-					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		ása.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				**************************************			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl			· **				
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				****	10
							ž.	


	Test Date:		Wite.			totals
147	80	1 // 1	72	50		876
0	0	0	11	0	0	21
0.0	0.0		15.3	0.0		2.4
102	79		31	67	¥	762
0	0	0	3	0	0	86
0.0	0.0		9.7	0.a		11.3
102			2	67		179
0	0	0	O	0	0	0
0.0			0.0	9.0		0.0
		1		200	0.000 0000 000	£5500000


XR-100	7400	7500	7600	7615	Rimfire	totals


			1			1
						11
						1











Subject to Protective Order - Williams v. Remington

	100000000000000000000000000000000000000										
Summ	ary	Total		of Failures	795						
			Tota	l Rejected:	62						
			Overall R	l Rejected: leject Rate:	7.80	l					
				Shot: Rejected:		24	5	22	49		220
	***************************************	Proof		Rejected:	0	0	0	0	0	0	2
		_		Percent Shot	0	0.0	0.0	0.0	0.0		0.9
			ÿ	Shot.	Book	W0000		8	43		308
		Test		Rejected:	Q.	0	₃ 0	0	5	Đ	34
				Reje sted: Percent:		0	0	0.0	11.6		11.0
				Shot		* 2000	788888	4.	3		9
		Target		Rejected:	0 888		Q.	<i>(((</i>))	0	0	0
				Percent:	0		O	0	0.0		0.0

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7


AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		***************************************				*****	
ВС	Blows cases		-				,	
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


FA	Fires automatically							
FB	Follower bin ds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down		žto.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	***						
FPHB	Firing pin hits bbl				ites. ##/////www.			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard						Seo.	
FSR	Fires when safe is released			<i>#</i>	***			
FT	Follower tips							1
GCSO	Gas cyl shot off			1784				
HBL	Heavy bolt lift				*******	1		31//
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						**************************************	2
JCS	Jumps cartridge						18	
JM	Jumps magazin e					1		
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


ML	Magazine lögse						
MALH	Magazine loads hard						
MRH	Magazine removes hard						
ОН	Opens hard						
OR	Over⊧ndes		\$40.				12
PH	Pulls hard		<i></i>				
PSI	Proof stamp illegible						
PSM	Proof stamp missing	***.					
RBOC	Rings and bulges on case				800. 800.		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	***			***		4
RIS	Ring in sholder					5a.	
RS	Rim srem				***		
SBC	Stems bottom chambers						
SBE	Stems bbt extension			198			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline					***************************************	
SIC	Stems in chamber					á	
SL	shaves lead						***************************************
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

Specific rin gs in chamber							
Surface scratches on case		Per la constante de la constan					
Stems top chamber		***************************************					
Safety switch works too easily					2		
Safety switch works too hard		\$20.					3
Safety ewitxh work		<i></i>					
							
i ibo ub							
Trigger won't pull				ites. ##/////www.			
Trigger won't retract							
Uncoded	***						
Extracts hard						Seo.	
		***************************************		****			
High		***************************************					
Low		***************************************	****				
Left				191			
Right		***************************************					
Doesn't Group							
Front sight tipped							
Rear sight tipped						ž.	
Rear sight base raised							
Front sight raised		A					
Front sight loose		***************************************					
Rear sight loose		***************************************					
Missing parts at target		Name of the last o					
Uncoded nonconformity at target							
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on base Stems top chamber Safety switch works too easily Safety switch works foo hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scrattches on case Stems top chainber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight toose Front sight loose Rear sight loose Missing parts at target	Surface scratches on pase Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewilxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on gase Stems top étainber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chainber Safety switch works too easily Safety switch works foo hard Safety ewitch works foo hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top étiainher Safety switch works too easily 2 Safety switch works foo haid Safety ewitch works foo


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		Managara anaka					
BLP-P	Blanked primer at proof		áva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							2
FCB-P	Fore-end cracked at proof	1						
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof		************					
MSI-P	Magnaflux stamp illegible on bbl		-	***				
MSM-P	Magnaflux stamp missing on bbl		-		**************************************			
PP-P	Pierced primer at proof					******		
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				****	
							ž.	








Subject to Protective Order - Williams v. Remington





Subject to Protective Order - Williams v. Remington

	1000000000000	**********									
Summ	ary			of Failures	624						
			Tota	l Rejected:	57						
			Overall R	l Rejected: leject Rate:	9.13						
				Shot: Rejected	15	3	55	126		44	82
	*******	Proof		Rejected:	0	0	0	4	0	0	0
				Percent; Shot	0.0	0.0	0.0	3.2		0.0	0.0
				Shot:	18	###	69	136	30	25	81
		Test		Rejected:	4	0	11	19	5	Đ	13
				Reje cted: Percent:	4 22 ,2	0	.15.9	14.0	16.7	0.0	16.0
				Shot:			6	Δ.		25	
		Target		Rejected:	0	g .	Ø 0	0	0	0	0
		9		Percent:			0 0			0.0	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
			**********				3 80-	
AB	Action binds		***********	1///				
BABS	Bulge at body shoulder		***************************************					** *****
BAC	Burr at chamber		***************************************	1.32	1			
BBMA	BBL-to-bolt misalignment		***************************************		****			
ВВ	Bolt binds/catches		***************************************	6	2			
BCOBS	Bolt catches on bolt stop		The services			.,		
BCOF	Bolt catches on follower		**************************************				****	
ВС	Blows cases						,	
BHR	Bolt hits receiver		-					
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		**************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down							

e over full magazine		-		1			
		i .		ı			


gazinė							
		Seco.					
							
or gouged	· · · · ///						
pull				ites. ##/////www.			
ide of action bar							
pack	***						
n safety switch						5a.	
n trigger		***************************************		888			
ир		***************************************					
	4	***************************************	****				
ive round				*******			
pack		***************************************				2000000	
ıp							
pen (after last shell)						2000 F	
р						á	
							74///
1							
t live round		***************************************					
s shell		***		1			
back		Name of the last o		1	5		2
atches receiver							
ns shell							
	or gouged or gouged r pull side of action bar back n safety switch n trigger up live round back up pen (after last shell) up at tive round as shell back atches receiver ns shell	or gouged r pull side of action bar pack n safety switch n trigger up 4 live round pack up pen (after last shell) up st tellive round as shell back atches receiver	or gouged r pull side of action bar pack n safety switch n trigger up 4 live round pack up pen (after last shell) up st tellive round as shell back atches receiver	or gouged r pull side of action bar back n safety switch n trigger up 4 live round back lip pen (after last shell) lip dt tilve round sis shell back alches receiver	or gouged r pull side of action bar pack n safety switch n trigger sup 4 live round pack up pen (after last shell) p td trive round sis shell back 11	or gouged r pull side of action bar pack n safety switch n trigger sup 4 live round pack lip pen (after last shell) pp 4 live round side of action bar 1 live round 1 live ro	or gouged pull side of action bar pack n safety switch n trigger up 4 live round back ppen (after last shell) pp 4 t live round ss shell back 1 1 5 atches receiver

FA.


Fires automatically


SRIC	Specific rings in chamber		-					
850C	Surface scratches on case		**************************************					
STC	Stems top chamber		-					
SWE	Safety switch works too easily		on and a second					2
SWH	Safety switch works too hard		days.					
sww	Safety ewitxh work		W					
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	*****			***	<i>11/1</i> 0		
XH	Extracts hard				3		Sec.	
			***************************************	<i>III</i>	****			
HI	High							***
LO	Low		-	· **				
LEFT	Left				**************************************			
RIGHT	Right					******		
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				**************************************	
RSTT	Rear sight tipped		***************************************				8	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised		and the same of th					
FSTL	Front sight loose		***************************************					
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
			-					


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		VARIABLE				
BLP-P	Blanked primer at proof		Seco.				
BLSO-P	Barrel lug shot off at proof		W				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	100					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	100			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		***************************************		4	*****	
<u> </u>				·		 7	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

CODE	MALFUNCTION INDEX	700 SPS	700 SPS	700 BDL &	700 SS	700 CDL	700 POLICE	MODEL 7
			\$8	ADL			1	
AB	Action binds							
BABS	Bulge at body shoulder							
BAC	Burr at chamber		-	***				
BBMA	BBL-to-bolt misalignment							
вв	Bolt binds/catches		-					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						*****	
вс	Blows cases						;	
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		-					
BLOP	Bar lock or disconnector out of position		-					
BLSO	Barrel lug shot off							
BPO	Bolt pulis out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down		-					

0

0

0

0

0

0

BWCFM	Bolt won't close over full magazine						
CD	Case dented	***************************************					
сн	Closes hard	***************************************					
CLM	Can't laod magazine	***************************************					
co	Cut-off	See.					
CR	Cuts rim						
cs	Cases swell		*				
CTOG	Chamber tom or gouged						
CTP	Creepy trigger pull			3			
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				<i>)</i> ////////////////////////////////////		
DCS	Double click in safety switch					Sa.	
DCT	Double click in trigger		1111.			<i>- 1</i>	
DCU	Doesn't close-up						*** *********************************
DE	Doesn't eject	Z	***				
DEL	Doesn't eject live round	-					
DFB	Doesn't feed back	-			10000		
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					200	
DLU	Doesn't lock-up	V				8	
DS	Dead safe	-					*****
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect		***************************************					
FCB	Fore-end cracked of broken		National Property and Property					
FD	Folfows-down		Seco.					
FF	Fails to fire		W					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl				*			
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***			***	11/1/11		
FPOH	Floor plate opens hard						55o.	
FSR	Fires when safe is released		***************************************		***			
FT	Follower tips			******				
GCSO	Gas cyl shot off		-	777				
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						****	
JCS	Jumps cartridge		***************************************					
JM	Jumps magazine							
10	Jars off		-					
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							

ML	Magazine loose							
MALH	Magazine loads hard							1
MRH	Magazine removes hard							
ОН	Opens hard		***************************************					
OR	Over-indes		deca.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	··· //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber				**************************************			
RIS	Ring in sholder					Sto.		
RS	Rim srem				****			
SBC	Stems bottom chambers			***			*** *********************************	
SBE	Stems bbl extension		***************************************	/**				
SCB	Stock cracked or broken				100] ,
SCX	Shell catches] //
SHI	Short indent							
SI	Stems incline					****		
SIC	Stems in chamber					;		
SL	shaves lead						***///] ***
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port		the state of the s					
SR	Shoulder rough							
SRC	Stems right side of chamber		-					


SRIC	Specific rings in chamber						
SSOC	Surface scratches on case		***************************************				
STC	Stems top.chamber		Antonia				
SWE	Safety switch works too easily		***************************************				
SWH	Safety switch works too hard		áva.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			***		
XH	Extracts hard					Sto.	

HI	High		***************************************				
LO	Low		***************************************	***			
LEFT	Left		***************************************		**************************************		
RIGHT	Right						
DG	Doesn't Group		************				
FSST	Front sight tipped					*****	
RSTT	Rear sight tipped					ž.	
RSBR	Rear sight base raised						******
FSTR	Front sight raised		A				
FSTL	Front sight loose						
RSTL	Rear sight loose		***************************************				
MGPT-G	Missing parts at target		**************************************				
UNCN-G	Uncoded nonconformity at target		-				
			-				
	·						

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof	,.					
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$to.				
BLSO-P	Barrel lug shot off at proof		<i>-</i>				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	. 449					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof			<i>#</i>	***		
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			1%			
MSM-P	Magnaflux stamp missing on bbl				*******		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions					**************************************	














Subject to Protective Order - Williams v. Remington

	/////////////	460 000 00									
Summ	ary	Total	Test + Proc	of Failures	0						
			Total	Rejected:	3						
			Overall Re	Rejected: eject Rate:							
'		Proof		Shot:	* *******						
	*******	Proof		Rejected	0	0	0	0	0	0	0
				Shot: Rejected: Percent: Shot	<i>a</i>	žato.					
				Shot.	I	WWF					
		Test		Reje cted :	a.	0	O	0	0	Đ	0
				Shot. Reje sted ; Percent: Shot:	Q.	0					
			.,	SPOL		1000	I *****				
		Target		Rejected:	0 /////	<i></i>	O	0	0	0	ō
				Percent:	0	ø	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		vinnere neer					
BAC	Burr at chamber		************					
BBMA	BBL-to-bolt misalignment		And the second s		7700			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower		100000000000000000000000000000000000000				****	
ВС	Blows cases		-				2	
BHR	Bolt hits receiver		***************************************					****
BHS	Bolt plug hits safety switch		111111111111111111111111111111111111111					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down		***************************************					

⊢	ı
_	ŧ
L	•
_	
_	•
C)
ĭ	1
\ ⊢)
•	
_	•
<u>4</u> ⊢ Ω	
╚	1
•	
Ľ)


- 1798 2									
BWCFM	Bolt won't close over full magazine]
CD	Case dented								1
СН	Closes hard	ec.	***************************************						
CLM	Can't laod magazine		***************************************						
со	Cut-off		áva.						
CR	Cuts rim]
cs	Cases swell								
CTOG	Chamber tom or gouged								
CTP	Creepy trigger pull								
CWSB	Carns wrong side of action bar								
DBB	Doesn't blow back					1////			
DCS	Double click in safety switch						Sec.		
DCT	Double click in trigger		***************************************	2///	****				
DCU	Doesn't close-up		***************************************					****	
DE	Doesn't eject		4.00	170					
DEL	Doesn't eject live round		-		*****				
DFB	Doesn't feed back		-],
DFU	Doesn't feed up								
DLO	Doesn't lock open (after last shell)		H-100				2000		1
DLU	Doesn't lock-up		**************************************				ž.		
DS	Dead safe		naantinaante					***///]**
DX	Doesn't extract		************						
DXL	Doesn't extract live round		***************************************						
EDS	Extractor drops shell		***						
ESB	Ejector sticks back		***************************************						
ESCR	Empty shell catches receiver		-						
ESS	Extractor stems shell		-				_		

FA	Fires automatically							
FB	Follower binds							
FC	Fails to comect	,.						
FCB	Fore-end cracked or broken							
FD	Follows-down		\$ec.					
FF	Fails to fire		<i>-</i>					
FFP	Flat firing pin			Miles.				
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***	//////		**************************************	<i>1</i> 1////		
FPOH	Floor plate opens hard						550.	
FSR	Fires when safe is released				***			
FT	Follower tips							ilean.
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift				1900 B			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						8	
JM	Jumps magazin e							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
					•			


1,0000	,	1					
Magazine lögse							
Magazine loads hard		***************************************					
Magazine removes hard		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Opens hard							
Over-ndes		\$45.					
Pulls hard							
Proof stamp illegible							
Proof stamp missing							
Rings and bulges on case				*			
(Action) release doesn't work							
Rings in chamber	***			***			
Ring in sholder						500.	
Rim srem			11/11/11	*** //			
Stems bottom chambers				.			
Stems bbl extension			77,0				
Stock cracked or broken				**************************************			
Shell catches		***************************************					
Short indent		***************************************				200000	
Stems incline		***************************************				*****	
Stems in chamber		-				ž.	
shaves lead							.****
Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Stretch marks on case							
Stem over-ride							
Stems port							
Shoulder rough			_				
Stems right side of chamber		-			_		
	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber stems in chamber Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine leads hard Magazine temoves hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems lead Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine removes hard Magazine removes hard Opens hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rins sem Stems bottom chambers Stems bottom chambers Stems bot extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine Jeinoves hard Magazine Jeinoves hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems or case Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads hard Magazine femoves fiard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rins sem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stems left side of chamber Stems port Stems port Stems port Stems port	Magazine loads hard Magazine removes hard Opens, hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems lead Stems lead Stems lead of stamber Stems lead Stems concase Stems left side of chamber Stems port


SRIC	Specific rin gs in chamber						
850C	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		\$to.				
sww	Safety ewitxh work		<i>-</i>				
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	****					
XH	Extracts hard					Sec.	
HI	High						
LO	Low			***			
LEFT	Left				1900 B		
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped					****	
RSTT	Rear sight tipped					8	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						


18	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***********				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
·	_					ž.	














Subject to Protective Order - Williams v. Remington

-	ı
_	i
	1
_	
_	,
C)
Ξ	1
\ -	,
_	1
-	
r	•
4 1 2)
_	

	199999999										
Summ	ary			of Failures	7	19					
			Tota	l Rejected:		36					
				eject Rate:		01					
		Proof		Shot:	Sec. 85	4	15	52	35	13	33
	***************************************	Proof		Rejected	0	0	0	0	0	0	0
				Percent;	0.0	0.0	0.0	0.0	0.0	0.0	0.0
				Shot [55		43	15			88
		Test		Rejected:	Q.	0	₅ 5	0	0	Ð	1
				Shot: [Rejected: Percent: Shot: [Rejected: Percent:	0.0	0	5 .11.6	0.0			1.1
				Shot: [800 N - 8000	`````3	2			
		Target		Rejected:	0 🔅	(// (//	0	0	0	0	0
				Percent:		g	0.0	0.0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************	<i></i>				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****		1000	
вв	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop					.,		
BCOF	Bolt catches on follower						3000	
вс	Blows cases		-					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		410					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down		and the second s					

	1	
<u>.</u>	i	
ċ	5	
Ċ)	
۲	•	
١	,	
•	ナナ ごくく こくしょくしょ	
Ū	J	
Ĺ	i	

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard	e.	***************************************				
CLM	Can't laod magazine		***************************************				
co	Cut-off						
CR	Cuts rim		***				
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull				***		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					Sto.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************				
DE	Doesn't eject		*************	***			
DEL	Doesn't eject live round				******		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					**************************************	
DLU	Doesn't lock-up		***************************************			- 20	
DS	Dead safe						
DX	Doesn't extract		A				
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back		***************************************				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA.

Fires automatically

									_
SRIC	Specific rings in chamber								
SSOC	Surface scratches on case								
STC	Stems top chamber		***************************************						
SWE	Safety switch works too easily								
SWH	Safety switch works too hard		\$40.						
sww	Safety ewitxh work		W						
TD	Tips down								
TU	Tips up	· · · · ///							
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded	***			***	<i>2</i> ////			
XH	Extracts hard						Stee.		

HI	High		***************************************						
LO	Low		4.00	***					
LEFT	Left				**************************************				
RIGHT	Right		***************************************						
DG	Doesn't Group								
FSST	Front sight tipped						****		
RSTT	Rear sight tipped						á		
RSBR	Rear sight base raised		DATE					*****	ľ
FSTR	Front sight raised		A						
FSTL	Front sight loose		***************************************						
RSTL	Rear sight loose								
MGPT-G	Missing parts at target		-						
UNCN-G	Uncoded nonconformity at target								
	<u>. </u>								-


rotective 🔾
der
iam;
s v. Remington


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof		***************************************					
BC-P	Blows cases at proof		***************************************					
BEB-P	BarreLextension broken at proof.							
BLP-P	Blanked primer at proof		žva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1						
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof		***		****			
GCSO-P	Gas cylinder shot off at proof		***************************************	*********	.			
MSI-P	Magnaflux stamp illegible on bbl			***				
MSM-P	Magnaflux stamp missing on bbl		-					
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		***************************************				2006	
	<u> </u>	·-		<u> </u>	·-	<u> </u>		2000000 20000000


	Test Date:					totals
235	123		103			698
1	3	0	2	0	0	6
0.4	2.4		1.9	***************************************		0.9
293	169		50		I	713
16	3	0	5	o	0	30
5.5	1.8		10.0	**/		4.2
145	10	.,				160
0	0	0	0	.0	O	0
0.0	0.0					0.0
XR-100	7400	7500	7600	7615	Rimfire	totals
					***************************************	2388 ******


XR-100	7400	7500	7600	7615	Rimfire	totals
					***************************************	//////////////////////////////////////
			1			1

8						8










Subject to Protective Order - Williams v. Remington



Subject to Protective Order - Williams v. Remington

۲	1	
t	ŧ	
þ	1 1 0 0	
c	3	
Ξ	Ξ.	
١.	,	
۲	1	
٨	3	
H	-	
ľ	>	
ľ	<u>د</u>	
۸	٥	

	10000000000000000000000000000000000000										
Summa	ary	Total		oof Failures	963						
			Tota	al Rejected:	53						
			Overall F	Reject Rate:	5.50						
	**************************************			Shot: Rejected	28	28	6	281	52	2	103
	***************************************	Proof	887 BB	Rejected	0	0	0	0	0	0	1
				Percent Shot	0 0.0	0.0	0.0	0.0	0.0	0.0	1.0
				Shot.		23		282		88	180
		Test	*	Shot. Reje cted :	Q.	0	O	11	0	Ð	2
				Percent:		0 0, 0		3.9		0.0	1.1
				Shot:			700000	26		88	
		Target		Rejected:	0 8888	## \$	Ø	0	0	13	0
		3 - 1		Percent:	0		, o	0 0 0		14.8	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					.
BAC	Burr at chamber		***************************************		1			
BBMA	BBL-to-bolt misalignment		Martino 1144		****			
ВВ	Bolt binds/catches		**************************************		4	10000		
BCOBS	Bolt catches on bolt stop		**************************************				3.00	
BCOF	Bolt catches on follower		***************************************				****	
BC	Blows cases		***************************************				;	
BHR	Bolt hits receiver		- Control of the Cont					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		***************************************					
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************		1		
CLM	Can't laod magazine		***************************************				
СО	Cut-off						
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged	···.					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch					88.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up			***************************************			*** *********************************
DE	Doesn't eject		4	· · · ·			
DEL	Doesn't eject live round				×40000		
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*******	
DLU	Doesn't lock-up						
DS	Dead safe						****///
DX	Doesn't extract						1
DXL	Doesn't extract live round		***************************************				
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell		-				


	\$550000				,			
FA	Fires automatically							
FB	Follower binds		***************************************					
FC	Fails to comect		·					
FCB	Fore-end cracked of broken		****					
FD	Follows-down		áva.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			3			
FPOH	Floor plate opens hard					***	5to.	
FSR	Fires when safe is released		***************************************	<i>III</i>	****			
FT	Follower tips							
GCSO	Gas cyl shot off		-	· **				
HBL	Heavy bolt lift		-		**************************************			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo		-					
HUR	Hard under rail		***************************************				200 4	
JCS	Jumps cartridge		***************************************				į.	
JM	Jumps magazin e		-					***************************************
JO	Jars off		and the same of th					
LB	Light blow		***************************************					
MAH	Magazine assembles hard		***************************************					
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							


	C 50535550 10-05555500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-0555000 10-055500 10-055500 10-055500 10-055500 10-055500 10-0555000 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-0555000 10-055500 10-055500 10-055500 10-055500 10-055500 10-055000 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-055500 10-0555000 10-055500 10-055500 10-0555000 10-055500 10-055500 10-0555000 10-0555000 10-0555000 10-0555000 10-0555000 10-0555000 10-05550							
ML	Magazine loose							
BALH	Magazine loads hard		***************************************					
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides		dece.					1
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	//////////////////////////////////////		***	11/11		
RIS	Ring in sholder						5co.	
RS	Rim srem				***			
SBC	Stems bottom chambers			******	.			*** ******
SBE	Stems bbl extension			***				
SCB	Stock cracked or broken				******			
scx	Shell catches							
SHI	Short indent							
SI	Stems incline		***************************************		1		****	
SIC	Stems in chamber						;	
SL	shaves lead							
SLC	Stems left side of chamber		***************************************					
SMOC	Stretch marks on case							
SOR	Stem over-ride		***************************************					
SP	Stems port		***************************************					
SR	Shoulder rough							
SRC	Stems right side of chamber		-					

SRIC	Specific rings in chamber				
8600	Surface scratches on case				
STC	Stems top chamber				
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	žto.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded				
XH	Extracts hard		1	Seo.	
HI	High				
LO	Low				
LEFT	Left		**************************************		
RIGHT	Right				
DG	Doesn't Group			13	
FSST	Front sight tipped			*****	
RSTT	Rear sight tipped			18	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				


AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		******					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof		.					
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				Ži iz		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************		*** //			
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		***************************************		******			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-				****	1
							ž.	


XR-100	7400	7500	7600	7615	Rimfire	totals
					*********	/////
				1		1
						1
1						5






Subject to Protective Order - Williams v. Remington







Subject to Protective Order - Williams v. Remington

Summa	ary Tota	i Test + Proof Failures	0						
		Total Rejected:	0						
		Total Rejected: Overall Reject Rate:							
	Proof	Shot Rejected Percent Shot Rejected Percent							
	Proof	Rejected:	0	0	0	0	0	0	0
		Percent;	<i>o</i>	Mari					
		Shot.		1000F					
	Test	Reje cted :	Q	0	O	0	0	Đ	0
		Percent:		0					
		Shot: Rejected:		¥ .2000¥	1 78888	<i>A</i> .			
	Targe		0	9	O	0	0	0	0
		Percent:		//////	<i>.</i>				

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control Control					
BWCD	Bolt won't cam down							

BWCFM

CD

СН

CLM CO

CR

CS

Bolt won't close over full magazine

Case dented

Closes hard Can't laod magazine

Cut-off

Cuts rim

Cases swell

FA.


Fires automatically

ML	Magazine loose							
MLH	Magazine loads hard		Per la constante de la constan					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		VANDETHINA					
OR	Over-ndes		\$20.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case				*			
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***			***	11/10		
RIS	Ring in sholder						800.	
RS	Rim srem				- "W //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		-	~~				
SCB	Stock cracked or broken				****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber		***************************************					
SL	shaves lead							***///
SLC	Stems left side of chamber							
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
-		•	*	•	•	•	•	•


\$506 St STC St SWE \$6 SWH \$6 SWW \$6	pecific rings in chamber furface scratches on dase fterns top chamber fafety switch works too easily fafety switch works too hard fafety ewitch works too hard						
STC St SWE \$\$\epsilon\$ SWH \$\$\epsilon\$ SWW \$\$\epsilon\$	items top chamber afety switch works too easily afety switch works too hard						1
SWE \$6 SWH S8 SWW S8	afety switch works foo easily afety switch works too hard						7
SWH SE	afety switch works too hard						
SWW Sa	2000000 200000 200000 200000						1
	afety ewitxh won't work		šta.				1
							1
TD Ti	ips down]
TU Ti	ips up						
TWP Tr	rigger won't pull						
TWR Tr	rigger won't retract						1
UNCN-T Ur	Incoded	*****					1
XH E	xtracts hard					Sec.	1
				<i>##</i>			1
HI Hi	ligh						 1
LO Lo	ow			***			1
LEFT Le	eft				.44		1
RIGHT Ri	light						1
DG Do	oesn't Group						ŀ
FSST Fr	ront sight tipped					3000 F	1
RSTT Re	tear sight tipped					ž.	
RSBR Re	tear sight base raised						 7
FSTR Fr	ront sight raised						1
FSTL Fr	ront sight loose						1
RSTL R	tear sight loose						1
MGPT-G MI	lissing parts at target						1
UNCN-G Ur	Incoded nonconformity at target						1
							1

Н	
H	
H H	
\circ	
Ŏ1	
N	
Ë	
4	
ັກ	
ശ	

	(7,00000)						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		***************************************				
BC-P	Blows cases at proof		***************************************				
BEB-P	BarreLextension broken at proof		Managara anakar				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof		.				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				8.00 8.00 8.00 8.00 8.00 8.00 8.00 8.00		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					Stor.	
FF-P	Fails to fire at proof				****		
GCSO-P	Gas cylinder shot off at proof		***************************************				*** *********************************
MSI-P	Magnaflux stamp illegible on bbl		***************************************	172			
MSM-P	Magnaflux stamp missing on bbl		***************************************		707		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		***************************************			2000	
	· · · · · · · · · · · · · · · · · · ·	·	·		·		94680007 - 794880000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	220000000000000000000000000000000000000										
Summa	ary	Total	Test + Proof Fe	ailures	0						
			Total Rej	ected:	0						
			Total Rej Overall Rejec	t Rate:							
	,		R. R. R.	Shot: ejected:	.	55444					
	F	roof	R	ejected:	0	0	0	О	0	0	0
			, , ,	ercent,	, o	800					
				Shot		W000F					
	7	est 🦳	R	eje cted :	o.	0	O	0	0	Đ	0
			F F	eje cted : Percent		0					
				Shot. ejected:	3888	K 18888	700000	A.			
	7	arget			0	0	Q	0	0	O	0
		=	F	Percent:							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds			<i></i>				
BABS	Bulge at body shoulder		vening the same of					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		-					
ВС	Blows cases						8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position							
BLSO	Barrel lug shot off		***					
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine							
BWCD	Bolt won't cam down							

BWCFM

CD

Bolt won't close over full magazine


Case dented

	000000000000000000000000000000000000000							
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked of broken							
FD	Follows-down		\$to.					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***	//////		***	<i>11/1</i> 0		
FPOH	Floor plate opens hard		777				Sau.	
FSR	Fires when safe is released			2000	***			
FT	Follower tips							388 00.
GCSO	Gas cyl shot off			***				
HBL	Heavy bolt lift				*****			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail						*****	
JCS	Jumps cartridge						8	
JM	Jumps magazin e							
7O	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
MAH MCW MFA	Light blow Magazine assembles hard Magazine capacity wrong Misfires (ammo)							

ML	Magazine logse							
MALH	Magazine lo ads hard							
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-ndes		što.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	//////		***	<i>M</i>		
RIS	Ring in sholder						Sec.	
RS	Rim srem			11/11/1	****			
SBC	Stems bottom chambers			***************************************				ilean.
SBE	Stems bbl extension			7.00				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						****	
SIC	Stems in chamber						į.	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
	*							

SRIC	Specific rings in chamber		***************************************					
SSOC	Surface scratches on case		***************************************					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						Sec.	
			***************************************		***			
HI	High							
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					


	//////////////////////////////////////							
AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$45.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				1000		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof	-	44440444					
GCSO-P	Gas cylinder shot off at proof		***************************************					
MSI-P	Magnaflux stamp illegible on bbl		***************************************	1%				
MSM-P	Magnaflux stamp missing on bbl				× × × × × × × × × × × × × × × × × × ×			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions						****	
							8	




Subject to Protective Order - Williams v. Remington




Subject to Protective Order - Williams v. Remington









Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percept: Shot: Rejected: Peicent:							
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	a	No.					
			Shot:	li	000F					
		Test	Reje çted :	Q.	0	O	0	0	O	0
			Shot. Rejected: Percent: Shot. Rejected:	a	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 ////	9	O	0	0	0	0
		-	Percent:	0	0	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			**********		1 ************************************			
AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				7788			
вв	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower		***************************************				370.00	
вс	Blows cases		***************************************					
BHR	Bolt hits receiver							
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		200					
BLSO	Barrel lug shot off		-					
BPO	Bolt pulls out		400					
BSSM	Bolt stems shell in magazine		***************************************					
BWCD	Bolt won't cam down		-					

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
co	Cut-off		što.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged	···.					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	***					
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger				***		
DCU	Doesn't close-up			***************************************			
DE	Doesn't eject			***			
DEL	Doesn't eject live round				×44		ر ا
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					200 4	
DLU	Doesn't lock-up					á	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						


FA	Fires automatically						
FB	Follower binds						
FC	Fails to comect						
FCB	Fore-end cracked or broken						
FD	Follows-down		žto.				
FF	Fails to fire						
FFP	Flat firing pin						***************************************
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	. 443					
FPOH	Floor plate opens hard					Sec.	
FSR	Fires when safe is released				***		
FT	Follower tips						***
GCSO	Gas cyl shot off			178			
HBL	Heavy bolt lift				*******		
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail					*******	
JCS	Jumps cartridge						
JM	Jumps magazine						
10	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						

1,0000	,	1					
Magazine lögse							
Magazine loads hard		***************************************					
Magazine removes hard		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Opens hard							
Over-ndes		\$45.					
Pulls hard							
Proof stamp illegible							
Proof stamp missing							
Rings and bulges on case				*			
(Action) release doesn't work							
Rings in chamber	***			***			
Ring in sholder						50a.	
Rim srem			11/11/11	*** //			
Stems bottom chambers				.			
Stems bbl extension			77,0				
Stock cracked or broken				**************************************			
Shell catches		***************************************					
Short indent		***************************************				200000	
Stems incline		***************************************				*****	
Stems in chamber		-				ž.	
shaves lead							.****
Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Stretch marks on case							
Stem over-ride							
Stems port							
Shoulder rough			_				
Stems right side of chamber		-			_		
	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber stems in chamber Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine leads hard Magazine temoves hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems lead Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine removes hard Magazine removes hard Opens hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rins sem Stems bottom chambers Stems bottom chambers Stems bot extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems in chamber Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine Jeinoves hard Magazine Jeinoves hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems or case Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads hard Magazine femoves fiard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rins sem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems in chamber Stems in chamber Stems left side of chamber Stems left side of chamber Stems port Stems port Stems port Stems port	Magazine loads hard Magazine removes hard Opens, hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bott extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems in chamber Stems lead Stems lead Stems lead of stamber Stems lead Stems concase Stems left side of chamber Stems port Stems port Stems port Stems port Stems port Stems port

SRIC	Specific rings in chamber					
850C	Surface scratches on case	***************************************				
STC	Stems top chamber	 ***************************************				
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	iva.				
sww	Safety ewitxh work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull	2000		* ***********************************		
TWR	Trigger won't retract					
UNCN-T	Uncoded	<i></i>				
XH	Extracts hard				Sax.	


HI	High					
LO	Low	***************************************	7%			
LEFT	Left			2000		
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped	***			****	
RSTT	Rear sight tipped				ž.	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose	***************************************				
RSTL	Rear sight loose	***************************************				
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					

18	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					5ec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		************				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
·	_					ž.	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

_	100000										
Summa	ıry	Total	Test + Proc		0						
			Total	Rejected:	0						
Summa			Overall Re	Rejected: ject Rate:							
				Shot: Rejected	\$\$\$						
		Proof		Rejected	0	0	0	0	0	0	0
				Percent	0	Ma.					
				Percent Shot	(*) 1	<i>1000 -</i>					
		Test		Rejected:	Q.	0	Sec. 0	0	0	Đ	0
				Percent:	Q.		0				
			7098	Shot:							
		Target		Rejected Percent: Shot: Rejected:	0	9		0	0	0	0
		901		Percent:	0	9	O	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	1///				
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				****		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-				8	
BHR	Bolt hits receiver							*****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		State of the state					
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

BWCFM	Bolt won't close over full magazine		-					
CD	Case dented							
СН	Closes hard		***************************************					
CLM	Can't laod magazine		Managara anaka					
со	Cut-off		áva.					
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber tom or gouged	· · · · //						
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***				11/1/11		
DCS	Double click in safety switch						Sec.	
DCT	Double click in trigger		***************************************					
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		4.00	***				
DEL	Doesn't eject live round		-		1918			
DFB	Doesn't feed back		-					
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)		H-100				*****	
DLU	Doesn't lock-up		**************************************				2	
DS	Dead safe		naantinaante					
DX	Doesn't extract		***********					
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell							
ESB	Ejector sticks back		***************************************					
ESCR	Empty shell catches receiver		-					
ESS	Extractor stems shell		and the same of th					


FA.

Fires automatically


ML	Magazine loose							
MLH	Magazine loads hard							
MRH	Magazine removes hard	·						
ОН	Opens hard							
OR	Overandes		što.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***	//////		***)		
RIS	Ring in sholder						Sec.	
RS	Rim srem			11/11/16	***			
SBC	Stems bottom chambers							
SBE	Stems bbl extension			****				
SCB	Stock cracked or broken				*******			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						18	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber					_		


SRIC	Specific rings in chamber						
SSOC	Surface scratches on case		***************************************				
STC	Stems top chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
SWE	Safety switch works too easily		V				
SWH	Safety switch works too hard		\$20.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up	· · · · ///					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	***			1000		
хн	Extracts hard					Sto.	
			44440444				
HI	High						
LO	Low		***************************************				
LEFT	Left			**************************************			
RIGHT	Right		***************************************				
DG	Doesn't Group		***************************************				
FSST	Front sight tipped		***************************************			*****	
RSTT	Rear sight tipped		A.			ž.	
RSBR	Rear sight base raised						****
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						
		-	•	•			•

	7,000000000000000000000000000000000000							
AI-P	Assembly incompleye at proof		-					
868	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof		žva.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof							
DLOS-P	Doesn't lock over shells at proof				William.			
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>.</i>		
FESO-P	Fore-end shot off at proof						Sec.	
FF-P	Fails to fire at proof				****			
GCSO-P	Gas cylinder shot off at proof		*************					
MSI-P	Magnaflux stamp illegible on bbl		-					
MSM-P	Magnaflux stamp missing on bbl		-		******			
PP-P	Pierced primer at proof		-					
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		***************************************					
				-			;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////	**************************************								
Summa	any	Total	Test + Proof Failures	0						
		####	Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
		Proof	Shot: Rejected: Percent: Shot: Rejected: Peicent:	T						
	- Y	Proof	Rejected:	0	0	0	0	0	0	0
			Percent	9	Soc.					
			Shot.	€ ∞ T	888F					
		Test	Reje cted :	G.	0	O	0	0	0	0
			Shot. Reje cted: Percent: Shot: Rejected:	a.	0					
			Shot:		30000	1 78888	A .			
		Target	Rejected:	0 333	9	O	0	0	0	0
		-	Percent:	0	9	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************					
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		***************************************					
ВВ	Bolt binds/catches		and the same of th					
BCOBS	Bolt catches on bolt stop		***************************************				3.00	
BCOF	Bolt catches on follower		200				****	
ВС	Blows cases		***************************************				,	
BHR	Bolt hits receiver		1100					
BHS	Bolt plug hits safety switch		1					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulls out		***					
BSSM	Bolt stems shell in magazine		The state of the s					
BWCD	Bolt won't cam down		****					

	۲	ı
	۲	ŧ
		1
	C)
	Ē	•
	F	1
	<u> </u>	3
	H	1
	[]	П
	č	Š
֡	ن د	j

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		***************************************				
CO	Cut-off		âva.				
CR	Cuts rim						
CS	Cases swell						
CTOG	Chamber tom or gouged	173					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	. ***	// Was				
DCS	Double click in safety switch					Sec.	
DCT	Double click in trigger						
DCU	Doesn't close-up		***************************************	***************************************			**************************************
DE	Doesn't eject		-	· · · ·			
DEL	Doesn't eject live round				70000		
DFB	Doesn't feed back		****				
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					*****	
DLU	Doesn't lock-up		***************************************			ž.	
DS	Dead safe						
DX	Doesn't extract		***				
DXL	Doesn't extract live round						
EDS	Extractor drops shell		***************************************				
ESB	Ejector sticks back		-				
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

FA FB

FC

FCB

FD

FF

FFP

FOS

Fires automatically

Follower binds

Fails to comect

Follows-down

Flat firing pin

Fires on safe

Fails to fire

Fore-end cracked or broken

ML

MRH

ОН

OR

РН

PSI

PSM

Magazine loose

Opens hard

Over-rides

Pulls hard

Magazine loads hard


Proof stamp illegible

Proof stamp missing

Magazine removes hard

SRIC	Specific rin gs i n chamber		***************************************					
SSOC	Surface scratches on case		Part of the Control o					
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		data.					
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	***	//////////////////////////////////////		***	11/1/11		
хн	Extracts hard						Sec.	
			***************************************		***			
HI	High							
LO	Low			***				
LEFT	Left				**************************************			
RIGHT	Right							
DG	Doesn't Group		-					
FSST	Front sight tipped		***************************************				****	
RSTT	Rear sight tipped		****				į	
RSBR	Rear sight base raised		-					
FSTR	Front sight raised							
FSTL	Front sight loose		**************************************					
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target		Anatomical					
			-					


	30000000000000000000000000000000000000						
AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof		**************************************				
BC-P	Blows cases at proof		440044100				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					50a.	
FF-P	Fails to fire at proof		***				
GCSO-P	Gas cylinder shot off at proof		***********				
MSI-P	Magnaflux stamp illegible on bbl		450445044	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		**************************************			*****	
<u> </u>	_					á	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	///////////////	200 000 0000000000000000000000000000000									
Summ	any	Total	Test + Proof F	ailures	()					
			Total Re	ejected:	(9					
			Test + Proof F Tötal Re Overall Rejed	ct Rate:							
			,	28655555							
	*******	Proof	# # # # # # # # # # # # # # # # # # #	Rejected.	3300000000000	0	0	0	0	0	0
				⊬ercenτ,	o	2000.					
				Shot.	8550.	L88888F					
		Test	· · · · · · · · · · · · · · · · · · ·	Reje cted :	Q.	0	O	0	0	Đ	0
				Shot: Reje cted : Percent: Shot: Rejected:	G	0					
			**	Shot:	.200	8 8 7 - 2000	1000000	4.			
		Target	F	Rejected:	0 💥		Ø	0	0	0	0
		Ū		Percent:	0		O	0			
					******	- ///////////	11111111	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***************************************			***		
AB	Action binds				- 4			
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		*****			
вв	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower						*****	
вс	Blows cases							
BHR	Bolt hits receiver		***************************************					
BHS	Bolt plug hits safety switch							
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out		400					
BSSM	Bolt stems shell in magazine		-					
BWCD	Bolt won't cam down		1100					

۲	+	
۲	4	
ŀ	11100	
Ċ	ō	
7	₹	
٠	•	
۲	-	
١	3	
۲	л Л	
Ľ	П	
F		
Ľ	П	

BWCFM	Bolt won't close over full magazine							
CD	Case dented							
СН	Closes hand	e.	***************************************					
CLM	Can't laod magazine		-					
СО	Cut-off							
CR	Cuts rim		***					
cs	Cases swell							
CTOG	Chamber tom or gouged							
CTP	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back	***						
DCS	Double click in safety switch					Sec.		
DCT	Double click in trigger							
DCU	Doesn't close-up		***************************************					
DE	Doesn't eject		***************************************	****				
DEL	Doesn't eject live round							
DFB	Doesn't feed back] ,,
DFU	Doesn't feed up		***************************************					
DLO	Doesn't lock open (after last shell)					*****		
DLU	Doesn't lock-up		***************************************			ž		
DS	Dead safe						*******	
DX	Doesn't extract							
DXL	Doesn't extract live round		***************************************					
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell		-					

ML	Magazine lögse							
MLH	Magazine lo ad s hard							
MRH	Magazine removes hard	e e						
ОН	Opens hard							
OR	Over-ndes		žas.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				Žiji k		
RIS	Ring in sholder						Sau.	
RS	Rim srem				***			
SBC	Stems bottom chambers							3800
SBE	Stems bbl extension			7.55				
SCB	Stock cracked or broken				*****			
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline						*****	
SIC	Stems in chamber						8	
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
					•			


SRIC

SSOC

Specific rings in chamber

Surface scratches on case

AI-P	Assembly incompleye at proof		and the same of th				
868	Barrel bracket gracked or broken at proof		-				
BC-P	Blows cases at proof		***				
BEB-P	Barrel extension broken at proof		***************************************				
BLP-P	Blanked primer at proof						
BLSO-P	Barrel lug shot off at proof		**				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1.400					
FESO-P	Fore-end shot off at proof					50a.	
FF-P	Fails to fire at proof		***		****		
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************		
PP-P	Pierced primer at proof		-				
SCB-P	Stock cracked or broken at proof		***************************************				
UNCM-P	Uncoded proof malfunctions		***************************************			*****	





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////	8a.								
Summ	ary To	otai Test i	Proof Failures	0						
		***	Total Rejected:	0						
		Over	Total Rejected: all Reject Rate:							
	Pro	of .	Shot: Rejected Percent Shot Rejected: Percent:							
	Pro	of	Rejected.	0	0	0	0	0	0	0
			Percent	0	\$350.					
			Shot.	See	<i>8000</i> 7					
	Tes	t ***	Reje cted :	O O	0	0	0	0	0	0
			Percent:	Q.	0					
			Shot: Rejected:	.88838	3000	1 1988 H	۸.			
	Tar	get		0 🧼	9/	O	0	0	O	0
		=	Percent:	0	9	Ü	0			
				7777777	2222222	3.273.232.	********			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				X	
AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment				***		3000	
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							


	2006B200411 11-24B200044						
BWCFM	Bolt won't class over full magazine						
CD CH	Case dented	***************************************					
СН	Closes hard						
CLM	Can't laod magazine	***************************************					
СО	Cut-off	dece.					
CR	Cuts rim	- XX.					
CS	Cases swell						
стос	Chamber torn or gouged						
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				11/1/11		
DCS	Double click in safety switch					55s.	
DCT	Double click in trigger			***			
DCU	Doesn't close-up						
DE	Doesn't eject		7.9				
DEL	Doesn't eject live round			****			
DFB	Doesn't feed back	-					
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					****	
DLU	Doesn't lock-up					,	
DS	Dead safe						*******
XD	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						

10								
FA	Fires automatically							
FB	Follower binds							
FC	Fails to connect		***************************************					
FCB	Fore-end gracked of broken							
FD	Follows-down		\$20.					
FF	Fails to fire		<i>*************************************</i>					
FFP	Flat firing pin							
FOS	Fires on safe	···						
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens	***				1000		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released		***************************************		****			
FT	Follower tips		***************************************					iii ii
GCSO	Gas cyl shot off		***************************************	·**				
HBL	Heavy bolt lift				*******			
HMSC	Heading mismatch-steps on case		***************************************					
HPA	High pressure ammo							
HUR	Hard under rail						******	
JCS	Jumps cartridge						ž.	
JM	Jumps magazine							***//
10	Jars off							
LB	Light blow		***************************************					
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							
—								

ML	Magazine logse					
MLH	Magazine lo ads hard		**************************************			
MRH	Magazine removes hard		***************************************			
ОН	Opens hard		**************************************			
OR	Over-rides		- 3000.			
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing	···				
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				5ec.	
RS	Rim srem		***************************************			
SBC	Stems bottom chambers		***************************************			
SBE	Stems bbl extension		450445044			
SCB	Stock cracked or broken		***************************************			
SCX	Shell catches		***************************************			
SHI	Short indent		************			
SI	Stems incline		1133A113A1		*****	
SIC	Stems in chamber		**************************************		ä	
SL	shaves lead					******
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1			
SMOC	Stretch marks on case		***************************************			
SOR	Stem over-ride		***************************************			
SP	Stems port		**************************************			
SR	Shoulder rough		***************************************			
SRC	Stems right side of chamber		-			
		-			 	


								_
SRIC	Specific rings in chamber]
SSOC	Surface scratches on case							1
STC	Stems top chamber							1
SWE	Safety switch works too easily							1
SWH	Safety switch works too hard	Sec.						1
sww	Safety ewitxh work							1
TD	Tips down]
TU	Tips up							1
TWP	Trigger won't pull			** **********************************				1
TWR	Trigger won't retract							1
UNCN-T	Uncoded			***	<i>M</i> ////			1
хн	Extracts hard					Soc.		1
		1	2000	***				1
HI	High		***************************************					1
LO	Low		***				***	1
LEFT	Left			4000				1
RIGHT	Right				***//			1
DG	Doesn't Group							
FSST	Front sight tipped					*****		17
RSTT	Rear sight tipped							
RSBR	Rear sight base raised						*****	1**
FSTR	Front sight raised	1						1
FSTL	Front sight loose							1
RSTL	Rear sight loose]
MGPT-G	Missing parts at target							1
UNCN-G	Uncoded nonconformity at target							1
								1
		 						-

AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at proof		\$45.				
BLSO-P	Barrel lug shot off at proof		***				
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	***					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		***************************************				
MSI-P	Magnaflux stamp illegible on bbl		***************************************	***			
MSM-P	Magnaflux stamp missing on bbl				**************************************		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions		-			****	
				•		;	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////////									
Su	ımmary	Total Test	Proof Failures	0						
		Over	Total Rejected: all Reject Rate:	0						
		Ove	rall Reject Rate:							
		Proof .	Shot: [Rejected: Percent: Shot: [Rejected: Percent:	80m.						
		Proof	Rejected	0	0	0	0	0	0	0
			Percent	0	Sec					
			Shot. [Rejectéd: Percent: Shot: [Rejected:	** 	<i>88</i>					
		Test	Reje cted :	G.	0	O	0	0	0	0
			Percent:	o.	0					
			Shot:	<i>##</i>	#####	1 78888	A .			
		Target	Rejected:	o	9 /	ø	0	0	0	0
			Percent:	0	9	Ü	0			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7
			***********				>>	
AB	Action binds							
BABS	Bulge at body shoulder		***************************************					
BAC	Burr at chamber		***************************************					
BBMA	BBL-to-bolt misalignment		-		7788			
ВВ	Bolt binds/catches							
BCOBS	Bolt catches on bolt stop		***************************************			.,		
BCOF	Bolt catches on follower		200				****	
BC	Blows cases		***************************************					
BHR	Bolt hits receiver		110					
BHS	Bolt plug hits safety switch		411					
BLOP	Bar lock or disconnector out of position		***************************************					
BLSO	Barrel lug shot off		***************************************					
BPO	Bolt pulis out		****					
BSSM	Bolt stems shell in magazine		an transfer					
BWCD	Bolt won't cam down		***************************************					

BWCFM

CD

Bolt won't close over full magazine

Case dented

FA.


Fires automatically

200	200200001 1-0000000000							
ML	Magazine loose							
MLH	Magazine loads hard		**************************************					
MRH	Magazine removes hard		***************************************					
ОН	Opens hard		***************************************					
OR	Over-rides		\$40.					
PH	Pulls hard							
PSI	Proof stamp illegible							
PSM	Proof stamp missing	· · · · //						
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	***				11/1/11		
RIS	Ring in sholder						Sec.	
RS	Rim srem		***************************************	11/11/1	*** //			
SBC	Stems bottom chambers							
SBE	Stems bbl extension		*******	***				
SCB	Stock cracked or broken				**************************************			
SCX	Shell catches		-					
SHI	Short indent		-					
SI	Stems incline		***************************************				***************************************	
SIC	Stems in chamber		****				ž.	
SL	shaves lead		Managara					****
SLC	Stems left side of chamber		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
SMOC	Stretch marks on case		***************************************					
SOR	Stem over-ride		And Andreas					
SP	Stems port							
SR	Shoulder rough		-					
SRC	Stems right side of chamber							

5556665557 1-2556565655							
Specific rin gs in chamber							
Surface scratches on case							
Stems top.etismber							
Safety switch works too easily		on and a second					
Safety switch works too hard		dece.					
Safety ewitxh won't work		W					
Tips down							
Tips up							
Trigger won't pull							
Trigger won't retract							
Uncoded		//////////////////////////////////////			<i>M</i> ////		
Extracts hard						5co.	
		-		****			
High			******	.			*** ******
Low			***				
Left				**************************************			
Right		***************************************					
Doesn't Group		-					
Front sight tipped		***************************************				**************************************	
Rear sight tipped		***************************************				;	
Rear sight base raised		-					
Front sight raised		and the same of th					
Front sight loose		***************************************					
Rear sight loose		***************************************					
Missing parts at target							
Uncoded nonconformity at target							
		-					
	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top chamber Safety switch works too easily Safety switch works too hard Safety ewitxh work work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on asse Stems top etiamber Safety switch works too easily Safety switch works too hard Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Missing parts at target	Surface scraticities on case Stems top shamber Safety switch works too easily Safety switch works foo hard Safety switch work Tips down Tips up Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on case Stems top etiamber Safety switch works too easily Safety switch works foo haid Safety ewitch work foo haid Safety ewitch work Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target	Surface scratches on dase Stems top chamber Safety switch works too easily Safety switch works too bard Safety ewitch works Tips down Tips up Trigger won't pull Trigger won't retract Uncoded Extracts hard High Low Left Right Doesn't Group Front sight tipped Rear sight tipped Rear sight base raised Front sight loose Rear sight loose Missing parts at target

l		ı	
l	-	ŧ	
ĺ	=	ı	
(Ξ)	
ţ	_	,	
ŀ		1	
l	ľ)	
ŀ	_	1	
ĺ	J	1	
	1		
	ź		


AI-P	Assembly incompleye at proof							
868	Barrel bracket stacked or broken at proof							
BC-P	Blows cases at proof		***************************************					
BEB-P	Barrel extension broken at proof		ranning and a second					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · //						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	***				<i>**</i>		
FESO-P	Fore-end shot off at proof						Seo.	
FF-P	Fails to fire at proof		***************************************					
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		***************************************		**************************************			
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		***************************************				200 B	
						_		00000 0000000




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	//////////	89 3 30.								
Summa	ary	Total	Test + Proof Failures	0						
			Total Rejected:	0						
			Total Rejected: Overall Reject Rate:							
			Shot: Rejected: Percent: Shot: Rejected; Percent:	.						
	***	Proof	Rejected:	0	0	0	0	0	0	0
		er 🗼	Percent		800.					
			Shot.	1800 - LO						
		Test "	Shot. Reje sted : Percent:	o.	0	O	0	0	Đ	0
			Percent:	o.	0					
			Shiot: Rejected:		11/11/		<i>A</i> .			
		Target		0 ////	9/	ø	0	0	Đ	0
		-	Percent:	0	Q	e e	0			
				1 12,22,22	2232223	4 32733333 S	***************************************		_	

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						****	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

<i>A</i>							
BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard		***************************************				
CLM	Can't laod magazine		***************************************				
СО	Cut-off		âsa.				
CR	Cuts rim		**				
CS	Cases swell						
CTOG	Chamber tom or gouged	- "". //					
CTP	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				<i>200</i>		
DCS	Double click in safety switch		****		***	50v.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round			*******			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)					2000	
DLU	Doesn't lock-up					;	
DS	Dead safe						*******
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell		***************************************				
DXL EDS ESB ESCR	Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver						


	998888691							
FA	Fires automatically							
FB	Follower binds		***************************************					
FC	Fails to connect	,.						
FCB	Fore-end cracked or broken							
FD	Folfows-down		dus.					
FF	Fails to fire		- A.					
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FP0	Floor plate opens	***			***	11/1/11		
FPOH	Floor plate opens hard						Sec.	
FSR	Fires when safe is released			11/11/1	****			
FT	Follower tips							
GCSO	Gas cyl shot off			7.00				
HBL	Heavy bolt lift				**************************************			
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail		***************************************				*****	
JCS	Jumps cartridge		1				×	
JM	Jumps magazin e							***************************************
JO	Jars off		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
LB	Light blow							
MAH	Magazine assembles hard		***					
MCW	Magazine capacity wrong		Name of the last o					
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position		-					

33000000							
Magazine lögse		A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
Magazine loads hard		Per la constante de la constan					
Magazine removes hard		***************************************					
Opens hard		***************************************					
Over-rides		doco.					
Pulls hard							
Proof stamp illegible							
Proof stamp missing							
Rings and bulges on case							
(Action) release doesn't work							
Rings in chamber	***			***)		
Ring in sholder						500.	
Rim srem			11/11/16	388			
Stems bottom chambers		***************************************					*** *********************************
Stems bbl extension			***				WW 2000
Stock cracked or broken				*****			
Shell catches					******		
Short indent		***************************************					
Stems incline		***************************************				*****	
Stems in chamber		1				×	
shaves lead							***************************************
Stems left side of chamber							
Stretch marks on case		***************************************					
Stem over-ride							
Stems port							
Shoulder rough							
Stems right side of chamber		-			_		
	Magazine loads hard Magazine removes hard Opens hard Oversides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bottom chambers Stems hard extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine loads:hard Magazine removes hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bot extension Stock cracked or broken Shell catches Short indent Stems in chamber shaves lead Stems left side of chamber Stems port Stems port Stems port Stems port	Magazine loads hard Magazine removes hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stams lead Stems left side of chamber Stems port Stems port Stems port Stems port Stems port	Magazine loads hard Magazine removes hard Opens hard Opens hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bottom chambers Stems bbl extension Stock cracked or broken Shell catches Short indent Stems in chamber stems in chamber Stems in chamber Stems lead Stems left side of chamber Stretch marks on case Stems port Shoulder rough	Magazine loads hard Magazine loads hard Magazine removes hard Over-rides Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bot extension Stock cracked or broken Shell catches Short indent Stems in chamber Stems or case Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine loads land Magazine loads land Magazine temoves hard Opens hard Opens hard Over-indes Pulls hard Proof stamp illegible Proof stamp missing Rings and bulges on case (Action) release doesn't work Rings in chamber Ring in sholder Rim srem Stems bottom chambers Stems bot extension Stock cracked or broken Short indent Stems in chamber Stems ledd Stems left side of chamber Stretch marks on case Stem over-ride Stems port Shoulder rough	Magazine lösse Magazine lösses Magazine lösses Magazine lösses Magazine lösses Magazine lösses Magazine isimöves hard Magazine isimöves hard Magazine isimöves hard Magazine lösses Magazine Magazine lösses Magazine Magaz

	200000000000000000000000000000000000000								_
SRIC	Specific rin gs in chamber								
SSOC	Surface scratches on case								
STC	Stems top chamber		***************************************						
SWE	Safety switch works too easily								
SWH	Safety switch works too hard		\$20.						
sww	Safety ewitxh work								
TD	Tips down								
TU	Tips up	· · · · ///							
TWP	Trigger won't pull								
TWR	Trigger won't retract								
UNCN-T	Uncoded	***				<i>M</i>			
XH	Extracts hard						Seo.		
			***************************************		*** //				
HI	High		***************************************						
LO	Low		***************************************						
LEFT	Left				4444				
RIGHT	Right		***************************************						
DG	Doesn't Group								
FSST	Front sight tipped						****		
RSTT	Rear sight tipped		***************************************				ž		
RSBR	Rear sight base raised							*****	ľ
FSTR	Front sight raised								
FSTL	Front sight loose								
RSTL	Rear sight loose								
MGPT-G	Missing parts at target								
UNCN-G	Uncoded nonconformity at target		-						
									,

Ι
Η
ΞO
01
1:
21
5
5!
Ĺ

AI-P	Assembly incompleye at proof							
868	Barrel bracket gracked or broken at proof							
BC-P	Blows cases at proof		Antonia					
BEB-P	Barrel extension broken at proof		***************************************					
BLP-P	Blanked primer at proof		\$40.					
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·						
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof	1				<i>**</i>		
FESO-P	Fore-end shot off at proof						5ec.	
FF-P	Fails to fire at proof		***************************************		***			
GCSO-P	Gas cylinder shot off at proof		******					
MSI-P	Magnaflux stamp illegible on bbl		-	· **				
MSM-P	Magnaflux stamp missing on bbl		-		*******			
PP-P	Pierced primer at proof		***************************************					
SCB-P	Stock cracked or broken at proof		-					
UNCM-P	Uncoded proof malfunctions		***************************************				2000	
								SKRIGE (SKRIGE)





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////	8a.								
Summ	ary To	otai Test i	Proof Failures	0						
		***	Total Rejected:	0						
		Over	Total Rejected: all Reject Rate:							
	Pro	of .	Shot: Rejected Percent Shot Rejected: Percent:							
	Pro	of	Rejected.	0	0	0	0	0	0	0
			Percent	0	\$350.					
			Shot.	See	<i>8000</i> 7					
	Tes	t ***	Reje cted :	O O	0	0	0	0	0	0
			Percent:	Q.	0					
			Shot: Rejected:	.88838	3000	1 1988 H	۸.			
	Tar	get		0 🧼	9/	O	0	0	O	0
		=	Percent:	0	9	Ü	0			
				7777777	2222222	3.273.232.	********			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds		***************************************	<i></i>	9996			
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver		-					****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

	//////////					
BWCFM	Bolt won't close over full magazine					
CD	Case dented	No. of Contract of				
СН	Closes hard	***************************************				
CLM	Can't laod magazine	***************************************				
СО	Cut-off					
CR	Cuts rim					
CS	Cases swell					
CTOG	Chamber tom or gouged					
CTP	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			***		
DCS	Double click in safety switch				Seo.	
DCT	Double click in trigger	***************************************				
DCU	Doesn't close-up	***************************************				
DE	Doesn't eject	***************************************				
DEL	Doesn't eject live round			**************************************		
DFB	Doesn't feed back	obsessed in the second				
DFU	Doesn't feed up	***				
DLO	Doesn't lock open (after last shell)	Produktende			*****	
DLU	Doesn't lock-up	***************************************			ž.	
DS	Dead safe	MATTERIAL				
DX	Doesn't extract	***************************************				
DXL	Doesn't extract live round	***************************************				
EDS	Extractor drops shell	***************************************				
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor sterns shell	-				

FA.


Fires automatically

ML	Magazine lööse					
MLH	Magazine loads hard		***************************************			
MRH	Magazine removes hard		***************************************			
ОН	Opens hard		***************************************			
OR	Over-rides					
PH	Pulls hard		***			
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	***				
RIS	Ring in sholder				Siau.	
RS	Rim srem					
SBC	Stems bottom chambers		***************************************			
SBE	Stems bbl extension		***************************************			
SCB	Stock cracked or broken			**************************************		
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline				******	
SIC	Stems in chamber				ž.	
SL	shaves lead					******
SLC	Stems left side of chamber		A			
SMOC	Stretch marks on case		***************************************			
SOR	Stem over-ride		***************************************			
SP	Stems port		Name of the last o			
SR	Shoulder rough					
SRC	Stems right side of chamber					

SRIC	Specific rings in chamber					
8600	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	žto.				
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull			800. 800.		
TWR	Trigger won't retract					
UNCN-T	Uncoded					
XH	Extracts hard				Seo.	


HI	High					
LO	Low		1,454			
LEFT	Left			× 4		
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped				*****	
RSTT	Rear sight tipped				18	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					
	·				 	


AI-P	Assembly incompleye at proof						
868	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof		***************************************				
BEB-P	Barrel extension broken at proof		Managara anaka				
BLP-P	Blanked primer at proof		áva.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof	· · · · · · · · · · · · · · · · · · ·					
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof	1					
FESO-P	Fore-end shot off at proof					Sec.	
FF-P	Fails to fire at proof		***************************************				
GCSO-P	Gas cylinder shot off at proof		*************				
MSI-P	Magnaflux stamp illegible on bbl		-	· **			
MSM-P	Magnaflux stamp missing on bbl		-		× × × × × × × × × × × × × × × × × × ×		
PP-P	Pierced primer at proof		***************************************				
SCB-P	Stock cracked or broken at proof		-				
UNCM-P	Uncoded proof malfunctions		-			 ****	




Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington

	////////////////	26.000 M									
Summ	any	Total	Test + Proof F	ailures	()					
			Total Re	ejected:	(9					
			Test + Proof F Tötal Re Overall Rejec	ct Rate:							
			,	28655555							
	*******	Proof	<i>#</i>	Rejected.	30000000000000	0	0	0	0	0	0
				⊬ercenτ,	О	2000.					
				Shot.	856	L88888F					
		Test	· · · · · · · · · · · · · · · · · · ·	Reje cted :	Q.	0	O	0	0	Đ	0
				Shot: Reje cted : Percent: Shot: Rejected:	o O	0					
				Shot:	.200	8 8 7 - 2000	1000000	4.			
		Target	F	Rejected:	0 💥		Ø	0	0	0	0
		Ū		Percent:	0		O	0			
					******	- ///////////	11111111	******			

CODE	MALFUNCTION INDEX	700 SPS	700 SPS \$8	700 BDL & ADL	700 SS	790 CDL	700 POLICE	MODEL 7

AB	Action binds							
BABS	Bulge at body shoulder		***************************************	***************************************				
BAC	Burr at chamber		***************************************					
ВВМА	BBL-to-bolt misalignment				***			
ВВ	Bolt binds/catches		***************************************					
BCOBS	Bolt catches on bolt stop							
BCOF	Bolt catches on follower						3700	
ВС	Blows cases		-					
BHR	Bolt hits receiver							****
BHS	Bolt plug hits safety switch		***************************************					
BLOP	Bar lock or disconnector out of position		311					
BLSO	Barrel lug shot off							
BPO	Bolt pulls out							
BSSM	Bolt stems shell in magazine		- Control of the Cont					
BWCD	Bolt won't cam down							

CODE MALFUNCTION INDEX 700 SPS 700 SPS SS 700 BDL & 700 CDL 700 POLICE MODEL M									
CD Case dented CH Closes hard CLM Can't laod magazine CO Cut-off CR Cuts rim CS Cases swell CTOG Chamber torn or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock-up DLO Doesn't lock-up DLO Doesn't lock-up DLU Doesn't lock-up DS Dead safe DX Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
CH Gioses hard CLM Can't laod magazine CO Cut-off CR Cuts rim CS Cases swell CTOG Chamber torn or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	BWCFM	Bolt won't close over full magazine							
CLM Can't laod magazine CO Cut-off CR Cuts rim CS Cases swell CTOG Chamber torn or gouged CTP Creepy trigger pull CWSB Cans wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in ingger DCU Doesn't close-up DE Doesn't eject live round DFB Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't ck-up DS Dead safe DX Doesn't extract live round DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CD	Case dented							
CO Cut-off CR Cuts rim CS Cases swell CTOG Chamber form or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	СН	Closes hard							
CR Cuts rim CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in stigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't fock open (after last shell) DLU Doesn't lock upp DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CLM	Can't laod magazine		<i>iii</i>					
CR Cust mil CS Cases swell CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock-up DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	co	Cut-off							
CTOG Chamber tom or gouged CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CR	Cuts rim							
CTP Creepy trigger pull CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	cs	Cases swell				3			
CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CTOG	Chamber torn or gouged							
CWSB Cams wrong side of action bar DBB Doesn't blow back DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CTP	Creepy trigger pull					Miller.		
DCS Double click in safety switch DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	CWSB	Cams wrong side of action bar							
DCT Double click in trigger DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DBB	Doesn't blow back		******				·	
DCU Doesn't close-up DE Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DCS	Double click in safety switch							
DEU Doesn't eject DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DCT	Double click in trigger							20
DEL Doesn't eject live round DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DCU	Doesn't close-up							*** ###
DFB Doesn't feed back DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DE	Doesn't eject		***************************************					
DFU Doesn't feed up DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DEL	Doesn't eject live round					*****		
DLO Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DFB	Doesn't feed back		100					
DLU Doesn't lock open (after last shell) DLU Doesn't lock-up DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DFU	Doesn't feed up						,	
DS Dead safe DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DLO	Doesn't lock open (after last shell)							** ***
DX Doesn't extract DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DLU	Doesn't lock-up							
DXL Doesn't extract live round EDS Extractor drops shell ESB Ejector sticks back	DS	Dead safe		***************************************					
EDS Extractor drops shell ESB Ejector sticks back	DX	Doesn't extract							
ESB Ejector sticks back	DXL	Doesn't extract live round							
	EDS	Extractor drops shell							
ESCR Empty shell catches receiver	ESB	Ejector sticks back							
	ESCR	Empty shell catches receiver							

ŀ	4	
L	-	
ĺ		
C	0	
C	5	
ŀ	_	
ľ	J	
ŀ	_	
ĺ	Л	
•	J	
ť	n	

40								
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
ESS	Extractor stems shelf		**					
FA	Fires automatically							
FB ***	Follower binds							
FC	Fails to connect		<i>i</i> /////					
FCB	Fore-end cracked or broken			<u>.</u>				
FD	Follows-down							
FF	Fails to fire				S			
FFP	Flat firing pin							
FOS	Fires on safe					Mar.		
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim		***************************************				×	
FPO	Floor plate opens			400000				
FPOH	Floor plate opens hard							
FSR	Fires when safe is released		-		****			
FT	Follower tips							
GCSO	Gas cyl shot off		***************************************			******		
HBL	Heavy bolt lift		***************************************					
HMSC	Heading mismatch-steps on case						,	
HPA	High pressure ammo							** ***
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong		***************************************					

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
MFA	Misfires (ammo)		HARAMANA					
MFOP	Magazine follower out of position							
ML	Magazine bose		-					
MLH	Magazine loads hard		Å &					
MRH	Magazine removes hard			λ.				
он	Opens hard							
OR	Over-rides			- 1000 m				
PH	Pulls hard							
PSI	Proof stamp illegible	****				Mar.		
PSM	Proof stamp missing							
RBOC	Rings and bulges on case		********				*	
RDW	(Action) release doesn't work		V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1					
RIC	Rings in chamber		***************************************					
RIS	Ring in sholder		****************		****			
RS	Rim srem		and the same of th					
SBC	Stems bottom chambers		N			***************************************		
SBE	Stems bbl extension		************					
SCB	Stock cracked or broken		NA 100 A				;	
SCX	Shell catches		AAA444					***
SHI	Short indent		MATERIAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPE					444
SI	Stems incline		A-1410-1-1-1-1-1					
SIC	Stems in chamber		Milanian					
SL	shaves lead		***************************************					
SLC	Stems left side of chamber		-					
SMOC	Stretch marks on case							
SOR	Stem over-ride		-					

	00000000000000000000000000000000000000			700 BDL &				
CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
SP	Stems port							
SR	Shoulder mugh							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber		<i>iii</i>					
ssoc	Surface scratches on case							
STC	Sterns top chamber							
SWE	Safety switch works too easily				S			
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work					Mar.		
TD	Tips down							
TU	Tips up		***************************************				*	
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded							
XH	Extracts hard				100			
						***//		
HI	High							
ro	Low						,	
LEFT	Left							·**
RIGHT	Right							****
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped							
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							

CODE	MALFUNCTION INDEX	700 SPS	700 SPS SS	700 BDL & ADL	700 SS	700 CDL	700 POLICE	MODEL 7
RSTL	Rear sight loose		***************************************					
MGPT-G	Missing parts at target		Anna-					
UNCN-G	Uncoded nonconformity at target		мальнальна					

AI-P	Assembly incompleye at proof			Δ.				
BBB	Barrel bracket cracked or broken at proof							
BC-P	Blows cases at proof				800.			
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof					######################################		
BLSO-P	Barrel lug shot off at proof				*** *********************************			
BP-P	Blown primer at proof						30.	
BS-P	Barrel split at proof	-	V-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0					
DLOS-P	Doesn't lock over shells at proof		***************************************					***
ESB-P	Ejector sticks back at proof		***************************************		****			
FCB-P	Fore-end cracked at proof		A444					
FESO-P	Fore-end shot off at proof		***************************************					
FF-P	Fails to fire at proof		************					
GCSO-P	Gas cylinder shot off at proof						i i	
MSI-P	Magnaflux stamp illegible on bbl		AAA444					***
MSM-P	Magnaflux stamp missing on bbl							17.5
PP-P	Pierced primer at proof	-	**********					
SCB-P	Stock cracked or broken at proof		***************************************					
UNCM-P	Uncoded proof malfunctions		-					

