

E6225271

MODEL 700TM M24

Model **SMS** TM

Action

Barrel Length

Capacity

Order No. **5716**

*Includes 1 in chamber.

Remington

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER
R 96-16381

INITIAL
JJM

M-24 SNIPER

DATE RECEIVED 07/15/96	DATE OPENED 07/15/96	DATE CODE BJ 1-89	SERIAL NUMBER C6225271	NEW SERIAL NUMBER	MODEL AND GRADE 700 7.62 NATO
ACCESSORIES W/STUDS SCOPE BASE					

FROM:

SHIP TO:

DEPT OF THE ARMY
E CO 3RD BN 1ST SFG (A)
FORT LEWIS WA 98433

DEPT OF THE ARMY
E CO 3RD BN 1ST SFG (A)
FORT LEWIS WA 98433

CUST NO: 145454 C.O.D.L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
- ☐ LIGHTLY WORN
- ☐ WORN
- ☐ VERY WORN
- ☐ UNREPAIRABLE
- ☐ MARRED

SR 982 CS Bn
HBC - MSB - A
BLDG. 2T 5713
FT. BRAGG, 28307-5000

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
------------------	------	----------	--------	----------	-----	---------

CYCLE	A1	B1				
TRIGGER GROUP		B2			E1	F1
BOLT ASSY.		B3			E2	F2
BARREL ASSY.		B4		D1	E3	F3
REC. ASSY.		B5		D2	E4	F4
WOOD			C1	D3	E5	F5
METAL			C2			

MAIN FAULT

PARTS

COMMENTS

Barrel
Stock
Mag Spring

96003
96018
13677

Repeater Coat Trigger Guard
Assy Front & Rear Sight Bases
Reticle Scope Base & Swivel
Studs

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE


DATE

OFFICE COPY

RD6925 REV. 1/94

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400011894



DEPARTMENT OF THE ARMY

ROCK ISLAND ARSENAL
ROCK ISLAND, ILLINOIS 61299
OFFICIAL BUSINESS

SHIP TO:

M/F; *UNKNOWN*

R698 457 273

TCN W52H09 6180 H243 XXX
RDD 194 PROJ TP 1
W52H1C

XR REMINGTON ARMS COMPANY INC
FABRICATED PRODUCTS DEPT
14 HOFELER AVE
ILION, NEW YORK 13357-1816

EXCEPTION DATA: SEE SHIPPING
DOCUMENT.

CARRIER:

PRIORITY CLASS

TO TRANS:

NO/LINE ITEMS

DATE SHIPPED:

INITIALS:

7-9-96

ZH

LOCATION:

PIECES:

WEIGHT:

CUBE:

1 CTN

16

1.5

NOTES:

658N53L KW

SIORI FORM 710-8 FEB 96

SHIPPING ACTION & LOCATION RECORD

1. TOTAL PRICE										2. SHIP FROM ROCK ISLAND ARSENAL ROCK ISLAND, IL W52H1C 61299-5000										3. SHIP TO CMAH2W																																																	
UNIT PRICE DOLLARS CTS										DOLLARS CTS										4. MARK FOR CMAH2W																																																	
A5EB07T EA										CMAH2WMGM										031942JB14AF										0514500										5145.00																													
5. DOC DATE										6. NMFC										7. FRT RATE										8. TYPE CARGO										9. PS																													
96190										069300										LTL 100										681 Z4										4																													
10. QTY REC										11. UP										12. UNIT WEIGHT										13. UNIT CUBE										14. UFC										15. SSL																			
00001																														38340										0																													
16. FREIGHT CLASSIFICATION NOMENCLATURE FIREARMS NOI																																																																					
17. ITEM NOMENCLATURE RIFLE																																																																					
18. TV CONT										19. NO CONT										20. TOTAL WEIGHT										21. TOTAL CUBE																																							
CTN										1										16										106																																							
22. RECEIVED BY																				23. DATE RECEIVED																																																	
28. ISSUED BY AND DATE																				29. SHIPPED BY AND DATE										JA 7-9-86																																							
DT REC: 96190										STD: 96191										SUSD: 96191										DOD 5100.76M										SCIC: 6																													
SIGNATURE REC REQ										LEVEL A/C										NON EXP PKG REF NO: MILSTD2073										EXT WT: .00										EXT CU:																													
SELECT CODE: F										ARM STOCK										PA: P02										PL: A02										SPW: 658N53 001										CK DIG: L										TAC:									
SHIP BY TRACEABLE MEANS																																																																					
1 EXCEPTION																																																																					
LINE 001 OF 001																																																																					
S/NC 6225271																																																																					
SNT FOR DODSASP REQUIRED																																																																					
REGISTERED MAIL																																																																					
R698457273																																																																					
MAJOR END ITEM																																																																					
WHSE LOC 15120821A 15121121B																																																																					
ULTIMATE CONSIGNEE/MARK FOR: XR REMINGTON ARMS COMPANY INC FABRICATED PRODUCTS DEPT 14 HOFELER AVE ILION NY 13357-1816																																																																					
Exception Data																																																																					
SEQ NO: 00067 BATCH: 0002																																																																					
4 OF 6 SC: TCN: W52H09 6180 H243 XXX																																																																					
NOT HAZARDOUS FOR TRANSPORT																																																																					
DD FORM 1348-1A, JUN 86 ISSUE RELEASE/RECEIPT DOCUMENT																																																																					
FORM APPROVED, OMB NO 0704-0188																																																																					


SHIP S/N C6225271 IAW PROCEDURES
FOR WEAPONS IVC O M/F REPAIR/RETURN
CONTRACT DAAA09-92-C-0834 DOC #
W52H096180H243 TO REMINGTON.

CONTRACTORS INFO UPON RECEIPT OF
MATERIAL CALL RITA REDDEN (309)
782-5711 TO VERIFY S/N

1. TOTAL PRICE										2. SHIP FROM ARSENAL										3. SHIP TO									
UNIT PRICE										W52H1C, 61299-5000										CMAH2W									
DOLLARS CTS										DOLLARS CTS										4. MARK FOR									
A5EB07T EA										CMAH2WMGM										031942JB14AF									
0514500										5145.00										CMAH2W									
5. DOC DATE										6. NMFC										7. FRT RATE									
96190										069300										LTL 100									
8. TYPE CARGO										9. PS																			
681 Z4										4																			
10. QTY REC										11. UP										12. UNIT WEIGHT									
										00001																			
13. UNIT CUBE										14. UFC										15. ISSL									
38340										0																			
16. FREIGHT CLASSIFICATION NOMENCLATURE																													
FIREARMS NOI																													
17. ITEM NOMENCLATURE																													
RIFLE S/N C6225271																													
18. TV CONT										19. NO CONT										20. TOTAL WEIGHT									
21. TOTAL CUBE										22. RECEIVED BY										23. DATE RECEIVED									
24. ISSUED BY AND DATE										25. SHIPPED BY AND DATE																			
DT REC: 96190										STD: 96191										SUSD: 96191									
SIGNATURE REC REQ										LEVEL A/C										DOD 5100.76M									
SELECT CODE: F										ARM STOCK										SCIC: 6									
NON EXP										PKG REF NO: MILSTD2073										EXT WT. .00									
EXT CU:																													
TP-1										PA: P02										PL: A02									
SHIP BY TRACEABLE MEANS										1 EXCEPTION										LINE 001 OF 001									
SNT FOR DODSASP REQUIRED										ULTIMATE CONSIGNEE/MARK FOR:																			
MAJOR END ITEM										XR REMINGTON ARMS COMPANY INC																			
										FABRICATED PRODUCTS DEPT																			
										14 HOFLEER AVE																			
										ILION										NY 13357-1816									
WHSE LOC										15120821A										15121121B									
SEQ NO: 00067										BATCH: 0002																			
5 OF 6 SC:										TCN: W52H09 6180 H243 XXX										NOT HAZARDOUS FOR TRANSPORT									

DD FORM 1348-1A, JUN 86 ISSUE RELEASE/RECEIPT DOCUMENT

FORM APPROVED, OMB NO 0704-0188



Final Inspection

Sn: C6225271

DATE REC'D: 7/24/96

DATE RET'D:

Auditor: RW

Item:

Barrel Assy.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

Scope Assy.

☐ Scope☐ Scope Rings☐ Mounting Screws☐ Mounting Base☐ Screws☐ Finish☐ Looseness☐ CLARITY

Misc.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

Stock Assy.

☒ Stock☒ Sling Swivel Studs☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

Systems Case

☐ Scope Case☐ Iron Sights☐ Deployment Kit

Trigger

☒ SAFETY OPERATION☒ SET

Comments:

CONTRACT # DAAA21-87-C-0086

Barrel
Stock

GUN SERIAL # C6225271

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock		7/24/96	RW
600	Proof		7/24/96	RW
607	Check Headspace		7/24/96	RW
610	Dis-assemble Gun		7/24/96	RW
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly			
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head			
	C) Inspect Ejector Hole for Chamfer			
	D) Oil Firing Pin Ass'y			
	E) Adjust Trigger Pull to Min Setting and Stake			

op. #	OP. NAME	READINGS	DATE	INIT
625 cont.	F) Safety On Force			
	G) Safety Off Force			
	H) Trigger Pull Test & Retainability			
	I) Firing Pin Indent			
	J) Assemble Stock			
	K) Assemble Swivel Studs			
	L) Attach Front and Rear Sight Assemblies			
	M) Iron Sight Alignment			
	N) Detach Front & Rear Sights & place in numbered container			
	O) Attach Scope to Rifle			
	P) Detach & Attach Scope 20 Times			
640	Gallery Target & Test			
	A) Time			
	B) Malfunctions			
	C) Pierced Primers			
	D) Optical Clarity of Scope			
645	Inspect for Live Ammo			
655	Final Inspection A) Headspace			
	B) Trigger Pull			
	C) Function			
660	Pack			




REG. U.S. PAT. & TM. OFF.

VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700TM H24

MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat. & Tm. Off. Marca Registrada Marque Deposee.


SERIAL NO.
C6225271

ORDER NO.
5716



5716 C6225271

UPC



0 47700 25716 7

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C6225271

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	12 9 88		RW
600	Proof	12 9 88		RW
607	Check Headspace	12 9 88		RW
610	Dis-assemble Gun	12 9 88		RW
612	Magnaflux Barrel Action		12 22 88	R/C.
	Magnaflux Bolt		1-3-89	R/C.
615	Rollmark Caliber		12/22/88	MDC
617	Drill and Tap Sight Holes	1 3 89		FB
618	Polish Barrel	12 2 88		WJT
620	Apply Coatings (Barrel Action)		1/16/89	TSA
	Apply Coating (Bolt)			
625	Final Assembly			
	A) Clean inside of Bolt Assembly		1/24/89	RW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		1/24/89	RW
	C) Inspect Ejector Hole for Chamfer		1/24/89	RW
	D) Oil Firing Pin Ass'y		1/24/89	RW
	E) Adjust Trigger Pull to Min Setting and Stake		24 Jan 89	JSB

op. #	OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force	4	4	4			30/2/89	JS
	G) Safety Off Force	3	3	3			30/2/89	JS
	H) Trigger Pull Test & Retainability						24/6/89	JS
	I) Firing Pin Indent	.021	.0205	.0205			30/2/89	JS
	J) Assemble Stock						2/6/89	RW
	K) Assemble Swivel Studs						9/6/89	JS
	L) Attach Front and Rear Sight Assemblies						2/6/89	RW
	M) Iron Sight Alignment						2/6/89	RW
	N) Detach Front & Rear Sights & place in numbered container						2/6/89	RW
	O) Attach Scope to Rifle						2/6/89	RW
	P) Detach & Attach Scope 20 Times						7/1/89	JS
640	Gallery Target & Test	58 R	94 L				2/8/89	AC
	A) Time						"	AC
	B) Malfunctions				NONE		"	AC
	C) Pierced Primers				NONE		"	AC
	D) Optical Clarity of Scope				OK		2/8/89	AC
645	Inspect for Live Ammo				NONE		2/8/89	AC
655	Final Inspection							
	A) Headspace						9/6/89	JS
	B) Trigger Pull	2.58	2.59	2.68	2.51	2.71	9/6/89	JS
	C) Function						9/6/89	JS
660	Pack						23/10/89	JS

SWS TRIGGER PULL TEST

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS
2.50#+.50#
3.00#+.75#
4.00#+1.00#

SERIAL NO. 5271

DATE 3-31-90

TESTER JH

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.35	2.37		2.28	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.39	2.36		2.31	
PULL #3	2.41	2.35		2.24	
PULL #4	2.46	2.46		2.21	
PULL #5	2.41	2.19		2.31	
TOTAL	12.02	11.73		11.35	
AVG.	2.404	2.346		2.27	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.39	3.42		
PULL #2	3.29	3.45		
PULL #3	3.30	3.41		
PULL #4	3.31	3.40		
PULL #5	3.45	3.38		
TOTAL	16.74	17.06		
AVG.	3.348	3.412		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.41	4.44		
PULL #2	4.43	4.41		
PULL #3	4.40	4.43		
PULL #4	4.45	4.46		
PULL #5	4.37	4.46		
TOTAL	22.06	22.20		
AVG.	4.412	4.44		

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6225271
10 Feb 1989

CENTROIDAL DISTANCES

0 TO	1	.267591
1 TO	2	.672668
1 TO	3	.0482701
1 TO	4	.479242
1 TO	5	.460435

σ^2 (----POA


THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1002
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0306
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .104768

THE AMR FOR THIS RIFLE IS: .835

10 Feb 1999

FILE:/PATTERNING/CENTERFIRE_PATT/06225271

CENTERFIRE PATTERNS # 1



OF SHOTS- 10

IN CIR

1 in = 2

2 in = 5

3 in = 10

HS= 2.120

VS= 2.400

GS= 2.477

CENTROID *


PATTERN # : 1

SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.139	1.073	1.067
MINIMUM X	-0.981	-1.047	-1.053
MAXIMUM Y	1.209	1.077	.543
MINIMUM Y	-1.191	-1.232	-1.097
CENTROID X	.098	.164	.170
CENTROID Y	.249	.381	.246
POR TO CENTROID in.	.267	.415	.299
MIN RADIUS	.382	.432	.449
MEAN RADIUS	.871	.806	.772
MAX RADIUS	1.332	1.293	1.167
HORIZONTAL SPREAD	2.120	2.120	2.120
VERTICAL SPREAD	2.400	2.309	1.640
EXTREME SPREAD	2.477	2.334	2.148
NUMBER IN ONE INCH CIRCLE =	2		
NUMBER IN TWO INCH CIRCLE =	5		
NUMBER IN THREE INCH CIRCLE =	10		

18 Feb 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08225271

CENTERFIRE PATTERNS # 2



OF SHOTS- 10

IN CIR

1 in = 3

2 in = 5

3 in = 9

HS= 1.547

VS= 2.714


GS= 3.084

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.004	.719	.665
MINIMUM X	:	-.543	-.432	-.295
MAXIMUM Y	:	1.339	1.186	1.329
MINIMUM Y	:	-1.375	-1.220	-1.077
CENTROID X	:	.437	.326	.330
CENTROID Y	:	-.332	-.179	-.322
POA TO CENTROID in.	:	.549	.372	.498
MIN RADIUS	:	.312	.241	.258
MEAN RADIUS	:	.903	.788	.728
MAX RADIUS	:	1.702	1.294	1.407
HORIZONTAL SPREAD	:	1.547	1.151	.960
VERTICAL SPREAD	:	2.714	2.406	2.406
EXTREME SPREAD	:	3.084	2.478	2.478
NUMBER IN ONE INCH CIRCLE	=		3	
NUMBER IN TWO INCH CIRCLE	=		5	
NUMBER IN THREE INCH CIRCLE	=		9	

18 Feb 1985

FILE:/PATTERNING/CENTERFIRE_PATT/08285271

CENTERFIRE PATTERNS # 3



OF SHOTS - 10

IN CIR

1in = 4

2in = 8

3in = 10

HS = 1.814

VS = 1.753

GS = 2.277

CENTROID *

PATTERN #	3		
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.558	.418	.323
MINIMUM X	-1.256	-.973	-.928
MAXIMUM Y	.691	.726	.597
MINIMUM Y	-1.062	-1.027	-.796
CENTROID X	.145	.285	.233
CENTROID Y	.268	.225	.354
POA TO CENTROID in.	.298	.363	.423
MIN RADIUS	.235	.218	.339
MEAN RADIUS	.782	.613	.548
MAX RADIUS	1.295	1.189	.922
HORIZONTAL SPREAD	1.814	1.391	1.243
VERTICAL SPREAD	1.753	1.753	1.387
EXTREME SPREAD	2.277	1.814	1.412
NUMBER IN ONE INCH CIRCLE =		4	
NUMBER IN TWO INCH CIRCLE =		8	
NUMBER IN THREE INCH CIRCLE =		10	

18 Feb 1989

FILE:/PATTERNING/CENTERFIRE_PATT/08225271

CENTERFIRE PATTERNS

4

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS- 10

IN CIR

1in = 3

2in = 6

3in = 10

HE = 2.040

VS = 2.280

CS = 2.429

PATTERN #

4

SHOTS (BEST OF)

10

9

8

MAXIMUM X

.972

.997

.867

MINIMUM X

-1.068

-1.043

-.720

MAXIMUM Y

1.417

1.101

1.212

MINIMUM Y

-.863

-.706

-.595

CENTROID X

.015

-.010

.120

CENTROID Y

-.223

-.381

-.492

POA TO CENTROID in.

.224

.381

.507

MIN RADIUS

.410

.301

.200

MEAN RADIUS

.855

.752

.640

MAX RADIUS

1.434

1.372

1.216

HORIZONTAL SPREAD

2.040

2.040

1.586

VERTICAL SPREAD

2.280

1.807

1.807

EXTREME SPREAD

2.429

2.275

1.983

NUMBER IN ONE INCH CIRCLE =

3

NUMBER IN TWO INCH CIRCLE =

6

NUMBER IN THREE INCH CIRCLE =


10

10 Feb 1989

FILE:/PATTERNING/CENTERFIRE_PATT/05225271

CENTERFIRE PATTERNS # 5

POA



OF SHOTS= 10

IN CIR

1 in = 2

2 in = 5

3 in = 3

HS= 2.194

VS= 2.307

GS= 2.487

CENTROID #

PATTERN #	5
SHOTS (BEST OF)	10
MAXIMUM X	.943
MINIMUM X	-1.251
MAXIMUM Y	.781
MINIMUM Y	-1.526
CENTROID X	-.194
CENTROID Y	-.107
POA TO CENTROID in.	.221
MIN RADIUS	.046
MEAN RADIUS	.844
MAX RADIUS	1.557
HORIZONTAL SPREAD	2.194
VERTICAL SPREAD	2.307
EXTREME SPREAD	2.487
NUMBER IN ONE INCH CIRCLE	2
NUMBER IN TWO INCH CIRCLE	5
NUMBER IN THREE INCH CIRCLE	9

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # C 6225271

OP. #	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and Stock			
600	Proof			
607	Check Headspace			
610	Dis-assemble Gun			
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill and Tap Sight Holes			
618	Polish Barrel		8/15/91	WB
620	Apply Coatings (Barrel Action)		8-22-91	JA
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly			
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head			
	C) Inspect Ejector Hole for Chamfer			
	D) Oil Firing Pin Ass'y			
	E) Adjust Trigger Pull to Min Setting and Stake			

op. #	OP. NAME	READINGS	DATE	INIT
625 cont.	F) Safety On Force			
	G) Safety Off Force			
	H) Trigger Pull Test & Retainability			
	I) Firing Pin Indent			
	J) Assemble Stock			
	K) Assemble Swivel Studs		9-25-91	D/H
	L) Attach Front and Rear Sight Assemblies			
	M) Iron Sight Alignment			
	N) Detach Front & Rear Sights & place in numbered container			
	O) Attach Scope to Rifle			
	P) Detach & Attach Scope 20 Times			
640	Gallery Target & Test		9-24-91	AC
	A) Time		9-24-91	AC
	B) Malfunctions		9-24-91	AC
	C) Pierced Primers		9-24-91	AC
	D) Optical Clarity of Scope		9-24-91	AC
645	Inspect for Live Ammo		9-24-91	AC
655	Final Inspection			
	A) Headspace		9-25-91	D/H
	B) Trigger Pull	2.49 2.44 2.35 2.35 2.52	9/24/91	RW
	C) Function		9-25-91	D/H
660	Pack		9/25/91	WB

DA FORM 2407
MAY 81

NMP COPY

M2400011917

DA FORM 2407
MAY 81

ORGANIZATION CO

M2400011918

RECEIVING AND ESTIMATING REPORT

COMMENTS

CUST NO: 045582 C.O.D.

W/LEUPOLD 10X SCOPE
M-24 SNIPER

INITIAL
JJM

CUSTOMER ORDER NO.

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

MODEL AND GRADE

ORDER

08/05/91

08/05/91

BJ 1-89

C6225271

700 7.62

NATO

R 91-15016

ACCESSORIES

W/STUDS

SCOPE MNTS

SCOPE BASE

HARD CASE

FROM:

D CO 782ND MAINTANCE BA
FORT BRAGG NC 28307
USA

SHIP TO:

D CO 782ND MAINTANCE BA
FORT BRAGG NC
USA 28307

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

CLEAN/TEST

PROM. DATE

ESTIMATED

VIA

UPS

REPAIR CHARGE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

GUN CONDITION:

☐ NEW

☐ SLIGHTLY WORN

☒ VERY WORN

☐ MISUSED

☐ MARRED

CUSTOMER'S REQUEST

- 1) REPOUNDER COAT BARREL
- 2) REPOUNDER COAT TRIGGER GUARD ASSY
- 3) CLEAN TRIGGER GUARD ASSY
- 4) ADJUST SCOPE

PARTS

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV. 7/90

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400011919