

C6225356

MODEL 700™ M24

Model **700 M24™**

Action

Barrel Length

Capacity

Order No. **5716**

*Includes 1 in chamber.

Remington®

Address Information

FEL						
-----	--	--	--	--	--	--

Close

start 2 5 2

RE00080428

FINAL INSPECTION CHECKLIST M-24 REPAIRS
CONTRACT #: DAAE-20-02-D-0127

SERIAL # C6225356

INSPECTED BY: RTL

DATE REC'D: 4-29-04

DATE RET'D: 6-7-04

ITEM

BARREL ASSEMBLY

☒ BARREL
☒ RECEIVER
☒ FRONT SIGHT BASE
☒ REAR SIGHT BASE
☒ SCREWS
☒ FINISH

SCOPE ASSEMBLY

☒ SCOPE
☒ SCOPE RINGS
☒ MOUNTING SCREWS
☒ MOUNTING BASE
☒ SCREWS
☒ FINISH
☒ CLARITY

ITEM

STOCK ASSEMBLY

☒ STOCK
☒ SLING AWIVEL STUDS
☒ ADJUSTABLE
☒ BUTT PLATE
☒ LOCK NUTS
☒ BARREL CLEARANCE
☒ COLOR / FINISH

SYSTEMS CASE

☒ SCOPE CASE
☒ IRON SIGHTS
☒ DEPLOYMENT KIT

TRIGGER ASSEMBLY

☒ SAFETY OPERATION
☒ RE-SET TO FACTORY SPECS

COMMENTS:

M-24 INSPECTION CHECKLIST
CONTRACT #: DAAE-20-02-D-0127

R & E NUMBER	80428		
SERIAL NUMBER	C6225356		
LOG-IN DATE	4-29-04		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	5-3-04	RTL
560 A	RE-BARREL	5-4-04	RTL
B	DRILL AND TAP	5-5-04	TRW
575	ASSEMBLE	5-4-04	RTL
600	PROOF	5-4-04	RTL
605	CHECK HEADSPACE	5-4-04	RTL
610	DIS-ASSEMBLE GUN	5-4-04	RTL
612	MAGNAFLUX OPERATOR		
615	ROLLMARK CALIBER	5/6/04	kb
618	ROTO-BLAST	5/7/04	swj
620	APPLY COATINGS	5-10	JA
625 A	FINAL ASSEMBLY	5-19-04	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	5-24-04	TRW
655	FINAL INSPECT	5-26-04	RTL
660	PACK	6-9-04	DA
		SHIP DATE	
QAR INSPECTION DATE			

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: C6225356.___0

FILE DATE AND TIME: 05/24/2004 06:37


THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.013
The Average Y Centroid of the Five Target Set:	-0.103
The Average Point of Impact of the Five Target Set:	0.104
The Average Mean Radius of the Five Target Set:	0.749
The Distance from POA to Centroid Target #1:	0.172
The Distance from Centroid Target #2 to Centroid Target #1:	0.131
The Distance from Centroid Target #3 to Centroid Target #1:	0.148
The Distance from Centroid Target #4 to Centroid Target #1:	0.296
The Distance from Centroid Target #5 to Centroid Target #1:	0.325

SERIAL NUMBER: C6225356. __0
TARGET NUMBER: 1
FILE DATE: 05/24/2004
FILE TIME: 06:37

POINT#	X	Y
1:	0.984	-1.407
2:	0.616	-0.751
3:	0.348	-1.245
4:	0.282	-0.662
5:	0.030	-0.750
6:	0.252	-0.202
7:	-0.225	0.418
8:	-0.752	0.376
9:	-0.066	1.164
10:	0.037	2.222

X CENTROID: 0.151
Y CENTROID: -0.084
POA TO CENTROID: 0.172
HORZ SPREAD: 1.736
VERT SPREAD: 3.629
GROUP SPREAD: 3.751
MIN RADIUS: 0.156
MAX RADIUS: 2.308
MEAN RADIUS: 1.020
IN 1 IN DIAMETER: 1
IN 2 IN DIAMETER: 5
in 3 IN DIAMETER: 8




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6225356. 0
TARGET NUMBER: 2
FILE DATE: 05/24/2004
FILE TIME: 06:37

POINT#	X	Y
1:	1.397	0.077
2:	0.414	-1.442
3:	-0.069	-0.962
4:	-1.378	0.404
5:	-0.426	-0.259
6:	-0.202	-0.008
7:	-0.173	0.149
8:	0.520	0.331
9:	0.480	0.861
10:	-0.012	0.913

X CENTROID: 0.055
Y CENTROID: 0.006
POA TO CENTROID: 0.055
HORZ SPREAD: 2.775
VERT SPREAD: 2.355
GROUP SPREAD: 2.573
MIN RADIUS: 0.258
MAX RADIUS: 1.492
MEAN RADIUS: 0.881
IN 1 IN DIAMETER: 2
IN 2 IN DIAMETER: 7
in 3 IN DIAMETER: 10




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6225356. __0
TARGET NUMBER: 3
FILE DATE: 05/24/2004
FILE TIME: 06:37

POINT#	X	Y
1:	0.525	0.465
2:	-0.192	0.606
3:	-0.554	0.205
4:	-0.255	0.287
5:	-0.309	0.135
6:	0.452	-0.467
7:	0.339	-0.284
8:	0.141	-0.240
9:	-0.060	-0.287
10:	-0.010	-0.880

X CENTROID: 0.008
Y CENTROID: -0.046
POA TO CENTROID: 0.047
HORZ SPREAD: 1.079
VERT SPREAD: 1.486
GROUP SPREAD: 1.497
MIN RADIUS: 0.235
MAX RADIUS: 0.834
MEAN RADIUS: 0.515
IN 1 IN DIAMETER: 5
IN 2 IN DIAMETER: 10
in 3 IN DIAMETER: 10




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6225356. __0
TARGET NUMBER: 4
FILE DATE: 05/24/2004
FILE TIME: 06:37

POINT#	X	Y
1:	0.490	-1.314
2:	0.332	-1.526
3:	-0.771	-0.442
4:	-0.018	-0.409
5:	0.321	-0.180
6:	-0.316	0.126
7:	0.349	0.480
8:	-0.899	0.268
9:	-0.267	1.043
10:	-0.483	0.059

X CENTROID: -0.126
Y CENTROID: -0.190
POA TO CENTROID: 0.228
HORZ SPREAD: 1.389
VERT SPREAD: 2.569
GROUP SPREAD: 2.638
MIN RADIUS: 0.245
MAX RADIUS: 1.413
MEAN RADIUS: 0.784
IN 1 IN DIAMETER: 4
IN 2 IN DIAMETER: 7
in 3 IN DIAMETER: 10




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: C6225356.___0
TARGET NUMBER: 5
FILE DATE: 05/24/2004
FILE TIME: 06:37

POINT#	X	Y
1:	-0.136	-0.191
2:	0.427	-1.056
3:	0.089	-0.677
4:	-1.192	-0.118
5:	-1.151	0.192
6:	0.391	-0.051
7:	0.173	-0.251
8:	0.082	0.102
9:	-0.119	0.149
10:	-0.093	-0.111

X CENTROID: -0.153
Y CENTROID: -0.201
POA TO CENTROID: 0.253
HORZ SPREAD: 1.619
VERT SPREAD: 1.248
GROUP SPREAD: 2.012
MIN RADIUS: 0.020
MAX RADIUS: 1.073
MEAN RADIUS: 0.544
IN 1 IN DIAMETER: 5
IN 2 IN DIAMETER: 7
in 3 IN DIAMETER: 10



TARGET APPROX 1/2 SCALE

M-24

CONTRACT # DAAA21-87-C-0086

GUN SERIAL # *C6225356*

OPERATION		DATE	INT
#	NAME		
575-580	ASSEMBLY	<i>1/22</i>	<i>FB</i>
600	PROOF	<i>1/28/88</i>	<i>KW</i>
615	MAGNAFLUX BARREL	<i>2/18/88</i>	<i>Pfe</i>
	MAGNAFLUX BOLT	<i>2/25/88</i>	<i>Pfe</i>
620	COATING	<i>3/21/88</i>	<i>JA</i>
625-630	FINAL ASSEMBLY		
635	TEST		
640	TARGET		
	FIRING PIN INDENT		
660	PACK		

M-24

Scope #

1110

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C6225356

OP.#	OP. NAME	READINGS	DATE	INITIAL
575 & 580	Assemble Action and stock			
600	Proof			
607	Check Headspace			
610	Dis-assemble gun			
612	Magnaflux Barrel Action			
	Magnaflux Bolt			
615	Rollmark Caliber			
617	Drill & Tap Sight Holes			
618	Polish Barrel			
620	Apply Coatings (Barrel Action)			
	Apply Coatings (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		9/8/88	AW
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		9/8/88	AW
	C) Inspect Ejector Hole for Chamfer		9/8/88	AW

OVER

OP.#		READINGS	DATE	INITIAL
625 cont.	D) Oil Firing Pin Ass'y		9/8/88	RW
	E) Adjust Trigger Pull to Min. Setting and Stake		8 Sep 88	JS
	F) Safety on Force	6.75 7 7	8 Sep 88	JS
	G) Safety off Force	3 3 3	8 Sep 88	JS
	H) Trigger Pull Test & Retainability		8 Sep 88	JS
	I) Firing Pin Indent	.0215 .021 .0215	8 Sep 88	JS
	J) Assemble Stock		9/16/88	RW
	K) Assemble Swivel Studs		10-12-88	JS
	L) Attach Front & Rear Sight Assemblies		9/16/88	RW
	M) Iron Sight Alignment		9/16/88	RW
	N) Detach Front & Rear Sights & place in numbered container		9/16/88	RW
	O) Attach Scope to Rifle		10/5/88	RW
	P) Detach & Attach Scope 20 times		10-5-88	JS
640	Gallery Target & Test	59 R 96L	10/10/88	DT
	A) Optical Clarity of Scope		10/10/88	JS
645	Inspect for Live Ammo		10/10/88	JS
655	Final Inspection			
	A) Headspace		10-12-88	JS
	B) Trigger Pull		10-14-88	JS
	C) Function		10-12-88	JS
660	Pack		10-21-88	JS

SWS TRIGGER PULL TEST

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS
2.50# ± .50#
3.00# ± .75#
4.00# ± 1.00#

SERIAL NO. C6225356
DATE 8 Sept 88
TESTER HS

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.50	2.40	2.60	2.67	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.47	2.43	2.53	2.62	
PULL #3	2.46	2.45	2.49	2.70	
PULL #4	2.43	2.41	2.48	2.67	
PULL #5	2.43	2.40	2.49	2.69	
TOTAL	12.29	12.09	12.59	13.35	
AVG.	2.458	2.418	2.518	2.67	

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.17	3.20		
PULL #2	3.21	3.20		
PULL #3	3.21	3.18		
PULL #4	3.25	3.25		
PULL #5	3.21	3.21		
TOTAL	16.04	16.04		
AVG.	3.208	3.208		

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.10	4.05		4.37
PULL #2	4.06	4.09		4.38
PULL #3	4.02	4.05		4.38
PULL #4	4.10	4.08		4.34
PULL #5	4.10	4.12		4.31
TOTAL	20.38	20.39		21.78
AVG.	4.076	4.078		4.356

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # 6225356

CENTROIDAL DISTANCES

0 TO	1	.372945
1 TO	2	.935797
1 TO	3	.410099
1 TO	4	.99328
1 TO	5	1.6646


+₃ <----POA
4
5

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .5828
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.5068
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .772335
THE AMR FOR THIS RIFLE IS: 1.052

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/0225356

CENTERFIRE PATTERNS # 1



OF SHOTS = 10

IN CIR

1in = 1

2in = 5

3in = 9

ISS = 0.516

VSS = 2.235

GSS = 2.728


CENTROID *

PATTERN #	:	10	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.270	1.132	1.023
MINIMUM X	:	-1.246	-1.132	-1.241
MAXIMUM Y	:	1.112	1.019	.867
MINIMUM Y	:	-1.123	-1.216	-1.045
CENTROID X	:	.292	.430	.539
CENTROID Y	:	.232	.325	.477
POB TO CENTROID in.	:	.373	.539	.720
MIN RADIUS	:	.376	.415	.474
MEAN RADIUS	:	1.005	.929	.833
MAX RADIUS	:	1.582	1.497	1.269
HORIZONTAL SPREAD	:	2.516	2.264	2.264
VERTICAL SPREAD	:	2.235	2.235	1.912
EXTREME SPREAD	:	2.728	2.568	2.266
NUMBER IN ONE INCH CIRCLE =	:	1		
NUMBER IN TWO INCH CIRCLE =	:	5		
NUMBER IN THREE INCH CIRCLE =	:	9		

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/8205356

CENTERFIRE PATTERNS # 2



OF SHOTS- 10

IN CIR

1in = 0

2in = 5

3in = 8

HS= 3.273

VS= 3.590


ES= 3.941

PATTERN #	2	3	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	2.225	2.204	1.132
MINIMUM X	-1.148	-1.169	-0.993
MAXIMUM Y	2.412	1.090	1.035
MINIMUM Y	-1.178	-0.910	-0.965
CENTROID X	0.693	0.713	0.437
CENTROID Y	-0.614	-0.882	-0.827
POA TO CENTROID in.	0.925	1.134	0.935
MIN RADIUS	0.529	0.385	0.211
MEAN RADIUS	1.225	1.054	0.855
MAX RADIUS	2.419	2.248	1.367
HORIZONTAL SPREAD	3.373	3.373	2.025
VERTICAL SPREAD	3.590	2.000	2.000
EXTREME SPREAD	3.941	3.704	2.246
NUMBER IN ONE INCH CIRCLE =	0	5	8
NUMBER IN TWO INCH CIRCLE =	5	5	8
NUMBER IN THREE INCH CIRCLE =	8	5	8

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/B225356

CENTERFIRE PATTERNS # 3



OF SHOTS= 10

IN CIR

1in = 0

2in = 1

3in = 9

HS= 2.882

VS= 2.666

GS= 3.257

PATTERN #	:	3		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.597	1.531	1.448
MINIMUM X	:	-1.286	-1.108	-1.191
MAXIMUM Y	:	1.235	1.341	.864
MINIMUM Y	:	-1.431	-1.325	-1.157
CENTROID X	:	.322	.144	.227
CENTROID Y	:	-.177	-.283	-.451
POR TO CENTROID in.	:	.367	.318	.505
MIN RADIUS	:	.909	1.015	.926
MEAN RADIUS	:	1.354	1.274	1.234
MAX RADIUS	:	1.859	1.577	1.590
HORIZONTAL SPREAD	:	2.883	2.639	2.639
VERTICAL SPREAD	:	2.666	2.666	2.041
EXTREME SPREAD	:	3.257	2.876	2.774
NUMBER IN ONE INCH CIRCLE	=		0	
NUMBER IN TWO INCH CIRCLE	=		1	
NUMBER IN THREE INCH CIRCLE	=		9	

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/6225358

CENTERFIRE PATTERNS

4

POB

1in circle

2in circle

3in circle

CENTROID #

OF SHOTS = 10

IN CIR

1in = 4

2in = 6

3in = 9

HS = 2.783

VS = 1.621

GS = 2.796

PATTERN #	:	4		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.564	1.072	.941
MINIMUM X	:	-1.219	-1.045	-.565
MAXIMUM Y	:	1.077	1.072	1.032
MINIMUM Y	:	-.544	-.549	-.589
CENTROID X	:	.558	.384	.515
CENTROID Y	:	-.725	-.720	-.680
POB TO CENTROID in.	:	.915	.816	.853
MIN RADIUS	:	.274	.315	.319
MEAN RADIUS	:	.811	.713	.661
MAX RADIUS	:	1.565	1.199	1.104
HORIZONTAL SPREAD	:	2.783	2.117	1.506
VERTICAL SPREAD	:	1.621	1.621	1.621
EXTREME SPREAD	:	2.796	2.128	1.853
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		9	

11 Oct 1988

FILE:/PATTERNING/CENTERFIRE_PATT/622535B

CENTERFIRE PATTERNS

5

POA

1 in circle

2 in circle

3 in circle

CENTROID +

OF SHOTS= 10

IN CIR

1 in = 4

2 in = 6

3 in = 8

IS = 0.401

VS = 0.942

GS = 0.945

PATTERN #	:	5		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.801	.624	.658
MINIMUM X	:	-1.600	-.690	-.656
MAXIMUM Y	:	1.458	1.468	1.284
MINIMUM Y	:	-1.484	-1.474	-.565
CENTROID X	:	1.050	1.227	1.193
CENTROID Y	:	-1.250	-1.260	-1.076
POA TO CENTROID in.	:	1.632	1.759	1.607
MIN RADIUS	:	.274	.212	.371
MEAN RADIUS	:	.865	.777	.708
MAX RADIUS	:	1.603	1.499	1.296
HORIZONTAL SPREAD	:	2.401	1.314	1.314
VERTICAL SPREAD	:	2.942	2.942	1.849
EXTREME SPREAD	:	2.945	2.945	2.003
NUMBER IN ONE INCH CIRCLE	=		4	
NUMBER IN TWO INCH CIRCLE	=		6	
NUMBER IN THREE INCH CIRCLE	=		8	

RECEIVING AND ESTIMATING REPORT

ORDER
R 96-17743INITIAL
JJM

CUSTOMER ORDER NO.

M-24 SNIPER

DATE RECEIVED
07/30/96DATE OPENED
07/31/96DATE CODE
LI 2-88SERIAL NUMBER
C6225356

NEW SERIAL NUMBER

MODEL AND GRADE
700 7.62

NATO

ACCESSORIES

W/STUDS

W/SWIVELS

SCOPE BASE

FROM:

DEPT OF THE ARMY
C CO 1ST BN 508 REGT
FT BRAG

NC 28307

SHIP TO:

DEPT OF THE ARMY
C CO 1ST BN 508 REGT
FT BRAGNC
28307

CUST NO: 146446 C.D.D L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

BOLT ASSY.

B3

BARREL ASSY.

B4

D1

E3

F3

REC. ASSY.

B5

D2

E4

F4

WOOD

C1

D3

E5

F5

METAL

C2

MAIN FAULT

W524096180H244A

PARTS

COMMENTS

Barrel 96003
Stock 96018
Front Sight Base 96011Re powder Coat Trigger Guard
Assy & Rear Sight Base
Re zinc Scope Base, Swivels
& Swivel Studs

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV. 6-96

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400013618

WARNING: Standardized procedure for recording, defacing, or destroying this tag must be subject to a fine of not more than \$1,000 or imprisonment of not more than one year or both. (18 U.S.C. 1364)

FSN, PART NO. AND ITEM DESCRIPTION

1005-01-240-2136
Sniper System
7.62MM
M24

UNSERVICEABLE (REPARABLE)
TAG - MATERIEL

DOL

INSPECTION ACTIVITY

UNUSABLE

CONDITION

CODE 6

REASON FOR REPARABLE CONDITION

Under Warranty

Missing Serial, Serial # 871110

ULTRA LHS Inc. 10X-1137

REMOVED FROM

SERIAL NO./LOT NO.

C6225356

UNIT OF

ISSUE

Each

CONTRACT OR PURCHASE

ORDER NO.

1-486

QUANTITY

1

INSPECTOR'S NAME OR STAMP AND DATE

4/17/11

4199

REMARKS

CC 1/508TH


Condition Code

V.C.I.I.

U.S. GPO: 1992-331-759

DD FORM 1577 2-1 OCT 66

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	00
1. TOTAL PRICE										2. SHIP FROM										3. SHIP TO																																																																															
A5EB070 EA										CMAH2WMGM										032012JB14AF																																																																															
UNIT PRICE										DOLLARS										CTS																																																																															
0514500										5145.00										CMAH2W																																																																															
5 DOC DATE										6. NMFC										7. FRT RATE																																																																															
96198										069300										LTL 100																																																																															
8. TYPE CARGO										9 PS																																																																																									
681 24										4																																																																																									
10 QTY REC										11. UP										12. UNIT WEIGHT																																																																															
										00001																																																																																									
13. UNIT CUBE										14. UFG										15SL																																																																															
38340										0																																																																																									
16. FREIGHT CLASSIFICATION										NOMENCLATURE																																																																																									
FIREARMS NOI																																																																																																			
17. ITEM NOMENCLATURE																																																																																																			
RIFLE																																																																																																			
18. TV CONT										19. NO CONT										20. TOTAL WEIGHT																																																																															
Ctn										1										15																																																																															
21. TOTAL CUBE																				0.5																																																																															
22. RECEIVED BY																				23. DATE RECEIVED																																																																															
24. ISSUED BY AND DATE										25. SHIPPED BY AND DATE																																																																																									
																				24-7-22-96																																																																															
DT REC: 96197										STD: 96198										SUSD: 96198																																																																															
SIGNATURE REC										REO										LEVEL A/C																																																																															
SELECT CODE: F										ARM										STOCK																																																																															
NON EXP										PKG REF NO: MILSTD2073										EXT WT: .00																																																																															
EXT CU:																																																																																																			
TP-1										PA: P02										PL: 001																																																																															
SHIP BY TRACEABLE MEANS										1 EXCEPTION										LINE 001 OF 001																																																																															
REGISTERED MAIL										SNT FOR DODSASP REQUIRED										ULTIMATE CONSIGNEE/MARK FOR:																																																																															
R698457286										SIN 6225356										XR REMINGTON ARMS COMPANY INC																																																																															
										MAJOR END ITEM										FABRICATED PRODUCTS DEPT																																																																															
																				14 HOEFLER AVE																																																																															
																				ILION																																																																															
																				NY 13357-1816																																																																															
WHSE LOC										15120821A																																																																																									
SEQ NO: 00293										BATCH: 0008																																																																																									
4 OF 6 SC:										TCN: W52H09 6180 H244 AXX										NOT HAZARDOUS FOR TRANSPORT																																																																															
DD FORM 1348-1A, JUN 86 ISSUE										RELEASE/RECEIPT DOCUMENT										FORM APPROVE, ONB NO 0704-0188																																																																															



DEPARTMENT OF THE ARMY
ROCK ISLAND ARSENAL
ROCK ISLAND, ILLINOIS 61229
OFFICIAL BUSINESS

SHIP TO:

M/F: CMAH2W

TCN W52H09 6180 H244 AXX
RDD 201 PROJ TP 1
W52H1C

XR REMINGTON ARMS COMPANY INC
FABRICATED PRODUCTS DEPT
14 HOEFLER AVE
ILION, NEW YORK 13357-1816

REGISTERED MAIL

R698457286

CARRIER:

PRIORITY CLASS

TO TRANS:

NO/LINE ITEMS

1

DATE SHIPPED:

7-22-96

INITIALS:

JA

LOCATION:

PIECES:

1 CTN

WEIGHT:

15

CUBE:

0.5

NOTES:

658002L KW


SIORI FORM 710-8 FEB 96

SHIPPING ACTION & LOCATION RECORD

IDENT FROM										QUANTITY										SUPPLY ADDRESS										UNIT PRICE										1. TOTAL PRICE										SHIP FROM										SHIP TO																			
A5EB070 EA										CMAH2WMGM										032012JB14AF										0514500										5145.00										W52H1C 61299-5000										CMAH2W																			
24. DOCUMENT NUMBER (30-44)										25. NATIONAL STOCK NO. A (8-22)										26. RIC (4-6) (33-24) (34-25) (35-26) (36-27) (37-28) (38-29) (39-30)										5. DOC DATE										6. NMFC										7. FRT RATE										8. TYPE CARGO										9. PS									
W52H09 6180 H244A										TCN										96198										069300										LTL 100										681 24										4																			
1005012402136																				10. QTY REC										11. UP										12. UNIT WEIGHT										13. UNIT CUBE										14. UFG										15. ISL									
																				00001																														38340										0																			
																				16. FREIGHT CLASSIFICATION										NOMENCLATURE																																																	
																				17. ITEM NOMENCLATURE																																																											
																				RIFLE																																																											
																				18. TY CONT										19. NO CONT										20. TOTAL WEIGHT										21. TOTAL CUBE																													
																				22. RECEIVED BY																				23. DATE RECEIVED																																							
DT REC: 96197										STD: 96198										SUSD: 96198										DOD 5100.76M										SCIC: 6										28. ISSUED BY AND DATE										29. SHIPPED BY AND DATE																			
SIGNATURE REC REQ										LEVEL A/C																																																																					
SELECT CODE: F										ARM STOCK										NON EXP PKG REF NO: MILSTD2073										EXT WT: .00										EXT CU:																																							
TP-1										PA: P02 PL: 001										SPW: 658002 001										CK DIG: L										TAC:																																							
SHIP BY TRACEABLE MEANS										1 EXCEPTION										LINE 001 OF 001																																																											
WHSE LOC										15120821A										SNT FOR DODSASP REQUIRED										ULTIMATE CONSIGNEE/MARK FOR:																																																	
																				MAJOR END ITEM										XR REMINGTON ARMS COMPANY INC																																																	
																														FABRICATED PRODUCTS DEPT																																																	
																														14 HOFELER AVE																																																	
																														ILION																				NY 13357-1816																													
SEQ NO: 00293										BATCH: 0008										NOT HAZARDOUS FOR TRANSPORT																																																											
5 OF 6 SC:										TCN: W52H09 6180 H244 AXX																																																																					

DD FORM 1348-1A, JUN 85 ISSUE RELEASE/RECEIPT DOCUMENT

FORM APPROVED, OMB NO 0704-0188



EQUIPMENT INSPECTION AND MAINTENANCE WORKSHEET										
For use of this form, see DA PAM 738-750 and 738-751; the proponent agency is DCSLOG										
1. ORGANIZATION C621508IA				2. NOMENCLATURE AND MODEL Sniper System 7.62MM M24						
3. REGISTRATION/SERIAL/NSN C6225356		4a. MILES	b. HOURS	c. ROUNDS FIRED	d. HOT STARTS	5. DATE 4/99		6. TYPE INSPECTION T.I.		
7. APPLICABLE REFERENCE										
TM NUMBER 1005-01-240-2136			TM DATE		TM NUMBER			TM DATE		
COLUMN a - Enter TM item number.					COLUMN d - Show corrective action for deficiency or shortcoming listed in Column c.					
COLUMN b - Enter the applicable condition status symbol.					COLUMN e - Individual ascertaining completed corrective action initial in this column.					
COLUMN c - Enter deficiencies and shortcomings.										
STATUS SYMBOLS										
"X"-Indicates a deficiency in the equipment that places it in an inoperable status. CIRCLED "X"-Indicates a deficiency, however, the equipment may be operated under specific limitations as directed by higher authority or as prescribed locally, until corrective action can be accomplished. HORIZONTAL DASH "-"-Indicates that a required inspection, component replacement, maintenance operation check, or test flight is due but has not been accomplished, or an overdue MWO has not been accomplished.					DIAGONAL "/"-Indicates a materiel defect other than a deficiency which must be corrected to increase efficiency or to make the item completely serviceable. LAST NAME INITIAL IN BLACK, BLUE-BLACK INK, OR PENCIL-Indicates that a completely satisfactory condition exists. FOR AIRCRAFT-Status symbols will be recorded in red.					
ALL INSPECTIONS AND EQUIPMENT CONDITIONS RECORDED ON THIS FORM HAVE BEEN DETERMINED IN ACCORDANCE WITH DIAGNOSTIC PROCEDURES AND STANDARDS IN THE TM CITED HEREON.										
8a. SIGNATURE (Person(s) performing inspection)			8b. TIME		9a. SIGNATURE (Maintenance Supervisor)			9b. TIME		10. MANHOURS REQUIRED
TM ITEM NO.	STATUS	DEFICIENCIES AND SHORTCOMINGS			CORRECTIVE ACTION			INITIAL WHEN CORRECTED		
a	b	c			d			e		
1	/	T.I. For Turn In.								
2	/	Under Warranty.								
3	/	Missing Bood.								
4	/	Scope SN#87 1110			ULTRA L45 Inc. 10X-M3A					
5	/	No parts No. Tel. At This Station								
6	/	Serviceable.								
7	/	Condition Code								
8	/	V.C.I.			(6)					

M2400013627

7-22-96

21 DAY TURN - AROUND

Barrel
a
Stock

M-24

CONTRACT # DAAA09-92-C-0834

R&E NO.

SERIAL NO. C6225356

LOG IN DATE: / /		DATE	INIT.
INSPECT & VERIFY:			
OP. #	OP. NAME		
550	DIS-ASSEMBLE GUN		
560 A	RE-BARREL AT CUSTOM SHOP		
B	DRILL & TAP		
C	POLISH		
575	ASSEMBLE		
600	PROOF	9/9/96	Rw
605	CHECK HEADSPACE	9/9/96	Rw
610	DIS-ASSEMBLE		
612	MAGNAFLUX		
615	ROLLMARK CALIBER		
618	ROTO-BLAST		
620	APPLY COATINGS		
625 A	FINAL ASSEMBLY	9/24/96	Rw
B	TRIGGER PULL TEST		
C	SAFETY ON FORCE		
D	SAFETY OFF FORCE		
E	FIRING PIN INDENT		
640	TARGET	9/27/96	AK
655	FINAL INSPECT	10/1/96	Rw
660	PACK		

QAR INSPECTION

SHIP DATE

Final Inspection

Sni. C6225356

DATE REC'D: 7/30/96

DATE RET'D:

AUDITOR: RW

Item:

BARREL ASSY.

☒ BARREL☒ RECEIVER☒ FRONT SIGHT BLOCK☒ REAR SIGHT BLOCK☒ SCREWS☒ FINISH

SCOPE ASSY.

☐ SCOPE☐ SCOPE RINGS☐ MOUNTING SCREWS☐ MOUNTING BASE☐ SCREWS☐ FINISH☐ LOOSENESS☐ CLARITY

MISC.

☐ DD-250☐ BAR CODE☐ PACKAGING

Item:

STOCK ASSY.

☒ STOCK☒ SLING SWIVEL STUDS☒ ADJUSTABLE BUTT PLATE☒ LOCK NUTS☒ BARREL CLEARANCE☒ COLOR/FINISH

SYSTEMS CASE

☐ SCOPE CASE☐ IRON SIGHTS☐ DEPLOYMENT KIT

TRIGGER

☒ SAFETY OPERATION☒ SET

Comments: _____

CENTROIDAL DISTANCE CALCULATIONS
POP RIFLE # C6225356
3 Jan 1988

CENTROIDAL DISTANCES

0 TO	1	.284918
1 TO	2	.439058
1 TO	3	.523172
1 TO	4	.414307
1 TO	5	.152191


$\bar{x}$
 $\bar{y}$ (----)POA

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0708
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0102
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .071531
THE AMR FOR THIS RIFLE IS: 1.087

5 Jan 1968

FILE:/PATTERNING/CENTERFIRE PATT/C6225358

CENTERFIRE PATTERNS # 1



PATTERN #				
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.876	1.521	1.361
MINIMUM X	:	-1.484	-1.275	-1.053
MAXIMUM Y	:	.927	.834	.537
MINIMUM Y	:	-.946	-1.039	-.935
CENTROID X	:	-.257	-.466	-.306
CENTROID Y	:	-.123	-.630	-.134
POA TO CENTROID in.	:	.285	.466	.334
MIN RADIUS	:	.159	.095	.138
MEAN RADIUS	:	1.112	.950	.904
MAX RADIUS	:	2.055	1.683	1.493
HORIZONTAL SPREAD	:	3.360	2.796	2.414
VERTICAL SPREAD	:	1.873	1.873	1.472
EXTREME SPREAD	:	3.795	3.204	2.661
NUMBER IN ONE INCH CIRCLE	=	1		
NUMBER IN TWO INCH CIRCLE	=	5		
NUMBER IN THREE INCH CIRCLE	=	8		


3 Jan 1988

FILE:/PATTERNING/CENTERFIRE_PATT/C6225356

CENTERFIRE PATTERNS

2

POA



OF SHOTS = 10

IN CIR

1 in = 2

2 in = 4

3 in = 5

CENTROID #

HS = 4.985

VS = 1.540

GS = 4.997


PATTERN

SHOTS (BEST OF)	10	9	8
MAXIMUM X	2.753	2.053	1.813
MINIMUM X	-2.232	-1.926	-1.190
MAXIMUM Y	.567	.543	.579
MINIMUM Y	-.973	-.910	-.874
CENTROID X	.167	-.139	.101
CENTROID Y	-.237	-.200	-.336
POA TO CENTROID in.	.290	.331	.351
MIN RADIUS	.161	.250	.134
MEAN RADIUS	1.238	1.024	.900
MAX RADIUS	2.811	2.101	1.875
HORIZONTAL SPREAD	4.985	3.979	3.002
VERTICAL SPREAD	1.540	1.453	1.453
EXTREME SPREAD	4.997	3.982	3.006
NUMBER IN ONE INCH CIRCLE	=	2	
NUMBER IN TWO INCH CIRCLE	=	4	
NUMBER IN THREE INCH CIRCLE	=	7	

3 Jan 1988

FILE: PATTERNING/CENTERFIRE_PATT/C6225356

CENTERFIRE PATTERNS # 3



OF SHOTS = 10

IN CIR

1 in = 5

2 in = 5

3 in = 8

HE = 2.827

VS = 2.277

CS = 3.836

CENTROID #

PATTERN #


SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.485	1.608	1.792
MINIMUM X	-1.142	-1.019	-.819
MAXIMUM Y	1.164	1.040	1.085
MINIMUM Y	-1.113	-1.188	-1.063
CENTROID X	-.292	-.415	-.615
CENTROID Y	.399	.523	.478
POA TO CENTROID in.	.495	.687	.788
MIN RADIUS	.417	.379	.233
MEAN RADIUS	1.047	.969	.846
MAX RADIUS	1.567	1.647	1.292
HORIZONTAL SPREAD	2.627	2.627	1.521
VERTICAL SPREAD	2.277	2.148	2.148
EXTREME SPREAD	3.836	2.665	2.284
NUMBER IN ONE INCH CIRCLE	=	1	
NUMBER IN TWO INCH CIRCLE	=	5	
NUMBER IN THREE INCH CIRCLE	=	8	

3 Jan 1908

FILE: PATTERNING/CENTERFIRE_PATT/C6225356

CENTERFIRE PATTERNS

4



OF SHOTS - 10

IN CIR

1in = 1

2in = 3

3in = 9

ISI = 1.112

VSI = 1.000

GSI = 3.456

CENTROID *


PATTERN #			
SHOTS - BEST OF	10	9	8
MAXIMUM X	1.988	1.146	.993
MINIMUM X	-1.403	-1.186	-.749
MAXIMUM Y	.929	.893	.947
MINIMUM Y	-1.156	-1.192	-1.138
CENTROID X	.134	-.084	.064
CENTROID Y	.014	.050	-.004
POA TO CENTROID (in)	.134	.098	.064
MIN RADIUS	.313	.528	.384
MEAN RADIUS	1.081	.968	.921
MAX RADIUS	1.988	1.453	1.376
HORIZONTAL SPREAD	3.365	2.332	1.747
VERTICAL SPREAD	2.085	2.085	2.085
EXTREME SPREAD	3.456	2.639	2.639
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		5	
NUMBER IN THREE INCH CIRCLE =		9	

3 Jan 1968

FILE: PATTERNING/CENTERFIRE_PATT/06225356

CENTERFIRE PATTERNS

5



OF SHOTS- 10

IN CIR

1in - 1

2in - 7

3in - 3

HS- 2.260

VS- 2.752

GS- 3.102

CENTROID #

PATTERN #			
SHOTS (BEST OF)	10	9	8
MAXIMUM X	1.491	1.612	.756
MINIMUM X	-.777	-.657	-.455
MAXIMUM Y	1.778	.735	.671
MINIMUM Y	-.974	-.776	-.840
CENTROID X	-.106	-.226	-.428
CENTROID Y	-.104	-.302	-.238
POA TO CENTROID in.	.148	.377	.489
MIN RADIUS	.474	.519	.475
MEAN RADIUS	.958	.804	.654
MAX RADIUS	2.084	1.692	.852
HORIZONTAL SPREAD	2.269	2.269	1.211
VERTICAL SPREAD	2.752	1.511	1.511
EXTREME SPREAD	3.102	2.495	1.545
NUMBER IN ONE INCH CIRCLE =		1	
NUMBER IN TWO INCH CIRCLE =		7	
NUMBER IN THREE INCH CIRCLE =		3	

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER
R 97-11970

INITIAL
JJM

CUSTOMER ORDER NO.

DATE RECEIVED
06/25/97

DATE OPENED
06/25/97

DATE CODE

SERIAL NUMBER
C6225356

NEW SERIAL NUMBER

MODEL AND GRADE
700 7.62

NATO

ACCESSORIES

FROM:

TRANSPORTATION OFFICER
ANNISTON ARMY DEPOT
ANNISTON

AL 36201

SHIP TO:

TRANSPORTATION OFFICER
ANNISTON ARMY DEPOT
ANNISTON

AL

36201

CUST NO: 150939 C.G.D L

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

A1

B1

TRIGGER GROUP

B2

E1

F1

BOLT ASSY.

B3

E2

F2

BARREL ASSY.

B4

D1

E3

F3

REC. ASSY.

B5

D2

E4

F4

WOOD

C1

D3

E5

F5

METAL

C2

MAIN FAULT

PARTS

COMMENTS

VI- SCOPE COMPLETE

PN 96222

VI- FRONT SIGHT ASSY

PN 96118

VI- REAR SIGHT ASSY

PN 96119

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV. 6/95

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400013636

MATERIAL INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S			
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS							
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408				CODE S3306A			
11. SHIPPED FROM (If other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077				CODE SC1016	
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		W52H096180H244A	
15. ITEM NO.		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.)		DESCRIPTION		17. QUANTITY SHIP/REC'D *		18. UNIT		19. UNIT PRICE		20. AMOUNT	
0001 AK		SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON M178T220MIGU W52H096180H244A				Ø		LO		1173.09		1173.09	
										17.90		17.90	
				TOTAL						1190.99		1190.99	
21. CONTRACT QUALITY ASSURANCE												22. RECEIVER'S USE	
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. 96OCT16 DATE SIGNATURE OF AUTH GOVT REP JOHN A. DAMANDA TYPED NAME AND OFFICE S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE SIGNATURE OF AUTH GOVT REP TYPED NAME AND TITLE						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED SIGNATURE OF AUTH GOVT REP TYPED NAME AND OFFICE	
* If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.													
23. CONTRACTOR USE ONLY													
SERIAL NO. C6225356 R648012767 FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413													

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 — 311-830/60242

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400013637

MATERIAL INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S							
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS											
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408				CODE S3306A							
11. SHIPPED FROM (if other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077				CODE SC1016					
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W W52H096180H244A							
15. ITEM NO. 0001		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.) AK		DESCRIPTION SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON MI78T220MIGU W52H096180H244A		17. QUANTITY SHIP/REC'D * 0		18. UNIT LO		19. UNIT PRICE 1173.09		20. AMOUNT 1173.09					
										17.90		17.90					
										1190.99		1190.99					
21. CONTRACT QUALITY ASSURANCE						22. RECEIVER'S USE											
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE <u>96OCT16</u> SIGNATURE OF AUTH GOVT REP <u>[Signature]</u> TYPED NAME AND OFFICE JOHN A. DAMANDA S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND TITLE _____						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND OFFICE _____ * If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.					
23. CONTRACTOR USE ONLY																	
SERIAL NO. C6225356 R648012767 FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413																	

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 — 311-800-6024

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400013638

MATERIAL INSPECTION AND RECEIVING REPORT

Form Approved
OMB No. 0704-0248

Public reporting burden for this collection of information is estimated to average 35 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0248), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR COMPLETED FORM TO EITHER OF THESE ADDRESSES.

1. PROC. INSTRUMENT IDEN. (CONTRACT) DAAA 09-92-C-0834		(ORDER) NO.		6. INVOICE NO./DATE RACO 120		7. PAGE 1		OF 1		8. ACCEPTANCE POINT S	
2. SHIPMENT NO. RACO 120		3. DATE SHIPPED 96OCT16		4. B/L TCN		5. DISCOUNT TERMS H NET 30 DAYS					
9. PRIME CONTRACTOR REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		10. ADMINISTERED BY DCMAO-SYRACUSE 615 ERIE BLVD W SYRACUSE NY 13204-2408					
11. SHIPPED FROM (If other than 9) REMINGTON ARMS CO INC 14 HOEFLER AVE ILION NY 13357				CODE 3A703		FOB: S		12. PAYMENT WILL BE MADE BY DFAS-COLUMBUS BUNKER HILL DIVISION PO BOX 182077 COLUMBUS OH 43218-2077			
13. SHIPPED TO DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W		14. MARKED FOR DEPT OF THE ARMY C CO 1ST BN 508 REGT FT BRAG NC 28307				CODE CMAH2W	
W52H096180H244A											
15. ITEM NO.		16. STOCK/PART NO. (Indicate number of shipping containers - type of container - container number.)		DESCRIPTION		17. QUANTITY SHIP/REC'D *		18. UNIT		19. UNIT PRICE	
0001		AK		SERVICES LINE ITEM THIS SHIPMENT CONSISTS OF: 1 - BARREL P/N 96003 1 - STOCK ASSEMBLY P/N 96018 1 - FRONT SIGHT BASE P/N 96011 1 - EXPEDITING FEE CTN WGT 14 LBS US MAIL 21720206D6D02P421010.122217S11116 PRON M178T220MIGU W52H096180H244A		Ø		LO		1173.09	
										17.90	
				TOTAL						1190.99	
21. CONTRACT QUALITY ASSURANCE						22. RECEIVER'S USE					
A. ORIGIN ☒ CQA ☒ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE <u>96OCT16</u> SIGNATURE OF AUTH GOVT REP <u>[Signature]</u> TYPED NAME AND OFFICE JOHN A. DAMANDA S3306A						B. DESTINATION ☐ CQA ☐ ACCEPTANCE of listed items has been made by me or under my supervision and they conform to contract, except as noted herein or on supporting documents. DATE _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND TITLE _____					
23. CONTRACTOR USE ONLY						Quantities shown in column 17 were received in apparent good condition except as noted. DATE RECEIVED _____ SIGNATURE OF AUTH GOVT REP _____ TYPED NAME AND OFFICE _____ * If quantity received by the Government is the same as quantity shipped, indicate by (✓) mark, if different, enter actual quantity received below quantity shipped and encircle.					
SERIAL NO. C6225356 R648012767						FRED MARTIN CONTRACT COORDINATOR/GOVT. SALES REMINGTON ARMS CO INC ILION, NEW YORK 13357 PHONE: (315) 895-3413					

DD Form 250, DEC 91

Previous editions are obsolete.

U.S. Government Printing Office: 1992 — 311-830/50242

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400013639