

C6594596

MODEL 700™ M24

Model **SWS**™

Action

Barrel Length

Capacity

Order No. **5716**

*Includes 1 in chamber.





VERY IMPORTANT:
Instruction Book
enclosed to assure
safe use of this
firearm.

MODEL 700™ M24

MADE IN ILION, N.Y. U.S.A. Reg. U.S. Pat & Tm. Off, Marca Registrada Marque Deposee.

20

SERIAL NO.
C6594596

ORDER NO.
5716



5716 C6594596

UPC



0 47700 25716 7

CONTRACT # DAAA21-87-C-0086

GUN SERIAL #

C 6594596

OP. #	OP. NAME	READINGS	DATE	INIT
575 & 580	Assemble Action and Stock	QUALITY AUDIT	12/26/90	K.S.
600	Proof		12/26/90	K.S.
607	Check Headspace		12/26/90	K.S.
610	Dis-assemble Gun		12/26/90	K.S.
612	Magnaflux Barrel Action		1-7-91	KR
	Magnaflux Bolt		1-7-91	KR
615	Rollmark Caliber		1-7-91	LS
617	Drill and Tap Sight Holes	1	10 91	FB
618	Polish Barrel	1	10 91	WB
620	Apply Coatings (Barrel Action)		1-26-91	JA
	Apply Coating (Bolt)			
625	Final Assembly A) Clean inside of Bolt Assembly		2/6/91	KA
	B) Inspect Rear Firing Pin Hole for Chamfer in Bolt Head		2/6/91	KA
	C) Inspect Ejector Hole for Chamfer		2/6/91	KA
	D) Oil Firing Pin Ass'y		2/6/91	KA
	E) Adjust Trigger Pull to Min Setting and Stake		2/8/91	KA

op. #	OP. NAME	READINGS					DATE	INIT
625 cont.	F) Safety On Force	5 1/4	5 1/4	5 1/4			2/10/91	WB
	G) Safety Off Force	7 1/2	7 1/2	7 1/2			2/10/91	WB
	H) Trigger Pull Test & Retainability						2/18/91	JP
	I) Firing Pin Indent	0203	0201	0205			2/10/91	WB
	J) Assemble Stock						2/11/91	KL
	K) Assemble Swivel Studs						2-26-91	A
	L) Attach Front and Rear Sight Assemblies						2/11/91	KL
	M) Iron Sight Alignment						2/11/91	KL
	N) Detach Front & Rear Sights & place in numbered container						2/11/91	KL
	O) Attach Scope to Rifle						2/11/91	KL
	P) Detach & Attach Scope 20 Times						2/11/91	KL
640	Gallery Target & Test						2/11/91	KL
	A) Time						"	KL
	B) Malfunctions						"	KL
	C) Pierced Primers						"	KL
	D) Optical Clarity of Scope						"	KL
645	Inspect for Live Ammo						2/11/91	KL
655	Final Inspection							
	A) Headspace						2-26-91	AC
	B) Trigger Pull	2.22	2.23	2.17	2.18	2.27	2/25/91	KL
	C) Function						2-26-91	AC
660	Pack						3-18-91	N

SWS TRIGGER PULL TEST

AVERAGE PULL FORCE BETWEEN
INITIAL & CYCLE TESTS

2.50# ± .50#
3.00# ± .75#
4.00# ± 1.00#

SERIAL NO. C6594596

DATE 2/8/91

TESTER JK

	2.50# INITIAL	2.50# AFTER 50 CYCLES	FINAL TEST & TO RESET 2.50#		COMMENTS
PULL #1	2.36	2.19	2.33	2.22	MIN. SETTING, NO AVG. OF 5 READINGS ACCEPT- ABLE LESS THAN 2#
PULL #2	2.29	2.23	2.28	2.23	
PULL #3	2.26	2.25	2.21	2.19	
PULL #4	2.29	2.22	2.27	2.18	
PULL #5	2.22	2.22	2.28	2.27	
TOTAL					
AVG.					

	3.00# INITIAL	3.00# AFTER 20 CYCLES		COMMENTS
PULL #1	3.49	3.33		
PULL #2	3.31	3.35		
PULL #3	3.35	3.23		
PULL #4	3.42	3.43		
PULL #5	3.30	3.23		
TOTAL				
AVG.				

	4.00# INITIAL	4.00# AFTER 20 CYCLES	MAX SETTING GREATER THAN 4#	RESET TO 4# FOR TARGET & ACCURACY
PULL #1	4.27	4.27		4.29
PULL #2	4.30	4.15		4.39
PULL #3	4.23	4.20		4.43
PULL #4	4.22	4.40		4.24
PULL #5	4.19	4.50		4.36
TOTAL				
AVG.				

CENTROIDAL DISTANCE CALCULATIONS
FOR RIFLE # C6594596
12 Feb 1991

CENTROIDAL DISTANCES

0 TO	1	.107713
1 TO	2	.226296
1 TO	3	.0594811
1 TO	4	.154253
1 TO	5	.221226

4 <----FOR


THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1028
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0302
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .107144
THE AVE FOR THIS RIFLE IS: .8662

12 Feb 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C6594596

CENTERFIRE PATTERNS # 1

POA



OF SHOTS- 10

IN CIR

1 in - 2

2 in - 6

3 in - 9

HS- 1.861

VS= 2.768

GS= 2.902

CENTROID *

PATTERN #	:	1	2	3
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.049	1.043	.535
MINIMUM X	:	-.812	-.818	-.688
MAXIMUM Y	:	1.766	1.155	1.065
MINIMUM Y	:	-1.002	-.805	-.895
CENTROID X	:	.071	.077	-.053
CENTROID Y	:	-.081	-.277	-.187
POA TO CENTROID in.	:	.107	.287	.194
MIN RADIUS	:	.119	.286	.179
MEAN RADIUS	:	.844	.735	.659
MAX RADIUS	:	1.767	1.267	1.108
HORIZONTAL SPREAD	:	1.861	1.861	1.223
VERTICAL SPREAD	:	2.768	1.960	1.960


EXTREME	SPREAD :	2.902	2.388	1.962
NUMBER IN ONE	INCH CIRCLE	=	2	
NUMBER IN TWO	INCH CIRCLE	=	6	
NUMBER IN THREE	INCH CIRCLE	=	9	

12 Feb 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C6594596

CENTERFIRE PATTERNS # 2

POA



OF SHOTS- 10

IN CIR

1in = 1

2in = 4

3in = 8

HS= 2.656

VS= 2.710


GS= 3.059

PATTERN #	:	2		
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.160	1.222	1.042
MINIMUM X	:	-1.496	-1.434	-1.163
MAXIMUM Y	:	1.589	1.232	1.169
MINIMUM Y	:	-1.121	-.944	-1.007
CENTROID X	:	.014	-.048	.132
CENTROID Y	:	.138	-.039	.024
POA TO CENTROID in.	:	.138	.061	.134
MIN RADIUS	:	.486	.442	.553
MEAN RADIUS	:	1.082	.995	.926
MAX RADIUS	:	1.683	1.521	1.358
HORIZONTAL SPREAD	:	2.656	2.656	2.205
VERTICAL SPREAD	:	2.710	2.176	2.176
EXTREME SPREAD	:	3.059	2.887	2.278
NUMBER IN ONE INCH CIRCLE	=		1	
NUMBER IN TWO INCH CIRCLE	=		4	
NUMBER IN THREE INCH CIRCLE	=		8	

12 Feb 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C6594596

CENTERFIRE PATTERNS # 3



OF SHOTS- 10

IN CIR

1 in = 3

2 in = 6

3 in = 10

HS= 2.275

VS= 1.644

GS= 2.285

PATTERN #	:	3	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	1.123	.995	.883
MINIMUM X	:	-1.152	-.840	-.715
MAXIMUM Y	:	1.021	1.001	1.002
MINIMUM Y	:	-.623	-.643	-.642
CENTROID X	:	.044	.172	.047
CENTROID Y	:	-.028	-.008	-.009
POA TO CENTROID in.	:	.052	.172	.048
MIN RADIUS	:	.162	.276	.178
MEAN RADIUS	:	.756	.715	.661
MAX RADIUS	:	1.166	1.001	1.092
HORIZONTAL SPREAD	:	2.275	1.835	1.598
VERTICAL SPREAD	:	1.644	1.644	1.644
EXTREME SPREAD	:	2.285	1.916	1.828
NUMBER IN ONE INCH CIRCLE =	:	3		
NUMBER IN TWO INCH CIRCLE =	:	6		

NUMBER IN THREE INCH CIRCLE =

10

12 Feb 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C6534596

CENTERFIRE PATTERNS

4

POA

1in circle

2in circle

3in circle

CENTROID *

OF SHOTS- 10

IN CIR

1in - 1

2in - 8

3in = 10

HS- 1.697

VS= 2.331

GS= 2.339

PATTERN #	:	4	9	8
SHOTS (BEST OF)	:	10	9	8
MAXIMUM X	:	.924	.892	.875
MINIMUM X	:	-.773	-.805	-.822
MAXIMUM Y	:	1.068	.928	.740
MINIMUM Y	:	-1.263	-.934	-.818
CENTROID X	:	.184	.216	.233
CENTROID Y	:	.024	.164	.048
POA TO CENTROID in.	:	.185	.272	.238
MIN RADIUS	:	.356	.497	.383
MEAN RADIUS	:	.808	.745	.713
MAX RADIUS	:	1.296	.937	.893
HORIZONTAL SPREAD	:	1.697	1.697	1.697
VERTICAL SPREAD	:	2.331	1.862	1.558
EXTREME SPREAD	:	2.339	1.872	1.697
NUMBER IN ONE INCH CIRCLE =	:	1		
NUMBER IN TWO INCH CIRCLE =	:	8		
NUMBER IN THREE INCH CIRCLE =	:	10		

12 Feb 1991

FILE:/PATTERNING/CENTERFIRE_PATT/C6594596

CENTERFIRE PATTERNS # 5

POA

1in circle

2in circle

3in circle

OF SHOTS - 10

IN CIR

1in = 1

2in = 7

3in = 10

HS = 2.245

VS = 1.311

ES = 2.452

CENTROID #

PATTERN #	10	9	8
SHOTS (BEST OF)	10	9	8
MAXIMUM X	.928	.782	.626
MINIMUM X	-1.317	-1.253	-.832
MAXIMUM Y	.598	.555	.548
MINIMUM Y	-.713	-.756	-.763
CENTROID X	.201	.347	.503
CENTROID Y	.098	.141	.148
POA TO CENTROID in.	.223	.375	.525
MIN RADIUS	.384	.383	.406
MEAN RADIUS	.841	.761	.671
MAX RADIUS	1.372	1.254	.975
HORIZONTAL SPREAD	2.245	2.035	1.458
VERTICAL SPREHD	1.311	1.311	1.311
EXTREME SPREAD	2.452	2.123	1.800
NUMBER IN ONE INCH CIRCLE =	1		
NUMBER IN TWO INCH CIRCLE =	7		
NUMBER IN THREE INCH CIRCLE =	10		

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER

R 92-16414

INITIAL FPS	CUSTOMER ORDER NO.	M24 W/ULTRA 10X-M3A SCOPE				
DATE RECEIVED 08/13/92	DATE OPENED 08/13/92	DATE CODE BL 1-91	SERIAL NUMBER C6594596	NEW SERIAL NUMBER	MODEL AND GRADE 700 7.62	SWS/NATO
ACCESSORIES W/STUDS	HARD CASE	SCOPE BASE	SCOPE MNTS	W/1 SWIVEL		

FROM: SHIP TO:

DEPT. OF THE ARMY
CSMS VAARNG
3100 ALCOTT RD
RICHMOND VA 23237-DEPT. OF THE ARMY
CSMS VAARNG
3100 ALCOTT RD
RICHMOND VA 23237

CUST NO: 064856 C.O.L.D

ACCOUNT NUMBER	ACCOUNT NUMBER N/C	WRITE ☐ CLEAN/TEST	PROM. DATE	ESTIMATED	VIA R2944446553
----------------	--------------------	---	------------	-----------	--------------------

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

091792 USPS

RAC00085

56 LB 07.0 OZ BASS

C

C2

N SPI
JV HND
TOTAL CHARGES \$ 31.900

REPAIR CHARGE

EXCISE PRIORITY

TAX 2 232/4

INSURANCE \$ 31.900

UPS FEES \$ 0.00

PARCEL POST

TOTAL \$ 31.900

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
CYCLE	A1	B1				
TRIGGER GROUP		B2			E1	F1
BOLT ASSY.		B3			E2	F2
BARREL ASSY.		B4		D1	E3	F3
REC. ASSY.		B5		D2	E4	F4
WOOD			C1	D3	E5	F5
METAL			C2			

MAIN FAULT

Bolt Handle Broken Off Bolt Body
Extractor/Shroud Broken


PARTS Replaced Bolt Assy Complete	COMMENTS Appears To Have Been Hot/Hand Load JH				
REPAIRMAN	PROOF	CLEAN	TEST	TARGET	PATTERN
GALLERY TESTER	DATE	DATE	DATE	DATE	DATE

OFFICE COPY

RD6925 REV. 1/92

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400020035



DA Label 18-1, Sep 83
Edition of Oct 74 will be used until exhausted

DEPARTMENT OF THE ARMY

CSMS

3100 ALCOTT ROAD

RICHMOND, VA. 23237-2039

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE \$300

REMINGTON ARMS CO., INC.

14 HOEFLER AVE.

LLION, NY. 13357

ATTN: CUSTOM SHOP

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
DOC. IDENT.		RI. FROM		M & S		STOCK NUMBER		FSC		NIIN		ADD		UNIT OF ISSUE		QUANTITY		DOCUMENT NUMBER		SUFFIX		SERV		REQUISITIONER		DATE		SERIAL		SUPPLEMENTARY ADDRESS		SIGNAL		FUND		DISTRIBUTION		PROJECT		PRI. ORITY		REQ'D DEL. DATE		ADVISE		RI		UNIT PRICE		DOLLARS		CTS.																											
						1005 012402136								EA		1		W 26L8E																																																													
SHIPPED FROM C.S.M.S VaARNG 3100 ALCOTT RD. RICHMOND, VA. 23237-2039												SHIP TO REMINGTON ARMS CO. INC 14 HOEFLER ST. LLION, N.Y. 13357												MARK FOR PROJECT												TOTAL PRICE DOLLARS CTS.																																											
A WAREHOUSE LOCATION												TYPE OF CARGO		UNIT PACK		UNIT WEIGHT		UNIT CUBE		U F C		NMFC		FREIGHT RATE		C		D DOCUMENT DATE		MAT COND		QUANTITY		E																																													
F SUBSTITUTE DATA (ITEM ORIGINALLY REQUESTED)												G		H		I		J		K		L		M		N		O		P		Q		R		S																																											
T												U FREIGHT CLASSIFICATION NOMENCLATURE												V																																																							
W												X RIFLE SYSTEM SN: C6594596/900922												Y																																																							
SELECTED BY AND DATE												TYPE OF CONTAINER(S)				TOTAL WEIGHT				RECEIVED BY AND DATE												INSPECTED BY AND DATE																																															
1 PACKED BY AND DATE												2 NO. OF CONTAINERS				3 TOTAL CUBE				7 WAREHOUSED BY AND DATE												8 WAREHOUSE LOCATION																																															
4												5				6				9												10																																															
REMARKS																																																																															
AA FIRST DESTINATION ADDRESS												BB				CC DATE SHIPPED				DD												EE																																															
11												12				FF												GG																																																			
13 TRANSPORTATION CHARGEABLE TO												14 B/LADING, AWS, OR RECEIVER'S SIGNATURE (AND DATE)												15 RECEIVER'S DOCUMENT NUMBER																																																							

DD FORM 1348-1
(6 PT)

1 MAR 74

EDITION OF 1 JAN 64 MAY BE USED
UNTIL EXHAUSTED

DOD SINGLE LINE ITEM RELEASE/RECEIPT DOCUMENT

2


PACKING LIST		PACKED BY TIMBERLAKE	1. NO. BOXES 1	2a. REQUISITION NO. W26L8E 2195-1001		
				2b. ORDER NO.		
3. END ITEM 7.62 MM SNIPER WEAPON SYSTEM - M24 NSN: 1005-01-240-2136 4WV R95387				4. DATE 27 JULY 92		
				5. PAGE 1 OF 1 PAGES		
BOX NO. (a)	CONTENTS - STOCK NUMBER AND NOMENCLATURE (b)	UNIT OF ISSUE (c)	QUANTITIES REQUIRED			
			INITIAL OPERATION (d)	RUNNING SPARES (e)	TOTAL (f)	
1.	1005-01-260-2662 SYSTEM CASE	EA			1	
2.	1005-01-260-2663 FOAM TOP	EA			1	
3.	1005-01-260-2664 FOAM BOTTOM	EA			1	
4.	SER. NO - 90 0922 / DAY OPTIC SIGHT	EA			1	
5.	SER. NO - C6594596 / RIFLE M-24 W/BOIT	EA			1	
6. THIS CERTIFIES THAT ITEMS LISTED HEREON ARE WITHIN THE SPECIFIED BOXES						
TYPED NAME AND TITLE ROBERT R. TIMBERLAKE SMALL ARMS REPAIRER		SIGNATURE 				

DD Form 1750, SEP 70

416/295

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400020041

PACKING LIST		PACKED BY TIMBERLAKE	1. NO. BOXES 1	2a. REQUISITION NO. W/26L8E 2195-1001		
				2b. ORDER NO.		
3. END ITEM 7.62MM SNIPER WEAPON SYSTEM - M24 NSN 1005-01-240-2136 4WV R95387				4. DATE 27 JULY 92		
				5. PAGE 1 OF 1 PAGES		
BOX NO. (a)	CONTENTS - STOCK NUMBER AND NOMENCLATURE (b)	UNIT OF ISSUE (c)	QUANTITIES REQUIRED			
			INITIAL OPERATION (d)	RUNNING SPARES (e)	TOTAL (f)	
1.	1005-01-260-2662 SYSTEM CASE	EA			01	
2.	1005-01-260-2663 FORM TOP	EA			01	
3.	1005-01-260-2664 FORM BOTTOM	EA			01	
4.	SER. NO - 90 0922 / DAY OPTIC SIGHT	EA			01	
5.	SER. NO - C6594596 / R.F.L. M-24 W/BOIT	EA			01	
6. THIS CERTIFIES THAT ITEMS LISTED HEREON ARE WITHIN THE SPECIFIED BOXES						
TYPED NAME AND TITLE ROBERT R. TIMBERLAKE SMALL ARMS REPAIRER			SIGNATURE 			

DD Form 1750, SEP 70

416/295

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400020042

PACKING LIST		PACKED BY TIMBERLAKE	1. NO. BOXES 1	2a. REQUISITION NO. W2628E 2195-1001	
				2b. ORDER NO.	
3. END ITEM 7.62 MM SNIPER WEAPON SYSTEM - M24 NSN: 1005-01-240-2136 4WV R95387			4. DATE 27 JULY 92		
			5. PAGE 1 OF 1 PAGES		
BOX NO. (a)	CONTENTS - STOCK NUMBER AND NOMENCLATURE (b)	UNIT OF ISSUE (c)	QUANTITIES REQUIRED		
			INITIAL OPERATION (d)	RUNNING SPARES (e)	TOTAL (f)
1.	1005-01-260-2662 System CASE	EA			01
2.	1005-01-260-2663 FORM, TOP	EA			01
3.	1005-01-260-2664 FORM, BOTTOM	EA			01
4.	SER. NO - 90 0922 / DAY OPTIC SIGHT	EA			01
5.	SER. NO - C6594596 / R.F.K M-24 W/BOIT	EA			01
6. THIS CERTIFIES THAT ITEMS LISTED HEREON ARE WITHIN THE TYPED NAME AND TITLE ROBERT R. TIMBERLAKE SMALL ARMS REPAIRER					
			ECIFIED BOXES GNATURE [Signature]		

DD Form 1750, SEP 70

416/295

MAINTENANCE REQUEST			PAGE / OF	REQUIREMENTS CONTROL SYMBOL CSGLD - 1047	CONTROL NUMBER
For use of this form, see DA PAM 738-750; the proponent agency is DCSLOG					
SECTION I - CUSTOMER DATA			SECTION II - MAINTENANCE ACTIVITY DATA		
1a. WORK ORDER NO. WVH 599	b. CUSTOMER UNIT NAME CSMS KARANG	c. PHONE NO. AVN 695-3485	3a. WORK ORDER NO (WON)		b. SHOP
2. If Intransit Customer, enter data in Blocks 2a and 2b		2a. SAMS-2 UIC	b. UTILIZATION CODE 7	4a. UIC SUPPORT	
SECTION III - EQUIPMENT DATA					
5. ID A	6. NSN 1 0 0 5 0 1 2 4 0 2 1 3 6	15. FAILURE DETECTED DURING (Select one - use / or X)			
7. TYPE MNT. REQ. CODE 1		☐ A Sch. Main. ☐ C Test ☐ E Storage ☐ G Flight ☐ B Handling ☒ D Normal Op ☐ F Inspection ☐ H Other ☐ I Calibration			
8. MODEL M24		16a. MILES/KILOMETERS (Enter or x)			
9. NOUN SNIPER WEAPON SYSTEM-7.62MM		b. HOURS		c. ROUNDS	
10a. ORG WON VH 599 02 0 0 2 5 4 WV A		b. EIC	d. LANDINGS	e. AUTO ROTATIONS	17. PROJ CODE (If Assigned)
11. SERIAL NUMBER C6594596		b. QTY.	13. PD	18. ACCT PROCESSING CODE	
24. Describe Deficiencies or Symptoms on the basis of Complete Checkout and Diagnostic Procedure in Equipment TM (Do not prescribe repairs.) BROKEN BOLT - BOLT HANDLE - EXTRACTOR - BOLT BODY AT FACE LIN: # R95387		19. IN WARRANTY? (Y or N) N		20. LEVEL OF WORK (Select one - use / or X)	
		☐ O Unit Level ☐ H Intermediate General Spl. ☒ I Special Repair Activity ☐ F Immediate Direct Spl. ☐ D Depot			
		21. BUMPER NO./TAIL NO.		22. REIMBURSABLE CUSTOMER? (If Intransit Customer, enter Y or N) N	
		23. PD AUTHENTICATION SIGNATURE (Payroll Signature) <i>Justin W. Leffon</i>			
PREPARATION INSTRUCTIONS					
SECTION I - Block 1a. Enter UIC of submitting organization. Block 1b. Enter name of submitting organization. Block 1c. Enter number to be called when maintenance is completed. Block 2b. Enter UIC of supporting SAMS-2 if work is requested while intransit and away from your support maintenance unit. Block 2c. Enter equipment utilization code under which Materiel Condition Status is reported. See SAMS Codes and Tables.			SECTION III (Continued) - Block 14. Leave blank. Block 15. Select one. Use a " / or x" to indicate when failure was detected. Block 16. Enter the accumulated usage data in block 16a through 16e, when equipment is subject to usage reporting. Block 17. Enter the project code if one has been assigned. If not, leave blank. Block 18. Leave blank (for DSU/GSU use). Block 19. Enter a "Y" or "N" to indicate whether equipment is still under manufacturer's warranty. Block 20. Select one. Use a " / or x" to indicate the level of work to be performed on equipment submitted. See SAMS Codes and Tables. Block 21. Enter the bumper number or admin. number assigned for property control purposes to the equipment being submitted. Block 22. Leave blank (for DSU/GSU use). Block 23. Enter the payroll signature of the CO or the CO's designated representative when the priority designator is 01-10. For priority designators 11-15, leave blank. Block 24. Enter a brief description of the deficiencies or symptoms that you feel require attention at this level of maintenance.		
SECTION II - Leave blank. To be completed by the support maintenance DSU/GSU.					
SECTION III - Block 5. Enter the Type Maintenance Request Code. See SAMS Codes and Tables. Block 6. Enter ID associated with block 7. See SAMS Codes and Tables. Block 7. Enter the NSN or stock number of the item being submitted. Block 8. Enter model of item being submitted. Block 9. Enter noun/nomenclature of item being submitted. Block 10a. Enter Work Order Number (WON) assigned when item submitted is reportable for MCSR. Otherwise, leave blank. Block 10b. Enter EIC (left justify). Block 11. Enter serial number of item being submitted. Block 12. Enter the quantity of items being submitted. Block 13. Enter the maintenance priority designator determined from SAMS Codes and Tables.					
34a. SUBMITTED BY <i>Justin W. Leffon</i>			35a. ACCEPTED BY		
b. ORD DATE 9 2 4 9 1	b. ST	c. ORD DATE	d. MIL TIME		

DA FORM 5504, SEP 88

DA FORM 5504, APR 87 MAY BE USED

RECEIPT COPY 1

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400020044

MAINTENANCE REQUEST				PAGE 1 OF 1		REQUIREMENTS CONTROL SYMBOL CSGLD - 1047		CONTROL NUMBER																	
For use of this form, see DA PAM 738-750; the proponent agency is DCSLOG																									
SECTION I - CUSTOMER DATA					SECTION II - MAINTENANCE ACTIVITY DATA																				
1a. WORK ORDER NO. WVHS99		b. CUSTOMER UNIT NAME CSMS KARNA		c. PHONE NO. AVN 695-3485		3a. WORK ORDER NO (WON)		b. SHOP		c. PHONE NO.															
2. If Intransit Customer, enter data in Blocks 2a and 2b		2a. SAMS-2 UIC		b. UTILIZATION CODE 7		4a. UIC SUPPORT		b. SUPPORT UNIT NAME																	
SECTION III - EQUIPMENT DATA																									
5. ID A		6. NSN 1405012402136		15. FAILURE DETECTED DURING (Select one - use / or X) ☐ A Sch. Main. ☐ C Test ☐ E Storage ☐ G Flight ☐ B Handling ☒ D Normal Op ☐ F Inspection ☐ H Other ☐ I Calibration																					
7. TYPE MNT. REQ. CODE 1		8. MODEL M24		9. NOUN SNIPER WEAPON SYSTEM-762MM		16a. MILES/KILOMETERS (Enter or x) MI KM		b. HOURS		c. ROUNDS															
10a. ORG WON VHS990200254WV A		b. EIC		d. LANDINGS		e. AUTO ROTATIONS		17. PROJ. CODE (If Assigned)		18. ACCT. PROCESSING CODE															
11. SERIAL NUMBER C6594596		b. QTY.		13/PD 108		19. IN WARRANTY? (Y or N) N		20. LEVEL OF WORK (Select one - use / or X) ☐ O Unit Level ☐ H Intermediate General Spt. ☒ I Special Repair Activity ☐ F Immediate Direct Spt. ☐ D Depot																	
24. Describe Deficiencies or Symptoms on the basis of Complete Checkout and Diagnostic Procedure in Equipment TM (Do not prescribe repairs.) BROKEN BOLT - BOLT HANDLE - EXTRACTOR - BOLT BODY AT FACE LIN: # R95387						21. BUMPER NO./TAIL NO.		22. REIMBURSABLE CUSTOMER? (If Intransit Customer, enter Y or N) N																	
23. PD AUTHENTICATION SIGNATURE (Payroll Signature) <i>Justin W. Johnson</i>																									
SECTION IV - REPORTABLE DATA																									
25a. STA		b. ORD DATE		c. MIL TIME		a. STA		b. ORD DATE		c. MIL TIME		26. TECHNICAL REFERENCES													
SECTION V - TASK REQUIREMENTS DATA																									
27a. FILE IN-PUT CD.		b. TASK NO.		c. ACT RQD.		d. TASK DESCRIPTION				e. QTY. TO BE RPR		f. WORK CENTER		g. FAILURE CODE		h. MH RMN/PROJ									
SECTION VI - PART REQUIREMENTS																									
28a. FILE IN-PUT CD.		b. TASK NO.		c. ID		d. RQD NSN OR PART NO.				e. SFX CD		f. QTY. REQUIRED		g. QTY. ISSUED		h. NM CS		i. FAILURE CODE		j. STORAGE LOCATION		k. NOUN/INIT.			
SECTION VII - COMPLETION DATA																									
29. QTY. RPR		30. QTY. CONDEMN.		31. QTY. NRTS		32. EVAC WON				33. EVAC UNIT NAME															
SECTION VIII - ACTION SIGNATURES																									
34a. SUBMITTED BY <i>W.W. Johnson</i>		35a. ACCEPTED BY				36a. WORK STARTED BY				37a. INSPECTED BY				38a. PICKED UP BY											
b. ORD DATE 92491		b. ST		c. ORD DATE		d. MIL TIME		b. ST		c. ORD DATE		d. MIL TIME		b. ST		c. ORD DATE		d. MIL TIME		b. ST		c. ORD DATE		d. MIL TIME	