

G6771209

**M/24 7.62 NATO S.W.S. (COMPLETE SYSTEM)**  
BOLT ACTION CENTERFIRE RIFLE  
24" BARREL 7.62 NATO  
WITH BIPOD

proof of purchase



owner registration sticker



3J FORM


ORDER NO. **86470**

BARREL LENGTH 24"

CAPACITY 6

**G6771209**

**UPC**



**GUN SERIAL #**

F004 REV 5/2006

| OP #         | OPERATION NAME                                                           | READINGS                                                    | DATE    | INITIAL |
|--------------|--------------------------------------------------------------------------|-------------------------------------------------------------|---------|---------|
| 560          | F) SAFETY ON FORCE <span>2 LBS MIN<br/>10 LBS MAX</span>                 | <u>6</u> <u>5.5</u> <u>6</u>                                | 8-2-08  | TL      |
| CONT.        | G) SAFETY OFF FORCE <span>2 LBS MIN</span>                               | <u>7</u> <u>6.5</u> <u>6.5</u>                              | 8-2-08  | TL      |
|              | H) TRIGGER PULL TEST<br>AND RETAINABILITY                                |                                                             |         |         |
|              | I) FIRING PIN INDENT <span>.020 MIN</span>                               | <u>.023</u> <u>.023</u> <u>.023<sup>2</sup></u>             | 8-2-08  | TL      |
|              | J) ASSEMBLE STOCK                                                        |                                                             | 7-28-08 | PSW     |
|              | K) ASSEMBLE SWIVEL<br>STUDS                                              |                                                             | 8-28-08 | PSW     |
|              | L) ATTACH FRONT AND<br>REAR SIGHT ASSY'S                                 |                                                             |         |         |
|              | M) IRON SIGHT<br>ALIGNMENT                                               |                                                             |         |         |
|              | N) DETACH FRONT AND<br>REAR SIGHTS AND PLACE<br>IN NUMBERED CONTAINER    |                                                             |         |         |
| 640 &<br>650 | FUNCTION TEST AND<br>TARGET                                              | <u>PASS</u> FAIL<br><u>PASS</u> FAIL                        | 7-29-08 | TRW     |
|              | MALFUNCTION                                                              | CORRECTION                                                  | N/A     |         |
|              | MALFUNCTION                                                              | CORRECTION                                                  |         |         |
|              | MALFUNCTION                                                              | CORRECTION                                                  |         |         |
|              | MALFUNCTION                                                              | CORRECTION                                                  |         |         |
| 660          | INSPECT FOR LIVE AMMO                                                    |                                                             | 7-29-08 | TL      |
| 670          | FINAL INSPECTION<br>A) HEADSPACE                                         |                                                             | 8-28-08 | PSW     |
|              | B) TRIGGER PULL <span>+/- .5 LBS<br/>MIN 2.50 LBS<br/>MAX 4.0 LBS</span> | <u>2.27</u> <u>2.23</u> <u>2.44</u> <u>2.43</u> <u>2.42</u> | 8-1-08  | PSW     |
|              | C) FUNCTION                                                              |                                                             | 8-28-08 | PSW     |
| 690          | PACK                                                                     |                                                             | 9-2-08  | TL      |

F004 REV 5/2006

AVERAGE PULL FORCE BETWEEN  
INITIAL & CYCLE TESTS

2.50 LBS (plus or minus 0.50 LBS)

3.00 LBS (plus or minus 0.75 LBS)

4.00 LBS (plus or minus 1.00 LBS)

DATE 7-25-08

TESTER S. Day

|         | 2.50 LBS<br>INITIAL | 2.50 LBS AFTER 50<br>CYCLES | FINAL TEST & TO RESET<br>2.50 LBS |      | COMMENTS |
|---------|---------------------|-----------------------------|-----------------------------------|------|----------|
| PULL #1 | 2.53                | 2.60                        |                                   | 2.57 |          |
| PULL #2 | 2.65                | 2.65                        |                                   | 2.79 |          |
| PULL #3 | 2.62                | 2.75                        |                                   | 2.57 |          |
| PULL #4 | 2.69                | 2.75                        |                                   | 2.55 |          |
| PULL #5 | 2.74                | 2.58                        |                                   | 2.57 |          |
| TOTAL   | 1323                | 1333                        |                                   | 1305 |          |
| AVERAGE | 2.64                | 2.66                        |                                   | 2.61 |          |

|         | 3.00 LBS<br>INITIAL | 3.00 LBS AFTER 20<br>CYCLES |  | COMMENTS |
|---------|---------------------|-----------------------------|--|----------|
| PULL #1 | 3.03                | 3.16                        |  |          |
| PULL #2 | 3.18                | 3.13                        |  |          |
| PULL #3 | 3.20                | 3.14                        |  |          |
| PULL #4 | 3.40                | 3.14                        |  |          |
| PULL #5 | 3.18                | 3.04                        |  |          |
| TOTAL   | 1599                | 1561                        |  |          |
| AVERAGE | 3.19                | 3.12                        |  |          |

|         | 4.00 LBS<br>INITIAL | 4.00 LBS AFTER 20<br>CYCLES | MAX SETTING GREATER<br>THAN 4 LBS | RESET TO 4 LBS FOR<br>TARGET & ACCURACY |
|---------|---------------------|-----------------------------|-----------------------------------|-----------------------------------------|
| PULL #1 | 4.12                | 4.23                        |                                   | 4.29                                    |
| PULL #2 | 4.03                | 4.16                        |                                   | 4.23                                    |
| PULL #3 | 4.02                | 4.14                        |                                   | 4.25                                    |
| PULL #4 | 4.08                | 4.14                        |                                   | 4.18                                    |
| PULL #5 | 4.09                | 4.05                        |                                   | 4.20                                    |
| TOTAL   | 2034                | 2072                        |                                   | 2140                                    |
| AVERAGE | 4.06                | 4.14                        |                                   | 4.28                                    |