

66775323

**MODEL 700<sup>TM</sup> EXPORT**  
**BOLT ACTION CENTERFIRE RIFLE**  
**24" BARREL 308 WIN**

ASK FOR THE PACKING CARTON  
INSTRUCTION BOOK 1918

120130 TURNER BLACK SLING  
96117 BI POD ASSY  
400054 COMPONENT CARRYING CASE  
1333 ETHAFOAM BLOCK (2)  
401937 SCOPE

**BM FORM 1799**




ORDER NO. **86453**

BARREL LENGTH **24"**

CAPACITY **5**

**G6775323**



INSPECTION CHECKLIST  
COLUMBIAN EXPORT 5/2008

|               |                                    |                                                                                                                                                  |         |             |
|---------------|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------|
| SERIAL NUMBER | G6775323                           |                                                                                                                                                  |         |             |
| OPERATION #   | OPERATION NAME                     |                                                                                                                                                  | DATE    | INITIAL     |
| 440           | PROOF                              |                                                                                                                                                  |         |             |
| 460           | CHECK HEADSPACE                    |                                                                                                                                                  |         |             |
| 470           | DIS-ASSEMBLE GUN                   |                                                                                                                                                  |         |             |
| 480           | <del>MAGNAFLUX</del>               |                                                                                                                                                  |         |             |
| 510           | DRILL AND TAP                      |                                                                                                                                                  | 7-30-08 | SP          |
| 500           | ROLLMARK CALIBER <del>7-WASH</del> |                                                                                                                                                  | 7/31/08 | PT          |
| 520           | GOFF BLAST BBL / REC               |                                                                                                                                                  | 7/31/08 | PT          |
| 530 & 540     | APPLY COATINGS                     |                                                                                                                                                  | 8-4     |             |
| 560           | FINAL ASSEMBLY                     |                                                                                                                                                  | 8-14-08 | RSN         |
| 640           | FUNCTION TEST AND                  | PASS                                                                                                                                             | FAIL    |             |
| 650           | TARGET                             | PASS                                                                                                                                             | FAIL    | 8-18-08 TRW |
|               | MALFUNCTION                        | CORRECTION                                                                                                                                       |         |             |
|               | MALFUNCTION                        | CORRECTION                                                                                                                                       |         |             |
|               | MALFUNCTION                        | CORRECTION                                                                                                                                       |         |             |
|               | MALFUNCTION                        | CORRECTION                                                                                                                                       |         |             |
| 670           | FINAL INSPECTION                   |                                                                                                                                                  | 8/18/08 | PT          |
|               | A) HEADSPACE                       | PASS                                                                                                                                             | FAIL    | 8-14-08 PT  |
|               | B) TRIGGER PULL                    | <div style="border: 1px solid black; padding: 2px; display: inline-block;">           +/- .5 LBS<br/>MIN 2.50 LBS<br/>MAX 4.0 LBS         </div> |         |             |
| 680           | F) SAFETY ON FORCE                 | <div style="border: 1px solid black; padding: 2px; display: inline-block;">           2 LBS MIN<br/>10 LBS MAX         </div>                    |         |             |
|               | G) SAFETY OFF FORCE                | <div style="border: 1px solid black; padding: 2px; display: inline-block;">           2 LBS         </div>                                       |         |             |
|               | I) FIRING PIN INDENT               | <div style="border: 1px solid black; padding: 2px; display: inline-block;">           .020         </div>                                        |         |             |
| 690           | PACK                               |                                                                                                                                                  | 8/20/08 | PT          |

F006 REV 5/2006