

E 6374578 New
C 6225133 oco

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER

R 98-05076

INITIAL CUSTOMER ORDER NO.

WOG 18 OF 23

JJM

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

02/24/98

02/24/98

64225133

E6374578

700 7.62

NATO

ACCESSORIES

W/STUDS

SCOPE BASE

FROM:

SHIP TO:

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

CUST NO: 113830 C.O.D.

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
- ☐ LIGHTLY WORN
- ☐ WORN
- ☐ VERY WORN
- ☐ UNREPAIRABLE
- ☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

B1

TRIGGER GROUP

B2

BOLT ASSY.

B3

BARREL ASSY.

B4

REC. ASSY.

B5

WOOD

C1

D3

E4

F1

METAL

C2

MAIN FAULT

PARTS

COMMENTS

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD6925 REV. 7/97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400118413

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374578
14 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .192
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .5848
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .615512

THE AMR FOR THIS RIFLE IS: 1.006

CENTROIDAL DISTANCES

0 TO	1	.979577
1 TO	2	.446515
1 TO	3	.178362
1 TO	4	.924019
1 TO	5	.528896

1 3

2 5

+ 4 <----POA


PATTERN #: 010

POA TO CENTROID: .980
 MIN RADIUS : .305
 MEAN RADIUS : 1.021
 MAX RADIUS : 1.782
 CENTROID X : .174
 CENTROID Y : .964

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374578

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 3.14

1

VS= 1.59

5

GS= 3.22

9


PATTERN #: ☐ 2 ☐

POA TO CENTROID: .541
 MIN RADIUS : .307
 MEAN RADIUS : .900
 MAX RADIUS : 1.369
 CENTROID X : .034
 CENTROID Y : .540

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/EG374578

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.38

3

VS= 2.49

5

GS= 2.53

10

PATTERN #: 030

POA TO CENTROID: 1.005

MIN RADIUS : .312

MEAN RADIUS : .923

MAX RADIUS : 1.881


CENTROID X : .351

CENTROID Y : .942

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374578

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.29

3

VS= 3.13

7

GS= 3.48

7

PATTERN #: 4

POA TO CENTROID:

.184

MIN RADIUS :

.762

MEAN RADIUS :

1.429

MAX RADIUS :

2.284

CENTROID X :

.180


CENTROID Y :

.040

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374578

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.77

0

VS= 3.94

2

GS= 4.14

6


PATTERN #: 5

POA TO CENTROID: .491
 MIN RADIUS : .140
 MEAN RADIUS : .758
 MAX RADIUS : 1.312
 CENTROID X : .221
 CENTROID Y : .438

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374578

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.54
 VS= 1.03
 GS= 2.55

3
 6
 10