

E 6374595 NEW
C6225230 OLD

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER

R 98-05072

INITIAL CUSTOMER ORDER NO.

WOG 15 OF 23

JJM

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

02/24/98

02/24/98

~~E6255230~~

E6374595

700

7.62

NATO

ACCESSORIES

W/STUDS

SCOPE BASE

FROM:

SHIP TO:

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

CUST NO: 113830 C.O.D

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE

☐

PROM. DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
- ☐ LIGHTLY WORN
- ☐ WORN
- ☐ VERY WORN
- ☐ UNREPAIRABLE
- ☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN

AMMO

FUNCTION

FINISH

ACCURACY

FIT

INSPECT

CYCLE

TRIGGER GROUP

BOLT ASSY.

BARREL ASSY.

REC. ASSY.

WOOD

METAL

MAIN FAULT

PARTS

COMMENTS

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATIEHN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

ADDER REV 7-97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400118668

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374595
20 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .2524
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .0854
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .266456

THE AMR FOR THIS RIFLE IS: 1.117

CENTROIDAL DISTANCES

0 TO 1	.300719
1 TO 2	.283143
1 TO 3	.213715
1 TO 4	.189169
1 TO 5	.402375

+ $\frac{1}{5}$ $\frac{4}{5}$ <----POA


PATTERN #: ☐ 1 ☐

POA TO CENTROID: .300
 MIN RADIUS : .383
 MEAN RADIUS : 1.105
 MAX RADIUS : 1.888
 CENTROID X : .144
 CENTROID Y : .264

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/EG374595.1.1

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.62

1

VS= 2.86

4

GS= 2.99


8

PATTERN #: ☐ 2 ☐
 POA TO CENTROID: .323
 MIN RADIUS : .166
 MEAN RADIUS : .834
 MAX RADIUS : 1.577
 CENTROID X : .321
 CENTROID Y : .043

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 1.62

2

VS= 2.91

7

GS= 2.96

9


PATTERN #: ☐ 3 ☐

POA TO CENTROID: .263
 MIN RADIUS : .153
 MEAN RADIUS : 1.217
 MAX RADIUS : 1.959
 CENTROID X : .251
 CENTROID Y : .079

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 1.85

2

VS= 3.41

2

GS= 3.47

7


PATTERN #: ☐ 4 ☐

POA TO CENTROID: .350
 MIN RADIUS : .547
 MEAN RADIUS : 1.280
 MAX RADIUS : 2.195
 CENTROID X : .307
 CENTROID Y : .168

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 3.25

0

VS= 2.56

3

GS= 3.83

6


PATTERN #: ☐ 5 ☐

POA TO CENTROID: .271
 MIN RADIUS : .419
 MEAN RADIUS : 1.150
 MAX RADIUS : 1.800
 CENTROID X : .239
 CENTROID Y : -.127

20 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595.1.1

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.94

1

VS= 2.69

4

GS= 3.23

8

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374595
19 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1652
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .391
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .424467

THE AMR FOR THIS RIFLE IS: 1.157

2 BADDY GROUPS

CENTROIDAL DISTANCES

0 TO 1	.69527
1 TO 2	.351602
1 TO 3	.16985
1 TO 4	.300674
1 TO 5	.714085

1
2 3
4

+ 5 <----POA

REDO


PATTERN #: 1

POA TO CENTROID: .695
 MIN RADIUS : .174
 MEAN RADIUS : 1.124
 MAX RADIUS : 2.102
 CENTROID X : .154
 CENTROID Y : .678

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.30

1

VS= 3.38

4

GS= 3.66

7


PATTERN #: 2

POA TO CENTROID: .400
 MIN RADIUS : .280
 MEAN RADIUS : 1.411
 MAX RADIUS : 2.485
 CENTROID X : -.056
 CENTROID Y : .396

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 4.04
 VS= 2.70
 GS= 4.06

2
 2
 5


PATTERN #: 3

POA TO CENTROID: .559
 MIN RADIUS : .222
 MEAN RADIUS : .642
 MAX RADIUS : 1.476
 CENTROID X : .211
 CENTROID Y : .518

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.08

5

VS= 1.45

8

GS= 2.41


10

PATTERN #: ☐ 4 ☐
 POA TO CENTROID: .441
 MIN RADIUS : .222
 MEAN RADIUS : 1.070
 MAX RADIUS : 1.934
 CENTROID X : .217
 CENTROID Y : .384

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 1.71
 VS= 3.31
 GS= 3.32

2
 4
 8


PATTERN #: 5

POA TO CENTROID: .301
 MIN RADIUS : .273
 MEAN RADIUS : 1.538
 MAX RADIUS : 2.695
 CENTROID X : .300
 CENTROID Y : -.021

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374595

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 4.21
 VS= 4.16
 GS= 4.68

1
 3
 4