

E6374597

Repair Inquiry																				
Repair Number: RE00062411		Serial: E6374597 Model 700 CenterFire Caliber: 7.62 NATO M-24 (SWS)		Repairman:																
Verify Repair				Status:	Closed 2/28/2003 11:00:02 AM															
Address Information																				
Customer:		☒ Received From		Return To: ☐ Received From																
Name: COMMANDER				Name: COMMANDER																
Address 1: ATTN SSG DEAN				Address 1: ATTN SSG DEAN																
Address 2: 11 SFG A UNIT 35123		PO Box:		Address 2: 11 SFG A UNIT 35123																
City: APO				City: APO																
State: AP		Zip Code: 96376		State: AP																
		Country: XX		Zip Code: 96376																
				Country: XX																
FFL: ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐																				
Contact / Condition		Problems		Estimate																
History / Status		Shipping / Billing																		
Contact Information Phone: Fax: Email: Comments:		Received Condition Poor Condition: REC'D IN SAME HARD CASE Notes: W/ SER# E6374556 CSR Notes:		Accessories Received <table border="1"> <thead> <tr> <th>Code</th> <th>Desc</th> <th>Qty</th> </tr> </thead> <tbody> <tr> <td>A007</td> <td>With Stud</td> <td>1</td> </tr> <tr> <td>A010</td> <td>Hard Case</td> <td>1</td> </tr> <tr> <td>A017</td> <td>Scope Base</td> <td>1</td> </tr> <tr> <td>X</td> <td>FRT & REAR SGT BA</td> <td>1</td> </tr> </tbody> </table>		Code	Desc	Qty	A007	With Stud	1	A010	Hard Case	1	A017	Scope Base	1	X	FRT & REAR SGT BA	1
Code	Desc	Qty																		
A007	With Stud	1																		
A010	Hard Case	1																		
A017	Scope Base	1																		
X	FRT & REAR SGT BA	1																		
Repair Search		Refresh		Close																

Serial Number: **E6374597**
 Model: **700**

RE00062411

SNIPER WEAPON SYSTEM - UNIQUE STATISTICAL INFORMATION

FIREARM SERIAL NUMBER / DATASET NAME: E6374597.___0

FILE DATE AND TIME: 03/21/2003 15:10

THE FOLLOWING DATA IS ALL REPORTED IN UNITS OF INCHES

The Average X Centroid of the Five Target Set:	-0.036
The Average Y Centroid of the Five Target Set:	-0.016
The Average Point of Impact of the Five Target Set:	0.039
The Average Mean Radius of the Five Target Set:	0.775
The Distance from POA to Centroid Target #1:	0.149
The Distance from Centroid Target #2 to Centroid Target #1:	0.017
The Distance from Centroid Target #3 to Centroid Target #1:	0.234
The Distance from Centroid Target #4 to Centroid Target #1:	0.245
The Distance from Centroid Target #5 to Centroid Target #1:	0.284

SERIAL NUMBER: E6374597. 0

TARGET NUMBER: 1

FILE DATE: 03/21/2003

FILE TIME: 15:10

X CENTROID: 0.011

Y CENTROID: -0.149

POA TO CENTROID: 0.149

HORZ SPREAD: 2.411

VERT SPREAD: 1.476

GROUP SPREAD: 2.476

MIN RADIUS: 0.184

MAX RADIUS: 1.508


MEAN RADIUS: 0.699

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 9

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	1.496	0.115
2:	0.057	0.589
3:	-0.717	0.475
4:	-0.596	0.105
5:	-0.120	0.000
6:	0.121	-0.296
7:	0.230	-0.480
8:	0.349	-0.662
9:	0.203	-0.887
10:	-0.915	-0.450




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374597. 0
TARGET NUMBER: 2
FILE DATE: 03/21/2003
FILE TIME: 15:10

X CENTROID: 0.028
Y CENTROID: -0.153
POA TO CENTROID: 0.155
HORZ SPREAD: 1.796
VERT SPREAD: 1.031
GROUP SPREAD: 1.796
MIN RADIUS: 0.217
MAX RADIUS: 0.981
MEAN RADIUS: 0.575
IN 1 IN DIAMETER: 4
IN 2 IN DIAMETER: 10
in 3 IN DIAMETER: 10

POINT#	X	Y
1:	0.843	-0.158
2:	0.638	-0.180
3:	0.549	-0.231
4:	0.272	-0.177
5:	0.090	-0.513
6:	-0.174	-0.074
7:	-0.346	0.092
8:	-0.953	-0.148
9:	-0.791	-0.584
10:	0.150	0.447




TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374597. 0
TARGET NUMBER: 3
FILE DATE: 03/21/2003
FILE TIME: 15:10

X CENTROID: 0.049
Y CENTROID: 0.082
POA TO CENTROID: 0.095
HORZ SPREAD: 1.996
VERT SPREAD: 2.607
GROUP SPREAD: 2.616
MIN RADIUS: 0.151
MAX RADIUS: 1.461
MEAN RADIUS: 0.918
IN 1 IN DIAMETER: 2
IN 2 IN DIAMETER: 4
in 3 IN DIAMETER: 10

POINT#	X	Y
1:	1.076	-0.859
2:	0.722	-0.172
3:	0.128	-1.095
4:	0.492	0.994
5:	0.347	1.512
6:	-0.688	1.023
7:	0.034	0.232
8:	-0.242	-0.064
9:	-0.463	-0.290
10:	-0.920	-0.466



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374597. 0

TARGET NUMBER: 4

FILE DATE: 03/21/2003

FILE TIME: 15:10

X CENTROID: -0.095

Y CENTROID: 0.072

POA TO CENTROID: 0.119

HORZ SPREAD: 1.762

VERT SPREAD: 1.800

GROUP SPREAD: 2.140

MIN RADIUS: 0.039

MAX RADIUS: 1.177


MEAN RADIUS: 0.684

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 8

in 3 IN DIAMETER: 10

POINT#	X	Y
1:	-0.767	0.081
2:	-0.759	-0.153
3:	-0.999	-0.337
4:	-0.099	-0.873
5:	-0.291	-0.039
6:	-0.134	0.067
7:	0.440	-0.107
8:	0.244	0.274
9:	0.763	0.877
10:	0.650	0.927



TARGET APPROX 1/2 SCALE

SERIAL NUMBER: E6374597. __0

TARGET NUMBER: 5

FILE DATE: 03/21/2003

FILE TIME: 15:10

X CENTROID: -0.172

Y CENTROID: 0.068

POA TO CENTROID: 0.185

HORZ SPREAD: 1.848

VERT SPREAD: 3.605

GROUP SPREAD: 3.623

MIN RADIUS: 0.105

MAX RADIUS: 2.308


MEAN RADIUS: 1.000

IN 1 IN DIAMETER: 3

IN 2 IN DIAMETER: 6

in 3 IN DIAMETER: 9

POINT#	X	Y
1:	0.273	-1.230
2:	-0.470	-0.850
3:	-0.847	-0.869
4:	-1.151	0.083
5:	-0.194	-0.034
6:	0.268	0.065
7:	0.697	-0.089
8:	-0.340	1.440
9:	-0.090	2.375
10:	0.130	-0.208



TARGET APPROX 1/2 SCALE

R & E NUMBER	62411		
SERIAL NUMBER	136374597		
LOG-IN DATE	2-28-03		
INSPECT AND VERIFY:			
OPERATION #	OPERATION NAME	DATE	INITIAL
550	DIS-ASSEMBLE GUN	3-4-03	RTL
560 A	RE-BARREL	3-5-03	RTL
B	DRILL AND TAP	3-6-03	TRLW
575	ASSEMBLE MAGNA-FLUX INSPECTED	3-5-03	RTL
600	PROOF	3-5-03	AC
605	CHECK HEADSPACE MAR 17 2003	3-5-03	AC
610	DIS-ASSEMBLE GUN JO	3-5-03	AC
612	MAGNAFLUX	3-7-03	JO
615	ROLLMARK CALIBER	3-7-03	JB
618	ROTO-BLAST	3-10-03	NO
620	APPLY COATINGS	3-18	TA
625 A	FINAL ASSEMBLY	3-19-03	RTL
B	TRIGGER PULL TEST		
C	SAFETY "ON" FORCE		
D	SAFETY "OFF" FORCE		
E	FIRING PIN INDENT		
640	TARGET	3-20-03	AC
655	FINAL INSPECT	3-21-03	RTL
660	PACK	3-21-03	WA
		SHIP DATE	
	QAR INSPECTION DATE		