

E 641.3442

Serial Number Inquiry

Serial Number: E6413442
Find Serial

Production Status:

Model ID: SWS

Produced Loc: ILN

Material Nbr: 25732

Date Produced: 6/22/00 9:41:24 AM

Description: M/24 7.62 NATO (RIFLE ONLY)
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 7.62 NATO

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cust	Carrier	Delv Note
6/29/00 8:02:13 AM	SHIP	ILN	FULL METAL S.A.	99999		X352850	UPSC	0080604230

Production History
Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Close

Start
Inbox
Part 5
Nagle...
Explor...
Micro...
Aims
Ser...
Prints...
3:25 PM

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6413442
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: -.0424
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0948
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .10385

THE AMR FOR THIS RIFLE IS: 1.15

CENTROIDAL DISTANCES

0 TO 1	.207118
1 TO 2	.0600083
1 TO 3	.258699
1 TO 4	.842912
1 TO 5	.530232

12
3 + <----POA
5
4


PATTERN #: ☐ 1 ☐

POA TO CENTROID: .207
 MIN RADIUS : .251
 MEAN RADIUS : 1.125
 MAX RADIUS : 2.072
 CENTROID X : -.007
 CENTROID Y : .207

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.16

1

VS= 3.26

3

GS= 3.68

6


PATTERN #: ☐ 2 ☐

POA TO CENTROID: .189
 MIN RADIUS : .152
 MEAN RADIUS : 1.026
 MAX RADIUS : 1.773
 CENTROID X : .048
 CENTROID Y : .183

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.47

2

VS= 2.13

5

GS= 3.52

8


PATTERN #: ☐ 3 ☐

POA TO CENTROID: .205
 MIN RADIUS : .250
 MEAN RADIUS : 1.096
 MAX RADIUS : 1.580
 CENTROID X : -.202
 CENTROID Y : .037

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.76

2

VS= 3.07

4

GS= 3.08


8

PATTERN #: ☐ 4 ☐
 POA TO CENTROID: .640
 MIN RADIUS : .642
 MEAN RADIUS : 1.179
 MAX RADIUS : 2.233
 CENTROID X : .161
 CENTROID Y : -.619

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.12

0

VS= 3.11

5

GS= 3.54


8

PATTERN #: 5
 POA TO CENTROID: .352
 MIN RADIUS : .016
 MEAN RADIUS : 1.325
 MAX RADIUS : 2.826
 CENTROID X : -.212
 CENTROID Y : -.282

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6413442

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 2.80

1

VS= 4.41

3

GS= 4.42

6