

E 6630951

Serial Number:	E6630951	Find Serial	Production Status:	Shipped
Model ID:	SWS		Produced Loc:	ILN
Material Nbr:	25732		Date Produced:	6/22/00 9:42:48 AM
Description:	M/24 7.62 NATO (RIFLE ONLY) BOLT ACTION CENTERFIRE RIFLE 24" BARREL 7.62 NATO			

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FFL	ShipTo Cust	Carrier	DelvNote
No BATF Data Found								

Production History Location: DMSILN Ilion Plant

Date	Activity	UserID	Desc1	Desc2
2/24/00 12:13:38 PM	Assigned	lewisrj	700	
3/3/00 10:06:40 AM	Rolled	harwickce		
6/21/00 12:43:38 PM	Packed	rankinsif	.FA9999.FB9999.FC9999	
6/21/00 12:43:39 PM	Correction	rankinsif	Packer Print	
6/21/00 2:52:20 PM	Warehoused	graingerpd	25723, 40XB	Received fr
6/22/00 9:42:00 AM	Correction	rankinsif	Changed Status	from Wareh

Close

Start Ha Inb Ex Ar Mi Pa 1-2 S SA 9:25 AM

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400120923

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6630951
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .0146
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0662
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .0677909

THE AMR FOR THIS RIFLE IS: 1.108

CENTROIDAL DISTANCES

0 TO 1	.230217
1 TO 2	.31453
1 TO 3	.445822
1 TO 4	.460001
1 TO 5	.478578


3 1
+ 1
2 <----POA
g

PATTERN #: ☐ 1 ☐
 POA TO CENTROID: .230
 MIN RADIUS : .488
 MEAN RADIUS : .932
 MAX RADIUS : 1.360
 CENTROID X : .178
 CENTROID Y : .146

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630951

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.54

1

US= 2.11

6

GS= 2.54


10

PATTERN #: 2
 POA TO CENTROID: .114
 MIN RADIUS : .349
 MEAN RADIUS : 1.013
 MAX RADIUS : 1.995
 CENTROID X : .001
 CENTROID Y : -.114

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630951

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.58

3

VS= 2.48

6

GS= 3.82


7

PATTERN #: 3
 POA TO CENTROID: .363
 MIN RADIUS : .521
 MEAN RADIUS : 1.457
 MAX RADIUS : 2.251
 CENTROID X : -.253
 CENTROID Y : .260

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630951

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 4.07
 VS= 3.68
 GS= 4.07


0
 3
 5

PATTERN #: 4
 POA TO CENTROID: .313
 MIN RADIUS : .439
 MEAN RADIUS : 1.025
 MAX RADIUS : 2.003
 CENTROID X : .078
 CENTROID Y : -.303

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630951

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 3.44

1

VS= 2.04

5

GS= 3.45


8

PATTERN #: 5
 POA TO CENTROID: .327
 MIN RADIUS : .400
 MEAN RADIUS : 1.112
 MAX RADIUS : 1.993
 CENTROID X : .069
 CENTROID Y : -.320

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630951

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.77

2

VS= 2.10

4

GS= 3.88

8