

E6630959

Serial Number: E6630959

Find Serial

Production Status:

Model ID: SWS

Produced Loc: ILN

Material Nbr: 25732

Date Produced: 6/22/00 9:37:42 AM

Description: M/24 7.62 NATO (RIFLE ONLY)
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 7.62 NATO

BATF History

Date	Activity	Loc	ShipTo Name	ShipTo Zip	ShipTo FEL	ShipTo Cust	Carrier	Delv Note
6/29/00 8:02:13 AM	SHIP	ILN	FULL METAL S.A.	99999		X352850	UPSC	0080604230

Production History

Location:

Date	Activity	UserID	Desc1	Desc2
------	----------	--------	-------	-------

Close

Start

In

Ar...

SN

X M...

Q E

PM

P...

S...

AL

S...

P...

1:40 PM

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # e6630959
20 Jun 2000

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1288
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: -.0386
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .13446

THE AMR FOR THIS RIFLE IS: 1.191

CENTROIDAL DISTANCES

0	TO	1	.138654
1	TO	2	.156013
1	TO	3	.177226
1	TO	4	.442405
1	TO	5	.240377

5₁² <----POA
4

REMINGTON CENTERFIRE ACCURACY TEST

REMINGTON TEST LAB, ILION, N.Y.


PATTERN #: 1

POA TO CENTROID: .139
 MIN RADIUS : .343
 MEAN RADIUS : 1.033
 MAX RADIUS : 1.927
 CENTROID X : .136
 CENTROID Y : -.027

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.00

2

VS= 3.05

5

GS= 3.42

8

PATTERN #: ☐ 2 ☐

POA TO CENTROID: .188

MIN RADIUS : .481

MEAN RADIUS : 1.055

MAX RADIUS : 1.974


CENTROID X : .138

CENTROID Y : .129

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.36

1

VS= 2.98

5

GS= 3.22


9

PATTERN #: ☐ 3 ☐
 POA TO CENTROID: .067
 MIN RADIUS : .366
 MEAN RADIUS : 1.036
 MAX RADIUS : 2.257
 CENTROID X : -.039
 CENTROID Y : -.055

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.64
 VS= 2.59
 GS= 3.67

3
 6
 7

PATTERN #: 4

POA TO CENTROID: .574

MIN RADIUS : .502

MEAN RADIUS : 1.300

MAX RADIUS : 2.225


CENTROID X : .507

CENTROID Y : -.268

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 2.82

0

VS= 3.90

3

GS= 3.91


7

PATTERN #: ☐ 5 ☐
 POA TO CENTROID: .102
 MIN RADIUS : .464
 MEAN RADIUS : 1.532
 MAX RADIUS : 2.549
 CENTROID X : -.098
 CENTROID Y : .028

20 Jun 2000

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/e6630959

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.01
 VS= 4.25
 GS= 4.84

1
 3
 6