

E 6374550 New

C 6225540 Old

RECEIVING AND ESTIMATING REPORT

COMMENTS

ORDER

R 98-05051

INITIAL CUSTOMER ORDER NO.

WOG 4 OF 23

JLM

DATE RECEIVED

DATE OPENED

DATE CODE

SERIAL NUMBER

NEW SERIAL NUMBER

MODEL AND GRADE

02/24/98

02/24/98

~~66325540~~

E6374550

700 7.62

NATO

ACCESSORIES

W/STUDS

SCOPE BASE

FROM:

SHIP TO:

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

SUPPLY & SERVICES DIV
D O L WAREHOUSE J 2535 A1
KNOX ST
FT BRAGG NC 28307

CUST NO: 113830 C.O.D.

ACCOUNT NUMBER

ACCOUNT NUMBER N/C

WRITE ☐

FROM DATE

ESTIMATED

VIA

UPS

GUN CONDITION

- ☐ NEW
☐ LIGHTLY WORN
☐ WORN
☐ VERY WORN
☐ UNREPAIRABLE
☐ MARRED

REPAIR CHARGE

EXCISE

TAX

INSURANCE

UPS

PARCEL POST

TOTAL

CUSTOMER CONCERN	AMMO	FUNCTION	FINISH	ACCURACY	FIT	INSPECT
------------------	------	----------	--------	----------	-----	---------

CYCLE

B1

TRIGGER GROUP

D2

BOLT ASSY.

B3

BARREL ASSY.

B4

REC. ASSY.

B5

WOOD

C1

METAL

C2

MAIN FAULT

PARTS

COMMENTS

REPAIRMAN

PROOF

CLEAN

TEST

TARGET

PATTERN

GALLERY TESTER

DATE

DATE

DATE

DATE

DATE

OFFICE COPY

RD9925 REV. 7/97

CONFIDENTIAL-SUBJECT TO PROTECTIVE ORDER
KINZER V. REMINGTON

M2400128517

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374550
19 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .1418
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .1248
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .188898

THE AMR FOR THIS RIFLE IS: 1.218

CENTROIDAL DISTANCES

0 TO	1	.254008
1 TO	2	.264915
1 TO	3	.138928
1 TO	4	.367185
1 TO	5	.520612

3
1 2
+ 4 5 <----POA


PATTERN #: 1

POA TO CENTROID: .254
MIN RADIUS : .461
MEAN RADIUS : 1.176
MAX RADIUS : 2.346
CENTROID X : .002
CENTROID Y : .254

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 2.92

1

VS= 3.46

4

GS= 3.49


8

PATTERN #: 2
 POA TO CENTROID: .353
 MIN RADIUS : .070
 MEAN RADIUS : 1.264
 MAX RADIUS : 1.899
 CENTROID X : .266
 CENTROID Y : .232

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 2.74

1

VS= 3.25

4

GS= 3.53

5


PATTERN #: 3

POA TO CENTROID:	.387
MIN RADIUS :	.284
MEAN RADIUS :	1.281
MAX RADIUS :	2.828
CENTROID X :	.051
CENTROID Y :	.384

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 2.56

1

VS= 4.04

4

GS= 4.50


7

PATTERN #: 4
 POA TO CENTROID: .119
 MIN RADIUS : .431
 MEAN RADIUS : .946
 MAX RADIUS : 2.133
 CENTROID X : .042
 CENTROID Y : -.111

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E637455B.1

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 1.73
 VS= 2.71
 GS= 3.01


1
 7
 9

PATTERN #: 5
 POA TO CENTROID: .373
 MIN RADIUS : .069
 MEAN RADIUS : 1.422
 MAX RADIUS : 2.372
 CENTROID X : .348
 CENTROID Y : -.135

19 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374550.1

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 4.17
 VS= 4.30
 GS= 4.40

2
 4
 4

Remington Test Lab, Ilion, N.Y.

Centroidal distance calculations for Rifle # E6374550
14 May 1998

THE AVERAGE X-COORDINATE FOR THIS RIFLE IS: .284
THE AVERAGE Y-COORDINATE FOR THIS RIFLE IS: .6
THE RESULTING AVERAGE POI RADIUS FOR THIS RIFLE IS: .663819

THE AMR FOR THIS RIFLE IS: 1.289

Remo

CENTROIDAL DISTANCES

0 TO 1	.602316
1 TO 2	.454209
1 TO 3	.27103
1 TO 4	.43113
1 TO 5	.698616


4
3
1
5
2
+ <----POA

PATTERN #: 1
 POA TO CENTROID: .602
 MIN RADIUS : .524
 MEAN RADIUS : 1.183
 MAX RADIUS : 2.247
 CENTROID X : .087
 CENTROID Y : .596

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E637455B

CENTERFIRE PATTERN # 1



OF SHOTS= 10

IN CIRCLE

HS= 1.96
 VS= 3.96
 GS= 3.99

0
 5
 7

PATTERN #: 2

POA TO CENTROID: .390

MIN RADIUS : .104

MEAN RADIUS : 1.134

MAX RADIUS : 2.163


CENTROID X : .328

CENTROID Y : .211

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 2



OF SHOTS= 10

IN CIRCLE

HS= 3.45

2

VS= 2.49

5

GS= 4.05

7


PATTERN #: 3

POA TO CENTROID: .830
 MIN RADIUS : .812
 MEAN RADIUS : 1.475
 MAX RADIUS : 2.018
 CENTROID X : .286
 CENTROID Y : .780

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 3



OF SHOTS= 10

IN CIRCLE

HS= 3.41

0

VS= 3.44

3

GS= 3.74


5

PATTERN #: 4
 POA TO CENTROID: 1.009
 MIN RADIUS : .636
 MEAN RADIUS : 1.278
 MAX RADIUS : 2.556
 CENTROID X : -.040
 CENTROID Y : 1.008

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 4



OF SHOTS= 10

IN CIRCLE

HS= 3.84
 VS= 3.10
 GS= 4.55


0
 7
 7

PATTERN #: 5
 POA TO CENTROID: .861
 MIN RADIUS : .567
 MEAN RADIUS : 1.374
 MAX RADIUS : ~~2.262~~
 CENTROID X : .759
 CENTROID Y : .405

14 May 1998

FILE:/Hpbasic/Accuracy/Patterning/Centerfire_Patt/E6374558

CENTERFIRE PATTERN # 5



OF SHOTS= 10

IN CIRCLE

HS= 3.15

0

VS= 3.48

4

GS= 3.79

5