



G6761690

MODEL 700TM EXPORT
BOLT ACTION CENTERFIRE RIFLE
24" BARREL 308 WIN

ASK FOR THE PACKING CARTON
INSTRUCTION BOOK 1918

120130 TURNER BLACK SLING
96117 BI POD ASSY
400054 COMPONENT CARRYING CASE
1333 ETHAFOAM BLOCK (2)
401937 SCOPE

BM FORM 1799




ORDER NO. **86453**

BARREL LENGTH 24"

CAPACITY 5

G6761690

UPC



**INSPECTION CHECKLIST
COLUMBIAN EXPORT 5/2008**

SERIAL NUMBER <u>6676 1690</u>				
OPERATION #	OPERATION NAME		DATE	INITIAL
440	PROOF			
460	CHECK HEADSPACE			
470	DIS-ASSEMBLE GUN			
480	MAGNAFLUX			
510	DRILL AND TAP		7/29/08	JP
500	ROLLMARK CALIBER & WASH		7/31/08	RT
520	GOFF BLAST BBL / REC		7/31	DG
530 & 540	APPLY COATINGS		8/6	a
560	FINAL ASSEMBLY		8-13-08	RTZ
640	FUNCTION TEST AND	<u>PASS</u> FAIL	8-15-08	TRW
650	TARGET	<u>PASS</u> FAIL	8-15-08	TRW
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION		
	MALFUNCTION	CORRECTION	8-15-08	JS
670	FINAL INSPECTION		8-19-08	PSN
	A) HEADSPACE	<u>PASS</u> FAIL	8-19-08	PSN
	B) TRIGGER PULL	+/- .5 LBS MIN 2.50 LBS MAX 4.0 LBS		
680	F) SAFETY ON FORCE	2 LBS MIN 10 LBS MAX		
	G) SAFETY OFF FORCE	2 LBS MIN		
	I) FIRING PIN INDENT	.020		
690	PACK			

F006 REV 5/2006