Summary	Total Test + Proof Failure							
	Total Rejected							
	Overall Reject Rate			170		1		1
	Shot <b>Proof</b> Rejected		87	178 0	28	0	53 0	0
	Percen		1.1	0.0	0.0	U	0.0	U
	Shol	2000/00/00/00/00	50	148	28	2	19	
	Test Rejected		5	27	0	1	4	0
	Percen	9999999999	10.0	18.2	0.0	50.0	21.1	
	Shot Target Rejected		0	14 0	28 0	0	2	0
	Target Rejected		0.0	0.0	0.0	U	0.0	U
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 88	700 Police	700 ML	Model 7	Model 7 Stainless
B	Action binds						-200	
ABS	Bulge at body shoulder							
AC	Burr at chamber	1						
BMA	BBL-to-bolt misalignment							
В	Bolt binds/catches	5		1		1		
COBS	Bolt catches on bolt stop							
COF	Bolt catches on follower					~		
С	Blows cases							
BHR	Bolt hits receiver							
HS	Bolt plug hits safety switch							
LOP	Bar lock or disconnector out of position							
LSO	Barrel lug shot off							
PO	Bolt pulls out							
SSM	Bolt stems shell in magazine							
WCD	Bolt won't cam down							
BWCFM	Bolt won't close over full magazine		3	2				
D	Case dented							
-								


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
сн	Closes hard		1					
CLM	Can't laod magazine							
co 🛛	Cut-off							
CR	Cuts rim							
CS	Cases swell		×.					
стод	Chamber torn or gouged			és.				
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back							
DCS	Double click in safety switch							
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)					2		
DLU	Doesn't lock-up					~		
DS	Dead safe						1	
DX	Doesn't extract							
DXL	Doesn't extract live round	1						
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							
FA	Fires automatically							
FB	Follower binds							
	•							

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
n	Fails to connect								
FCB	Fore-end cracked or broken								
FD	Follows-down								
FF	Fails to fire								
FFP	Flat firing pin		8 8 8 8 1						
FOS	Fires on safe			8-1.					
FPHB	Firing pin hits bbl								
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens								
FPOH	Floor plate opens hard								
FSR	Fires when safe is released								
FT	Follower tips	1							
GCSO	Gas cyl shot off							×.	
HBL	Heavy bolt lift	3		18					
HMSC	Heading mismatch-steps on case								
HPA	High pressure ammo								
HUR	Hard under rail								
JCS	Jumps cartridge					Ŷ			
JM	Jumps magazine								
JO	Jars off								8
LB	Light blow								10000
MAH	Magazine assembles hard								
MCW	Magazine capacity wrong								
MFA	Misfires (ammo)								
MFOP	Magazine follower out of position								
ML	Magazine loose								
MLH	Magazine loads hard								


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
MRH	Magazine removes hard							
ОН	Opens hard							
OR	Over-rides			1				
РН	Pulls hard	· · · · · · · · · · · · · · · · · · ·						
PSI	Proof stantp illegible							
PSM	Proof stamp missing			a.				
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber	3		4				
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension							55.
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline					2		
SIC	Stems in chamber							
SL	shaves lead							
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride		1					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
इन्ट	Stems top chamber							
WE	Safety switch works too easily							
SWH	Safety switch works too hard							
SWW	Safety ewitxh won't work	· · · · · · · · · · · · · · · · · · ·						
D	Tips down		×.					
ΓU	Tips up			in.				
WP	Trigger won't pull							
ſWR	Trigger won't retract							
JNCN-T	Uncoded			1				
ХH	Extracts hard							
-1	High							
_0_	Low							85.
_EFT	Left							
RIGHT	Right							
G	Doesn't Group							
SST	Front sight tipped							
RSTT	Rear sight tipped							
RSBR	Rear sight base raised							
STR	Front sight raised							
STL	Front sight loose							
STL	Rear sight loose							
GPT-G	Missing parts at target							
JNCN-G	Uncoded nonconformity at target							
N-P	Assembly incompleye at proof							
BB	Barrel bracket cracked or broken at proof							


CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
3P-P	Blown primer at proof							
3S-P	Barrel split at proof			6.				
DLOS-P	Doesn't lock over shells at proot							
ESB-P	Ejector sticks back at proof							
FCB-P	Fore-end cracked at proof							
ESO-P	Fore-end shot off at proof	*						
F-P	Fails to fire at proof					àrainn a' chuir a' ch		
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							×
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							
SCB-P	Stock cracked or broken at proof							
UNCM-P	Uncoded proof malfunctions		1			2		





Subject to Protective Order - Williams v. Remington











Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures	770							•
	Total Rejected:	73							
	Overall Reject Rate:	9.48							_
	Shot:		87	178	28		53		]
	Proof Rejected.	0	1	0	0	0	0	0	
	Percent	0.0	1.1	0.0	0.0	-	0.0	1	1
	Shot: Test Rejected	445 14	50 5	148 27	28	2	19 4	0	]
	Test Rejected Percent	37	10.0	18.2	0.0	50.0	21.1	U	
	Shot:	51	<u> </u>	14	28		2		1
	Target Rejected:	0	0	0	0	0	0	0	1
	Percent:	0.0	0.0	0,0	0.0		0.0		_
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	
									]
AB	Action binds							r	
BABS	Bulge at body shoulder								
BAC	Burr at chamber	1					3		
BBMA	BBL-to-bolt misalignment								]
вв	Bolt binds/catches	5		1		1			
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								]
									-

BWCFM	Bolt won't close over full magazine		3	2				
CD	Case dented							
СН	Closes hard		1					
CLM	Can't laod magazine	····						
co	Cut-off		2000.					
CR	Cuts rim							
CS	Cases swell							
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull							
CWSB	Cams wrong side of action bar							
DBB	Doesn't blow back				· · · · · · · · · · · · · · · · · · ·			
DCS	Double click in safety switch					·	866.	
DCT	Double click in trigger							
DCU	Doesn't close-up							
DE	Doesn't eject			1993				
DEL	Doesn't eject live round							
DFB	Doesn't feed back							
DFU	Doesn't feed up							
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up						ŝ	
DS	Dead safe						1	 ľ
DX	Doesn't extract							
DXL	Doesn't extract live round	1						
EDS	Extractor drops shell							
ESB	Ejector sticks back							
ESCR	Empty shell catches receiver							
ESS	Extractor stems shell							



Subject to Protective Order-		
	FA	Å
<u>B</u>	FB	
ns su	FC	- 68
ams v. Remingtor	FCB	
len	FD FF	
nin	FF	
gtor	FFP	
L	FOS	

FA	Fires automatically						
FB	Follower bings						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD .	Follows-down		in.				
FF	Fails to fire						
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens				· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard					Rito.	
FSR	Fires when safe is released						
FT	Follower tips	1					
GCSO	Gas cyl shot off			· · · · ·			
HBL	Heavy bolt lift	3		18			
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge						
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML.	Magazine loose								]
MLH	Magazine loads hard								1
MRH	Magazine removes hard								1
ОН	Opens hard								1
OR	Over-indes		- 5666.	1					1
PH	Pulls hard								1
PSI	Proof stamp illegible								1
PSM	Proof stamp missing								
RBOC	Rings and bulges on case				· · · · · · · · · · · · · · · · · · ·				]
RDW	(Action) release doesn't work								
RIC	Rings in chamber	3		4	· · · · · · · · · · · · · · · · · · ·				]
RIS	Ring in sholder					ġ.	886.		
RS	Rim srem								
SBC	Stems bottom chambers								
SBE	Stems bbl extension								
SCB	Stock cracked or broken								
SCX	Shell catches								
SHI	Short indent								
si	Stems incline								
SIC	Stems in chamber								
SL	shaves lead							*******	
SLC	Stems left side of chamber								
SMOC	Stretch marks on case								
SOR	Stem over-ride		1						
SP	Stems port								
SR	Shoulder rough								
SRC	Stems right side of chamber								





SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					]
SWH	Safety switch works too hard	- 2000.				]
sww	Safety ewitxh won't work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded	 	1	· · · · · · · · · · · · · · · · · · ·		
ХН	Extracts hard				886.	
н	High					
LO	Low					
LEFT	Left			~~~~~		
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				-	
RSBR	Rear sight base raised					
FSTR	Front sight raised					:
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					





AI-P	Assembly incompleye at proof				
BBB	Barrel bracket pracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at proof	300			
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof		· ·		
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof				
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			ġ.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl				
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions	1			


		Test Date:						]
							totals	
[	25			1	_	30	854	]
	0 0.0	0	0 0.0	0 0.0	0	1 3.3	2 0.2	
[	11		23			31	768	]
	1 9.1	2 18.2	4 17.4	0	0	13 41.9	71 9.2	
[	2	1	3				104	]
	0	0	0	0	0	0	0	
	0.0	0.0	0.0				0.0	
	7400	7500	7600	7400 Weathermaster	7600 Weathermaster	Rimfire	totals	
I								
							4	
							7	
Ì								1
Ì								1
Ì								1
ľ								1
								1
								4
								4












Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures								-
	Total Rejected:								
	Overall Reject Rate:			1	1	1		T	5
	Shot: Proof Rejected Percent	0	0	0	0	0	0	0	Ţ
	Shot								]
	Test Rejected Percent		0	0	0	0	0	0	-
	Shot: Target Rejected.		0		і Хілікова (р. 1916)	0	0	0	L
	Percent					-	-	-	
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
									]
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								<i>d</i> i
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver							- ····	]
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								]
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

вусги	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
СГМ	Can't laod magazine						
со	Cut-off	Sec.					
CR	Cuts rim						
CS	Cases swell		·				
CTOG	Chamber torn or gouged	)// <i></i> ``					
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	 		·····			
DCS	Double click in safety switch				ż.	800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up					ŝ.	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
N.	FA <sub>ssa</sub> - ,
<u>a</u>	FB
ns su	FC
ams v. Remingtor	FCB
en	FCB FD FF FFP
ning	FF
gtoi	FFP
L	FOS


FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens.härd						
OR	Over-indes		inn.				
PH	Pulls hard						
PSI	Proof stamp illegible			·			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				· · · · · · · · · · · · · · · · · · ·		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					800.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken				****		
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					1	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




SRIC	Specific rin <b>gs</b> in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	**					
ХН	Extracts hard				iii ii	886.	
							l
н	High						
LO	Low		····				
LEFT	Left			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					3	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof	·····				
BLP-P	Blanked primer at poof		itte.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1


star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
ns su	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						1
он	Opens hard						
OR	Overandes						
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder				800.		
RS	Rim srem						
SBC	Stems bottom chambers			·			
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber				4		
SL	shaves lead					******	
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	inn.				
sww	Safety ewitxh wont work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			iii ii	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				÷	
RSBR	Rear sight base raised					ļ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof		inn.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	1.645				
FESO-P	Fore-end shot off at proof				dio.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl	ſ				
MSM-P	Magnaflux stamp missing on bbl	l l		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					:	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1


star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
ns su	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA	Fires automatically						1
FB	Follower bin <b>ds</b>						
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Follows-down	inter.					
FF	Fails to fire						1
FFP	Flat firing pin		·				
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			·····			
FPOH	Floor plate opens hard				in in the second se	Rito.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off		144				
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					3	
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML	Magazine loose					1
MLH	Magazine loads hard					1
MRH	Magazine removes hard					1
он	Opens härd					
OR .	Overandes	in.				
PH	Pulls hard					
PSI	Proof stamp illegible		s			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
scx	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				:	
SL	shaves lead					 - ***
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC 💮	Stems top chamber						
SWE	Safety switch works too easily						1
ŚWH	Safety switch works too hard		- 2000.				]
sww	Safety ewitxh won't work						]
TD	Tips down			·			
ΤU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	1.000					
ХН	Extracts hard					899.	
н	High						
LO	Low			175			
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof						
BBB	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof	·····					
BLP-P	Blanked primer at poof		itte.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				····		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					 dto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			····			
MSM-P	Magnaflux stamp missing on bbl				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
						;	















Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure								-
	Total Rejected								
	Overall Reject Rate								=
	Shot Proof Rejected Percen		0	0	0	0	0	0	
	Sha Test Rejected Percen	g 🛄 🧿	0 0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								🗮
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1


star 1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
СГМ	Can't laod magazine						
со	Cut-off	Sec.					
CR	Cuts rim						
CS	Cases swell		·				
CTOG	Chamber torn or gouged	)// <i></i> ``					
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	 		·····			
DCS	Double click in safety switch				ż.	800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up					ŝ.	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
nss	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 		· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.	Magazine loose					1
MLH	Magazine loads hard					
MRH 💮	Magazine removes hard					
он	Opens hard					
OR	Over-indes	- 2000.				
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case		· · · · · · · · · · · · · · · · · · ·			
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder			ġ	Rito.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					ļ.
SIC	Stems in chamber				4	
SL	shaves lead					1
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber				1
SSOC	Surface scratches on case				
STC	Stems top chamber				
SWE	Safety switch works too easily				
SWH	Safety switch works too hard	- 1000.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·		
ХН	Extracts hard			860.	
ні	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				je se
RSTT	Rear sight tipped			;	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof	·····				
BLP-P	Blanked primer at poof		itte.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	

Ś














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
nss	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML <u>.</u>	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						]
OR	Over-indes	- 2000.					]
PH	Pulls hard						]
PSI	Proof stamp illegible		·				]
PSM	Proof stamp missing						]
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·			]
RIS	Ring in sholder				ġ.	866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
si	Stems incline						
SIC	Stems in chamber					:	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

MAE00002055

SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					1
STC 💮	Stems top chamber					
SWE	Safety switch works too easily					1
ŚWH	Safety switch works too hard	- 2000.				]
sww	Safety ewitxh won't work					]
TD	Tips down		·			
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard				899.	
н	High					
LO	Low		175			
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof	itte.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		····			
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	

Ś














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down			1	1				1


star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order-	
	FA .
<b>B</b>	FB
ns	FC
ams v. Remingtor	FCB
len	FCB FD FF
ning	FF
jtor	FFP
L	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 		· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




ML	Magazine loose					1
MLH	Magazine loads hard					
MRH	Magazine removes hard					
он	Opens hard					
OR	Over-indes		- State.			
РН	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber	199				
RIS	Ring in sholder				800.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber					
SL	shaves lead					 199
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber				]
SSOC	Surface scratches on case				
STC	Stems top chamber				1
SWE	Safety switch works too easily				
ŚWH	Safety switch works too hard	2000.			
sww	Safety ewitxh won't work				
TD	Tips down				
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded		·····		
ХН	Extracts hard			556.	
н	High				
LO	Low				
LEFT	Left				
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				
RSTT	Rear sight tipped			á.	
RSBR	Rear sight base raised				~~~s
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI-P	Assembly incompleye at proof				
BBB	Barrel bracket gracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at poof	inn.			
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof		· · · · · · · · · · · · · · · · · · ·		
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			dio.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				
				:	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1


star 1

Bolt won't close over full magazine								]
Case dented								]
Closes hard								1
Can't laod magazine								]
Cut-off		200						
Cuts rim								
Cases swell			·					
Chamber tom of gouged								
Creepy trigger pull								
Cams wrong side of action bar								
Doesn't blow back								
Double click in safety switch						866.		
Double click in trigger								
Doesn't close-up								
Doesn't eject			· · · · ·					
Doesn't eject live round								
Doesn't feed back								
Doesn't feed up								
Doesn't lock open (after last shell)								
Doesn't lock-up						â		
Dead safe								
Doesn't extract								
Doesn't extract live round								
Extractor drops shell								
Ejector sticks back								
Empty shell catches receiver								
Extractor stems shell								
	Closes hard Can't laod magazine Cuts rim Cuts rim Cases swell Chamber tom or gouged Creepy trigger pull Chamber tom or gouged Creepy trigger pull Cams wrong side of action bar Doesn't blow back Double click in safety switch Double click in safety switch Double click in trigger Doesn't close-up Doesn't close-up Doesn't eject Doesn't eject live round Doesn't feed back Doesn't feed back Doesn't feed up Doesn't lock open (after last shell) Doesn't lock-up Dead safe Doesn't extract Doesn't extract live round Extractor drops shell Ejector sticks back Empty shell catches receiver	Case dented	Case dented	Case dented	Case dented  Image: Coses hard    Closes hard  Image: Coses hard    Can't laod mage: Field  Image: Coses hard    Cut-off  Image: Coses hard    Cuts rim  Image: Coses swell    Cuts rim  Image: Coses hard    Cases swell  Image: Coses hard    Chamber tom or gouged  Image: Coses hard    Creepy trigger pull  Image: Coses hard    Carns wrong side of action bar  Image: Coses hard    Doesn't blow back  Image: Coses hard    Double click in stafety switch  Image: Coses hard    Doesn't lose-up  Image: Coses hard    Doesn't eject  Image: Coses hard    Doesn't eject live round  Image: Coses hard    Doesn't eject live round  Image: Coses hard    Doesn't feed back  Image: Coses hard    Doesn't feed up  Image: Coses hard    Doesn't lock open (after last shell)  Image: Coses hard    Deesn't lock open (after last shell)  Image: Coses hard    Deesn't lock open (after last shell)  Image: Coses hard    Deesn't lock open (after last shell)  Image: Coses hard    Deesn't tork open (after last shell)  Image: Coses hard </td <td>Case dented  Image: Case hard  Image: Case hard    Closes hard  Image: Case shard  Image: Case shard    Cut-off:  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard  Image: Case shard  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard    Case shard  Image: Case</td> <td>Case dented </td> <td>Case dented  Image all in the second seco</td>	Case dented  Image: Case hard  Image: Case hard    Closes hard  Image: Case shard  Image: Case shard    Cut-off:  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard  Image: Case shard  Image: Case shard  Image: Case shard    Cuts rim  Image: Case shard    Case shard  Image: Case	Case dented	Case dented  Image all in the second seco



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
nss	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible		·					
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	lite.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							




SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE 🚿	Safety switch works too easily					
SWH	Safety switch works too hard		2000.			
sww	Safety ewitxh won't work	2000 - 100 -				
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
хн	Extracts hard				800.	
н	High					
LO	Low					
LEFT	Left			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
RIGHT	Right					
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					1




AI-P	Assembly incompleye at proof						
BBB	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof	·····					
BLP-P	Blanked primer at poof		itte.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				····		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					 dto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			····			
MSM-P	Magnaflux stamp missing on bbl				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
						;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-

star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
N.	FA.
a a a a a a a a a a a a a a a a a a a	FB
ns	FC
	FCB
len	FD
ning	FCB FD FF
ams v. Remingtor	FFP
_	FOS

FA.	Fires automatically						]
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Follows-down	itte.					]
FF	Fails to fire						]
FFP	Flat firing pin		·				
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				800.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						4
HUR	Hard under rail						
JCS	Jumps cartridge				1		
JM	Jumps magazin <del>e</del>					*****	
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-ndes		data.				
РН	Pulls hard						
PSI	Proof stamp illegible			•			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						j (
SIC	Stems in chamber						
SL	shaves lead						 1998
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	in.				
sww	Safety ewitxh won't work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			ż	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
	Front sight tipped					
RSTT	Rear sight tipped				á	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
	Front sight loose	 				
	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof	itte.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		····			
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	















Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-

BWCFM	Bolt won't close over full magazine				
CD	Case dented				
СН	Closes hard				
CLM	Can'i laod magazine				
со	Cut-off	dan.			
CR	Cuts rim				
CS	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back		· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch			800.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round				
DFB	Doesn't feed back				
DFU	Doesn't feed up				
DLO	Doesn't lock open (after last shell)				
DLU	Doesn't lock-up				
DS	Dead safe				· · · · · · · · · · · · · · · · · · ·
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				



FA	Subject to Protective Order	
	X	FA
	ns	FC
ns FC		FCB
FC S FC FCB	ien	FD
FC FC FCB FD	ning	FF
ns v. Remin	ytor	FFP
Amms v. Remingtor	<u>ر</u>	FOS

FA.	Fires automatically						]
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Folfows-down		itte.				]
FF	Fails to fire						]
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	199		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				800.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						] ,
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge				÷.		
ЈМ	Jumps magazin <del>e</del>					******	
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-ndes		data.				
РН	Pulls hard						
PSI	Proof stamp illegible			•			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						j (
SIC	Stems in chamber						
SL	shaves lead						 1998
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber							1
SSOC	Surface scratches on case							1
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard		inn.					
sww	Safety ewitxh wont work							
TD	Tips down			·				
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded	~~~~						
ХН	Extracts hard					in in the second sec	800.	
н	High							
LO	Low							
LEFT	Left				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped							
RSBR	Rear sight base raised							 Ű
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		·			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine					٦
CD	Case dented					1
CH	Closes hand					1
CLM	Can't laod magazine					
со	Cut-off	666.				
CR	Cuts rim					
CS	Cases swell		·			
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull			····		
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			·····		
DCS	Double click in safety switch				844.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject		· · · · ·			
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					4
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up					00000
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					1



Subject to Protective Order		
	FA	ź
<u> </u>	FB	
ns su	FC	Ő
ams v. Remingtor	FCB	;
en	FCB FD FF	
nin	FF	
gtoi	FFP	
L	FOS	

								_
FA.	Fires automatically							
FB	Follower binds							
FC	Fails to connect	~~~						
FCB	Fore-end cracked or broken							
FD	Follows-down		200					
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard					in in the second se	Rito.	
FSR	Fires when safe is released							]
FT	Follower tips							
GCSO	Gas cyl shot off			1.493				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							] ,
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazin <del>e</del>							
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							]



ML	Magazine loose					]
MLH	Magazine loads hard					
MRH	Magazine removes hard					1
он	Opens hard					
OR	Over-ndes	state.				
РН	Pulls hard					
PSI	Proof stamp illegible		•			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				866.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber					
SL	shaves lead					 ~~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	in.				
sww	Safety ewitxh work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			ż	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
	Front sight tipped					
RSTT	Rear sight tipped				á	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
	Front sight loose	 				
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1 ~~
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order-	
	FA
<u>a</u>	FB
ns su	FC
	FCB
en	FCB FD FF FFP
ning	FF
iams v. Remingtor	
<u>ر</u>	FOS

FA.	Fires automatically	[			· · · · · · · · · · · · · · · · · · ·	[	,	1
FB	Follower binds	· /	· [ /		<u>├</u> ───┦	<b>!</b>		1
FC	Fails to connect	· /	/ · · · · · · · · · · · · · · · · · · ·		+	ļ		1
FCB	Fore-end cracked or broken		· ['		<b>!</b>	· · · · · ·		1
FD	Follows-down		dare,		1	(		1
FF	Fails to fire				1	(,		1
FFP	Flat firing pin	ſ <u>`````</u>			<u> </u>	[]		1
FOS	Fires on safe			 		[]		1
FPHB	Firing pin hits bbl		/'		[!	[]		1
FPHI	Firing pin hits inside rim				[!	[]		1
FPO	Floor plate opens					[]		1
FPOH	Floor plate opens hard	1'	"					1
FSR	Fires when safe is released	<u> </u>	<u> </u>					]
FT	Follower tips	['	· '					1
GCSO	Gas cyl shot off	['	· · · · · · · · · · · · · · · · · · ·					]
HBL	Heavy bolt lift	['	· '					
HMSC	Heading mismatch-steps on case	<u> </u>	'					]
HPA	High pressure ammo	<u> </u>	<u> </u>		['			
HUR	Hard under rail	Ĺ'	<u> </u>		['			
JCS	Jumps cartridge	Ĺ'	<u> </u>		[!	<u>۽</u>		
JM	Jumps magazin <del>e</del>	<u> </u>	<u> </u>		[!	<u> </u>		]
JO	Jars off	1'	<u> </u>		!	<u> </u>		
LB	Light blow	Ĺ'	<u> </u>		['	Ē'	[!	
МАН	Magazine assembles hard	Ĺ'	<u> </u>		[!	['		
MCW	Magazine capacity wrong	<u> </u>			<u> </u>	<u> </u>		] ``*
MFA	Misfires (ammo)	Ĺ'	<u> </u>		['	['		]
MFOP	Magazine follower out of position	<u> </u>	·'		['	['		]



ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-ndes		data.				
РН	Pulls hard						
PSI	Proof stamp illegible			•			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						j (
SIC	Stems in chamber						
SL	shaves lead						 1998
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC	Stems top chamber	<i></i>					]
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
ΤU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
ХН	Extracts hard				i i i i i i i i i i i i i i i i i i i	889.	
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					4	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose			 			
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket cracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	1.665				
FESO-P	Fore-end shot off at proof				dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					















Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off	- Sec.					
CR	Cuts rim						
CS	Cases swell		·				
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back			· · · · · · · · · · · · · · · · · · ·			
DCS	Double click in safety switch				iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up						
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order	
X	FA
Ø	FB
E S	FC
ams v. Remingtor	FCB
Rer	FCB FD FF
nin	FF
gto	FFP
	FOS

FA.	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	inn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard			in in the second se	Rito.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				3	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					]




/							_
ML <u>.</u>	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-rides						
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber		· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder			ż	X10.		
RS	Rim srem						
SBC	Stems bottom chambers					···	
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
scx	Shell catches						
SHI	Short indent						
SI	Stems incline						Ø
SIC	Stems in chamber				÷		
SL	shaves lead						1990
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					1
STC	Stems top chamber	<i></i>				
SWE	Safety switch works too easily					
SWH	Safety switch works too hard		átta.			
sww	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up				 	
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard				860.	
н	High					
LO	Low					
LEFT	Left					
RIGHT	Right					╡.
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				4	
RSBR	Rear sight base raised					 ļ
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure								-
	Total Rejected								
	Overall Reject Rate								=
	Shot Proof Rejected Percen		0	0	0	0	0	0	
	Sha Test Rejected Percen	g 🛄 🧿	0 0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases						;		
BHR	Bolt hits receiver								
BHS	Bolt plug hits safety switch								🗮
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						
СН	Closes hard						ĺ
CLM	Can't laod magazine						
co	Cut-off	inn.					
CR	Cuts rim						
cs	Cases swell						
стод	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back						
DCS	Double click in safety switch			i ii	886.		
DCT	Double click in trigger						
DCU	Doesn't close-up					···.	
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up						
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						l
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						J



Subject to Protective Order-	
	FA .
<b>B</b>	FB
ns su	FC
ams v. Remingtor	FCB
len -	FCB FD FF
ning	FF
gtoi	FFP
<u>ر</u>	FOS

						 		_
FA.	Fires automatically				<u> </u>			
FB	Follower binds				<u> </u>			
FC	Fails to connect	~			<u> </u>			
FCB	Fore-end cracked or broken				· · · · · · · · · · · · · · · · · · ·			
FD .	Follows-down		- 200 <sub>2</sub>		· · · · · · · · · · · · · · · · · · ·			
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens							
FPOH	Floor plate opens hard			<u> </u>		866.		
FSR	Fires when safe is released							
FT	Follower tips						·····	
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case			'	<u> </u>			
HPA	High pressure ammo				<u> </u> !			
HUR	Hard under rail				!			
JCS	Jumps cartridge				!	4		
JM	Jumps magazine				!			
JO	Jars off				<u> </u>			
LB	Light blow			'	<u> </u>			
MAH	Magazine assembles hard							
MCW	Magazine capacity wrong				<u> </u>			
MFA	Misfires (ammo)			'	<u>[                                    </u>			
MFOP	Magazine follower out of position				<u> </u>			


ML	Magazine loose					]
MLH	Magazine loads hard					
MRH	Magazine removes hard					1
он	Opens hard					
OR	Over-ndes	state.				
РН	Pulls hard					
PSI	Proof stamp illegible		•			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				866.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber					
SL	shaves lead					 ~~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber						
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
ŚWH	Safety switch works too hard		inn.				
sww	Safety ewitxh won't work						
TD	Tips down						
ΤU	Tips up	··· ///					
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
хн	Extracts hard				ż	itte.	
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						
RSTT	Rear sight tipped					4	
RSBR	Rear sight base raised						 `
FSTR	Front sight raised			 			
FSTL	Front sight loose			 			
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		·			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
ns S⊔	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					]
FD	Follows-down	itte.				]
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard			Sto.		
FSR	Fires when safe is released					
FT	Follower tips				600 00000000.	
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge			ŝ		
JM	Jumps magazin <del>e</del>				******	
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML <u>.</u>	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						]
OR	Over-indes	- 2000.					]
PH	Pulls hard						]
PSI	Proof stamp illegible		·				]
PSM	Proof stamp missing						]
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·			]
RIS	Ring in sholder				ġ.	866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
si	Stems incline						
SIC	Stems in chamber					:	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

MAE00002163

SRIC	Specific rings in chamber				]
SSOC	Surface scratches on case				1
STC	Stems top chamber				
SWE	Safety switch works too easily				1
SWH	Safety switch works too hard	state.			1
sww	Safety ewitxh won?t work				1
TD	Tips down				]
TU	Tips up				
TWP	Trigger won't pull				
TWR	Trigger won't retract				
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·		
XH	Extracts hard			 Neo.	
ні	High				
LO	Low				
LEFT	Left		~~~~~~		
RIGHT	Right				
DG	Doesn't Group				
FSST	Front sight tipped				
RSTT	Rear sight tipped			;	
RSBR	Rear sight base raised				
FSTR	Front sight raised				
FSTL	Front sight loose				
RSTL	Rear sight loose				
MGPT-G	Missing parts at target				
UNCN-G	Uncoded nonconformity at target				



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket cracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	1.665				
FESO-P	Fore-end shot off at proof				dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1 ~~
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

BWCFM	Bolt won't close over full magazine					1
CD	Case dented					
СН	Closes hard					1
CLM	Can't laod magazine					
со	Cut-off	itte.				
CR	Cuts rim					]
CS	Cases swell		·			
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch				 866.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					4
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				ŝ	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					 ]



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
nss	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.	Magazine loose				]
MLH	Magazine loads hard				1
MRH	Magazine removes hard				
ОН	Opens hard				
OR	Over⊭ndes	in.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken				
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline				
SIC	Stems in chamber				
SL	shaves lead				 ~~
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				]




SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC	Stems top chamber	<i></i>					
SWE	Safety switch works foo easily						
ŚWH	Safety switch works too hard		data.				
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
ХН	Extracts hard				i ii	999.	
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					ŝ	
RSBR	Rear sight base raised						 ļ
FSTR	Front sight raised			 			
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		·			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
co	Cut-off	- 2000.				
CR	Cuts rim					
CS	Cases swell		· · · · · · · · · · · · · · · · · · ·			
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			·····		
DCS	Double click in safety switch				800.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				ŝ	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



Subject to Protective Order	
X	FA
Ø	FB
E S	FC
ams v. Remingtor	FCB
Rer	FCB FD FF
nin	FF
gto	FFP
	FOS

FA	Fires automatically	[			· · · · · · · · · · · · · · · · · · ·	, ,	]
FB	Follower binds				!		 1
FC	Fails to connect				· · · · · · · · · · · · · · · · · · ·		]
FCB	Fore-end cracked or broken				, ,		1
FD	Folfaws-down		5000.				1
FF	Fails to fire				· · ·		1
FFP	Flat firing pin				[]		1
FOS	Fires on safe				· · · · ·		]
FPHB	Firing pin hits bbl						]
FPHI	Firing pin hits inside rim				· · · · ·		1
FPO	Floor plate opens	***					]
FPOH	Floor plate opens hard						]
FSR	Fires when safe is released						]
FT	Follower tips						]
GCSO	Gas cyl shot off						]
HBL	Hea∨y bolt lift						
HMSC	Heading mismatch-steps on case						]
HPA	High pressure ammo				<u> </u>		
HUR	Hard under rail				!		
JCS	Jumps cartridge					i i	
JM	Jumps magazine						 ]
JO	Jars off				<u> </u>		
LB	Light blow				<u> </u>		
МАН	Magazine assembles hard				<u> </u>		
MCW	Magazine capacity wrong				<u> </u>		] ````
MFA	Misfires (ammo)				<u> </u>		]
MFOP	Magazine follower out of position				<u> </u>		]

ML	Magazine loose					]
MLH	Magazine loads hard					
MRH	Magazine removes hard					1
он	Opens hard					
OR	Over-ndes	state.				
РН	Pulls hard					
PSI	Proof stamp illegible		•			
PSM	Proof stamp missing					
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				866.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber					
SL	shaves lead					 ~~~
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	in.				
sww	Safety ewitxh work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			ż	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
	Front sight tipped					
RSTT	Rear sight tipped				á	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
	Front sight loose	 				
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order		
	FA	ź
<u>a</u>	FB	
ns –	FC	Ő
ams v. Remingtor	FCB	;
hen	FCB FD FF	
nin	FF	
gtoi	FFP	
د	FOS	

FA.	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					]
FD	Follows-down	itte.				]
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard			Sto.		
FSR	Fires when safe is released					
FT	Follower tips				600 00000000.	
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge			ŝ		
JM	Jumps magazin <del>e</del>				******	
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible		·					
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	Neo.		
RS	Rim srem							
SBC	Stems bottom chambers							]
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							]



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	in.				
sww	Safety ewitxh won't work					
ТD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			ż	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
	Front sight tipped					
RSTT	Rear sight tipped				á	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
	Front sight loose	 				
	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof	itte.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		····			
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected:								
	Overall Reject Rate:		1	1	1	1		T	=
	Shot: Proof Rejected Percent	0	0	0	0	0	0	0	]
	Shot								]
	Test Rejected Percent		0	0	0	0	0	0	-
	Shot: Target Rejected		0	 >>>> <b>0</b> >>>>	0	0	0	0	L
	Percent					-	-	-	
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
									]
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								<i>d</i> i
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver							- ····	]
BHS	Bolt plug hits safety switch								]
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
N.	FA.
a a a a a a a a a a a a a a a a a a a	FB
ns	FC
	FCB
len	FD
ning	FCB FD FF
ams v. Remingtor	FFP
_	FOS


FA.	Fires automatically						]
FB	Follower binds						1
FC	Fails to connect						1
FCB	Fore-end cracked or broken						1
FD	Follows-down	itte.					]
FF	Fails to fire						]
FFP	Flat firing pin		·				
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				800.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						4
HUR	Hard under rail						
JCS	Jumps cartridge				1		
JM	Jumps magazin <del>e</del>					*****	
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML <u>.</u>	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						]
OR	Over-indes	- 2000.					]
PH	Pulls hard						]
PSI	Proof stamp illegible		·				]
PSM	Proof stamp missing						]
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·			]
RIS	Ring in sholder				ġ.	866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
si	Stems incline						
SIC	Stems in chamber					:	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

MAE00002211

SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						
STC	Stems top chamber						
SWE	Safety switch works too easily						
SWH	Safety switch works too hard	dan.					
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded			· · · · ·			
ХН	Extracts hard				ġ.		
н	High						
LO	Low		· · · ·				
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					à	
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof	1				
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at proof					
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		·			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof					
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof			i i i i i i i i i i i i i i i i i i i	dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
co	Cut-off	- 2000.				
CR	Cuts rim					
CS	Cases swell		· · · · · · · · · · · · · · · · · · ·			
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			·····		
DCS	Double click in safety switch				800.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				ŝ	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



Subject to Protective Order		
	FA	ź
<u> </u>	FB	
ns su	FC	Ő
ams v. Remingtor	FCB	;
en	FCB FD FF	
nin	FF	
gtoi	FFP	
L	FOS	

FA.	Fires automatically						]
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						]
FD	Follows-down		itte.				]
FF	Fails to fire						]
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	196		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				Sto.		
FSR	Fires when safe is released						
FT	Follower tips					600 00000000.	
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge				1		
JM	Jumps magazin <del>e</del>					******	
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML.	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	lite.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							



SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Stems top chamber							
SWE	Safety switch works too easily							
SWH	Safety switch works too hard	- State.						
sww	Safety ewitxh won't work							
TD	Tips down							
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded			· · · · · · · · · · · · · · · · · · ·				
ХН	Extracts hard				i ii	866.		
н	High							
LO	Low		· · ·					
LEFT	Left			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							
RSTT	Rear sight tipped					á.		
RSBR	Rear sight base raised						· · · · · · · · · · · · · · · · · · ·	1995
FSTR	Front sight raised							
FSTL	Front sight loose							1
RSTL	Rear sight loose							
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof	·····				
BLP-P	Blanked primer at poof		itte.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down			1	1				1

BWCFM	Bolt won't close over full magazine				]
CD	Case dented				
СН	Closes hard				
CLM	Can't laod magazine				]
со	Cut-off	skos.			]
CR	Cuts rim				1
CS	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back		· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch			 866.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
DFB	Doesn't feed back				
DFU	Doesn't feed up				4
DLO	Doesn't lock open (after last shell)				
DLU	Doesn't lock-up			ŝ	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				1



Subject to Protective Order	
V	FA <sub>son</sub>
B	FB
ns 🐄	FC
T	FCB
len	FCB FD FF FFP
ning	FF
ams v. Remingtor	FFP
	FOS

FA	Fires automatically							,	1
FB	Follower binds	('	· ['		·	<i>י</i>			1
FC	Fails to connect	()	·'		·				1
FCB	Fore-end cracked or broken		· ['	'					1
FD	Folfows-down								1
FF	Fails to fire							[]	1
FFP	Flat firing pin	f 1				1	· · · · · · · · · · · · · · · · · · ·		1
FOS	Fires on safe								1
FPHB	Firing pin hits bbl								1
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens								
FPOH	Floor plate opens hard								
FSR	Fires when safe is released								
FT	Follower tips								
GCSO	Gas cyl shot off	[]	· · · · · · · · · · · · · · · · · · ·						
HBL	Heavy bolt lift	['	['						
HMSC	Heading mismatch-steps on case	<u>['</u>	· · · · · · · · · · · · · · · · · · ·						
HPA	High pressure ammo	ſ <u></u> ''	· · · · · · · · · · · · · · · · · · ·						
HUR	Hard under rail	[ <u> </u>	· · · · · · · · · · · · · · · · · · ·				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
JCS	Jumps cartridge	['	/				<u>۽</u>		
JM	Jumps magazin <del>e</del>	['	· · · · · · · · · · · · · · · · · · ·				['	******	
JO	Jars off	['	· · · · · · · · · · · · · · · · · · ·				['		
LB	Light blow	<u>['</u>	· · · · · · · · · · · · · · · · · · ·	['			['	['	
MAH	Magazine assembles hard	['	· · · · · · · · · · · · · · · · · · ·						
MCW	Magazine capacity wrong	[ <u> </u>	· · · · · · · · · · · · · · · · · · ·						
MFA	Misfires (ammo)	<u>['</u>	['				[ <u> </u>	<u>[</u> '	
MFOP	Magazine follower out of position	<u> </u>	<u> </u>			'			

ML	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible		·					
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	Neo.		
RS	Rim srem							
SBC	Stems bottom chambers							]
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							]



SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC	Stems top chamber						1
SWE	Safety switch works too easily						]
SWH	Safety switch works too hard	- 2000.					]
sww	Safety ewitxh won't work						]
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·				
ХН	Extracts hard			iii iii	800.		
н	High		·				
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						
RSTT	Rear sight tipped				4		
RSBR	Rear sight base raised					******	
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof				
BBB	Barrel bracket gracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at poof	itte.			
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof		····		
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			 dto.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				
				;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1


star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
V	FA <sub>son</sub>
B	FB
ns 🐄	FC
T	FCB
len	FCB FD FF FFP
ning	FF
ams v. Remingtor	FFP
	FOS

FA.	Fires automatically					ĺ
FB	Follower binds					ĺ
FC	Fails to connect					ĺ
FCB	Fore-end cracked or broken					ĺ
FD	Follows-down	itte.				ĺ
FF	Fails to fire					ĺ
FFP	Flat firing pin		· 			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens					
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				4	
ЈМ	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					



ML.	Magazine loose					]
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Over⊹ndes	inn.				
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					
RBOC	Rings and bulges on case			89 		
RDW	(Action) release doesn't work					
RIC	Rings in chamber					
RIS	Ring in sholder				100.	
RS	Rim srem					
SBC	Stems bottom chambers					
SBE	Stems bbl extension		175			
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				4	
SL	shaves lead					 1998
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	ino.				
SWW	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·			
ХН	Extracts hard			ż	800.	
н	High					
LO	Low					
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				;	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof	·····				
BLP-P	Blanked primer at poof		itte.			
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	

Ś














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1


star 1

BWCFM	Bolt won't close over full magazine					
CD	Case dented					
СН	Closes hand					
CLM	Can't laod magazine					
co	Cut-off	- 2000.				
CR	Cuts rim					
CS	Cases swell		· · · · · · · · · · · · · · · · · · ·			
CTOG	Chamber torn or gouged					
СТР	Creepy trigger pull					
CWSB	Cams wrong side of action bar					
DBB	Doesn't blow back			·····		
DCS	Double click in safety switch				800.	
DCT	Double click in trigger					
DCU	Doesn't close-up					
DE	Doesn't eject					
DEL	Doesn't eject live round					
DFB	Doesn't feed back					
DFU	Doesn't feed up					
DLO	Doesn't lock open (after last shell)					
DLU	Doesn't lock-up				ŝ	
DS	Dead safe					
DX	Doesn't extract					
DXL	Doesn't extract live round					
EDS	Extractor drops shell					
ESB	Ejector sticks back					
ESCR	Empty shell catches receiver					
ESS	Extractor stems shell					



Subject to Protective Order	
N.	FA <sub>ssa</sub> - ,
<u>a</u>	FB
ns su	FC
ams v. Remingtor	FCB
en	FCB FD FF FFP
ning	FF
gtoi	FFP
L	FOS

FA	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end cracked or broken						
FD	Follows-down	inn.					
FF	Fails to fire						
FFP	Flat firing pin		·				
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				·	Rito.	
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge					÷.	
ЈМ	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



MAE00002258

ML.	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	lite.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							



SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					1
STC	Stems top chamber					1
SWE	Safety switch works too easily					1
SWH	Safety switch works too hard	- 2000.				]
sww	Safety ewitxh won?t work					1
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·			
ХН	Extracts hard			899.		
н	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					
RSTT	Rear sight tipped					
RSBR	Rear sight base raised				******	
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof						
BBB	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof	·····					
BLP-P	Blanked primer at poof		itte.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				····		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					 dto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			····			
MSM-P	Magnaflux stamp missing on bbl				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
						;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
N.	FA <sub>ssa</sub> a
<u> a</u>	FB
n sur	FC
ams v. Remingtor	FCB
er	FCB FD FF FFP
nin	FF
gto	FFP
J	FOS

FA.	Fires automatically					]
FB	Follower binds					
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	inn.				
FF	Fails to fire					
FFP	Flat firing pin					
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens		· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard			in in the second se	Rito.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					
HUR	Hard under rail					
JCS	Jumps cartridge				3	
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
MAH	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					]




ML.	Magazine loose				1
MLH	Magazine loads hard				1
MRH	Magazine removes hard				1
он	Opens hard				1
OR	Over-ndes	Store.			1
PH	Pulls hard				1
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case				
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			dto.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
SCX	Shell catches				
SHI	Short indent				
SI	Stems incline			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
SIC	Stems in chamber			:	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				




SRIC	Specific rings in chamber						Ĺ
SSOC	Surface scratches on case						l
STC	Stems top chamber	<i></i>					l
SWE	Safety switch works too easily						
ŚWH	Safety switch works too hard		átta.				
sww	Safety ewitxh wont work						
TD	Tips down						
ΤU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded	~~~~					
хн	Extracts hard				iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	890.	
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						ĺ
RSTT	Rear sight tipped					á	
RSBR	Rear sight base raised						 ĺ
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof					
BBB	Barrel bracket gracked or broken at proof					
BC-P	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof	itte.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof					
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof					
FESO-P	Fore-end shot off at proof				 dto.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl		····			
MSM-P	Magnaflux stamp missing on bbl			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					
					;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected:								
	Overall Reject Rate:		1	1	1	1		T	=
	Shot: Proof Rejected Percent	0	0	0	0	0	0	0	]
	Shot								]
	Test Rejected Percent		0	0	0	0	0	0	-
	Shot: Target Rejected		0	 >>>> <b>0</b> >>>>	0	0	0	0	L
	Percent					-	-	-	
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
									]
AB	Action binds								
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								<i>d</i> i
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver							- ····	]
BHS	Bolt plug hits safety switch								]
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
X	FA
Ø	FB
E S	FC
ams v. Remingtor	FCB
Rer	FCB FD FF
nin	FF
gto	FFP
	FOS

FA.	Fires automatically						
FB	Follower binds						
FC	Fails to connect						
FCB	Fore-end aracked or broken						]
FD	Follows-down	- 1000.					]
FF	Fails to fire						]
FFP	Flat firing pin		· · · · · · · · · · · · · · · · · · ·				
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens			· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard				 Rito.		
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off						
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						
HPA	High pressure ammo						4
HUR	Hard under rail						
JCS	Jumps cartridge				1		
JM	Jumps magazin <del>e</del>					******	
JO	Jars off						
LB	Light blow						
МАН	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						



ML <u>.</u>	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						]
OR	Over-indes	- 2000.					]
PH	Pulls hard						]
PSI	Proof stamp illegible		·				]
PSM	Proof stamp missing						]
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·			]
RIS	Ring in sholder				ġ.	866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
si	Stems incline						
SIC	Stems in chamber					:	
SL	shaves lead						
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						

SRIC	Specific rings in chamber					]
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	inn.				
sww	Safety ewitxh wont work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			iii ii	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					4
FSST	Front sight tipped					
RSTT	Rear sight tipped					
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI- <u>P</u>	Assembly incompleye at proof					]
BBB	Barrel bracket cracked or broken at proof					1
ВС-Р	Blows cases at proof					
BEB-P	Barrel extension broken at proof					
BLP-P	Blanked primer at poof	dan.				
BLSO-P	Barrel lug shot off at proof					
BP-P	Blown primer at proof		·			
BS-P	Barrel split at proof					
DLOS-P	Doesn't lock over shells at proof			····		
ESB-P	Ejector sticks back at proof					
FCB-P	Fore-end cracked at proof	 		····		
FESO-P	Fore-end shot off at proof				800.	
FF-P	Fails to fire at proof					
GCSO-P	Gas cylinder shot off at proof					
MSI-P	Magnaflux stamp illegible on bbl					
MSM-P	Magnaflux stamp missing on bbl					
PP-P	Pierced primer at proof					
SCB-P	Stock cracked or broken at proof					
UNCM-P	Uncoded proof malfunctions					














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine				]
CD	Case dented				
Сн	Closes hard				
CLM	Can't laod magazine				]
со	Cut-off	skos.			]
CR	Cuts rim				1
CS	Cases swell				
CTOG	Chamber torn or gouged				
СТР	Creepy trigger pull				
CWSB	Cams wrong side of action bar				
DBB	Doesn't blow back		· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch			 866.	
DCT	Double click in trigger				
DCU	Doesn't close-up				
DE	Doesn't eject				
DEL	Doesn't eject live round		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
DFB	Doesn't feed back				
DFU	Doesn't feed up				4
DLO	Doesn't lock open (after last shell)				
DLU	Doesn't lock-up			ŝ	
DS	Dead safe				
DX	Doesn't extract				
DXL	Doesn't extract live round				
EDS	Extractor drops shell				
ESB	Ejector sticks back				
ESCR	Empty shell catches receiver				
ESS	Extractor stems shell				



Subject to Protective Order	
V	FA <sub>son</sub>
B	FB
ns 🐄	FC
T	FCB
len	FCB FD FF FFP
ning	FF
ams v. Remingtor	FFP
	FOS

FA	Fires automatically	[			· · · · · · · · · · · · · · · · · · ·	, ,	]
FB	Follower binds				!		 1
FC	Fails to connect				· · · · · · · · · · · · · · · · · · ·		]
FCB	Fore-end cracked or broken				, ,		1
FD	Folfaws-down		5000.				1
FF	Fails to fire				· · ·		1
FFP	Flat firing pin				[]		1
FOS	Fires on safe				· · · · ·		]
FPHB	Firing pin hits bbl						]
FPHI	Firing pin hits inside rim				· · · · ·		1
FPO	Floor plate opens	***					]
FPOH	Floor plate opens hard						]
FSR	Fires when safe is released						]
FT	Follower tips						]
GCSO	Gas cyl shot off						]
HBL	Hea∨y bolt lift						
HMSC	Heading mismatch-steps on case						]
HPA	High pressure ammo				<u> </u>		
HUR	Hard under rail				!		
JCS	Jumps cartridge					i i	
JM	Jumps magazine						 ]
JO	Jars off				<u> </u>		
LB	Light blow				<u> </u>		
МАН	Magazine assembles hard				<u> </u>		
MCW	Magazine capacity wrong				<u> </u>		] ````
MFA	Misfires (ammo)				<u> </u>		]
MFOP	Magazine follower out of position				<u> </u>		]

MAE00002294


ML.	Magazine loose							]
MLH	Magazine loads hard							1
MRH	Magazine removes hard							1
он	Opens hard							1
OR	Overandes							]
РН	Pulls hard							]
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case							
RDW	(Action) release doesn't work							
RIC	Rings in chamber			· · · · · · · · · · · · · · · · · · ·				
RIS	Ring in sholder				in the second	lite.		
RS	Rim srem							
SBC	Stems bottom chambers							
SBE	Stems bbl extension		· · · ·					
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber					:		
SL	shaves lead						· · · · · · · · · · · · · · · · · · ·	
SLC	Stems left side of chamber							
SMOC	Stretch marks on case							
SOR	Stem over-ride							
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							



SRIC	Specific rings in chamber						1
SSOC	Surface scratches on case						1
STC	Stems top chamber	<i></i>					
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		inn.				
sww	Safety ewitxh won't work						
TD	Tips down						
ΤU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded			· · · · · · · · · · · · · · · · · · ·			
ХН	Extracts hard				i i i i i i i i i i i i i i i i i i i	889.	
н	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped					4	
RSBR	Rear sight base raised			 			 1
FSTR	Front sight raised						
FSTL	Front sight loose						_
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof						
BBB	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof	·····					
BLP-P	Blanked primer at poof		itte.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				····		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					 dto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			····			
MSM-P	Magnaflux stamp missing on bbl				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
						;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-

star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
	FA <sub>ssa</sub> s
<b>B</b>	FB
nss	FC
ams v. Remingtor	FCB FD FF
len	FD
nin	FF
ytor	FFP
<u>ر</u>	FOS

FA	Fires automatically							,	1
FB	Follower binds	('	· ['		·	<i>י</i>			1
FC	Fails to connect	()	·'		·				1
FCB	Fore-end cracked or broken		· ['	'					1
FD	Follows-down								1
FF	Fails to fire							[]	1
FFP	Flat firing pin	f 1				1	· · · · · · · · · · · · · · · · · · ·		1
FOS	Fires on safe								1
FPHB	Firing pin hits bbl								1
FPHI	Firing pin hits inside rim								
FPO	Floor plate opens								
FPOH	Floor plate opens hard								
FSR	Fires when safe is released								
FT	Follower tips								
GCSO	Gas cyl shot off	[]	· · · · · · · · · · · · · · · · · · ·						
HBL	Heavy bolt lift	['	['						
HMSC	Heading mismatch-steps on case	<u>['</u>	· · · · · · · · · · · · · · · · · · ·						
HPA	High pressure ammo	ſ <u></u> ''	<u> </u>						
HUR	Hard under rail	[ <u> </u>	· · · · · · · · · · · · · · · · · · ·				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
JCS	Jumps cartridge	['	/				<u>۽</u>		
JM	Jumps magazin <del>e</del>	['	· · · · · · · · · · · · · · · · · · ·				['	******	
JO	Jars off	['	· · · · · · · · · · · · · · · · · · ·				['		
LB	Light blow	<u>['</u>	· · · · · · · · · · · · · · · · · · ·	['			['	['	
MAH	Magazine assembles hard	['	· · · · · · · · · · · · · · · · · · ·						
MCW	Magazine capacity wrong	[ <u> </u>	· · · · · · · · · · · · · · · · · · ·						
MFA	Misfires (ammo)	<u>['</u>	['				[ <u> </u>	<u>[</u> '	
MFOP	Magazine follower out of position	<u> </u>	<u> </u>			'			

ML	Magazine loose						
MLH	Magazine loads hard						
MRH	Magazine removes hard						
он	Opens hard						
OR	Over-ndes		data.				
PH	Pulls hard						
PSI	Proof stamp illegible			•			
PSM	Proof stamp missing						
RBOC	Rings and bulges on case						
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					866.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension						
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						j (
SIC	Stems in chamber						
SL	shaves lead						 1998
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
ŚWH	Safety switch works too hard	in.				
sww	Safety ewitxh won't work					
TD	Tips down					
ΤU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded					
ХН	Extracts hard			ż	800.	
ні	High					
LO	Low					
LEFT	Left					
RIGHT	Right					
DG	Doesn't Group					
	Front sight tipped					
RSTT	Rear sight tipped				á	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
	Front sight loose	 				
	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof				
BBB	Barrel bracket gracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at poof	itte.			
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof		····		
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			 dto.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				
				;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1 ~~
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1


star 1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hard						
CLM	Can't laod magazine						
со	Cut-off		state.				
CR	Cuts rim	·····					
CS	Cases swell						
CTOG	Chamber torn or gouged						
CTP	Creepy trigger pull				····		
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back				·····		
DCS	Double click in safety switch					866.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject			· · · · ·			
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up					ŝ	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order-	
	FA .
<b>B</b>	FB
ns	FC
ams v. Remingtor	FCB
len	FCB FD FF
ning	FF
jtor	FFP
L	FOS

1000								_
FA.	Fires automatically							
FB	Follower binds							
FC	Fails to connect	~~~						
FCB	Fore-end cracked or broken							
FD	Follows-down		- 2000.					]
FF	Fails to fire							
FFP	Flat firing pin							
FOS	Fires on safe							
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							
FPO	Floor plate opens				· · · · · · · · · · · · · · · · · · ·			
FPOH	Floor plate opens hard					in in the second se	Rito.	
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off			1.493				
HBL	Heavy bolt lift							
HMSC	Heading mismatch-steps on case							] ,
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazin <del>e</del>							~
JO	Jars off							
LB	Light blow							
MAH	Magazine assembles hard							]
MCW	Magazine capacity wrong							
MFA	Misfires (ammo)							
MFOP	Magazine follower out of position							]



ML.	Magazine loose				
MLH	Magazine loads hard				
MRH	Magazine removes hard				
он	Opens hard				
OR	Over-indes	inn.			
PH	Pulls hard				
PSI	Proof stamp illegible				
PSM	Proof stamp missing				
RBOC	Rings and bulges on case		89 		
RDW	(Action) release doesn't work				
RIC	Rings in chamber				
RIS	Ring in sholder			800.	
RS	Rim srem				
SBC	Stems bottom chambers				
SBE	Stems bbl extension				
SCB	Stock cracked or broken		~~~~~		
SCX	Shell catches				
SHI	Short indent				
sı	Stems incline				
SIC	Stems in chamber			÷	
SL	shaves lead				
SLC	Stems left side of chamber				
SMOC	Stretch marks on case				
SOR	Stem over-ride				
SP	Stems port				
SR	Shoulder rough				
SRC	Stems right side of chamber				



SRIC	Specific rings in chamber					
SSOC	Surface scratches on case					
STC	Stems top chamber					
SWE	Safety switch works too easily					
SWH	Safety switch works too hard	án.				
SWW	Safety ewitxh won't work					
TD	Tips down					
TU	Tips up					
TWP	Trigger won't pull					
TWR	Trigger won't retract					
UNCN-T	Uncoded		· · · · · · · · · · · · · · · · · · ·			
ХН	Extracts hard			ż	800.	
н	High					
LO	Low					
LEFT	Left					
RIGHT	Right					1
DG	Doesn't Group					
FSST	Front sight tipped					
RSTT	Rear sight tipped				;	
RSBR	Rear sight base raised					
FSTR	Front sight raised					
FSTL	Front sight loose					
RSTL	Rear sight loose					
MGPT-G	Missing parts at target					
UNCN-G	Uncoded nonconformity at target					



AI-P	Assembly incompleye at proof				
BBB	Barrel bracket gracked or broken at proof				
BC-P	Blows cases at proof				
BEB-P	Barrel extension broken at proof				
BLP-P	Blanked primer at poof	inn.			
BLSO-P	Barrel lug shot off at proof				
BP-P	Blown primer at proof				
BS-P	Barrel split at proof				
DLOS-P	Doesn't lock over shells at proof		· · · · · · · · · · · · · · · · · · ·		
ESB-P	Ejector sticks back at proof				
FCB-P	Fore-end cracked at proof				
FESO-P	Fore-end shot off at proof			dio.	
FF-P	Fails to fire at proof				
GCSO-P	Gas cylinder shot off at proof				
MSI-P	Magnaflux stamp illegible on bbl				
MSM-P	Magnaflux stamp missing on bbl		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof				
SCB-P	Stock cracked or broken at proof				
UNCM-P	Uncoded proof malfunctions				
				:	














Subject to Protective Order - Williams v. Remington


Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate								-
	Shot Proof Rejected Percen	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shai <b>Test</b> Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								1
BAC	Burr at chamber								1
BBMA	BBL-to-bolt misalignment								1
BB	Bolt binds/catches								1//
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								1

BWCFM	Bolt won't close over full magazine						
CD	Case dented						
СН	Closes hand						
CLM	Can't laod magazine						
co	Cut-off	- 2000.					
CR	Cuts rim						
CS	Cases swell		· · · · · · · · · · · · · · · · · · ·				
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back			·····			
DCS	Double click in safety switch				ġ.	800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						
DLU	Doesn't lock-up					ŝ	
DS	Dead safe						
DX	Doesn't extract						
DXL	Doesn't extract live round						
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						



Subject to Protective Order-	
	FA .
<b>B</b>	FB
ns su	FC
ams v. Remingtor	FCB
len -	FCB FD FF
ning	FF
gtoi	FFP
<u>ر</u>	FOS


FA.	Fires automatically					1
FB	Follower binds					1
FC	Fails to connect					
FCB	Fore-end cracked or broken					
FD	Follows-down	state.				1
FF	Fails to fire					1
FFP	Flat firing pin		·			
FOS	Fires on safe					
FPHB	Firing pin hits bbl					
FPHI	Firing pin hits inside rim					
FPO	Floor plate opens	 		· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard				800.	
FSR	Fires when safe is released					
FT	Follower tips					
GCSO	Gas cyl shot off					
HBL	Heavy bolt lift					
HMSC	Heading mismatch-steps on case					
HPA	High pressure ammo					4
HUR	Hard under rail					
JCS	Jumps cartridge					
JM	Jumps magazin <del>e</del>					
JO	Jars off					
LB	Light blow					
МАН	Magazine assembles hard					
MCW	Magazine capacity wrong					
MFA	Misfires (ammo)					
MFOP	Magazine follower out of position					




ML.	Magazine loose					
MLH	Magazine loads hard					1
MRH	Magazine removes hard					
он	Opens hard					
OR	Over⊹ndes		inn.			]
PH	Pulls hard					
PSI	Proof stamp illegible					
PSM	Proof stamp missing					]
RBOC	Rings and bulges on case					
RDW	(Action) release doesn't work					]
RIC	Rings in chamber	~~~		· · · · · · · · · · · · · · · · · · ·		
RIS	Ring in sholder				 866.	
RS	Rim srem					]
SBC	Stems bottom chambers					]
SBE	Stems bbl extension					
SCB	Stock cracked or broken					
SCX	Shell catches					
SHI	Short indent					
SI	Stems incline					
SIC	Stems in chamber				- A	
SL	shaves lead					
SLC	Stems left side of chamber					
SMOC	Stretch marks on case					
SOR	Stem over-ride					
SP	Stems port					
SR	Shoulder rough					
SRC	Stems right side of chamber					]




SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						1
STC	Stems top chamber	<i>w.</i>					
SWE	Safety switch works too easily						
SWH	Safety switch works too hard		itte.				
sww	Safety ewitxh won't work						
TD	Tips down						
ΤU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded			·····			
хн	Extracts hard				i iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	860.	
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						
FSST	Front sight tipped						
RSTT	Rear sight tipped						
RSBR	Rear sight base raised						
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose						
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof						
BBB	Barrel bracket gracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof	·····					
BLP-P	Blanked primer at poof		itte.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof				····		
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof					 dto.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl			····			
MSM-P	Magnaflux stamp missing on bbl				~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
						;	














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failures								-
	Total Rejected								
	Overall Reject Rate								-
	Shot. Proof Rejected Percent		0	0	0	0	0	0	]
	Shot Test Rejected Percent	, <u> </u>	o	0	0	0	0	0	]
	Shot: <b>Target</b> Rejected Percent	r <b>o</b>	0	0 0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 58	700 Police	700 ML	Model 7	Model 7 Stainless	]
AB	Action binds								-
BABS	Bulge at body shoulder							· · · · · · · · · · · · · · · · · ·	-
BAC	Burr at chamber								-
BBMA	BBL-to-bolt misalignment								
	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
BC	Blows cases								
BHR	Bolt hits receiver								
	Bolt plug hits safety switch								🎆
BLOP	Bar lock or disconnector out of position								`
BLSO	Barrel lug shot off								-
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down								-


star 1

BWCFM	Bolt won't close over full magazine						1
CD	Case dented						1
СН	Closes hard						1
CLM	Can't laod magazine						1
со	Cut-off		- 5000.				1
CR	Cuts rim						1
CS	Cases swell			·			
CTOG	Chamber torn or gouged						
СТР	Creepy trigger pull						
CWSB	Cams wrong side of action bar						
DBB	Doesn't blow back	~~~			· · · · · · · · · · · · · · · · · · ·		
DCS	Double click in safety switch					800.	
DCT	Double click in trigger						
DCU	Doesn't close-up						
DE	Doesn't eject						
DEL	Doesn't eject live round						
DFB	Doesn't feed back						
DFU	Doesn't feed up						
DLO	Doesn't lock open (after last shell)						00000
DLU	Doesn't lock-up					á.	10000
DS	Dead safe						-
DX	Doesn't extract						]
DXL	Doesn't extract live round						1
EDS	Extractor drops shell						
ESB	Ejector sticks back						
ESCR	Empty shell catches receiver						
ESS	Extractor stems shell						1



Subject to Protective Order	
N.	FA <sub>ssa</sub> a
<u> a</u>	FB
n sur	FC
ams v. Remingtor	FCB
er	FCB FD FF FFP
nin	FF
gto	FFP
J	FOS


							_
FA	Fires automatically						]
FB	Follower binds						]
FC	Fails to connect						
FCB	Fore-end cracked or broken						]
FD	Follows-down		itte.				1
FF	Fails to fire						]
FFP	Flat firing pin						
FOS	Fires on safe						
FPHB	Firing pin hits bbl						
FPHI	Firing pin hits inside rim						
FPO	Floor plate opens	199			· · · · · · · · · · · · · · · · · · ·		
FPOH	Floor plate opens hard					 800.	]
FSR	Fires when safe is released						
FT	Follower tips						
GCSO	Gas cyl shot off			· · · · ·			
HBL	Heavy bolt lift						
HMSC	Heading mismatch-steps on case						] .
HPA	High pressure ammo						
HUR	Hard under rail						
JCS	Jumps cartridge						
JM	Jumps magazin <del>e</del>						
JO	Jars off						
LB	Light blow						
MAH	Magazine assembles hard						
MCW	Magazine capacity wrong						
MFA	Misfires (ammo)						
MFOP	Magazine follower out of position						]



ML.	Magazine loose						]
MLH	Magazine loads hard						1
MRH	Magazine removes hard						
он	Opens hard						
OR	Over⊹ndes		inn.				
PH	Pulls hard						
PSI	Proof stamp illegible						
PSM	Proof stamp missing						
RBOC	Rings and bulges on case				89 		
RDW	(Action) release doesn't work						
RIC	Rings in chamber	199					
RIS	Ring in sholder					100.	
RS	Rim srem						
SBC	Stems bottom chambers						
SBE	Stems bbl extension			175			
SCB	Stock cracked or broken						
SCX	Shell catches						
SHI	Short indent						
SI	Stems incline						
SIC	Stems in chamber					4	
SL	shaves lead						 1998
SLC	Stems left side of chamber						
SMOC	Stretch marks on case						
SOR	Stem over-ride						
SP	Stems port						
SR	Shoulder rough						
SRC	Stems right side of chamber						




SRIC	Specific rings in chamber						]
SSOC	Surface scratches on case						
STC	Stems top chamber	~					
SWE	Safety switch works too easily						
SWH	Safety switch works too hard						
sww	Safety ewitxh won't work						
TD	Tips down						
TU	Tips up						
TWP	Trigger won't pull						
TWR	Trigger won't retract						
UNCN-T	Uncoded						
ХН	Extracts hard			i i i i i i i i i i i i i i i i i i i	889.		
ні	High						
LO	Low						
LEFT	Left						
RIGHT	Right						
DG	Doesn't Group						4
FSST	Front sight tipped						
RSTT	Rear sight tipped				4		
RSBR	Rear sight base raised					*****	_ `
FSTR	Front sight raised						
FSTL	Front sight loose						
RSTL	Rear sight loose			 			
MGPT-G	Missing parts at target						
UNCN-G	Uncoded nonconformity at target						



AI-P	Assembly incompleye at proof						
BBB	Barrel bracket cracked or broken at proof						
BC-P	Blows cases at proof						
BEB-P	Barrel extension broken at proof						
BLP-P	Blanked primer at poof		átas.				
BLSO-P	Barrel lug shot off at proof						
BP-P	Blown primer at proof						
BS-P	Barrel split at proof						
DLOS-P	Doesn't lock over shells at proof						
ESB-P	Ejector sticks back at proof						
FCB-P	Fore-end cracked at proof						
FESO-P	Fore-end shot off at proof				in in the second se	Rito.	
FF-P	Fails to fire at proof						
GCSO-P	Gas cylinder shot off at proof						
MSI-P	Magnaflux stamp illegible on bbl						
MSM-P	Magnaflux stamp missing on bbl						
PP-P	Pierced primer at proof						
SCB-P	Stock cracked or broken at proof						
UNCM-P	Uncoded proof malfunctions						
		-					

dia














Subject to Protective Order - Williams v. Remington

Summary	Total Test + Proof Failure	s 0							-
	Total Rejected								
	Overall Reject Rate	);							-
	Shot Proof Rejected Percent	d. 🚺 🛛 🖉	0	0	0	0	0	0	]
	Shat Test Rejected Percen	1. 0.	0	0	0	0	0	0	]
	Shot Target Rejected Percen	d: 0	0	0	0	0	0	0	]
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless	
AB	Action binds								-
BABS	Bulge at body shoulder								
BAC	Burr at chamber								
BBMA	BBL-to-bolt misalignment								
BB	Bolt binds/catches								
BCOBS	Bolt catches on bolt stop								
BCOF	Bolt catches on follower								
вс	Blows cases						,		1
BHR	Bolt hits receiver								1
BHS	Bolt plug hits safety switch								1
BLOP	Bar lock or disconnector out of position								1
BLSO	Barrel lug shot off								1
BPO	Bolt pulls out								1
BSSM	Bolt stems shell in magazine								1
BWCD	Bolt won't cam down				1				1

<u> </u>								
CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
BWCFM	Bolt won't close over full magazine	w.,						
CD	Case dented							
СН	Closes hard		illion.					
CLM	Can't laod magazine							
со	Cut-off							
CR	Cuts rim							
cs	Cases swell							
CTOG	Chamber torn or gouged							
СТР	Creepy trigger pull				· · · · · · · · · · · · · · · · · · ·			
CWSB	Cams wrong side of action bar						1990.	
DBB	Doesn't blow back							
DCS	Double click in safety switch							
DCT	Double click in trigger			·				
DCU	Doesn't close-up							
DE	Doesn't eject							
DEL	Doesn't eject live round							
DFB	Doesn't feed back						····	
DFU	Doesn't feed up						i i i i i i i i i i i i i i i i i i i	
DLO	Doesn't lock open (after last shell)							
DLU	Doesn't lock-up							
DS	Dead safe							
DX	Doesn't extract							
DXL	Doesn't extract live round							
EDS	Extractor drops shell							
ESB	Ejector sticks back							



MAE00002353

CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
ESCR	Empty shell catches receiver	w.						
ess 💥	Extractor stems shell							
FA	Fires automatically		- Soos.					
FB	Follower binds							
FC	Fails to connect							
FCB	Fore-end cracked or broken							
FD	Follows-down							
FF	Fails to fire							
FFP	Flat firing pin				· · · · · · · · · · · · · · · · · · ·			
FOS	Fires on safe					i i i i i i i i i i i i i i i i i i i	880.	
FPHB	Firing pin hits bbl							
FPHI	Firing pin hits inside rim							···
FPO	Floor plate opens			· · · ·				
FPOH	Floor plate opens hard				~~~~~			
FSR	Fires when safe is released							
FT	Follower tips							
GCSO	Gas cyl shot off							
HBL	Heavy bolt lift						:	
HMSC	Heading mismatch-steps on case							
HPA	High pressure ammo							
HUR	Hard under rail							
JCS	Jumps cartridge							
JM	Jumps magazine							
JO	Jars off							
LB	Light blow							



CODE		700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
MAH	Magazine assembles hard	<i></i>						
мсм 🚿	Magazine capacity wrong							
MFA	Misfires (ammo)		- Sec.					
MFOP	Magazine follower out of position							
ML	Magazine loose			n				
MLH	Magazine loads hard							
MRH	Magazine removes hard							
он	Opens hard							
OR	Over-rides				· · · · · · · · · · · · · · · · · · ·			
PH	Pulls hard					ġ.		
PSI	Proof stamp illegible							
PSM	Proof stamp missing							
RBOC	Rings and bulges on case			· · · ·				
RDW	(Action) release doesn't work				~~~~~			
RIC	Rings in chamber							
RIS	Ring in sholder							
RS	Rim srem							
SBC	Stems bottom chambers						8	
SBE	Stems bbl extension							
SCB	Stock cracked or broken							
SCX	Shell catches							
SHI	Short indent							
SI	Stems incline							
SIC	Stems in chamber							
SL	sha∨es lead							




CODE	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Model 7 Stainless
SLC	Stems left side of chamber							
ѕмос 🔌	Stretch marks on case							
SOR	Stem-over-ride		itter.					
SP	Stems port							
SR	Shoulder rough							
SRC	Stems right side of chamber							
SRIC	Specific rings in chamber							
SSOC	Surface scratches on case							
STC	Sterns top chamber	· · · · ·			**** ****			
SWE	Safety switch works too easily							
SWH	Safety switch works too hard							
sww	Safety ewitxh won't work							
TD	Tips down			·				
TU	Tips up							
TWP	Trigger won't pull							
TWR	Trigger won't retract							
UNCN-T	Uncoded							
хн	Extracts hard							
ні	High							
LO	Low							
LEFT	Left							
RIGHT	Right							
DG	Doesn't Group							
FSST	Front sight tipped							





CODE		Τ					· · · · · · · · · · · · · · · · · · ·	Model 7
	MALFUNCTION INDEX	700 ADL	700 BDL	700 SS	700 Police	700 ML	Model 7	Stainless
RSTT	Rear sight tipped	994.						
RSBR	Rear sight base raised							
FSTR	Front sight raised							
FSTL	Front sight loose							
RSTL	Rear sight loose			2				
MGPT-G	Missing parts at target							
UNCN-G	Uncoded nonconformity at target							
AI-P	Assembly incompleye at proof				· · · · · · · · · · · · · · · · · · ·			
BBB	Barrel bracket cracked or broken at proof					in in the second s	itte.	
BC-P	Blows cases at proof							
BEB-P	Barrel extension broken at proof							
BLP-P	Blanked primer at proof							
BLSO-P	Barrel lug shot off at proof							
BP-P	Blown primer at proof							
BS-P	Barrel split at proof					.,		
DLOS-P	Doesn't lock over shells at proof							
ESB-P	Ejector sticks back at proof						â	
FCB-P	Fore-end cracked at proof							
FESO-P	Fore-end shot off at proof							
FF-P	Fails to fire at proof							
GCSO-P	Gas cylinder shot off at proof							
MSI-P	Magnaflux stamp illegible on bbl							
MSM-P	Magnaflux stamp missing on bbl							
PP-P	Pierced primer at proof							








Subject to Protective Order - Williams v. Remington

















Subject to Protective Order - Williams v. Remington