




Remington Armorer's School

***Model 700 Police
Rifle***

















Bolt and Firing Pin Assemblies
















































700 CUTAWAY – 3 RINGS OF STEEL







***Trigger
Assembly
Right Side***




***Trigger
Assembly
Left Side***







Model 700-P Variations



Model 700 LTR Light Tactical Rifle

- 20 Inch, Button Rifled, Fluted Barrel
- Specifically Engineered Barrel Fluting
- H.S. Precision Stock w/ Full Aluminum Bedding Block
- Dual Front Swivel Studs
- A Full 1.5 lbs. lighter than the Model 700-P!!



Model 700 Police LTR
Short-Action - 223 Rem.
308, Win.
300 Rem. S&W

Model 40-XB Tactical

- 27 1/4" long bbl
- Stainless steel with Teflon coating
- Three longitudinal flutes
- Twist rate = 1 turn in 14"
- Buttoned rifled benchrest/target grade
- 7/8" muzzle diameter
- Special Rollmark on barrel **40XB TACTICAL**
- 308 Win. Caliber




1/2" or less group with proper ammo at 100 yards***



Model 40-XB Tactical

Model 7600-Patrol Rifle

- 16 1/2 inch bbl w/ 1 in 10" twist
- .308 Win.
- 37 1/2 inches over-all length
- 7 lbs.
- Synthetic stock and fore end
- Carbon Steel bbl and receiver
- Parkerized finish
- Swivel Studs for QD sling attachment
- Wilson Combat Rear Ghost Ring
XS Sight Standard Dot Front



Model 7615-P

- 16 1/2" barrel - 1 in 9" twist
- Synthetic Stock and FE
- Parkerized finish
- .223 Remington
- Wilson Combat Rear - XS front sight system
- Magazine capacity - Accepts the AR-15 Style Mags - 10 thru 30 round.
- 7 Lbs
- Swivel Studs for QD sling attachment



M-24 SWS

