










Remington® Model 700™ XCR™
(Xtreme Conditions Rifle)



- The *ULTIMATE* All-Weather Any Condition, *KICK BUTT* Rifle in production today
- Features metallurgical advances never before seen on a hunting rifle
- Features new stock with patented overmold technology from Hogue Mfg.

Remington® Model 700™ XCR™
(Xtreme Conditions Rifle)




- Stainless steel barreled action with new TriNyte™ proprietary corrosion control treatment for unprecedented protection from the harshest weather and hunting conditions
- Newly designed stock features patented overmold technology from Hogue Mfg. in the grip and fore end
- Features revolutionary Remington R3™ recoil pad

Remington TriNyte™ Corrosion Control System


- Provides corrosion resistance above and beyond other competitive stainless firearms
- Utilizes proprietary process involving PVD coatings (Physical Vapor Deposition)
- Also yields extremely hard surface finish for improved scratch and mar resistance
- Unlike conventional coatings adds virtually no measurable skin to the metal surface

Actual results shown below from ASTM Salt-Fog Exposure Test at 46 hrs exposure time. Comparison between competitive rifles and the new Model 700™ XCR™ with TriNyte™ Corrosion Control System

From left to right: Competitors R, S, B, W and Model 700™ XCR™ (Jar




Remington® Model 700™ XCR™
Overmolded Stock



- Developed in conjunction with Hogue Manufacturing, a known leader in aftermarket grip applications
- Utilizes a patented manufacturing process to produce a stock of the highest quality
- Elastomer grips are physically molded into cavities in the stock
- Combination of the elastomeric properties of the grips and a specialized texturing pattern developed specifically for this product insures a solid grasp in any condition

Remington® Model 700™ XCR™

Product Features



- 24" (26" Magnum) Stainless steel barreled action with new Tri-Nyte™ proprietary corrosion control treatment
- Black overmolded stock with revolutionary R3™ recoil pad and swivel studs
- Jewelled bolt
- Hinged floorplate magazine
- Plated components in trigger group for added corrosion resistance






- Fifth edition of a Remington Rocky Mountain Elk Foundation trade gun
- Chambered for 2005 in 7mm Remington Magnum
- Realtree™ Hardwoods® HD™ camo stock with XCR overmolded grip and fore end and R3™ recoil pad
- Hinged floor plate features cut engraved RMEF logo

Remington® Model 700™ XCR™ Calibers			
Caliber	Order #	MSRP	
270 Win	27165	\$867	
30-06 Sprg	27167	\$867	
7mm Remington Mag	27169 / 27145	\$893 / \$993	
300 Win Mag	(RM) (5F)	(RM) (5F)	
270 WSM	27173	\$893	
300 WSM	27175	\$893	
338 Win Mag	27177	\$893	
375 H&H	27191	\$893	
7mm Remington Ultra	27179	\$893	
300 Remington Ultra	27181	\$893	
375 Remington Ultra	27183	\$893	
375 Remington Ultra	27193	\$893	
375 H&H and 375 Rem Ultra Mag equipped with iron sights			

Remington® Model 700™ XCR™				
Product Specifications				
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (Lbs.)
Short Mag	3+1	24"	43 5/8"	7 3/8
Long	4+1	24"	44 1/2"	7 3/8
Magnum	3+1	26"	46 3/4"	7 5/8

Length of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"




Remington® Model 700™ SPSTM
(Special Purpose Synthetic) Family




**A New Family of Affordable, High Value Bolt-Action
Centerfire Rifles from a Brand You Can Trust.
Catalog Replacement for ADL Family of Products**

VALUE! VALUE! VA




Remington® Model 700™ SPST™



- New synthetic stock design featuring ergonomic grip and fore end styling, cheek piece for right-handed shooter and swivel studs.
- Features revolutionary R3™ recoil pad (\$40 value!).
- Matte blued clean barreled action with hinged floorplate magazine.
- Equipped with all standard features of the legendary Model 700™ (3 Rings of Steel, 3 millisecond lock-time, etc.).
- 24" Barrel length on short, long, and short mag calibers, 26" on long magnums.
- Available in four Youth configurations (1" Shorter Length of Pull).

Remington® Model 700™ SPS™ Calibers		
Caliber	Order #	MSRP
204 Ruger	27349	\$520
223 Remington	27351	\$520
22-250 Remington	27353	\$520
243 Win	27355 / (27475)	\$520
7mm-08 Remington	27357	\$520
308 Win	27359 / (27477)	\$520
270 Win	27361 / (27479)	\$520
30-06 Sprg	27363 / (27481)	\$520
270 WSM	27331	\$520
300 WSM	27333	\$520
7mm Remington Mag	27385	\$520
300 Win Mag	27387	\$520
300 Remington Ultra Mag	27389	\$520

**Remington® Model 700™ SPS™
DM (Detachable Magazine)**




All the Feature of the Model 700 SPS Plus:

- Durable and rugged stainless steel detachable magazine box
- Magazine box fully interchangeable with existing Remington Accessories detachable magazine box
- Available in six popular caliber offerings

Remington® Model 700™		
SPS™/DM Calibers		
Caliber	Order #	MSRP
243 Win	27338	\$547
7mm-08 Remington	27341	\$547
270 Win	27335	\$547
30-06 Spg	27337	\$547
7mm Remington	27343	\$547
30-06 Win Mag	27339	\$547

Remington® Model 700™ SPS™ Stainless Steel



New price point stainless offering from Remington.

All the features of the Model 700 SPS *Plus*.

- 416 Stainless Steel Barreled action and bolt with bead blast finish
- Plated fire control components for added corrosion resistance
- Available in six popular calibers

Remington® Model 700™ SPS		
Stainless Calibers		
Caliber	Order #	MSRP
.243 Win	27263	\$613
7mm-08 Remington	27265	\$613
.270 Win	27267	\$613
.30-06 Sprg	27269	\$613
7mm Remington	27271	\$613
30.06 Win Mag	27273	\$613

Remington® Model 700™ SPS™ Family Product Specifications				
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (lbs)
Short	4+1*	24"	43 5/8"	7 1/4
Short Youth	4+1	20"	38 5/8"	6 3/4
Short Mag	3+1	24"	43 5/8"	7 3/8
Long	4+1	24"	44 1/2"	7 3/8
Long Youth	4+1	22"	41 1/2"	7 1/4
Magnum	3+1	26"	46 1/4"	7 5/8
Length of Pull = 13 3/8" (12 3/8" A.P.O.) Drop @ Comb = 1.18" Drop @ Heel = 1.38"				
*22 Remington Magazine Capacity 5+1				


Remington® Model 700™ 25th Limited Edition Classic



- 25th Offering of the Limited Edition Classic chambered for .308 Win.
- 24" Polished blue clean barreled action
- Semi-gloss straight comb classic styled stock
- Fitted floorplate magazine

Caliber	Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight	MSRP	MSRP
.308 Win.	Short	4+1	24"	43.58"	22.1 lbs	2630	8700


Length of Pull = 13.53" Drop at Head = 1.28" Drop at Comb = 1.18"




Remington® Model 700™		
CDL™ LH Calibers		
Caliber	Order #	MSRP
.223 Remington	27101	\$769
.243 Win	27103	\$769
.270 Win	27105	\$769
.30-06 Sprg	27107	\$769
7mm Remington	27109	\$796
Magnum	27111	\$796
308 Remington Ultra		
Mag		

Remington® Model 700™ CDL™ LH Product Specifications				
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight (lbs)
Short	4+1*	24"	43 5/8"	7 3/8
Long	4+1	24"	44 1/2"	7 4/2
Magnum	3+1	26"	46 1/2"	7 5/8
Length of Pull = 13 3/8" Drop @ Comb = 1 1/8" Drop @ Heel = 1 3/8"				
*223 Remington Magazine Capacity 5+1				





Remington® Model XR-100™				
Rangemaster® Calibers & Specs				
Caliber	Order #	MSRP		
204 Ruger	25839	\$879		
223 Remington	25841	\$879		
22-250 Remington	25843	\$879		
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight
Short	Single Shot	26"	45.38"	(Lbs) 17.8
Length of Pull = 13 1/4" Drop @ Comb = 1.57" Drop @ Heel = 2.38"				




Remington® Model 700™ VSSF-II				
Calibers & Specs				
Caliber	Order #	MSRP		
204 Ruger	26333	\$1025		
220 Swift	26339	\$1025		
220 Remington	26337	\$1025		
22-250 Remington	26335	\$1025		
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight
Short	4+1*	26"	45 7/8"	(Lbs) 17 1/2
Length of Full = 13 3/8"; Drop at Comb = 1 1/4"; Drop at Heel = 1"				
204 Ruger & 223 Remington Magazine Capacity is 5+1				

Remington® Model 700™ VSF



• New version of the popular Model 700 VS
 • Tan and black hand laid up composite stock with aluminum bedding block now with palm swell, dual front studs, and restyled fore end
 • Now features six longitudinal flutes for weight reduction and heat dissipation
 • 26" varmint contour satin blued barrel and receiver
 • Hinged floorplate magazine
 • Left-hand versions offered in this configuration


Remington® Model 700™ VSF				
Calibers & Specs				
Caliber	Order #	MSRP		
223 Remington	27259 / 27277 (LH)	\$932 / \$959 (LH)		
22-250 Remington	27257 / 27275 (LH)	\$932 / \$959 (LH)		
308 Win	27261 / 27279 (LH)	\$932 / \$959 (LH)		
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight
Short	4+1*	26"	45 1/4"	(Lbs) 11 1/2
Length of Full = 13 3/8", Drop at Comb = 1 1/4", Drop at Heel = 1"				
223 Remington Magazine Capacity is 5+1				





Remington® Model 504™ 17 Mach 2 Specifications				
Caliber.....		Order #.....		MSRP.....
17 Mach 2.....		26502.....		\$710.....
Action Type.....	Magazine Capacity.....	Barrel Length.....	Overall Length.....	Average Weight.....
Rimfire.....	6+1.....	20".....	39 1/2".....	(Lbs) 6.....
Length of Pull = 13 1/4" Drop @ Comb = 1 1/8" Drop @ Heel = 1 1/4"				

Remington® Model 504-T™ LS HB
Heavy Barrel Target Rifle



- Features 20" heavy contour (0.90" O.D. @ Muzzle) free-floating target barrel for rigidity and stability with recessed crown
- Available in .17HMR & .22LR
- .22LR version features Eley[®] match chamber
- Brown laminated target stock with beavertail fore-end, raised comb and palm swell
- Detachable magazine box
- All standard features of the Model 504-T[™] Sporter, (steel receiver, dual extractions, twin bedding points, adjustable

Remington® Model 504-T™ LS HB				
Calibers & Specs				
Caliber	Order #	MSRP		
22LR	26493	\$799		
17 HMR	26495	\$825		
Action Type	Magazine Capacity	Barrel Length	Overall Length	Average Weight
Rimfire	6+1	20"	39 1/2"	(Lbs) 9 1/2
Length of Full Drop at Comb = 1 1/4" Drop at Head = 2"				
17 HMR Magazine Capacity is 5+1				




Remington® Model Seven™
AWR™ 6.8mm Remington SPC



- Chambered for hot new cartridge developed jointly with U.S. Special Forces
- Features 22" Stainless barrel and receiver, coated with black Teflon® coating
- Aramid fiber reinforced hand-laid up composite stock
- Hinged floor-plate magazine

Caliber	Action Type	Magazine Capacity	Barrel Length	Overall Length	Weight	Rem#	MSRP
6.8mm Rem SPC	Semi	40	22"	41 1/4"	6.15 lbs	34788	\$1547




Length of Full = $13\frac{1}{2}$ " Drop @ Comb = $1\frac{1}{2}$ " Drop @ Heel = 1"



Remington® Model 710™
New All Steel Receiver



- New for 2005, the Model 710 will now feature a solid steel receiver, eliminating the polymer receiver insert sleeve previously used on the gun.
- Due to the utilization of new manufacturing techniques, this change will be implemented **AT NO ADDITIONAL COST TO THE CUSTOMER!!!!!!**




2005 Notable Topics of Discussion



- We will begin phasing in R3™ recoil pads in on many of our wood guns such as BDL Magnums, Mountain Rifles, Model Seven LS rifles, 870 Wingmaster, and 1187 Premier shotguns
- We have completely redesigned the Model 597 22LR magazine box. This new design has virtually eliminated magazine related malfunctions. The new box is 100% retrofittable to older model guns.

2005 Notable Topics of Discussion

- We have changed our process for setting trigger pull on the Model 700/Seven/673 products to insure nothing leaves the plant over 5lbs




2005 New Products	
Rifles	
SKU	DESCRIPTION
27116	Model 700 NCR 1270 Win
27116	Model 700 NCR 139-06 Sprg
27116	Model 700 NCR 7mm Remington Magnum
27116	Model 700 NCR RMEF Camo 7mm Remington Magnum
27117	Model 700 NCR 1300 Win Mag
27117	Model 700 NCR 1270 WSM
27117	Model 700 NCR 1300 WSM
27117	Model 700 NCR 1338 Win Mag
27119	Model 700 NCR 1375 H&H with Sights
27117	Model 700 NCR 7mm Remington Ultra Magnum
27118	Model 700 NCR 1300 Remington Ultra Magnum
27118	Model 700 NCR 1338 Remington Ultra Magnum
27118	Model 700 NCR 1375 Remington Ultra Magnum with Sights


2005 New Products	
Rifles	
Model	Description
2734	Model 700 SPS 204 Ruger
2735	Model 700 SPS 223 Remington
2735	Model 700 SPS 22-250 Remington
2735	Model 700 SPS 243 Win
2747	Model 700 SPS 243 Win Youth
2747	Model 700 SPS 7mm-08 Remington
2736	Model 700 SPS 308 Win
2747	Model 700 SPS 308 Win Youth
2736	Model 700 SPS 270 Win
2747	Model 700 SPS 270 Win Youth
2736	Model 700 SPS 30-06 Sprg
2748	Model 700 SPS 30-06 Sprg Youth
2736	Model 700 SPS 270 Win

2005 New Products	
Rifles	
SKU	DESCRIPTION
2733	Model 700 SPS 300 WSM
2738	Model 700 SPS 7mm Remington Magnum
2738	Model 700 SPS 300 Win Mag
2738	Model 700 SPS 300 Remington Ultra Magnum
2733	Model 700 SPS DM .243 Win
2734	Model 700 SPS DM 7mm-08 Remington
2733	Model 700 SPS DM .270 Win
2733	Model 700 SPS DM 30-06 Sprg
2734	Model 700 SPS DM 7mm Remington Magnum
2733	Model 700 SPS DM 300 Win Mag
2726	Model 700 SPS Stainless .243 Win
2726	Model 700 SPS Stainless 7mm-08 Remington
2726	Model 700 SPS Stainless .270 Win

2005 New Products	
Rifles	
Model	Description
2726	Model 700 SPS Stainless .30-06 Sprg
2727	Model 700 SPS Stainless 7mm Remington Magnum
2727	Model 700 SPS Stainless .300 Win-Mag
2634	Model 700 Limited Edition Classic .308 Win
2710	Model 700 CDE LH .223 Remington
2710	Model 700 CDE LH .243 Win
2710	Model 700 CDE LH .270 Win
2710	Model 700 CDE LH .30-06 Sprg
2710	Model 700 CDE LH 7mm Remington Magnum
2711	Model 700 CDE LH .300 Remington Ultra Magnum
2583	Model XR-100 Rangemaster .204 Ruger
2384	Model XR-100 Rangemaster .223 Remington
2384	Model XR-100 Rangemaster .22-250 Remington

2005 New Products	
Rifles	
SKU	DESCRIPTION
2633	Model 700 VSSR-IL 204 Ruger
2633	Model 700 VSSR-IL 220 Swift
2633	Model 700 VSSR-IL 223 Remington
2633	Model 700 VSSR-IL 22-250 Remington
2722	Model 700 VSF 223 Remington
2722	Model 700 VSF L.H. 223 Remington
2722	Model 700 VSF 22-250 Remington
2727	Model 700 VSF L.H. 22-250 Remington
2726	Model 700 VSF 308 Win
2727	Model 700 VSF L.H. 308 Win
2650	Model 504 17 Mach 2
2649	Model 504 17 S Heavy Barrel 22LR
2649	Model 504 17 S Heavy Barrel 17 Mach 2





2005 Product Deletions & Replacements			
SKU	DESCRIPTION	SKU	DESCRIPTION
25771	700 ADL 270 Win	27361	700 SPS 270 Win
25773	700 ADL 30-06	27363	700 SPS 30-06 Sprg
27627	700 ADL S&N 204 Ruger	27349	700 SPS 204 Ruger
27612	700 ADL S&N 22-250 Rem	27353	700 SPS 22-250 Rem
27514	700 ADL S&N 223 Rem	27351	700 SPS 223 Rem
27474	700 ADL S&N 243 Win	27355	700 SPS 243 Win
27376	700 ADL S&N 270 Win	27361	700 SPS 270 Win
27378	700 ADL S&N 30-06 Sprg	27363	700 SPS 30-06 Sprg
27316	700 ADL S&N 308 Win	27359	700 SPS 308 Win
27480	Mag 700 ADL S&N 300 Win	27385	700 SPS 7mm Remi Mag
27482	Mag 700 ADL S&N YTH 243	27387	700 SPS 300 Win Mag
27618	Win 700 ADL S&N YTH 308	27475	700 SPS YTH 243 Wins
27623	Win	27477	700 SPS YTH 308 Wins

2005 Product Deletions & Replacements			
S&W	DESCRIPTION	S&W	DESCRIPTION
27305	Win	27479	700 SP8 YTH .270 Win
27305	700 ADE SAFS YTH 30-06	27481	700 SP8 YTH 30-06 Sprg
26852	700 Classic 8mm Mauser	26810	700 Classic .308 Win
26819	700 BDL LH .243 Win	27103	700 CDL LH .243 Win
26818	700 BDL LH .308 Win		
26811	700 BDL LH .270 Win	27105	700 CDL LH .270 Win
25815	700 BDL LH 30-06 Sprg	27107	700 CDL LH 30-06 Sprg
25815	700 BDL LH 7mm Rem	27109	700 CDL LH 7mm Rem Mag
26283	700 BDL LH 300 Rem		
26167	700 BDL LH 338 Rem	27143	700 EDL LH 300 Rem Ultra Vng
26338	Ultra		
29709	700 BDL SS 270 Win	27165	700 XCR 270 Win
29717	700 BDL SS 30-06 Sprg	27167	700 XCR 30-06 Sprg

2005 Product Deletions & Replacements			
SKU	DESCRIPTION	SKU	DESCRIPTION
25692	700 BDL SS 7mm Rem Mag	27169	700 XCR 7mm Rem Mag
25694	700 BDL SS 300 Win Mag	27171	700 XCR 300 Win Mag
26484	700 BDL SS 300 Rem SA		
26486	700 BDL SS 7mm Rem		
26275	700 BDL SS 300 Rem Ultra	27179	700 XCR 7mm Rem Ultra Mag
26099	700 BDL SS 300 Rem Ultra	27181	700 XCR 300 Rem Ultra Mag
26101	700 BDL SS 338 Rem Ultra	27183	700 XCR 338 Rem Ultra Mag
26430	700 F SS 7mm Rem Mag	27135	700 XCR 7mm Rem Mag
25933	700 F SS 300 Win Mag	27137	700 XCR 300 Win Mag
26505	700 F SS 7mm Rem Ultra	27179	700 XCR 7mm Rem Ultra Mag
26971	700 F SS 300 Rem Ultra	27181	700 XCR 300 Rem Ultra Mag
26289	700 F SS 338 Rem Ultra	27183	700 XCR 338 Rem Ultra Mag

2005 Product Deletions & Replacements			
SRU	DESCRIPTION	SRU	DESCRIPTION
26306	700 LSS-375 Rem Ultra	27193	700 VSR-375 Remington Ultra Magnum
26308	Ultra		
26978	700 LSS-LH-308 Rem Ultra		
26291	700 LSS-LH-338 Rem Ultra		
26743	700 VSS-II-22-250 Rem	26335	700 VSS-II-22-250 Rem
26745	700 VSS-II-223 Rem	26337	700 VSS-II-223 Rem
26731	700 VSS-II-220 Swif	26339	700 VSS-II-220 Swif
26761	700 VSR-22-250 Rem	27257	700 VSR-22-250 Rem
26763	700 VSR-223 Rem	27259	700 VSR-223 Rem
26765	700 VSR-308 Win	27261	700 VSR-308 Win
27548	700 VSR-EH-22-250 Rem	27275	700 VSR-EH-22-250 Rem
27649	700 VSR-EH-223 Rem	27277	700 VSR-EH-223 Rem
27651	700 VSR-EH-308 Win	27279	700 VSR-EH-308 Win

2005 Product Deletions & Replacements			
SKU	DESCRIPTION	SKU	DESCRIPTION
27506	700 Sender SF 7mm Rcm		
27508	Mag		
26823	700 Sender SF 7mm		
26829	700 Sender SF 300		
26831	700 Sender SF 7mm RUM		
26910	700 Sender SF 300 RUM		
26959	700 BDI DM 270 Wm	27335	700 SP8 DM 270 Rcm
26955	700 BDI DM 30-06 Sp	27337	700 SP8 DM 30-06 Sp
26960	Mag	27343	700 SP8 DM 7mm Rcm YMag
26969	700 BDI SS DM 370 Wm	27345	700 SP8 DM 270 Wm
26915	700 BDI SS DM 7mm Rcm	27337	700 SP8 DM 30-06 Sp
26988	Mag	27348	700 SP8 DM 7mm Rcm YMag
26985	Mag		

2005 Product Deletions & Replacements		
S&U	DESCRIPTION	REPLACEMENT
27575	740 S&W Magnum 45	
27581	Galaxy S&W Magnum 50	
27583	Galaxy Weathermaster 270	
26458	Win	
26459	7400 Weathermaster 30-06	