

M101	, OUT OF SPECS	, ACCURACY
M102	, MISCELLANEOUS	, BALANCE OF FIREARM IS NEEDED TO PERFORM PROPER
REPAIR		
M103	, BROKEN PART	, BUTT PLATE / RECOIL PAD IS BROKEN
M104	, OUT OF SPECS	, CHAMBER ROUGH / RINGS / TEARS / TIGHT
M105	, MISCELLANEOUS	, CONSIGNED GUN
M106	, MISCELLANEOUS	, COULD NOT DUPLICATE CUSTOMERS COMPLAINT
M107	, MISCELLANEOUS	, CREDIT RETURN
M108	, MISCELLANEOUS	, DAMAGE APPEARS TO HAVE OCCURRED IN TRANSIT
M109	, OUT OF SPECS	, DAMAGES CASES, BULLETS, OR SHELLS
M110	, FUNCTION	, FAILS TO FIRE
M111	, FINISH	, FINISH IS DAMAGED ON TRIGGER GUARD/PLATE
M112	, OUT OF SPECS	, HEADSPACE IS EXCESSIVE
M113	, OUT OF SPECS	, MUZZLE DAMAGE
M114	, MISCELLANEOUS	, NO CORRESPONDENCE
M115	, MISCELLANEOUS	, NO FAULT FOUND AT BENCH
M116	, MISCELLANEOUS	, PACKING ERROR
M117	, FINISH	, POOR FINISH - BARREL
M118	, FINISH	, POOR FINISH - FORE END
M119	, FINISH	, POOR FINISH - RECEIVER (OR FRAME)
M120	, FINISH	, POOR FINISH - STOCK
M121	, OUT OF SPECS	, RECEIVER IS MISCUT
M122	, FINISH	, RUSTED COMPONENT
M123	, MISCELLANEOUS	, FORWARD TO PRODUCT SERVICE FOR INSPECTION
M124	, OUT OF SPECS	, SIGHTS OFF CENTER
M125	, BROKEN PART	, STOCK CRACKED
M126	, FINISH	, STOCK MARRED
M127	, OUT OF SPECS	, TRIGGER PULL IS OUT OF FACTORY SPECS
M128	, OUT OF SPECS	, CHAMBER DIRTY / RUSTY
M129	, FUNCTION	, FAILS TO EXTRACT
M130	, OUT OF SPECS	, HEADSPACE AT MINIMUM
M131	, FUNCTION	, LIGHT OR NO INDENT FROM FIRING PIN
M132	, OUT OF SPECS	, BLUING SALTS BLEEDING FROM METAL
M133	, OUT OF SPECS	, EXTRACTOR MISSING
M134	, FUNCTION	, FAULTY MAGAZINE
M135	, OUT OF SPECS	, TRIGGER CONNECTOR BINDS
M136	, BROKEN PART	, EXTRACTOR IS BROKEN
M137	, FUNCTION	, FAILS TO EJECT
M138	, FUNCTION	, WILL NOT FEED PROPERLY
M139	, OUT OF SPECS	, RIFLING ROUGH / MISCUT / DAMAGED
M140	, MISCELLANEOUS	, ACTION IS DIFFICULT TO OPEN
M141	, FUNCTION	, EXTRACTOR IS CATCHING ON SHELL HEAD
M142	, FUNCTION	, MAGAZINE DIFFICULT TO LOAD
M143	, FINISH	, POOR RECOIL PAD TO STOCK FIT
M144	, OUT OF SPECS	, ROLL MARKING VISIBLE INSIDE BORE
M145	, BROKEN PART	, BOLT HANDLE FELL OFF, BOLT IS BROKEN
M146	, BROKEN PART	, FORE END CRACKED
M147	, OUT OF SPECS	, FORE END FIT IS TOO TIGHT
M148	, OUT OF SPECS	, FORE END FIT IS TOO LOOSE
M149	, FINISH	, FORE END MARRED
M150	, BROKEN PART	, GRIP CAP IS DAMAGED
M151	, BROKEN PART	, ACTION BAR IS BROKEN
M152	, BROKEN PART	, EJECTOR BROKEN
M153	, BROKEN PART	, RECEIVER PLUG SCREWS BROKEN
M154	, OUT OF SPECS	, RECEIVER SCOPE MOUNT HOLES OFF CENTER
M155	, OUT OF SPECS	, BOLT FACE / SHROUD DAMAGED
M156	, OUT OF SPECS	, BORE IS HEAT CHECKED
M157	, OUT OF SPECS	, CHOKE TUBE CONCENTRICITY
M158	, BROKEN PART	, CHOKE TUBE CRACKED
M159	, OUT OF SPECS	, CHOKE TUBE THREADS DAMAGED
M160	, FUNCTION	, EJECTOR DOES NOT HAVE ENOUGH TENSION
M161	, OUT OF SPECS	, EJECTOR STUCK IN BOLT
M162	, OUT OF SPECS	, FIRING PIN HITS PRIMER OFF CENTER
M163	, OUT OF SPECS	, FREEBORE MISCUT / MIN
M164	, OUT OF SPECS	, EJECTOR IS LOOSE

M165	, OUT OF SPECS	, RIB DOES NOT ALIGN WITH RECEIVER
M166	, OUT OF SPECS	, RIB IS DAMAGED
M167	, BROKEN PART	, RIB LANDS ARE LOOSE
M168	, OUT OF SPECS	, RIB SWEEPS TO THE LEFT
M169	, OUT OF SPECS	, RIB SWEEPS TO THE RIGHT
M170	, OUT OF SPECS	, SCOPE MOUNT THREADS UPSET IN RECEIVER
M171	, FINISH	, CAMO FINISH WORN/DAMAGED
M172	, FUNCTION	, CLOSERS HARD OVER SHELL
M173	, OUT OF SPECS	, BARREL BRACKET OUT OF POSITION
M174	, OUT OF SPECS	, BOLT STOP STICKS
M175	, MISCELLANEOUS	, ISS BOLT LOCKED IN THE OPEN POSITION
M176	, OUT OF SPECS	, RETURNED FOR RECALL/UPDATE
M177	, OUT OF SPECS	, STOCK NOT BEDDED PROPERLY
M178	, OUT OF SPECS	, TRIG ADJ SCREWS RESET, CANNOT READJUST
M179	, OUT OF SPECS	, BARREL TO RECEIVER MISALIGNMENT
M180	, OUT OF SPECS	, EXTRACTOR HITS INSIDE CHAMBER
M181	, FUNCTION	, BURR AT RIM AREA OF CHAMBER
M182	, FUNCTION	, CARRIER OUT OF ADJUSTMENT
M183	, OUT OF SPECS	, GAS ORIFICE HOLE IS OVERSIZE
M184	, BROKEN PART	, MAGAZINE TUBE SEPARATED FROM RECEIVER
M185	, MISCELLANEOUS	, THREE SHOT PLUG AT WRONG END OF MAG TUBE
M186	, BROKEN PART	, ACTION SPRING TUBE FELL OFF
M187	, BROKEN PART	, BARREL GUIDE STUD MISSING
M188	, BROKEN PART	, BARREL SUPPORT SEPARATED FROM MAG TUBE
M189	, BROKEN PART	, CARRIER LATCH IS BROKEN
M190	, BROKEN PART	, GAS CYLINDER SEPARATED FROM BARREL
M191	, OUT OF SPECS	, GAS HOLES OUT OF POSITION
M192	, BROKEN PART	, MAG LATCH BROKEN / SEPARATED FROM HOUSING
M193	, OUT OF SPECS	, CARRIER LATCH TAB OUT OF ADJUSTMENT
M194	, FUNCTION	, ACTION BAR LOCK CATCHES BETWEEN ACTION BAR AND
RECEIVER		
M195	, MISCELLANEOUS	, ACTION CLOSERS TOO EASILY
M196	, FUNCTION	, ACTUATING ROD BENT/LOOSE
M197	, OUT OF SPECS	, CHOKE TUBE CONCENTRICITY - BOTTOM BARREL
M198	, OUT OF SPECS	, CHOKE TUBE CONCENTRICITY - TOP BARREL
M199	, FUNCTION	, COCKING RODS BIND
M200	, MISCELLANEOUS	, DEBRIS UNDER REAR CONNECTOR
M201	, FUNCTION	, DOUBLES
M202	, FUNCTION	, EJECTOR - BOTTOM BARREL EJECTS TOO SOON
M203	, OUT OF SPECS	, EJECTOR SEAR OUT OF ADJUSTMENT
M204	, OUT OF SPECS	, EJECTOR SEAR TOO LONG
M205	, FUNCTION	, EJECTOR SYSTEM HAS INCORRECT TIMING
M206	, FUNCTION	, EJECTORS BIND
M207	, FUNCTION	, FAILS TO COCK
M208	, FUNCTION	, FIRING PINS BIND IN FRAME
M209	, OUT OF SPECS	, FRAME FACE IS ROUGH/FIRING PIN HOLES RECESSED
M210	, BROKEN PART	, GAS CYL CRACKED
M211	, MISCELLANEOUS	, GUN RECEIVED IN MANUAL SAFETY MODE
M212	, MISCELLANEOUS	, GUN RECEIVED WITH SAFETY LOCKED OFF
M213	, FUNCTION	, HAMMERS DO NOT COCK - NO OVERCOCK
M214	, BROKEN PART	, INTERCEPTOR LATCH STUD MISSING
M215	, FUNCTION	, LOCKING BOLT OVERLOCK
M216	, FUNCTION	, OPENS WHEN FIRED
M217	, OUT OF SPECS	, OVER LOCKED
M218	, OUT OF SPECS	, PREPLAY ON SEAR NOT TO FACTORY SPECIFICATIONS
M219	, MISCELLANEOUS	, CARDBOARD PACKING RING WAS NOT REMOVED
M220	, MISCELLANEOUS	, PISTON/PISTON SEAL INCORRECTLY INSTALLED
M221	, OUT OF SPECS	, RECEIVER FEED CUTS ARE ROUGH
M222	, MISCELLANEOUS	, MODIFY TUBE CAPACITY TO ACCEPT TEN ROUNDS
M223	, BROKEN PART	, ACTION TUBE RING BROKEN
M224	, OUT OF SPECS	, BREECH PLUG FROZEN IN BREECH
M225	, BROKEN PART	, EJECTOR SPRING IS BROKEN
M226	, OUT OF SPECS	, FORE END TUBE NUT IS LOOSE - FORE END RUBS
BARREL		
M227	, BROKEN PART	, GAS BLOCK SEPARATED FROM BARREL

M228	,	BROKEN PART	,	GUIDE RING SEPERATED FROM BARREL
M229	,	OUT OF SPECS	,	MAGAZINE GUIDE IS OUT OF POSITION
M230	,	BROKEN PART	,	LOCKING BAR ASSEMBLY BROKEN
M231	,	OUT OF SPECS	,	NIPPLE NOT TO FACTORY SPECIFICATIONS
M232	,	OUT OF SPECS	,	RECEIVER INSERT IS MISSING
M233	,	OUT OF SPECS	,	RESIZE BORE
M234	,	BROKEN PART	,	RECEIVER BROKEN AT BARREL CLAMP
M235	,	OUT OF SPECS	,	RESIZE BORE
M236	,	BROKEN PART	,	RECEIVER BROKEN AT BARREL CLAMP
M237	,	BROKEN PART	,	INSTALL NEW BOLT ASSM
M238	,	UPDATE PROG	,	CLEAN & INSPECT
M239	,	UPDATE PROG	,	REPLACE TRIGGER ASSEMBLY
M240	,	UPDATE PROG	,	BOLT LOCK SAFETY MODIFICATION
M241	,	MISCELLANEOUS	,	RETURNING GUN TO FACTORY
M990	,	BROKEN PART	,	USER DEFINED
M991	,	FINISH	,	USER DEFINED
M992	,	FUNCTION	,	USER DEFINED
M993	,	MISCELLANEOUS	,	USER DEFINED
M994	,	OUT OF SPECS	,	USER DEFINED
M995	,	UPDATE PROG	,	USER DEFINED