YEARLY GALLERY PERFORMANCE

13-Jan-1995

Page 1

Ramac Model Descript Code Problem Detail	ion £	shot Rej Inva	ect lid b) Pct ooth	Serial Rimfire
9792 522 2	2	88	13	14.8	3134144
R BC-P BLOWS CASES AT PROOF					4599
N BC-P BLOWS CASES AT PROOF					4546
N BC-P BLOWS CASES AT PROOF					4635
N BC-P BLOWS CASES AT PROOF		3353538000.			4382
N DFU DOESN'T FEED UP		Sau-			4621
N DLO DOESN'T LOCK OPEN [AFTER	###				3809
N DLO DOESN'T LOCK OPEN [AFTER					3837
N DLO DOESN'T LOCK OPEN [AFTER					4603
N DLO DOESN'T LOCK OPEN [AFTER	LAST				3134304
R DLO DOESN'T LOCK OPEN [AFTER	****				3443
N DLO DOESN'T LOCK OPEN ENTTER	LAST				3133533
R DLO DOESN'T LOCK OPEN FAFTER	LAST				3133226
R DLO DOESN'T LOCK OPEN LAFTER	LAST				
Invalid booth Totals		88	13	14.8	
	1005	YEARLY G	ALLER	Y PERFO	RMANCE
	3 Jan-1995				
	Page 1				
Ramac Model gescript Code problem petail	ion 5	hot Rej	ect	Pct	Serial
		Proo	f Ce	nterfir	·e
5614 700 MTRX FEE 2-	13	148	0	0.0	
	1M-08	16	1	6.3	3970
N DE DOESN'T EJECT.					
	70WIN	56	0	0.0	
5636 700 MT. BIFLE 2	70 WIN	26	0	0.0	
5656 700 MT. RIFLE 3	00 WIN MAG	1	0	0.0	

Subject to Protective Order - Williams v. Remington

PLAINTIFF'S EXHIBIT


303

YEARLY GALLERY PERFORMANCE

13-Jan-1995

Page 1

Ramac M Code	odel Descr Problem Detail	ription	Shot R	iject	Pct	Serial
			Inv	alid b	ooth	Rimfire
9792 522 R BC-P	BLOWS CASES AT PROOF	22	88	13	14.8	3134144
N BC-P	BLOWS CASES AT PROOF		\$\$			4599
N BC-P	BLOWS CASES AT PROOF					4546
N BC-P	BLOWS CASES AT PROOF					4635
N DFU	DOESN'T FEED UP					4382
N DLO	DOESN'T LOCK OPEN [AF	TER LONGT				4621
N DLO	DOESN'T LOCK OPEN [AF					3809
N DLO	DOESN'T LOCK OPEN [AF					3837
	•					4603
N DLO	DOESN'T LOCK OPEN [AF					3134304
R DLO	DOESN'T LOCK OPEN [AF					3443
N DLO	DOESN'T LOCK OPEN (A)	***************************************				3133533
R DLO	DOESN'T LOCK OPEN TAF	TER LAST				3133226
R DLO	DOESN'T LOCK OPEN TAF	TER LAST				
Invalid bo	ooth Totals .		88	13	14.8	
·		13 Jan-1995	YEARLY	GALLER	Y PERF	ORMANCE
		Page 1				
Ramac Mo Code	odel Bescr Problem petail	iption ‱	Shot Re	ject	Pct	Serial
			Pro	of Ce	nterfi	re
5614 700	MT RIFLE	243	148	0	0.0	
5616 700 N DE	MT. RIFLE DOESN'T ETECT	7mm-08	16	1	6.3	3970
5630 700	MT. RIFLE	270win	56	0	0.0	
5636 700	MT. RIFLE	270 WIN	26	0	0.0	
5656 700	MT. RIFLE	300 WIN MAG	1	0	0.0	
5000000	9800008					




Subject to Protective Order - Williams v. Remington

YEARLY GALLERY PERFORMANCE

13-Jan-1995

Page 1

Ramac Model Code	Desc Problem Detai	ription 1	,Shot	Reject	Pct	Serial
				Invalid	booth	Rimfire
9792 522 R BC-P BLOW	VS CASES AT PROOF	22	88	13	14.8	3134144
	S CASES AT PROOF	200		****		4599
	S CASES AT PROOF					4546
	S CASES AT PROOF					4635
	SN'T FEED UP					4382
						4621
	SN'T LOCK OPEN [A					3809
	N'T LOCK OPEN [A					3837
	SN'T LOCK OPEN [A					4603
	SN'T LOCK OPEN [A	***************************************				3134304
R DLO DOES	SN'T LOCK OPEN [A	FTER LAST				3443
N DLO DOES	N'T LOCK OPEN &	FTER LAST				3133533
R DLO DOES	N'T LOCK OPEN ÎĂ	FTER LAST				3133226
R DLO DOES	N'T LOCK OPEN A	FTER LAST				5.235220
Invalid booth	Totals .	X	88	13	14.8	
t .		13-Jan-1995		KLY GALLE	ERY PER	FORMANCE
		Page 1				
Ramac Model Code	Desci Problem petai	ription k	Shot	Reject	Pct	Serial
		*		Proof C	enterf	ire
5614 700	MT. RIFLE	243	148	0	0.0	
5616 700 N DE DOES	MT. RIFLE N'T EJECT	7mm-08	16	1	6.3	3970
5630 700	MT. RIFLE	270win	56	0	0.0	
5636 700	MT. RIFLE	270 WIN	26	0	0.0	
5656 700	MT. RIFLE	300 WIN MAG	1	0	0.0	



Subject to Protective Order Williams v. Remington